

СПИСЪК СЪС ЗАБЕЛЯЗАНИ ЦИТИРАНИЯ
на публикациите на гл. асист. Людмила Симова-Стоилова и съавтори

- Demirevska-Kepova K., Simova L., 1989.** Isolation and purification of ribulose-1,5-bisphosphate carboxylase/oxygenase from barley leaves. *Bulg.J. Pl. Physiol.* **15**, 3-10
1. Metodiev M., 1993. Quantity and catalytic properties of Rubisco in leaves from different barley varieties. *PhD thesis*, Institute of Plant Physiology "Acad. M. Popov", Sofia, p.45.
 2. Zeinalov Y., 2006. A brief history of the investigations on photosynthesis in Bulgaria. *Photosynthesis Research* 88,195-204.
 - 3.Lasova G.N., Stemler A.J., 2008. A 160 kDa protein with carbonic anhydrase activity is complexed with Rubisco on the outer surface of thylakoids. *Cell Biol.Internat.*33 (8), 867-873.
- Demirevska-Kepova K., Simova L., Juperlieva-Mateeva B., 1995.** Rubisco activase from barley leaves and polyclonal antibodies against it. *Compt. Rend. BAS* **48**, 97-100
4. Zeinalov Y., 2006. A brief history of the investigations on photosynthesis in Bulgaria. *Photosynthesis Research* 88, 195-204.
- Demirevska-Kepova K., Simova-Stoilova L., Kyurkchiev S., 1997.** Proteolytic degradation of barley Rubisco and recognition of the obtained fragments by monoclonal antibodies. *Photosynthetica* **34** (2), 211-218.
5. Pinto S., Rao S.R., Bhagwat A.S., 2002. Limited proteolysis of maize NADP-malic enzyme. *Indian J. Biochem. Biophys.* 39 (6), 382-389.
- Demirevska-Kepova K., Simova-Stoilova L., Kjurkchiev St., 1999.** Barley leaf Rubisco, Rubisco binding protein and Rubisco activase and their protein/protein interactions. *Bulgarian J. Plant Physiol.* **25**, 31-44.
6. Jin S.H., Weng X.Y., Wang N.Y., Li X.Q., Mao W.H., Jiang D.A., 2004. [Construction of expression vector with antisense Rubisco activase gene and its genetic transformation in rice] (In Chinese). *Hereditas* (Beijing) 26, 881–886.
 7. Gu R., Fonseca S., Puskas L.G., Hackler Jr.L., Zvara A., Dudits D., Pais M.S., 2004. Transcript identification and profiling during salt stress and recovery of *Populus euphratica*. *Tree Physiology* 24 (3), 265-276.
 8. Zeinalov Y., 2006. A brief history of the investigations on photosynthesis in Bulgaria. *Photosynthesis Research* 88,195-204.
 9. Sauvage F-X., Pradal M., Chatelet P., Tesniere C., 2007. Proteome changes in leaves from grapevine (*Vitis vinifera* L.) transformed for alcohol dehydrogenase activity. *Journal of Agricultural and Food Chemistry* 55 (7), 2597-2603.
 10. Fedina E.O., Karimova F.G., Tarchevskii I.A., Toropygin I.Yu., Khripach V.A., 2008. Effect of epibrassinolide on tyrosine phosphorylation of the calvin cycle enzymes. *Russian J. Plant Physiology* 55 (2), 193-200.
 11. Komatsu S., Yamada E., Furukawa K., 2008. Cold stress changes the concavalin A – positive glycosylation pattern of proteins expressed in the basal parts of rice leaf sheets. *Amino Acids* 2009 36 (1), 115-23, Epub 2008 Feb 16, DOI 10.1007/s00726-008-0039-4.
 12. Lazova G.N., Stemler A.J., 2008. Participation of a stromal carbonic anhydrase and Rubisco in a thylakoid-associated multienzyme complex isolated from soybean and poplar. *Comptes Rendus de L'Academie Bulgare des Sciences* 61 (5), 621-626.

Simova-Stoilova, L., Demirevska-Kepova, D., Stoyanova, Z. (2000) Total and RUBISCO specific proteolytic activity during dark induced senescence of barley seedlings. Bulg. J. Plant Physiol. 26:15–26.

13. Ou Z.-Y., Peng C.-L., Lin G.-Z., Yang C.-W., **2003**. Relationship between PSII excitation pressure and content of Rubisco large subunit or small subunit in flag leaves of super high-yielding rice. *Acta Botanica Sinica* 45 (8), 929-935.
14. Popels L.C., **2003**. Investigations into the distribution, dark survival, and detection of *Aureococcus Anophagefferens*. A *PhD thesis* submitted to the Faculty of the University of Delaware in partial fulfillment of the requirements for the degree of PhD in Oceanography, Chapter 4, p. 109.
15. Popels L.C., MacIntyre H.L., Warner M.E., Zhang Y., Hutchins D.A., **2007**. Physiological responses during dark survival and recovery in *Aureococcus Anophagefferens* (Pelagophyceae). *Journal of Phycology* 43 (1), 32–42.
16. Moussa H.R., Ahmed A.E.F.M. **2010**. Protective role of selenium on development and physiological responses of Vicia faba. *Int. J. Vegetable Sci* 16 (2), pp. 174-183.

Simova-Stoilova, L., Stoyanova Z., Demirevska-Kepova K., 2001. Ontogenic changes in leaf pigments, total soluble protein and Rubisco in two barley varieties in relation to yield. Bulg. J. of Plant Physiol. 27 (1-2), 15-24.

17. Bojovic B., Stojanovi J., **2005**. Chlorophyll and carotenoid content in wheat cultivars as a function of mineral nutrition. *Arch. Biol. Sci.* Belgrade, 57 (4), 283-290.
18. Stramkale V., Stramkalis A., Pakarna G., Vikmane G., **2008**. The content of photosynthetic pigments in spring wheat leaves in dependence on mineral supply through leaves. *Latvian Journal of Agronomy* 10, 299-308 [in Latvian].
19. Edith Nanjala Khaembah. Leaf Rubisco turnover variation in a perennial ryegrass (*Lolium perenne* L.) population: Analysis of quantitative trait loci, implications for productivity, and potential for manipulation. **2009. PhD thesis** in Plant Science, Massey University, Institute of Natural Resources, College of Sciences, Palmerston North, New Zealand.

Simova-Stoilova L., Demirevska-Kepova K., Stoyanova Z., 2002. RuBPCO specific proteolysis in barley chloroplasts during dark induced senescence. Photosynthetica 40 (4), 561-566

20. Krupinska K., **2005**. Fate and activities of plastids during leaf senescence. In: Advances in photosynthesis and respiration Vol.23 *The structure and function of plastids*, Chapter 22. Eds. Robert R. Wise, University of Wisconsin, Oshkosh, WI, USA and J. Kenneth Hoober, Arizona State University, Tempe, AZ, USA. Springer, Heidelberg.
21. Irving L.J., Robinson D., **2006**. A dynamic model of Rubisco turnover in cereal leaves. *New Phytologist* 169 (3), 493-504.
22. Fu J., Qin T., Du L., **2008**. Effect of dark treatment on fluorescence properties of cytoledon thylakoid membranes of *Brassica napus* L. *Chinese J. Appl. Environ. Biol.* 14 (1), 24-31.
23. Mishev K., **2009**. Functional state of the photosynthetic apparatus and gene expression in the chloroplasts during dark-induced and natural senescence. *PhD thesis*, Institute of Plant Physiology “Acad. M. Popov”, Sofia, p. 18.
24. Romanova A.K., G.A. Semenova, N.S. Novichkova, A.R. Ignat’ev, V.A. Mudrik, B.N. Ivanov, **2011**, Physiological, biochemical, and fluorescence parameters of senescent sugar beet leaves in the vegetative phase of growth. *Fiziol. Rastenii*, 2011, Vol. 58, No. 2, pp. 221–233.

Simova-Stoilova, L., K. Demirevska-Kepova, Z. Stoyanova, 2005 “Antioxidative protection in the leaves of dark-senescing intact barley seedlings” *Acta Physiologiae Plantarum* 27 (3 B), pp. 349-356

25. Mishev K., 2009. Functional state of the photosynthetic apparatus and gene expression in the chloroplasts during dark-induced and natural senescence. *PhD thesis*, Institute of Plant Physiology “Acad. M. Popov”, Sofia, p. 18.

Simova-Stoilova L., Stoianova L. Demirevska-Kepova K., Smilova E. Effect of Cu and Mn toxicity on growth parameters, photosynthetic pigments, leaf protein pattern and Rubisco content of barley seedlings. European Workshop on Environmental Stress and Sustainable Agriculture. Bulg. J. Plant Physiology. 2003, sppec. Issue, p. 408.

26. Veliksar S., Mihailescu C., Toma S., Lisnic S., Kreidman J., 2005. Purificarea ecologică a solurilor de surplusul de cupru după defrișarea plantatiilor multianuale. *Mediu ambiant* 1 (18), 1-5.

Demirevska-Kepova K., Simova-Stoilova L., Stoyanova Z., Hölzer R., Feller U., 2004. Biochemical changes in barley plants after excessive supply of copper and manganese, Environ. Exp. Bot. 52 (3), 253-266.

27. Qian M., Li X., Chen Z., 2005. Adaptive copper tolerance in *Elsholtzia haichowensis* involves production of Cu-induced thiol peptides. *Plant Growth Regul.* 47 (1), 65-73.

28. Spohr M.G., Stein R.J., Fadanelli C., Fett J.P., 2005. Analises de parametros fisiologicos de plantas de arroz cultivadas sob excesso de ferro. Anais do IV Congresso Brasileiro de Arroz Irrigado. *Bioclimatologia*, 215-217, www.sosbai.com.br/docs/04_Bioclimatologia.pdf [Portug]

29. Stein R.J., Spohr M.G., Duarte G.L., Lopes S.G., Fett J.P., 2005. Toxidez por excesso de ferro em arroz: resposta de enzimas antioxidantes. Anais do IV Congresso Brasileiro de Arroz Irrigado *Bioclimatologia*, 264-266, www.sosbai.com.br/docs/04_Bioclimatologia.pdf [In Portugese]

30. Balestrasse K.B., Gallego S.M., Tomaro M.L., 2006. Oxidation of the enzymes involved in nitrogen assimilation plays an important role in the cadmium-induced toxicity in soybean plants. *Plant and Soil* 284 (1-2), 187-194.

31. Cui L., Cao R., Li J., Zhang L., Wang J., 2006. High temperature effects on ammonium assimilation in leaves of two *Festuca arundinacea* cultivars with different heat susceptibility. *Plant Growth Regulation* 49 (2-3), 127-136.

32. El-Tayeb M.A., El-Enany A.E., Ahmed N.L., 2006. Salicylic acid alleviates the copper toxicity in sunflower seedlings. *International Journal of Botany* 2 (4), 380-387.

33. El-Tayeb M.A., El-Enany A.E., Ahmed N.L., 2006. Salicylic acid-induced adaptive response to copper stress in sunflower (*Helianthus annuus* L.). *Plant Growth Regul* 50 (2-3), 191-19.

34. MakSYMIEC W., Krupa Z., 2006. The effects of short-term exposition to Cd, excess Cu ions and jasmonate on oxidative stress appearing in *Arabidopsis thaliana*. *Env. Exp. Bot.* 57 (1-2), 187-194.

35. Morita A., Yokota H., Ishka M.R., Ghanati F., 2006. Changes in peroxidase activity and lignin content of cultured tea cells in response to excess manganese. *Soil Science and Plant Nutrition* 52 (1), 26-31.

36. Shi Q., Zhu Z., Xu M., Qian Q., Yu J., 2006. Effect of excess manganese on the antioxidant system in *Cucumis sativus* L. under two light intensities. *Env. Exp. Bot.* 58 (1-3), 197-205.

37. Shi Q-h, Zhu Z-j., Li J., Qian Q., **2006**. Combined effects of excess Mn and low pH on oxidative stress and antioxidant enzymes in cucumber roots. *Agricultural Sciences in China* 5 (10), 767-772.
38. Sinha P., Dube B.K., Chatterjee C., **2006**. Manganese stress alters phytotoxic effects of chromium in green gram physiology (*Vigna radiata* L.) cv. PU 19. *Env. Exp. Bot.* 57 (1-2), 131-138.
39. de Almeida A-A. F., ValleR.R., Mielke M.S., Gomes F.P., **2007**. Tolerance and prospection of phytoremediator woody species of Cd, Pb, Cu and Cr. *Brazilian J. Plant Physiol.* 19 (2), 83-98.
40. Boojar M.M.A., Goodarzi. F., **2007**. The copper tolerance strategies and the role of antioxidative enzymes in three plant species grown on copper mine. *Chemosphere* 67 (11), 2138-2147
41. Borghi M., Tognetti R., Monteforti G., Sebastiani L., **2007**. Responses of *Populus × euramericana* (*P. deltoides* × *P. nigra*) clone *Adda* to increasing copper concentrations. *Environ. Exp. Bot.* 61 (1), 66-73.
42. Deriu D., CalaceN., Petronio B.M., Pietroletti M., **2007**. Morphological and physiological responses of barley plants grown on soils characterised by metal toxicity and metal deficiency. *Annali di Chimica* 97 (3-4), 153-162.
43. Guo T.R., Zhang G.P., Zhang Y.H., **2007**. Physiological changes in barley plants under combined toxicity of aluminum, copper and cadmium *Colloids and Surfaces B: Biointerfaces* 57 (2), 182-188.
44. Ke S.-s., **2007**. Effects of copper on the photosynthesis and oxidative metabolism of *Amaranthus tricolor* seedlings. *Agricultural Sciences in China* 6 (10), 1182-1192.
45. Lei Y., Korpelainen H., Li C., **2007**. Physiological and biochemical responses to high Mn concentrations in two contrasting *Populus cathayana* populations. *Chemosphere* 68, 686-694.
46. Li M., Xiong Z., Dai L., Huanq Y., **2007**. Effects of copper on nitrogen assimilation in copper-tolerant and non-tolerant populations of *Elsholtzia haichowensis* S. *Water, Air, and Soil Pollut.* 184 (1-4), 323-333.
47. Liu J., Tong L., Shen T., Li J., Wu L., Yu Z., **2007**. Impact of ion implantation on licorice (*Glycyrrhiza uralensis* Fisch) growth and antioxidant activity under drought stress. *Plasma Science and Technology* 9 (3), 301-306.
48. Maksymiec W., **2007**. Signaling responses in plants to heavy metal stress. *Acta Physiologiae Plantarum* 29 (3), 177-187.
49. Marimon B.H. Junior, **2007**. Relação entre diversidade arborea e aspectos do ciclo biogeoquimicode uma floresta monodominante de *Brosimum rubescens* Tabú. E uma floresta mista no leste mato-grossense. *PhD thesis* Universidade de Brasilia, instituto de ciencias biologicas, Departamento de Ecologia [In Portuguese].
50. Noordiana N., Syed Omar S. R., Shamshuddin J., Nik Aziz N. M., **2007**. Effect of organic-based and foliar fertilisers on cocoa (*Theobroma cacao* L.) grown on an oxisol in Malaysia. *Malaysian Journal of Soil Science* 11, 29-43.
51. Stobrawa K., Lorenc-Plucinska G., **2007**. Changes in carbohydrate metabolism in fine roots of the native European black poplar (*Populus nigra* L.) in a heavy-metal-polluted environment. *Science of the Total Environment* 373 (1), 157-165.
52. Street R.A., Kulkarni M.G., Stirk W.A., Southway C., Van Staden J., **2007**. Toxicity of metal elements on germination and seedling growth of widely used medicinal plants belonging to *Hyacinthaceae*. *Bulletin of Environmental Contamination and Toxicology* 79 (4), 371-376.

53. Tao Y-M., Chen Y.-Z., Liang Y-L., Xu M-Y., Xu X.-M., **2007**. Cadmium-induced membrane lipid peroxidation and changes in antioxidant enzyme activities and peroxidase isoforms in Jerusalem artichoke seedlings. *J. Plant Physiol.Molec. Biol.* 33 (4), 301-308.
54. Wu L-Q., Cheng S-p., Yang I-h., Wu Zh-b., **2007**. Stress response and resistance mechanism of *Canna indica* Linn. to cadmium and copper. *J. Agro-environ. Sci.*, 27(4), 1365-1369.
55. Xia Y., Shen Z.G., **2007**. Comparative studies of copper tolerance and uptake by three plant species of the genus *Elsholtzia*. *Bulletin of Environ Contamin Toxicol* 79 (1), 53-57.
56. Yang. Z.-B., You J.-F., Yang Z.-M., **2007**. Manganese uptake and transportation as well as antioxidant response to excess Mn in plants. *J. Plant Physiol.Molec. Biol.* 33 (6), 480-488.
57. Yang Z.-B., You, J.-F., Yang, Z-M. **2007**. Aluminum lightens the adverse effects of excessive Mn on growth of soybean (*Glycine max*) *J Plant Physiol Molec Biol* 33, 574-580.
58. Źróbek-Sokolnik A., Górska K., Górecki R. J., **2007**. The activity of antioxidant enzymes in suspension cultured tobacco cells treated with heavy metals. *Polish J. Nat.Sci* 22 (4), 704-713.
59. Arya S.K., Khalique S., Kumar S., Roy B.K., **2008**. Glutathione and cysteine biosynthesis in two varieties of *Abelmoschus esculentus* in response to mine spoil. *J. Environ Biol* 29, 93-99.
60. Bes C., Mench. M., **2008**. Remediation of copper-contaminated topsoils from a wood treatment facility using in situ stabilisation. *Environ. Pollution* 156 (3), 1128-1138.
61. Boojar M.M.A., Goodarzi F., **2008**. Comparative evaluation of oxidative stress status and manganese availability in plants growing on manganese mine. *Ecotoxicol. Environ. Safety* 71 (3), 692-699.
62. Chen K., Lei Y., **2008**. Effect of Mn toxicity on ecophysiological responses in two *Populus cathayana* populations. 2nd International *Conference on Bioinformatics and Biomedical Engineering*, iCBBE, art. № 4535472, 4377-4381.
63. Dazy M., Beraud E., Cotelle S., Meux E., Masfaraud J-F., Ferard J-F., **2008**. Antioxidant enzyme activities as affected by trivalent and hexavalent chromium species in *Fontinalis antipyretica* Hedw. *Chemosphere* 73 (3), 281-290.
64. Ekmekci Y., Tanyolac D., Ayhan B., **2008**. Effects of cadmium on antioxidant enzyme and photosynthetic activities in leaves of two maize cultivars. *J. Plant Physiol.* 165, 600-611.
65. Gopal R., **2008**. Manganese and oxidative damage in cucumber. *Internat. J. Veget. Sci.* 14, 1, 55-66.
66. Gopal R., Giri V., Nautiyal N., **2008**. Excess copper and manganese alters the growth and vigour of maize seedlings in solution culture. *Indian J. Plant Physiol.* 13 (1), 44-49.
67. Liu H., Zhang H., Wang G., Shen Z., **2008**. Identification of rice varieties with high tolerance or sensitivity to copper. *J. Plant Nutr.* 31 (1), 121-136.
68. Ming H., Hu Ch-sh., Zhang Y-m., Cheng Y-s., **2008**. Effect of lead stress on the photosynthetic characteristics and yield of maize. *J. Maize Sci.* 16 (1), 74-78.
69. Peng K., Luo C., You W., Lian C., Li X., Shen Z., **2008**. Manganese uptake and interactions with cadmium in the hyperaccumulator-*Phytolacca Americana* L. *J. Hazardous Materials* 154 (1-3), 674-681.
70. Rezai K., Farboodnia T., **2008**. Manganese toxicity effects on chlorophyll content and antioxidant enzymes in pea plant (*Pisum sativum* L. cv *qazvin*). *Agricultural J.* 3 (6), 454-458.
71. Sinha S., Singh S., Mallick S., **2008**. Comparative growth response of two varieties of *Vigna radiata* L. (var. PDM 54 and var. NM 1) grown on different tannery sludge applications: efects of treated wastewater and ground water used for irrigation. *Environ. Geochem. Health* 30 (5), 407-422.
72. Stobrawa K., Lorenc-Plucinska G., **2008**. Thresholds of heavy-metal toxicity in cuttings of

- European black poplar (*Populus nigra* L.) determined according to antioxidant status of fine roots and morphometrical disorders. *Sci. Total Environ.* 390 (1), 86-96.
73. Street R. A. **2008**. Heavy metals in South African medicinal plants. *PhD thesis*, Research Centre for Plant Growth and Development School of Biological and Conservation Sciences, University of KwaZulu-Natal, Pietermaritzburg.
74. Tao Y-M., Chen Y-Z., Liang S-C., Liang Y-L., **2008**. Physiological and biochemical properties of *Bruguiera gymnorhiza* seedlings under cadmium stress. *Chinese J. Ecol.* 27 (5), 762-766.
75. Zhang X., Lin F., Jiang Y., Wang K., Wong M.T.F., **2008**. Assessing soil Cu content and anthropogenic influences using decision tree analysis. *Environ. Pollution* 156 (3), 1260-1267.
76. Zhang H., Xia Y., Wang G., Shen Z., **2008**. Excess copper induces accumulation of hydrogen peroxide and increases lipid peroxidation and total activity of copper-zinc superoxide dismutase in roots of *Elsholtzia haichowensis*. *Planta* 227 (2), 465-475.
77. Dazy M., Masfaraud J.-F., Férid J.-F., **2009**. Induction of oxidative stress biomarkers associated with heavy metal stress in *Fontinalis antipyretica*. *Chemosphere* 75, 297-302.
78. Eren B., Ozcan D., Arican E., Gozukirmizi N., **2009**. Toxic effects of copper on cultured barley embryos. *Fresenius Environmental Bulletin* 18, 5A, 682-686.
79. Gao J., Li T., Yu X., **2009**. Gene expression and activities of SOD in cucumber seedlings were related with concentrations of Mn²⁺, Cu²⁺, or Zn²⁺ under low temperature stress. *Agricul. Sci. China*, 8 (6), 678-684.
80. Lavres Junior J., Malavolta E., de Lima N. N., Moraes M. F., Reis A. R., Rossi M. L., Cabral C. P., **2009**. Changes in anatomy and root cell ultrastructure of soybean genotypes under manganese stress. *Revista Brasileira de ciencia do solo* 33, 395-403.
81. Li Y., Song Y., Shi G., Wang J., Hou X., **2009**. Response of antioxidant activity to excess copper in two cultivars of *Brassica campestris* ssp. *chinensis* Makino. *Acta Physiol Plant* 31, 155–162.
82. Lisjak M., Teklic T., Engler M., Paradjikovic N., Cesar V., Lepedus H., Stolfa I., Beslo D., Loncaric Z., Hancock J.T., **2009**. Physiological responses in two radish cultivars exposed to copper and lead stress. *Proceedings of the 17th International Symposium of CIEC: Plant nutrient management under stress conditions* / Abdalla, F.E., Abdel-Maguid, A.A., editor(s). Giza, Egypt: El-Zaiem Press, 27-32 (poster, international peer-review, published, scientific).
83. Maheshwari R., Dubey R.S., **2009**. Nickel-induced oxidative stress and the role of antioxidant defence in rice seedlings. *Plant Growth Regul.* 59, 37–49.
84. Mora M.de la Luz, Rosas A., Ribera A., Rengel Z., **2009**. Differential tolerance to Mn toxicity in perennial ryegrass genotypes: involvement of antioxidative enzymes and root exudation of carboxylates. *Plant and Soil* 320, 79–891.
85. Nenova V., Merakchiyska M., Ganeva G., Zozikova E., Landjeva S., **2009**. Physiological responses of wheat (*Triticum Aestivum* L.) –*Aegilops Sharonensis* introgression lines to excess copper. *J. Agron. Crop Sci.* 195 (3), 197-203.
86. Skorzynska-Polit E., Drazkiewicz M., Krupa Z., **2009**. Lipid peroxidation and antioxidative response in *Arabidopsis thaliana* exposed to cadmium and copper. *Acta Physiol Plant* 32 (1), pp. 169-175.
87. Tabaldi L.A., Cargnelutti D., Gonçalves J.F., Pereira L.B., Castro G.Y., Maldaner J., Rauber R., Rossato L.V., Bisognin D.A., Shetinger M.R.Ch., Nicoloso F.T., **2009**. Oxidative stress is an early symptom triggered by aluminum in Al-sensitive potato plantlets. *Chemosphere* 76 (10), 1402-1409.

88. Tao Y.-M., Chen Y.-Z., Liang Y.-L., Xu M.-Y., Duan W.-F., **2009**. Effects of lead stress on antioxidant enzymes in *Bruguiera gymnorhiza* seedlings. *Chinese J. Ecol.* 28 (2), 342-345.
89. Wu Y., Chen Y., Yi Y., Shen Z., **2009**. Responses to copper by the moss *Plagiomnium cuspidatum*: Hydrogen peroxide accumulation and the antioxidant defense system. *Chemosphere* 74, 1260–1265.
90. Xiumin C., Yikai Z., Xiuling C., Hong J., Xiaobin W., **2009**. Effects of exogenous nitric oxide protects tomato plants under copper stress. Third International Conference on Bioinformatics and Biomedical Engineering, iCBBE art. № 5162740.
91. Xu W., Li W., He J., Balwant S., Xiong Z., **2009**. Effects of insoluble Zn, Cd, and EDTA on the growth, activities of antioxidant enzymes and uptake of Zn and Cd in *Vetiveria zizanioides*. *J. Environ Sci.* 21, 186–192.
92. Zhang X., Lin F., Jiang Y., Wang K., Feng X.L., **2009**. Variability of total and available copper concentrations in relation to land use and soil properties in Yangtze River Delta of China. *Environ. Monit. Assess.* 155 (1-4), 205-213.
93. Zhang Y., Han X., Chen X., Jin H., Cui X., **2009**. Exogenous nitric oxide on antioxidative system and ATPase activities from tomato seedlings under copper stress. *Scientia Horticulturae* 123 (2), 217-223.
94. Zhang Y-X., Huang Z.-B., Zhang H.-M., Li L-F., Chai T.-Y., **2009**. Antioxidative response of *Phytolacca americana* and *Nicotiana tabacum* to manganese stresses. *Huanjing Kexue/ Environmental Science* 30 (12), 3676-3683.
95. Benimeli C.S., Medina A., Navarro C.M., Medina R.B., Amoroso M.J., Gómez M.I., **2010**. Bioaccumulation of copper by *Zea mays*: impact on root, shoot and leaf growth. *Water Air Soil Pollution* 210 (1-4), pp. 365-370.
96. Bulbovas P., Moraes R.M., Rinaldi M.C.S., Cunha A.L., Delitti W.B.C., Domingos M., **2010**. Leaf antioxidant fluctuations and growth responses in saplings of *Caesalpinia echinata* Lam. (brazil wood) under an urban stressing environment. *Ecotoxicol. Environ. Safety.* 73 (4), pp. 664-670.
97. Castilhos G., **2010**. Estresse oxidativo em resposta ao aluminio em aveia branca [Oxidative stress in response to aluminium in oat]. *Dissertasao* Grau de mestre em Fitotecnica enfase Fisiologia e manejo vegetal. Universidade Federal do Rio Grande do Sul, Faculdade de Agronomia, Porto Alegre, Brasil [in Portugese].
98. Cui X.M., Y.K. Zhang, X.B. Wu, C.S. Liu **2010** The investigation of the alleviated effect of copper toxicity by exogenous nitric oxide in tomato plants. *Plant Soil Environ* 56, 274–281.
99. DU Xiao, SHEN Xiao-hui, **2010**. Effects of cadmium stress on physiological and biochemical indices of *Viburnum odoratissimum* and *V. tinus* seedlings. *Chinese Journal of Ecology* 29 (5):899-904.
100. Francini A., Sebastiani L. **2010**. COPPER EFFECTS ON *PRUNUS PERSICA* IN TWO DIFFERENT GRAFTING COMBINATIONS (*P. PERSICA* ×*P. AMYGDALUS* AND *P. CERASIFERA*). *J. Plant Nutrition* 33 (9) 1338 – 1352.
101. Fuhrs H., C. Behrens, S. Gallien, D. Heintz, A. Van Dorsselaer, H-P. Braun, W. J. Horst, **2010**. Physiological and proteomic characterization of manganese sensitivity and tolerance in rice (*Oryza sativa*) in comparison with barley (*Hordeum vulgare*). *Annals of Botany*, 105 (7), pp. 1129-1140.
102. R. Kaur; R. Bhardwaj; A. K. Thukral; U. Narang **2011** Interactive effects of binary combinations of manganese with other heavy metals on metal uptake and antioxidative enzymes in *Brassica juncea* L. seedlings . *Journal of Plant Interactions* 6 (1), pp. 25-34.

103. Lakhdar A., Iannelli M. A., Debez A., Massacci A., Jedidi N., Abdelly Ch., **2010**. Effect of municipal solid waste compost and sewage sludge use on wheat (*Triticum durum*): growth, heavy metal accumulation, and antioxidant activity. *Journal of the Science of Food and Agriculture* 90 (6), pp. 965-971.
104. Li Q., Chen L-S., Jiang H.-X., Tang N., Yang L.-T., Lin Zh-H., Li Y., Yang G.-H., **2010**. Effects of manganese-excess on CO₂ assimilation, ribulose-1,5-bisphosphate carboxylase/oxygenase, carbohydrates and photosynthetic electron transport of leaves, and antioxidant systems of leaves and roots in *Citrus grandis* seedlings. *BMC Plant Biology* 2010, 10:42 doi:10.1186/1471-2229-10-42
105. R. Millaleo, M. Reyes-Diaz, A.G. Ivanov, M.L. Mora, and M. Alberdi. **2010**. Manganese as essential and toxic element for plants: transport, accumulation and resistance mechanisms. *J. Soil Sci. Plant Nutr.* 10 (4): 476 – 494.
- 106 Minocha, R., et al., **2010**. Elevation dependent sensitivity of northern hardwoods to Ca addition at Hubbard Brook Experimental Forest, NH, USA. *Forest Ecol. Management* 260 (12), pp. 2115-2124
107. Nagajyoti P. C. , Lee K.D., Sreekanth T. V. M. **2010**. Heavy metals, occurrence and toxicity for plants: a review. *Environ Chem Lett* 8 (3) 199-216.
108. Nayek S., Gupta S., Saha R.N. **2010**. Metal accumulation and its effects in relation to biochemical response of vegetables irrigated with metal contaminated water and wastewater. *Journal of Hazardous Materials* 178 (1-3), pp. 588-595.
109. Nayek S., Gupta S., Saha R.N. **2010**. Effects of metal stress on biochemical response of some aquatic macrophytes growing along an industrial waste discharge channel. *Journal of Plant Interactions* 5 (2), pp. 91-99.
- 110 S. Srivastava, R. S. Dubey, **2010**. Manganese-excess induces oxidative stress, lowers the pool of antioxidants and elevates activities of key antioxidative enzymes in rice seedlings. *Plant Growth Regul* DOI 10.1007/s10725-010-9526-1
- 111 Sun B.-Y., S.-H. Kan, Y.-Z. Zhang, S.-H. Deng, J. Wu, H. Yuan, H. Qi, G. Yang, L. Li, X.-H. Zhang, H. Xiao, Y.-J. Wang, H. Peng, Y.-W. Li, **2010**. Certain antioxidant enzymes and lipid peroxidation of radish (*Raphanus sativus* L.) as early warning biomarkers of soil copper exposure, *Journal of Hazardous Materials* 183 (1-3), pp. 833-838.
112. TangY-J., Zhu L-W. **2010**. Improvement of ganoderic acid and *Ganoderma* polysaccharide biosynthesis by *Ganoderma lucidum* fermentation under the inducement of Cu²⁺. *Biotechnology Progress* 26 (2), pp. 417-423.
113. Wang L., Liming Yang, FengjuanYang, Xiaogang Li, Yunpeng Song, Xiufeng Wang, Xiangyang Hu, **2010**. Involvements of H₂O₂ and metallothionein in NO-mediated tomato tolerance to copper toxicity. *Journal of Plant Physiology* 167 (15), pp. 1298-1306.
- 114 Wen X., Feng L., Wang H., Hong Y., Zhang L-Q., **2010**. Antioxidant enzyme activities of plants on closed municipal solid waste sanitary landfills. *Chinese J. Ecol.* 29 (8), pp. 1612-1617.
115. Wu C., Luo Y., Zhang L. **2010** Variability of copper availability in paddy fields in relation to selected soil properties in southeast China. *Geoderma* 156 (3-4), pp. 200-206.
116. Yadav S.K., **2010**. Heavy metals toxicity in plants: An overview on the role of glutathione and phytochelatins in heavy metal stress tolerance of plants. *South African J. Bot.*, 76 (2), pp. 167-179.
117. Zhang H., Zhang F., Xia Y., Wang G., Shen Z. **2010**. Excess copper induces production of hydrogen peroxide in the leaf of *Elsholtzia haichowensis* through apoplastic and symplastic

- CuZn-superoxide dismutase. *Journal of Hazardous Materials* 178 (1-3), pp. 588-595.
118. Zhang YX, Li LF, Chai TY, Lin D, Zhang HM **2010**. Mechanisms of manganese toxicity and manganese tolerance in plants. *Chin Bull Bot* 45, 506–520 [in Chinese].
119. Fabiana Soares dos Santos, Nelson Moura Brasil do Amaral Sobrinho e Nelson Mazur, Carlos Garbisu, Oihana Barrutia y José Maria Becerril **2011**. Antioxidative response, phytochelatin production and photoprotective pigments composition of *Brachiaria decumbens Stapf* plants exposed to Cd and Zn. [In Portug] *Quim. Nova*, Vol. XY, No. 00, 1-5.95.
120. Xu X., Shi G., Ding C., Xu Y., Zhao J., Yang H., Pan Q., **2011**. Regulation of exogenous spermidine on the reactive oxygen species level and polyamine metabolism in *Alternanthera philoxeroides* (Mart.) Griseb under copper stress. *Plant Growth regul.*, 63, 3, 251-258.

Demirevska-Kepova K., Hölzer R., Simova-Stoilova L., Feller U. 2005. Heat stress effects on Rubisco, Rubisco binding protein and Rubisco activase in wheat leaves. Biologia Plantarum 49, (4) 521-525.

121. Holmes P., Farquharson R., Hall P.J., Rolfe B.G., **2006**. Proteomic analysis of root meristems and the effects of acetohydroxyacid synthase-inhibiting herbicides in the root of *Medicago truncatula*. *Journal of Proteome Research* 5 (9), 2309-2316.
122. Kingston-Smith A.H., Bolland A.L., Minchin F.R., **2006**. The effect of nitrogen status on the regulation of plant-mediated proteolysis in ingested forage; an assessment using non-nodulating white clover. *Annals of Applied Biology* 149 (1), 35-42.
123. Lambreva M.D., **2007**. Changes in the photosynthetic apparatus of bean plants in the initial acclimation phase to stress temperature and light intensity under high CO₂ concentration. *PhD thesis* [in Bulg.] p.111.
124. Liu H., Baldwin C.M., Luo H., Pessarakli M., **2007**. Enhancing turfgrass nitrogen use under stresses. in: *Handbook of Turfgrass Management and Physiology* Chap. 33 pp 557-592, Eds Pessarakli Pessarakli, Mohammad Pessarakli, Published by CRC Press, p 585.
125. Richter J., **2007**. Analytische Untersuchungen zum Einfluss der Mykorrhizierung auf Ertrag, Inhaltsstoffzusammensetzung und Pathogentoleranz von Heil- und Gewürzpflanzen. *PhD thesis* [in German]. Institut für Agrar- und Ernährungswissenschaften der Naturwissenschaftlichen Fakultät III Der Martin-Luther-Universität Halle-Wittenberg.
126. Wahid A., Gelani S., Ashraf M., Foolad M.R., **2007**. Heat tolerance in plants: An overview *Environ. Exp. Bot.* 61 (3), 199-223.
127. Caeiro A.S., Ramos P.C., Teixeira A.R., Ferreira R.B., **2008**. The ubiquitin/proteasome pathway from *Lemna minor* subjected to heat shock. *Biol. Plant.* 52 (4), 695-702.
128. Kingston-Smith A.H., Davies T.E., Edwards J.E., Theodorou M.K., **2008**. From plants to animals: The role of plant cell death in ruminant herbivores. *J. Exp Bot* 59 (3), 521-532.
129. Kislyuk I.M., Bubolo L.S., Bykov O.D., Kamentseva I.E., Sherstneva O.A., **2008**. Protective and injuring action of visible light on photosynthetic apparatus in wheat plants during hyperthermia treatment. *Russian J. Plant Physiol.* 5, 613-620.
130. Mitra S., Baldwin I.T., **2008**. Independently silencing two photosynthetic proteins in *Nicotiana attenuata* has different effects on herbivore resistance. *Plant Physiol.* 148, 2, 1128-1138.
131. Wahid A., Sehar S., Perveen M., Gelani S., Basra S.M.A., Farooq M., **2008**. Seed pretreatment with hydrogen peroxide improves heat tolerance in maize at germination and seedling growth stages. *Seed Sci Technol.* 36 (3), 633-645.
132. Cottie N.S., **2009**. Thermotolerance in cotton. A *thesis* submitted for the degree of Doctor

of Philosophy Faculty of Agriculture, Food and Natural Resources, The University of Sydney, Australia.

133. Afroz A., MR Khan, S Komatsu **2010** Determination of Proteins Induced in Response to Jasmonic Acid and Salicylic Acid in Resistant and Susceptible Cultivars of Tomato *Protein and peptide letters* 17 (7). 836-846.
134. Ali M.B., A.M.H. Ibrahim, D.B. Hays, Z. Ristic' J. Fu **2010**. Wild Tetraploid Wheat (*Triticum turgidum* L.) Response to Heat Stress. *J. Crop Improvement* 24, 3, 228 – 243.
- 135 А. Ю. Скрипников, Н. А. Аниканов, В. С. Казаков, С. В. Долгов, Р. Х. Зиганшин, В. М. Говорун, В. Т. Иванов, **2011**. ПОИСК И ИДЕНТИФИКАЦИЯ ПЕПТИДОВ МХА *Physcomitrella patens*. *Биоорганическая химия* 37 (1) 108-118.
136. Arnab Chattopadhyay, Pratigya Subba, Aarti Pandey, Deepti Bhushan, Rajiv Kumar, Asis Datta, Subhra Chakraborty, Niranjan Chakraborty, **2011**. Analysis of the grasspea proteome and identification of stress-responsive proteins upon exposure to high salinity, low temperature, and abscisic acid treatment. *Phytochemistry* doi:10.1016/j.phytochem.2011.01.024
137. Yan Xu, Chenyang Zhan, Bingru Huang **2011**. Heat Shock Proteins in Association with Heat Tolerance in Grasses. *International Journal of Proteomics* Article ID 529648, 11 pages doi:10.1155/2011/529648

Demirevska-Kepova K., Simova-Stoilova L., Stoyanova Zl. , Feller U., 2006. Cadmium stress in barley: Growth, leaf pigment, and protein composition and detoxification of reactive oxygen species. *J. Plant Nutrition* 29 (3), pp. 451-468

138. Ghani A., Wahid A., **2007**. Varietal differences for cadmium-induced seedling mortality and foliar-toxicity symptoms in mungbean (*Vigna radiata*). *Int. J. Agri. Biol.* 9 (4), 555-558.
139. Wahid A., Ghani A., Ali I., Ashraf M.Y., **2007**. Effects of cadmium on carbon and nitrogen assimilation in shoots of mungbean [*Vigna radiata* (L.) Wilczek] seedlings. *J. Agron. Crop Sci.* 193 (5), 357-365.
140. Gratao P.R. 2008. Resposta de plantas de tomate (*Lycopersicon Esculentum* cv. Micro-Tom) ao cadmio [Response of tomato plants (*Lycopersicon Esculentum* cv. Micro-Tom) to cadmium]. *PhD thesis* in Agronomy, Universidade de Sao Paulo, Piracicaba, Brasil [in Portuguese].
141. Kumar S., Mehta U.J., Hazra S., **2008**. Accumulation of cadmium in growing peanut (*Arachis hypogaea* L.) seedlings. Its effect on lipid peroxidation and on the antioxidative enzymes catalase and guaiacol peroxidase *J. Plant Nutr. Soil Sci.* 171, 440–447.
142. Hasan S.A., Fariduddin Q., Ali B., Hayat S., Ahmad A., **2009**. Cadmium: toxicity and tolerance in plants. *J. Environ. Biol.* 30 (2), 165-174..
143. Nagajyothi P.C., Dinakar N., Suresh S., Udaykiran Y., Suresh C., Damodharam T., **2009**. Effect of industrial effluent on the morphological parameters and chlorophyll content of green gram (*Phaseolus aureus Roxb*). *J. Environ. Biol.* 30 (3), 385-388.
144. UNYAYAR S., GUZEL DEĞER A., CELİK A., CEKİC F.O., CEVİK S., **2010**. Cadmium-induced antioxidant status and sister-chromatid exchanges in *Vicia faba* L. *Turk J Biol* 34 (4), pp. 413-422.
145. Stancheva I., M. Geneva, M. Hristozkova, Y. Markovska, I.Salamon **2010**. Antioxidant Capacity of Sage Grown on Heavy Metal_Polluted Soil. *Russian Journal of Plant Physiology* 57 (6) 799–805.
- 146 S.S. Gill, N. Tuteja, **2010**. Reactive oxygen species and antioxidant machinery in abiotic

stress tolerance in crop plants, *Plant Physiology and Biochemistry* 48 (12), pp. 909-930.

Simova-Stoilova L., Petrova T., Tsenov N., Demirevska K., Feller U. 2006. Proteolytic activity in wheat leaves during drought stress and recovery, Gen Appl Plant Physiol, Sp. Issue 91–100.

147. Grudkowska M., Zagdanska B., **2010.** Acclimation to frost alters proteolytic response of wheat seedlings to drought . *J Plant Physiol* 167 (16), pp. 1321-1327.
148. Contour-Ansel D., M.L. Torres-Franklin, Y.Zuily-Fodil, M. H.Cruz de Carvalho, **2010.** An aspartic acid protease from common bean is expressed ‘on call’ during water stress and early recovery. *J Plant Physiol J Plant Physiol* 167 (18), pp. 1606-1612.
149. Kholova, J., Hash, C.T., Kocova, M., Vadez, V., **2011.** Does a terminal drought tolerance QTL contribute to differences in ROS scavenging enzymes and photosynthetic pigments in pearl millet exposed to drought?, *Environ. Experimental Botany* 71 (1) 99-106.

Fedina I., Velitchkova M., Georgieva K., Demirevska K., Simova L., 2007. UV-B response of green and etiolated berley seedlings. Biol. Plantarum 51, 4, 699-706.

150. Зорница Катерова 2008. Дисертация ИФР-БАН “Физиолого-биохимични изменения при грахови растения, обльчени с UV-B и UV-C”. Стр. 106.

Gorinova N., Nedkovska M., Todorovska E., Simova-Stoilova L., Stoyanova Z., Georgieva K., Demirevska-Kepova K., Atanassov A., Herzig R., 2007. Improved phytoaccumulation of cadmium by genetically modified tobacco plants (*Nicotiana tabacum* L.). Physiological and biochemical response of the transformants to cadmium toxicity. Environmental Pollution 145, 161-170 .

151. Chin L. **2007.** Investigations into Lead (Pb) Accumulation in *Symphytum officinale* L.: A phytoremediation Study. *PhD thesis* in in Plant Biotechnology, University of Canterbury, New Zealand.
152. Guo T.R., Mi Z.X., Zhang Y.H., Tian R.G., **2008.** Effect of Al, Cd and Cu interactions on photosynthetic characteristics and sugar contents in barley leaves differing in Al tolerance. In: *Soil Ecology Research Developments* ISBN: 978-1-60021-971-9 Editor: Tian-Xiao Liu, Nova Science Publishers, Inc. , pp. 19-29.
153. Januškaitiene I., Juknys R., Pipiraitė A., **2008.** Spring barley photosynthetic rate and changes in stress phases under different cadmium impact. *Agriculture* 95, 1, 73-85 [in Latvian].
154. Kučera T. , Horáková H., Šonská A. , **2008.** Toxic metal ions in photoautotrophic organisms *Photosynthetica* 46 (4), 481-489.
- 155.Sanjaya H. P-Y., Su R-C., Ko S.-S, Tong, C-G., Yang R.-Y., Chan M-T., **2008.** Overexpression of *Arabidopsis thaliana* tryptophan synthase beta 1 (AtTSB1) in *Arabidopsis* and tomato confers tolerance to cadmium stress. *Plant Cell Environ.* 31 (8), 1074-1085.
156. Souza V.L., Almeida A.-A.F., Hora Junior B.T., Gesteira A.S., Cascardo J.C.M., **2008.** Preliminary analysis of expressed sequences of genes in *Genipa Americana* L. plant roots exposed to cadmium in nutrient solution. *Genet. Molec. Res.*, 7, 1282-1288.
157. Xu W., Shi W., Liu F., Ueda A., Takabe T., **2008.** Enhanced zinc and cadmium tolerance and accumulation in transgenic *Arabidopsis* plants constitutively overexpressing a barley gene (HvAPX1) that encodes a peroxisomal ascorbate peroxidase *Can. J. Bot.* 86 (6), 567-575.
158. Balestrazzi A., Botti S., Zelasco S., Biondi.S., Franchin C., Calligari P., Racchi M., Turchi

- A., Lingua G., Berta G., Carbonera D., **2009**. Expression of the PsMTA1 gene in white poplar engineered with the MAT system is associated with heavy metal tolerance and protection against 8-hydroxy-20-deoxyguanosine mediated-DNA damage. *Plant Cell Rep* 28 (8), 1179-92.
159. Baptista S.M.P., **2009**. Avaliação da resposta ao stresse oxidativo induzido por cadmio e cobre em plantas de tabaco transformadas e não transformadas. *Dissertação* para obtenção do Grau de Mestre em Engenharia do Ambiente, Instituto Superior de Agronomia, Universidade Técnica de Lisboa [In Portugese].
- 160.Januškaitienė I., Dikšaitytė A., **2009**. Cadmium impact on photosynthesis and growth of pea (*Pisum sativum* L.) plants at different development stages. *Sodininkyste ir Darzininkyste Scientific Articles* 28(4), 163-172.
- 161 Ke S., Zhang C., Wang J., **2009**. Effects of cadmium stress on photosynthesis and antioxidant systems in *Mirabilis jalapa* under different light intensities. *Acta Scientiae Circumstantiae* 29 (6), 1302-1310.
162. Maestri E., Marmiroli M., Visioli G., Marmiroli N., **2010**. Metal tolerance and hyperaccumulation: Costs and trade-offs between traits and environment. *Environ. Exp. Bot.* 68 (1), 1-13.
163. Mierek-Adamska A., Dabrowska G., Goc A., **2009**. Genetically modified plants and strategies of soil remediation from heavy metals. *Postepy Biologii Komorki* 36 (4), 649-662.
164. Nehnevajova E., Schmulling T., Herzig T., Schwitzguebel J.P., **2009**. Increased tolerance of sunflower mutant seedlings to Cd and Zn in hydroponic culture. *Agrochimica* 53 (6), 353-366.
165. Xu J., Chai T., Zhang Y., Lang M., Han L., **2009**. The cation-efflux transporter BjCET2 mediates zinc and cadmium accumulation in *Brassica juncea* L. leaves. *Plant Cell Rep* 28(8), 1235-1242.
166. Zhao F.-Y., Liu W., Zhang S.-Y, **2009**. Different responses of plant growth and antioxidant system to the combination of cadmium and heat stress in transgenic and non-transgenic rice. *J. Integr. Plant Biol.* 51 (10), 942-950.
167. Jewell M.C., Campbell B.C., Godwin I.D., **2010**. Transgenic plants for abiotic stress resistance, p.67-132. In: Kole Ch, Michler, Ch.H., Abbott, A.G., Hall, T.C. (Eds) *Transgenic Crop Plants*, Chap. 2. DOI 10.1007/978-3-642-04812-8_2, Springer-Verlag Berlin Heidelberg.
168. Maestri E., Marmiroli M., Visioli G., Marmiroli N., **2010**. Metal tolerance and hyperaccumulation: Costs and trade-offs between traits and environment. *Environ. Exp. Bot.* 68 (1), 1-13.
169. Nikolic D.B. , Samardzic J.T. , Bratic A.M. , Radin I.P. , Gavrilovic S.P. , Rausch Th., Maksimovic V.R., **2010**. Buckwheat (*Fagopyrum esculentum* Moench) FeMT3 Gene in Heavy Metal Stress: Protective Role of the Protein and Inducibility of the Promoter Region under Cu²⁺ and Cd²⁺ Treatments. *J. Agric. Food Chem.*, 58 (6), pp. 3488-3494.
170. Samardzic J.T., D.B. Nikolic, G.S. Timotijevic, Z.S. Jovanovic, M.D. Milisavljevic, V.R. Maksimovic **2010**. Tissue expression analysis of FeMT3, a drought and oxidative stress related metallothionein gene from buckwheat (*Fagopyrum esculentum*). *J. Plant Physiol.* 167 (16), pp. 1407-1411.
171. Wu Q., T. Shigaki, K.A. Williams, J.-S.Han, Ch. K. Kim, K.D.Hirschi, S.Park, **2010**. Expression of an *Arabidopsis* Ca²⁺/H⁺ antiporter CAX1 variant in petunia enhances cadmium tolerance and accumulation. *J. Plant Physiol.* 168 (2), pp. 167-173.
172. Cabala R., L. Slováková, M. El Zohri , H.Frank **2011**. Accumulation and translocation of Cd metal and the Cd-induced production of glutathione and phytochelatins in *Vicia faba* L.

- Demirevska K, Simova-Stoilova L, Vassileva V, Vaseva I, Grigorova B, Feller U , 2008. Drought-induced leaf protein alterations in sensitive and tolerant wheat varieties. *Gen Appl Plant Physiol* 34(1–2), 79–102.
173. Chandran Sh., J. Th. Puthur, 2009. Assorted response of mutated variants of vanilla planifolia Andr. towards drought. *Acta Physiol Plant* 31, 1023–1029.
174. Abdalla K.O., B. Baker, M.S. Rafudeen, 2010. Proteomic analysis of nuclear proteins during dehydration of the resurrection plant Xerophyta viscosa. *Plant Growth Regul* 62 (3) 279–292.
175. Bhutto L. A. , W. P. Quick., 2010. Understanding the mechanisms of drought tolerance in wheat (*Triticum aestivum* L.) www.shef.ac.uk/aps/.../bhutto-l-a-and-w-p-quick-publication.pdf
- Demirevska K, Simova-Stoilova L, Vassileva V, Feller U., 2008. Rubisco and some chaperone protein responses to water stress and rewetting at early seedling growth of drought sensitive and tolerant wheat varieties. *Plant Growth Regul* 56, 97–106.
176. Abogadallah G.M., Serag M.M., El-Katouny T.M., Quick W.P., 2009. Salt tolerance at germination and vegetative growth involves different mechanisms in barnyard grass (*Echinochloa crusgalli* L.) mutants. *Plant Growth Regul*. 60 (1), 1-12.
177. Dai M., Deng X.-P., Yang S.-S., Cao R., Guo H.-B., Zhang F., 2009. Effects of water stress on protein expression and physiological properties of different geno-type wheat (*Triticum aestivum* L.) sprouts. *Chinese J. Applied Ecol.* 20 (9), 2149–2156.
178. Cia M.C. 2010. [Antioxidative response of sugarcane (*Saccharum* spp) genotypes under water deficit] *PhD Thesis*, Universidade de São Paulo, Escola Superior de Agricultura “Luiz de Queiroz”, Picacicaba [in Portuguese].
179. Laino P., D. Shelton , Ch. Finnie, A. M. De Leonardi, A. M. Mastrangelo, B. Svensson, D. Lafiandra, S. Masci 2010 Comparative proteome analysis of metabolic proteins from seeds of durum wheat (cv. Svevo) subjected to heat stress. *Proteomics* 10, 12, 2359 – 2368.
180. Bhutto L. A. , W. P. Quick., 2010. Understanding the mechanisms of drought tolerance in wheat (*Triticum aestivum* L.) www.shef.ac.uk/aps/.../bhutto-l-a-and-w-p-quick-publication.pdf
181. J. Chen, R. Li, P.Guo, Y. Xia, Ch. Tian, Sh. Miao, 2011. Impact of Drought Stress on the Ultrastructure of Leaf Cells in Three Barley Genotypes Differing in Level of Drought Tolerance. *Chinese Bulletin of Botany* 46 (1) 28–36.
182. Sánchez-Rodríguez E., M.D.M.Rubio-Wilhelmi, J.J. Ríos, B. Blasco, M.Á. Rosales, R. Melgarejo, L. Romero, J. M. Ruiz, 2011. Ammonia production and assimilation: Its importance as a tolerance mechanism during moderate water deficit in tomato plants. *J Plant Physiol*, 168 (8), pp. 816-823.
- Simova-Stoilova L., Demirevska K., Petrova T., Tsenov N., Feller U., 2008. Antioxidative protection in wheat varieties under severe recoverable drought at seedling stage. *Plant, Soil and Environment*, 54 (12), pp. 529-536.
183. Çakmak T., Atici Ö., 2009. Effects of putrescine and low temperature on the apoplastic antioxidant enzymes in the leaves of two wheat cultivars. *Plant Soil Environ.* 55 (8), 320-326.
184. Sandhya V., Sk. Z. Ali, Minakshi Grover, Gopal Reddy, B. Venkateswarlu, 2010. Effect of

- plant growth promoting *Pseudomonas* spp. on compatible solutes, antioxidant status and plant growth of maize under drought stress *Plant Growth Regul.* 62 (1), pp. 21-30.
185. Amjad Hameed, Noreen Bibi, Javed Akhter and Nayyer Iqbal **2010** Differential changes in antioxidants, proteases, and lipid peroxidation in flag leaves of wheat genotypes under different levels of water deficit conditions *Plant Physiol Biochem* 49 (2), pp. 178-185.
186. Vardharajula S., Ali S.Z., Grover M., Reddy G., Bandi V., **2011**. Drought-tolerant plant growth promoting bacillus spp.: Effect on growth, osmolytes, and antioxidant status of maize under drought stress. *J. Plant Interactions* 6, 1, 1-14.
187. Saglam A., Saruhan N., Terzi R., Kadioglu A. **2011**. The relations between antioxidant enzymes and chlorophyll fluorescence parameters in common bean cultivars differing in sensitivity to drought stress. *Russian J Plant Physiol.* 58, 1, 60-68.
- Simova-Stoilova, L., Demirevska, K., Petrova, T., Tsenov, N., Feller, U. 2009. Antioxidative protection and proteolytic activity in tolerant and sensitive wheat (*Triticum aestivum* L.) varieties subjected to long-term field drought** *Plant Growth Regulation* 58 (1), pp. 107-117.
188. Asthir B., Koundal A., Bains N.S., **2009**. Kinetic and thermodynamic behaviour of wall-bound peroxidase from wheat leaves infected with stripe rust. *Plant Growth Regul.* 59, 117-124.
189. Abogadallah G.M. **2010**. Antioxidative defense under salt stress. *Plant signaling and behaviour* 5 (4) 369-374.
190. Cia M.C. **2010**. [Antioxidative response of sugarcane(*Saccharum* spp) genotypes under water deficit] *PhD Thesis*, Universidade de São Paulo, Escola Superior de Agricultura “Luiz de Queiroz”, Piracicaba [in Portuguese].
191. Jubany-Marí T., Munné-Bosch S., Alegre L., **2010**. Redox regulation of water stress responses in field-grown plants. Role of hydrogen peroxide and ascorbate. *Plant Physiol Biochem* 48 (5), pp. 351-358.
192. Pye V.E., C.E. Christensen, J.H. Dyer, S. Arent, A. Henriksen **2010**. Peroxisomal plant 3-ketoacyl-CoA thiolases' structure and activity are regulated by a sensitive redox switch. *J Biol Chem* 285 (31), pp. 24078-24088.
193. Zhang M., Q. Chen , Sh. Shen **2010**. Physiological responses of two Jerusalem artichoke cultivars to drought stress induced by polyethylene glycol. *Acta Physiol Plant* 33 (2), pp. 313-318.
194. Cechin I., N. Corniani, T. de Fátima Fumis, A. C. Cataneo, **2010**. Differential responses between mature and young leaves of sunflower plants to oxidative stress caused by water deficit. *Ciência Rural*, Santa Maria, Online, ISSN 0103-8478, 1-5.
195. Kingston-Smith A. H., J. E. Edwards, Sh. A. Huws, E. J. Kim, M. Abberton, **2010**. Plant-based strategies towards minimising ‘livestock’s long shadow’. Symposium on ‘Food supply and quality in a climate-changed world’, *Proceedings of the Nutrition Society*, 1-8, doi:10.1017/S0029665110001953.
196. Ana Paula de Faria, Feb **2010**. AVALIAÇÃO EX VIVO DA TOLERÂNCIA DE CULTIVARES DE MAMONEIRA (*Ricinus communis* L.) AO DÉFICIT HÍDRICO. *Dissertação* apresentada ao Departamento de Botânica para obtenção do Título de Mestre em Biologia Vegetal na área de Fisiologia Vegetal. Belo Horizonte, Brasil [in Portug.]

197. Ziadi N., Belanger G., Claessens A., Lefebvre L., Tremblay N., Cambouris A.N., Nolin M.C., Parent L.-E. **2010**. Plant-based diagnostic tools for evaluating wheat nitrogen status. *Crop Science* 50, 6, 2580-2590.

Vassileva V, Simova-Stoilova L, Demirevska K, Feller U. 2009. Variety-specific response of wheat (*Triticum aestivum L.*) leaf mitochondria to drought stress. *J Plant Res* 122: 445-454

198. Fugui Chen , Lianghua Chen , Hongxia Zhao, Helena Korpelainen, Chunyang Li, Chengdu **2010**. Sex-specific responses and tolerances of *Populus cathayana* to salinity. *Physiol. Plant.* 140 (2), pp. 163-173.

199. Richard P. Jacoby, A. Harvey Millar, and Nicolas L. Taylor **2010**. Wheat Mitochondrial Proteomes Provide New Links between Antioxidant Defense and Plant Salinity Tolerance *J. Proteome Res.*, 9 (12), pp. 6595-6604.

Demirevska K, Zasheva D, Dimitrov R, Simova-Stoilova L, Stamenova M, Feller U, 2009. Drought stress effects on Rubisco in wheat: changes in the Rubisco large subunit *Acta Physiologiae Plantarum* 31, 1129-1138.

200. Sh.A. Anjum, X-y.Xie, L.-ch. Wang, M. F. Saleem, Ch. Man, W. Lei, **2011**. Morphological, physiological and biochemical responses of plants to drought stress. African Journal of Agricultural Research 6(9), pp. 2026-2032.

Simova-Stoilova L, Vaseva I, Grigorova B, Demirevska K, Feller U, 2010. Proteolytic activity and cysteine protease expression in wheat leaves under severe soil drought and recovery. *Plant Physiol Biochem* 48, 200–206.

201. Grudkowska M., Zagdanska B. , **2010**. Acclimation to frost alters proteolytic response of wheat seedlings to drought . *J Plant Physiol* 167 (16), pp. 1321-1327.

202. Contour-Ansel D., M.L. Torres-Franklin, Y.Zuily-Fodil, M. H.Cruz de Carvalho, **2010**. An aspartic acid protease from common bean is expressed ‘on call’ during water stress and early recovery. *J Plant Physiol* 167 (18), pp. 1606-1612.

203. S.S. Gill, N. Tuteja, **2010**. Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants, *Plant Physiology and Biochemistry*, 48 (12), pp. 909-930.

204. F. M. Maciel , Cristiane M. C. Salles, Claudio A. Retamal, Valdirene M. Gomes, Olga L. T. Machado, **2011**. Identification and partial characterization of two cysteine proteases from castor bean leaves (*Ricinus communis L.*) activated by wounding and methyl jasmonate stress. *Acta Physiol Plant DOI 10.1007/s11738-011-0730-z*

Demirevska K., Simova-Stoilova L., Fedina I, Georgieva K., Kunert K., 2010. Response of oryzacystatin I transformed tobacco plants to drought, heat and light stress. *Journal of Agronomy and Crop Science*, 196 (2), pp. 90-99.

205. Liu S., Chen S., Chen Y., Guan Z., Yin D., Chen F., **2011**. In vitro induced tetraploid of *Dendranthema nankingense (Nakai) Tzvel.* shows an improved level of abiotic stress tolerance. *Scientia Horticulturae* 127 (3), pp. 411-419.

10.05.2011 г.

Подпись:

(гл ас. д-р Л. Симова-Стоилова)