

СПИСЪК НА ЦИТАТИТЕ  
на доц. дбн Г. Петков, ИФРГ-БАН

Статия 1

Petkov G, Dang DK, Furnadzieva S. 1986. Lipid composition of *Coelastrum sphaericum* and *Coelastrum cambricum*. C. r. bulg. Acad. Sci., 39, 127-128.

Цитат

1. Ramazanov ZM, Klyachko-Gurvich GL, Ksenofontov AL, Semenenko VE. 1988. Effect of suboptimal temperature on content of  $\beta$ -carotene in the halophilic alga *D. salina*. Fiziol. Rast. 35: 864–869.
2. LookChem. com. 2008. <http://www.lookchem.com/cas-629/629-78-7.html?countryid=0> Catalog. Accessed 6. II. 2011.

Статия 4

Божкова М, Колева С, Бояджиева М, Петков Г. 1987. Влияние на климатичните условия върху добива и качеството на алкохолните екстракти от зелени микроводорасли. IV Нац. конф. Ботаника, 358-363.

Цитат

3. Пиларски, П. 1993. Оптимизиране продуктивността на зелени микроводорасли от род *Scenedesmus* култивирани на открито. Дисертация, ИФР, 119 с.

Статия 5

Петков Г., Дилов Х. 1987. Състав на алкохолния екстракт на микроводорасли от род *Scenedesmus Meyen*. Хидробиол. (Експ. алг.) 29, 41-44.

Цитат

4. LookChem 2008. LookChem.com, License: Zhejiang B2-20050339. Accessed: 15.VI. 2011. <http://www.lookchem.com/cas-171/17105-75-8.html>

Статия 7

Фурнаджиева С, Петков Г., Попов С. 1987. Липиди на *Scenedesmus incrassatulus* R-83, култивиран при различни технологични режими. Хидробиол. (Експ. алг.) 29, 3-11.

Цитати

5. Vladimirova MG, Klyachko-Gurvich GL, Maslova IP, Zhodakov IA, Bartsevich ED. 2000. A comprehensive study of *Chlorella* sp. IPPAS C-48 and revision of its taxonomic position. Rus. J. Plant. Physiol. 47, 644-654.
6. Иванова Ю. 2006. Изследване на физиологията, биохимията и контаминацията на червеното микроводорасло *Rhodella reticulata* Дисертация. ИФР-БАН, 119 с.
7. Butler NM. 1990. Responses of *Diaptomus* spp. from an oligotrophic to variations of food quality. PhD Thesis, Univ. of British Columbia, Vancouver, Canada, 174 p.

Статия 8

Christov Ch, Petkov G. 1988. Jasmonic acid in plants of *Vitis vinifera*. C. r. bulg. Acad. Sci., 41, 99-101.

Цитат

8. Hamberg M, Gardner H. 1992. Oxylinip pathway to jasmonates: biochemistry and biological significance (Review). Biochim. Biophys. Acta 1165, 1-18.

### Статия 9

Petkov G, Furnadzieva S. 1988. Fatty acid composition of acylolipids from *Spirulina platensis*. C. r. bulg. Acad. Sci., 41, 103-104.

Цитат

9. Cohen Z. 1997. The Chemicals of Spirulina. In: Vonshak A. (Ed.) *Spirulina platensis (Arthrospira): Physiology, Cell-biology and Biotechnology*. CRC Press 233 p.
10. Balamurugan S, Saravanamuthu R, Chithra G. 2010. Spirulina: its role in food industry. In: Industrial Exploitation of Microorganisms. (Maheshwari DK, Dubey RC, Saravanamuthu R., Eds.) pp 35-50. Int. Publ. House, New Delhi, India. 436 p. ISBN 978-93-80026-53-4

### Статия 12

Stefanov K, Seizova K, Konaklieva M, Popov S, Petkov G, Rosoiu N, Crasmaru M. 1989. Lipids and sterols in some molluscs collected from the Rumanian Black Sea coast. V Int. conf. on Chem. and Biotech. Bulg. Varna, Proc. vol. 2, 273-280.

Цитат

11. Нечев, ЙЦ. 2006. Промени в състава на липиди, стероли, летливи и полярни компоненти от морски безгръбначни под въздействие на екологични фактори. Дисертация, ЙОХ-ЦФ, БАН, 120 с.
12. Badiu DL. 2008. Applied study of some lipid extracts from *Mytilus galloprovincialis* Lmk. and *Rapana venosa* molluscs. PhD Thesis, Constanza, Romania.

### Статия 13

Георгиев Д, Минкова К, Петков Г, Шолева М. 1990. Влияние на интензивността на светлината и температурата върху липидното и мастнокиселинното съдържание в биомаса от *Porphyridium cruentum*. Хидробиол. (Експ. алг.) 35, 52-57.

Цитат

13. Чанева Г. 1999. Физиолого-биохимични изменения на *Plectonema borianum* (Синобактерия), индуцирани при култивиране в условия на оксидативен стрес. Дисертация, Биол. Фак., СУ “К. Охридски”, 167 с.

### Статия 15

Петков Г, Фурнаджиева С. 1990. Липиди на синхронна култура от *Scenedesmus incrassatus* щам R-83. Хидробиол. (Експ. алг.) 35, 3-7.

Цитат

14. Pouneva ID. 2005. Effect of humic substances on the growth of microalgal cultures. Russ. J. Plant Physiol. 52, 410-413.

### Статия 16

Benderliev K, Ivanova N, Petkov G. 1990. Some means for protection of intensive algal cultures from oxidative stress. Hydrobiol. (Exp. alg.) 35, 40-45.

Цитат

15. Kajan M, Livansky K, Binova J, Fiser L, Novotny P. 1992. Productivity, heavy-metal content and commensalistic bacteria of the alga *Scenedesmus obliquus* in outdoor mass-cultures grown with various nitrogen sources. Arch. Hydrobiol. Suppl. 93, 93-104.

### Статия 17

Furnadzhieva S, Pronina NA, Andreeva R, Petkov G, Semenenko VE. 1990. Involvement of carbonic anhydrase in bicarbonate ion assimilation by Chlorella and Scenedesmus cells. Sov. Plant Physiol. 37, 14-20.

Цитат:

16. Round FE, Chapman DJ. 1994. Progress in phycological research, Band 10. Biopress Ltd., Univ. California, 298 p. ISBN 0444803955.

Статия 18

Petkov GD, Klyachko-Gurvich GL, Furnadzhieva ST, Pronina NA, Ramasanov ZM. 1990. Genotypic differences and phenotypic changes of lipid fatty acid composition in strains of *Dunaliella salina*. Sov. Plant Physiol. 37, 268-272.

Цитати

17. Пиларски, П. Оптимизиране продуктивността на зелени микроводорасли от род *Scenedesmus* култивирани на открито. 1993. Дисертация, ИФР, 119 с.
18. Чанева Г. 1999. Физиолого-биохимични изменения на *Plectonema borianum* (Cyanobacteria), индуцирани при култивиране в условия на оксидативен стрес. Дисертация, Биол. Фак. СУ “К. Охридски”, 167 с.
19. Иванова Ю. 2006. Изследване на физиологията, биохимията и контаминацията на червеното микроводорасло *Rhodella reticulata*. Дисертация. ИФР-БАН, 119 с.
20. Mendoza Guzman H S. 1998. Caracterización del proceso de carotenogénesis y de la variación de la composición de ácidos grasos de *Dunaliella Salina* (BCA421). Thesis Ph D, Univ. of Las Palmas, 109 p.
21. Mendoza H, Martel A, Jimenez del Rio M, Garcia Reina G. 1999. Oleic acid is the main fatty acid related with carotenogenesis in *Dunaliella salina*. J. Appl. Phycol. 11 (1), 15-19.
22. Mendoza H., Martel A., Jimenez del Rio M., Garcia Reina G. 1999. Oleic acid is the main fatty acid related with carotenogenesis in *Dunaliella salina*. In: Kain, JM, Brown MT, Lahaye M. (EDs) Pp. 530-533. Proceedings of the Sixteenth Int. Seaweed Symposium, Philippines.
23. Dragolova D, Chaneva G, Gemishev Ts, Vassilev G. 2002. Physiological changes in the cyanobacteria *Anabaena variabilis* and *Plectonema boryanum* caused by paraquat toxicity. C. R. Acad. Bulg. Sci. 55 (5), 85-88.
24. Mendoza H, Jara A de la, Nordstron L, Molina Cedres C, Rosa JV de la. 2003. Variacion de la composition en acidos grasos de *Cryptocodonium cohnii* en condiciones de supresion de nitrogenio. IX Congreso nacional de agricultura, otros organismos y procesos en agricultura: 19, 2 pp., Cadiz, 12-16.05.
25. Jara A de la, Mendoza H, Martel A, Molina C, Nordstron L, Rosa V de la, Diaz R. 2003. Flow cytometric determination of lipid content in a marine dinoflagellate, *Cryptocodonium cohnii*. J. Appl. Phycol. 15 (5), 433-438.
26. Мурадян, ЕА. 2003. Влияние экстремально высокой концентрации CO<sub>2</sub> на функциональное состояние фотосинтетического аппарата и обмен липидов *Dunaliella salina* Диссертация, ИФР, Москва, 110 с.
27. Mendoza H, Molina Cedres C, A. de la Jara, Nordström L, Freijanes K, Carmona L. 2008. Variación cuantitativa y cualitativa de la composición en ácidos grasos de *Cryptocodonium cohnii* en condiciones de supresión de nitrógeno. Grasas y Aceites, 59 (1), 27-32.

Статия 19

Georgiev D, Minkova K, Petkov G, Sholeva M. 1992. Conditions for lipid extraction from *Porphyridium cruentum* dry biomass. C. r. bulg. Acad. Sci. 45, 131-134.

Цитат

28. Иванова Ю. 2006. Изследване на физиологията, биохимията и контаминацията на червеното микроводорасло *Rhodella reticulata* Дисертация. ИФР-БАН, 119 с.

### Статия 20

Georgieva M, Philipova K, Charakchieva S, Petkov G, Aleksieva K. 1992. Influence of methanol on the phospholipid and fatty acid composition of *Aspergillus niger* IM-13 during citric acid fermentation. C. r. bulg. Acad. Sci., 45, 87-90.

#### Цитати

29. Rugsaseel S, Kirimura K, Usami S. 1996. Citric acid accumulation by cycloheximide sensitive mutant strains of *Aspergillus niger*. Appl. Microbiol. and Biotechnol. 45 (1-2), 28-35.
30. Vandenberghe LPS, Soccol CR, Pandey A, Lebeault J-M. 1999. Microbial Production of Citric Acid. Brazilian Archives of Biology and Technology 42 (3), 14 p. ISSN 1516-8913.

### Статия 21

Petkov G, Furnadzieva S, Popov S. 1992. Petrol-induced changes in the lipid and sterol composition of three microalgae. Phytochemistry 31, 1165-1166.

#### Цитати

31. Pollesello P, Toffanin R, Mirano E, Paoletti S, Rizzo R, Kvam B. 1992. Lipid extracts from different algal species-H-1-NMR and C-13-NMR spectroscopic studies as a new tool to screen differences in the composition of fatty acids, sterols and carotenoids. J. Appl. Phycol. 4 (4), 315-322.
32. Garson MJ. 1993. The biosynthesis of marine natural-product. Chem. Rev. 93, (5), 1699-1733.
33. Rzama A, Dufourc E, Arreguy B. 1994. Sterols from green and blue-green algae grown on reused waste-water. Phytochemistry 37 (6), 1625-1628.
34. Fabregas J, Aran J, Morales ED, Lamela T, Otero A. 1997. Modification of sterol concentration in marine microalgae Phytochemistry 46 (7), 1189-1193.
35. Harwood JL. 1998. Plant Lipid Biosynthesis: Fundamentals and Agricultural Applications. Cambridge University Press, 392 p.
36. Megharaj M, Singleton I, McClure NC, Naidu R. 2000. Influence of petroleum hydrocarbon contamination on microalgae and microbial activities in a long-term contaminated soil. Arch. Environ. Contam. Toxicol. 38 (4), 439-445.
37. Volkman JK, Revill AT, Bonham PI, Clementson LA. 2007. Organic Geochemistry 38, (7), 1039-1060.

### Статия 22

Petkov G, Furnadzieva S. 1993. Non-polar lipids of some microalgae. Arch. Hydrobiol. 96 (Algological Studies 68), 79-84.

#### Цитати

38. Napolitano G. 1999. Fatty acids as trophic and chemical markers In: Arts M. and Wainman B. (Eds.) Lipids in freshwater ecosystems. Springer, 319 p.
39. Hong S-S, Kim Y-O, Han M-S. 2004. Growth and grazing rates of rotifer, (*Brachionus calyciflorus*) on several algae. Rep. Res. Edu. Ctr. Inlandwat. Environ. 2, 11-15.
40. Ramazanov A, Ramazanov Z. 2006. Isolation and characterization of a starchless mutant of *Chlorella pyrenoidosa* STL-PI with a high growth rate, and high protein and polyunsaturated fatty acid content. Phycological Research 54 (5), 255-259.
41. Maazouzi C, Masson G, Izquierdo MS, Pihan JC. 2007. Fatty acid composition of the amphipod *Dikerogammarus villosus*: Feeding strategies and trophic links. Comp Biochem Physiol A Mol Integr Physiol. 147(4), 868-875.

### Статия 23

Petkov G, Furnadzieva S, Andreeva R. 1994. Fatty acid and sterol composition of *Nannochloris* sp. Arch. Hydrobiol. 102 (Algological Studies 72), 133-135.

#### Цитати

42. Zhang CW, Cohen Z, Khozin-Goldberg I, Richmond A. 2002. Characterization of growth and arachidonic acid production of *Parietochloris incisa* comb. nov (Trebouxiophyceae, Chlorophyta). J. Appl. Phycol. 14 (6), 453-460.
43. Liu Jianguo (刘建国), Zvi Cohen, Amos Richmond. 2002. Fatty acids profile in a high cell density culture of arachidonic acid-reach *Parietochloris incisa* (Trebouxiophyceae, Chlorophyta). Chinese J. Oceanol. And Limnol. 20 (2), 149-156.
44. 刘建国, 刘伟, Cohen Z, Richmond A. 2002. The high productivity of biomass and arachidonic acid in continuous high density culture of *Parietochloris incisa*. Oceanologia et Limnologia Sinica 33 (5), 499-508.
45. Bourgeois S, Pruski AM, Sun MY, Buscail R, Lantoine F, Vétion G, Rivière B, Charles F. 2011. Distribution and lability of land-derived organic matter in the surface sediments of the Rhône prodelta and the adjacent shelf (Mediterranean sea, France): A multi proxy study. Biogeosciences Discussions 8 (2), 3353-3402.

### Статия 25

Fournadzhieva S, Kassabov P, Andreeva R, Petkov G, Dittt F. 1995. Influence of the herbicide Simazine on *Chlorella*, *Scenedesmus* and *Arthrosphaera*. Arch. Hydrobiol. 106 (Algological Studies 76), 97-109.

#### Цитати

46. Чанева Г. 1999. Физиолого-биохимични изменения на *Plectonema borianum* (Cyanobacteria), индуцирани при култивиране в условия на оксидативен стрес. Дисертация, Биол. Фак., СУ "К. Охридски", 167 с.
47. Стефанов К. 2001. Липиден състав на растения, безгръбначни и бактерии – анализ и въздействие на околната среда. Дисертация ДХН, ИОХ-ЦФ, БАН, 125 с.
48. Berard A, Leboulanger C, Pelte T. 1999. Tolerance of *Oscillatoria limnetica* Lemmermann to atrazine in natural phytoplankton populations and in pure culture: Influence of season and temperature. Arch. Environ. Contam. Toxicol. 37, 472-479.
49. Berard A, Pelte T. 1999. The impact of Photo System II (PS II) inhibitors on algae communities and dynamics [Les herbicides inhibiteurs du photo-systeme II, effets sur les communautés algales et leur dynamique]. Revue des Sci. de l'Eau 12 (2), 333-361.
50. Berard A, Pelte T, Druart J-C. 1999. Seasonal variations in the sensitivity of Lake Geneva phytoplankton community structure to atrazine. Archiv für Hydrobiologie 145 (3), 277-295.
51. Berard A, Beninghoff C. 2001. Pollution-induced community tolerance (PICT) and seasonal variations in the sensitivity of phytoplankton to atrazine in nanocosms. Chemosphaere 45, 427-437.
52. Ivanova A, Stefanov K, Yordanov I. 1999. Effect of the herbicide atrazine on the bean leaf lipids. Biologia Plantarum 42, 417-422.
53. Kobbia IA, Bath MG, Shabana EF, Eladel HM. 2001. Chlorophyll a Fluorescence and Photosynthetic Activity as Tools for the Evaluation of Simazine Toxicity to *Protosiphon botryoides* and *Anabaena variabilis* Ecotoxicology and Environmental Safety 49 (2), 101-105.
54. Loez CR, Salibian A, Topalian ML. 1998. Associations phytoplanktoniques indicatrices de la pollution par Zinc. Revue des Sci. de l'Eau 11 (3), 315-332.

55. Lurling M. 1999. Grazer-induced colony formation in *Scenedesmus*. Thesis Wageningen Agricul. University, Netherlands, 270 p.
56. Lurling M, Beekman W. 2002. Extractable substances (anionic surfactants) from membrane filters induce morphological changes in the green alga *Scenedesmus obliquus* (Chlorophyceae). Environ. Toxicol. and Chem. 21 (6), 1213-1218.
57. Seguin F, Leboulanger C, Rimet F, Duraut JC, Berard A. 2001. Effects of atrazine and nicosulfuron on phytoplankton in systems of increasing complexity. Arch. Environ. Contam. Toxicol. 40, 198-208.
58. Nystrom B, Beeker-Van Stoolen K, Berard A, Grandjean D, Druart, JC. Leboulanger C. 2002. Toxic effects of Irgarol 1051 on phytoplankton and macrophytes in Lake Geneva. Water Research 36, 2020-2028.
59. Strandberg MT, Scott-Fordsmand JJ. 2002. Field effects of simazine at lower trophic levels - A review. Science of the Total Environment 296, (1-3), 117-137.
60. Orme S, Kegley S. 2004. Pesticide Database, Pesticide Action Network, San Francisco, <http://www.pesticideinfo.org>.
61. Ait Hsine E, Mandi L, Benhammou A. 2002. The impact of the pesticides on waste stabilisation ponds monitoring. Proc. Int. Symp. on Environ. Poll. Control and Waste Management. Tunis (Epcowm'2002), p 689-697.
62. US Environmental Protection Agency. 2006. Reregistration Eligibility Decision for Simazine. [http://www.epa.gov/opprrd1/REDS/simazine\\_red.pdf](http://www.epa.gov/opprrd1/REDS/simazine_red.pdf)
63. Huertas IE, Rouco M, López-Rodas V, Costas E. 2010. Estimating the capability of different phytoplankton groups to adapt to contamination: herbicides will affect phytoplankton species differently. New Phytologist 188, 478-487.
64. López-Rodas V, Costas E, Flores-Moya A. 2011. Genetic Adaptation of Phytoplankters to Herbicides. 20. Herbicides and Environment. Complutense Univ., Univ. of Málaga, Spain, 421-432. Accessed 8.VII.2011.  
[http://www.intechopen.com/source/pdfs/12596/InTech-Genetic\\_adaptation\\_of\\_phytoplankters\\_to\\_herbicides.pdf](http://www.intechopen.com/source/pdfs/12596/InTech-Genetic_adaptation_of_phytoplankters_to_herbicides.pdf)

#### Статия 26

Petkov G. 1995. Nutrition medium for intensive cultivation of green microalgae in fresh and sea water. Arch. Hydrobiol. 109 (Algological Studies 78), 81-85.

#### Цитат

65. Schmittschmitt JP, Shaw JR, Birge WJ. 1996. The effects of silver on green algae and prospects for trophic transfer, pp. 245-250. In: Andren AW, Bober TW. (ed.) Ecology and Natural Resources. The 4th Int. Conf. Proc.
66. Бородина АВ. 2003. Ростовые характеристики *Spirulina platensis* (Nordst.) Geiter в условиях замены гидрокарбонатов на карбонаты в среде Зарука. Ученые записки Таврического национального университета 16 (55), 128-132.

#### Статия 27

Petkov G, Muchtarova M. 1995. Heat balance of a closed microalgal photoreactor. Arch. Hydrobiol. 111 (Algological Studies 79), 119-124.

#### Цитати

67. 罗光宏, 赵芸晨. 1998. 9618□□□□□□□□□□□□□. Marine Science Bulletin 17 (6), 79-86.
68. Li Xufeng, Wang Changhai, Wen Shaohong. 1999. Study on Culture Conditions of *Spirulina platensis*. (Inst. Marine Biochem. Engin.of Yantai Univ.) Food and Fermentation Industries 25 (4), 1-7.
69. 罗光宏 赵芸晨. 2003. Comparison of Nine Kinds of Plant Growth Regulator on *Spirulina*

Output and Quality. Food Science 24, 69-72.

70. Carlozzi P. 2008. Closed Photobioreactor Assessments to Grow, Intensively, Light Dependent Microorganisms: A Twenty-Year Italian Outdoor Investigation. The Open Biotechnology Journal 2, 63-72.

#### Статия 29

Yaneva I, Vunkova R, Stefanov K, Tsenov A, Petrova T, Petkov G. 1995. Changes in lipid composition of winter wheat leaves under low temperature stress: effect of molybdenum supply. Biologia Plantarum 37, 561-566.

#### Цитати

71. Zimmer W, Mendel R. 1999. Molybdenum metabolism in plants. Plant Biology 1, 160-168.
72. Prasad M N V. 2004. Heavy Metal Stress in Plants: From Biomolecules to Ecosystems. Berlin, Springer 462 p.
73. Xuecheng Sun, Chengxiao Hu, Qilin Tan, Jinshan Liu and Hongen Liu 2009. Effects of molybdenum on expression of cold-responsive genes in abscisic acid (ABA)-dependent and ABA-independent pathways in winter wheat under low-temperature stress. Annals of Botany, 104, 345-356.
74. Xuecheng Sun, Chengxiao Hu, Qilin Tan, Hongen Liu, Jinshan Liu. 2009. Effects of molybdenum on endogenous hormone contents in winter wheat under low temperature stress The Proceedings of the International Plant Nutrition Colloquium XVI (University of California, Davis), Paper 1356, 1-6.
75. Струмин П. 2009. Защитна роля на молибдена срещу нискотемпературен стрес при зимна пшеница: участие на ензимите алдехидоксидаза и ксантиндехидрогеназа. Дисертация, ИФР-БАН, 112 с.
76. Несторов ВН. 2008. Влияние ионов металлов ( $Cu^{2+}$ ,  $Zn^{2+}$ ,  $Pb^{2+}$ ) на физиологобиохимическое состояние высших водных растений. Диссертация PhD, Тольятти, Россия.

#### Статия 31

Petkov G, Bratkova S. 1996. Viscosity of algal cultures and estimation of turbulency in devices for the mass culture of microalgae. Arch. Hydrobiol. 114 (Algological Studies 81), 99-104.

#### Цитати

77. Carlozzi P, Pizani E. 2005. Growth characteristics of *Arthrospira platensis* cultured inside a new close-coil photobioreactor incorporating a mandrel to control culture temperature. Biotechnol. Bioeng. Online, p 1-10. 31.03.2005.
78. Carlozzi P, Ena A, Carnevale S. 2005. Hydrodynamic alterations during cyanobacteria (*Arthrospira platensis*) growth from low to high biomass concentration inside tubular photobioreactors. Biotechnol. Progress. 21, 416-422.
79. Dauben V. 2005. Phytoplankton induced changes of air bubble residence time in seawater. Thesis Doctor of Philosophy. Univ. Southampton, Fac. Engineering Science and Mathematics, School of Ocean and Earth Science, 233 p.
80. Kuhnhen V, Kragel J, Horstmann U, Miller R. 2006. Surface shear rheological studies of marine phytoplankton cultures – *Nitzschia closterium*, *Thalassiosira rotula*, *Thalassiosira punctigera* and *Phaeocystis* sp. Colloids and Surfaces B: Biointerfaces 47, 29-35.
81. Jenkinson IR. 2008. Ocean rheology and plankton biology. In: LG Leul, RH Colbi & AJ Giacomin (Eds) 636-638. International Congress of Rheology, The 80-th annual meeting, American Inst. of Physics. [http://pagesperso-orange.fr/acro/636\\_1.pdf](http://pagesperso-orange.fr/acro/636_1.pdf)

82. Kuhnhen-Dauben V, Purdie DA, Knispel U, Voss H, Horstmann U. 2008. Effect of phytoplankton growth on air bubble residence time in seawater. *Journal of Geophysical Research C: Oceans* 113, C06009, doi:10.1029/2007JC004232.
83. Jenkinson I, Sun J. 2010. Rheological properties of natural waters with regard to plankton thin layers. Part I. A short review. *J. Marine Systems* 83 (3-4), 287-297. 40 p.  
doi: [10.1016/j.jmarsys.2010.04.004](https://doi.org/10.1016/j.jmarsys.2010.04.004)

#### Статия 32

Michova S, Minkova K, Petkov G, Georgiev D. 1997. Thermal and photoregulation of the lipid and fatty acid content in the cells of *Porphyridium sordidum*. *C. r. Acad. bulg. Sci.* 50, 111-114.

#### Цитат

84. Иванова Ю. 2006. Изследване на физиологията, биохимията и контаминацията на червеното микроводорасло *Rhodella reticulata*. Дисертация. ИФР-БАН, 119 с.

#### Статия 33

Клячко-Гурвич ГЛ, Пронина НА, Фурнаджиева С, Рамазанов ЗМ, Петков Г. 1997. Действие субоптимальной температуры на липидный состав и состояние мембран *Dunaliella salina*. *Физиол. раст.* 44, 212-221.

#### Цитати

85. Мурадян, ЕА. 2003. Влияние экстремально высокой концентрации CO<sub>2</sub> на функциональное состояние фотосинтетического аппарата и обмен липидов *Dunaliella salina* Диссертация, ИФР, Москва, 110 с.
86. Komaristaya V. P., Gorbulin O. S. 2006. Sporopollenin in the composition of cell walls of *Dunaliella salina* Teod. (Chlorophyta) zygotes. *International Journal on Algae* 8 (1), 43-52.
87. Санина, НМ. 2006. Мембранообразующие липиды. Физико-химические основы термоадаптации морских беспозвоночных и макрофитов. Диссертация, Владивосток, 286 с.
88. Sanina NM, Goncharova SN, Kostetsky EY. 2008. Seasonal changes of fatty acid composition and thermotropic behavior of polar lipids from marine macrophytes. *Phytochemistry* 69 (7), 1517-1527.
89. Lamers PP, van de Laak CCW, Kaasenbrood PS, Lorier J, Janssen M, De Vos RCH, Bino RJ, Wijffels RH. 2010. Carotenoid and fatty acid metabolism in light-stressed *Dunaliella salina*. *Biotechnology and Bioengineering Publ.* 12.III. 2010.
90. Розенцвет, ОА. 2006. Липидный состав растений как показатель их адаптивных возможностей к различным экологическим условиям Диссертация, Тольятти, 436 с.
91. Гончарова, СН. 2003. Термотропное поведение основных мембранных липидов морских макрофитов. Диссертация, Владивосток, 170 с.

#### Статия 34

Moreno P, Petkov G, Ramazanov Z, Garsia G. 1998. Lipids, fatty acids and sterols of *Cystoseira abies-marina*. *Botanica Marina* 41, 375-378.

#### Цитати

92. Kamenarska Z, Yalcin FN, Ersoz T. 2002. Chemical composition of *Cystoseira crinita* Bory from the Eastern Mediterranean. *Z. Naturforsch.* C57, 584-590.
93. Khotimchenko SV, Vaskovsky VE, Titlyanova TV. 2002. Fatty acids of marine algae from the pacific coast of North California. *Botanica Marina* 45 (1), 17-22.

94. Sanchez-Machado DI, Lopez-Hernandez J, Paseiro-Losada P, Lopez-Cervantes J. 2004. An HPLC method for the quantification of sterols in edible seaweeds. *Biomedical Chromatography* 18 (3), 183-190.
95. Dominguez-Alvarez, S., Rodriguez MCG. 2004. Two hundred years in the Botanical Marine of the Canary Islands: Bibliographic references (1803-2002) | [Doscientos años en la botánica marina de las Islas Canarias: Referencias bibliográficas (1803-2002)]. *Botanica Complutensis* 28, 5-20.
96. Guiry MD. 2005. Algae base: Listing the world's algae. [www.algebase.org](http://www.algebase.org)
97. Bouzidi N, Daghbouche Y, El Hattab M, Aliche Z, Culoli G, Piovetti L, Garrigues S, de la Guardia M. 2008. Determination of total sterols in brown algae by Fourier transform infrared spectroscopy. *Analytica Chimica Acta* 616 (2), 185-189.

#### Статия 35

- Petkov G, Dang DK. 1999. Sterols of the green alga Coelastrum. *Arch. Hydrobiol.* 130 (Algological Studies 95), 89-92.

#### Цитат

98. Martin-Creuzburg D, Elert E von. 2004. Impact of 10 dietary sterols on growth and reproduction of *Daphnia galeata*. *J. Chem. Ecol.* 30 (3), 483-500.

#### Статия 36

- Fournadzieva S, Petkov G, Pilarski P, Andreeva R. 1999. Use of geothermal fluids and energy for mass microalgal cultivation (Results from Bulgaria and Greece). *Intern. Geotherm. Days*, Oregon Inst. of Technol. 175-179.

#### Цитати

99. Battocletti E, Lowrence B & Associates. 2001. *Geothermal Resources in Eastern Europe*. Virginia, 4-80 pp. [ecbatto@aol.com](mailto:ecbatto@aol.com)
100. Bojadzieva K, Hristov H. 2000. Mineral Water 1 (Internet Journal), 1-4.
101. Bojadzieva K, Hristov H, Hristov V, Benderev A, Barokov K. 2003. Review of geothermal energy in Bulgaria. In: *Cleaner energy systems through utilization of renewable geothermal energy resources*. Bujakowski W. (ed.), Krakow, 17-27.
102. Frasher A. 2004. *Atlas of geothermal resources in Albania*. Tirana, 123 p.
103. Carlozzi P. 2008. Closed Photobioreactor Assessments to Grow, Intensively, Light Dependent Microorganisms: A Twenty-Year Italian Outdoor Investigation. *The Open Biotechnology Journal* 2, 63-72.

#### Статия 37

- Petkov G. 2000. Absorber tower as a photobioreactor for microalgae. *Russ. J. Plant Physiol.* 47 (6), 892-895.

#### Цитати

104. Alfa project. 2005. <http://alfa.akvaplan.com/>
105. Oncel S, Vardar Sukan F. 2007. Comparison of two different pneumatically mixed column photobioreactors for the cultivation of *Artrospira platensis* (*Spirulina platensis*) Bioresource Technology 99, 4755-4760.
106. Olivo E. 2007. Conception et etude d'un photobioreacteur pour a production en continu de microalgues en ecloseries aquacoles. Thèse de Doctorat, Ecole polytechnique de l'Université de Nantes, 260 p.
107. Loonen R, Pennings L, de Ruijter P, Weijers J. 2008. Multidisciplinair Masterproject – Cradle to Cradle. Team 4. 40 p.  
[http://www.student.tue.nl/S/p.j.d.ruijter/documenten/eindverslag\\_TEAM4.pdf](http://www.student.tue.nl/S/p.j.d.ruijter/documenten/eindverslag_TEAM4.pdf)

108. Su Z, Kang R, Shi S, Cong W, Cai Z. 2010. Study on the destabilization mixing in the flat plate photobioreactor by means of CFD. *Biomass and Bioenergy* 34, 1879-1884.
109. Carlozzi P. 2008. Closed Photobioreactor Assessments to Grow, Intensively, Light Dependent Microorganisms: A Twenty-Year Italian Outdoor Investigation. *The Open Biotechnology Journal* 2, 63-72.
110. Ramanathan G, Rajarathinam K, Boothapandi M, Abirami D, Ganesamoorthy G, Duraipandi. 2011. Construction of vertical tubular photobioreactor for microalgae cultivation. *Journal of Algal Biomass Utilization* 2 (2), 41-52.

#### Статия 39

Petkov G, Ramazanov Z. 2003. Fatty acids and sterols of *Griffonia* seeds oil. *Grasas y Aceites* 54, 30-31.

#### Цитати

111. Jaksch F, Wang M, Roman M. 2005. *Handbook of Analytical Methods for Dietary Supplements*. American Pharmacists Association, University of Michigan, Digitized Aug 20, 2008, 215 p. ISBN 1582120552, 9781582120553
112. Simon J, Wu Q-L, LaVoie E. 2008. Lecture 25 Anxiety and Insomnia. University of New Jersey. <http://medchem.rutgers.edu/Herbals/Anxiety.pdf>.
113. Addotey JNA. 2009. Local production of 5-HTP from the seeds of *Griffonia simplicifoliia*. MS Thesis, Kwame Nkruman University, Ghana, 99 p.

#### Статия 40

Kambourova R, Bankova V, Petkov G. 2003. Volatile substances of green alga *Scenedesmus incrassatulus*. *Z. Naturforsch.* 58c., 187-190.

#### Цитати

114. Holzwarth M. 2005. Untersuchungen zum Primär- und Sekundärstoffinventar von Kaltwasserschwämmen. Dissertation zur Erlangung des Doktorgrades der Naturwissenschaften im Fachbereich Geowissenschaften der Universität Hamburg. 153 p.
115. Hammock J. 2005. Structure, function and content: the impact of morphometry and ecology on olfactory sensitivity. PhD Thesis, Massachusetts Institute of Technology, 275 p.
116. Hammock J. 2005 <https://darchive.mblwholibrary.org/bitstream/handle/1912/.../volatiles.xls> Accessed 30. III 2010.
117. Otienoburu PE, Bayoh N, Gimnig J, Huang J, Walker ED, Otieno MF, Vulule J, Miller JR. 2007. *Anopheles gambiae* (Diptera: Culicidae) oviposition as influenced by type of water infused into black and red soils of western Kenya. *International Journal of Tropical Insect Science* 27, 2-5.
118. Mendes da Silva, Isabel. 2007 Desenvolvimento de uma metodologia para a análise da composição volátil do sal marinho por microextracção em fase sólida e cromatografia em fase gasosa acoplada à espectrometria de massa (SPME-GC-MS) Universidade de Aveiro, Departamento de Química. 114 p.  
<http://ria.ua.pt/bitstream/10773/2970/1/2008000206.pdf>
119. Valentão P, Trindade P, Gomes D, Guedes de Pinho P, Mouga T, Andrade PB. 2009. *Codium tomentosum* and *Plocamium cartilagineum*: Chemistry and antioxidant potential. *Food Chemistry*, 119 (4), 1359-1368. doi:10.1016/j.foodchem.2009.09.015
120. Xu Nian-Jun, He Yan-Li, Tang Jun, Yan Xiao-Jun. 2009. Volatiles metabolites in *Gracilaria lemaneiformis* at high temperature *Oceanologia et limnologia Sinica* 40 (2), 221-227.

#### Статия 44

Iliev I, Petkov G, Furnadzhieva S, Andreeva R, Lukavsky J. 2006. Membrane metabolites of *Arthronema africanum* strains from extreme habitats. Gen. Appl. Plant Physiology, Special Issue 117-123.

#### Цитат

121. El Semary NA, Ghazy SM, El Naby MMA. 2009. Investigating the taxonomy and bioactivity of an Egyptian *Chlorococcum* isolate. Australian Journal of Basic and Applied Sciences, 3, 1540-1551.

#### Статия 46

Petkov G, Garcia G. 2007. Which are fatty acids of the green alga *Chlorella*? Biochemical Systematics and Ecology 35, 281-285.

#### Цитати

122. Iiyama K, Jin Z, Katsumata KS. 2008. BDF production from seed oil of trees and bushes. Nihon Enerugi Gakkaishi (Journal of the Japan Institute of Energy), 87, 438-447.
123. Santana Macedo HJ. 2008. Projecto mecanico de um fotobiorreactor para crescimento de biomassa. Universidad de Aveiro. 140 p.
124. Guihéneuf F, Mimouni V, Ulmann L, Tremblin G. 2009. Combined effects of irradiance level and carbon source on fatty acid and lipid class composition in the microalga *Pavlova lutheri* commonly used in mariculture. Journal of Experimental Marine Biology and Ecology 369, 136-143.
125. Rasoul-Amini S, Ghasemi Y, Morowvat MH, Mohagheghzadeh A. 2009. PCR amplification of 18S rRNA, single cell protein production and fatty acid evaluation of some naturally isolated microalgae. Food Chemistry 116, 129-136.
126. El-Sheekh MM, Fathy AA. 2009. Variation of some nutritional constituents and fatty acid profiles of *Chlorella vulgaris* Beijerinck grown under auto and heterotrophic conditions. Int. J. Botany 5 (2), 153-159.
127. McGraw-Hill Companies. 2009. Biofuels Engineering Process Technology. Chapter 6, Biodiesel, pp 197-268. [www.digitalengineeringlibrary.com](http://www.digitalengineeringlibrary.com)
128. Mendoza Guzmán H, Valido A. de la J, Carmona LD, Presmanes KF. 2010. Estimate by means of flow cytometry of variation in composition of fatty acids from *Tetraselmis suecica* in response to culture conditions. Aquaculture International 18 (2), 189-199.
129. Drapcho CM, Nhuan NP, Walker TH. 2008. Biofuels Engineering Process Technology. McGraw Hill, New York, 385 p. DOI 10.1036/0071487492.  
<http://content.yudu.com/Library/A17015/BiofuelsEngineeringP/resources/280.htm>
130. Bulut Y. 2009. The investigation on the possibility of increase lipid content of *Chlorella* (Chlorophyceae). PhD Thesis, University of Cukurova, Turkey, 71 p.
131. Cescut J. 2009. Accumulation d'acylglycérols par des espèces levuriennes à usage carburant aéronautique: physiologie et performances de procédés. Doctorat de Toulouse Univ., 333 p.
132. Wang L, Li Y, Chen P, Min M, Chen Y, Zhu J, Ruan RR. 2010. Anaerobic digested dairy manure as a nutrient supplement for cultivation of oil-rich green microalgae *Chlorella* sp. Bioresource Technology 101 (8), 2623-2628.
133. Chen C.-Y., Yeh K.-L., Su H.-M., Lo Y.-C., Chen W.-M., Chang J.-S. 2010. Strategies to enhance cell growth and achieve high-level oil production of a *Chlorella vulgaris* isolate. Biotechnology Progress, Published Online: 29 Jan. 2010, Accessed 19 II 2010.  
<http://www3.interscience.wiley.com/journal/123268349/abstract>
134. Catarina Guedes A, Meireles LA., Amaro HM, Malcata FX. 2010. Changes in Lipid Class and Fatty Acid Composition of Cultures of *Pavlova lutheri*, in Response to Light

- Intensity. Journal of the American Oil Chemists' Society, ISSN 1558-9331, Accessed: March 15, 2010. <http://www.springerlink.com/content/17734173ltph6234/>
135. Sydney EB, Sturm W, de Carvalho JC, Thomaz-Soccol V, Larroche C, Pandey A, Soccol CR. 2010. Potential carbon dioxide fixation by industrially important microalgae. *Bioresource Technology* 101 (15), 5892 – 5896.
  136. Tseng KY, Chen SM, Huang CH. 2010. Some characteristics of iron-catalyzed NADH-dependent sarcoplasmic reticular lipid oxidation in a seawater clam (*Meretrix lusoria*) and freshwater clam (*Corbicula fluminea*). *Journal of Food Biochemistry*. Publ. 26. IV. 2010.
  137. Mishra AK, Singh A, Singh SS. 2010. Diversity of *Frankia* strains nodulating *Hippophae salicifolia* D. Don using FAME profiling as Chemotaxonomic markers. *Journal of Basic Microbiology*. Accessed 26. 05. 2010.
  138. Plata V, Kafarov V, Moreno N. 2009. Development of a methodology of transesterification of oil in the production line of biodiesel from microalgae. Universidad Industrial de Santander, Colombia. Prospect 7 (2), 35-41. Accessed 2.VI. 2010.
  139. Plata V, Kafarov V, Moreno N. 2010. Optimization of Third Generation Biofuels Production: Biodiesel from Microalgae Oil by Homogeneous Transesterification. *Chemical Engineering Transactions* 21, 1201-1206. ISSN 1974-9791.
  140. Peralta Y, Sanchez E, Kafarov V. 2010. Exergy Analysis for Third Generation Biofuel Production from Microalgae Biomass. *Chemical Engineering Transactions* 21, 1363-1368. ISSN 1974-9791.
  141. Pardo Y, Sanchez E, Kafarov V. 2010. Analisis de impacto ambiental de la produccion de biodiesel a partir de aceite de microalgas. IV Congr. intern. de ciencia y tecnologia de biocombustibles, Bucaramanga, Columbia, 30. XI – 3. XII, CIBSCOL.
  142. Yang W-D, Li TS, Ren Y, Liu J-S. 2010. Different organic modified clay on the marina Removal in. *Journal of Safety and Environment* 10 (3), 45-48.  
<http://www.aqyhjxb.com.cn/Magazine/show.aspx?id=642>
  143. Barajas, L. A., Garzón, A. González, A. Guzmán, V. Kafarov, N. Moreno, M. Nuñez, V. Plata, G. Velasquez Bioprospección de microalgas colombianas para la producción de biodiesel 55 p. [http://201.234.78.28:8080/dspace/bitstream/123456789/1865/1/\(MicrosoftWord-BIOPROSPECCL.pdf](http://201.234.78.28:8080/dspace/bitstream/123456789/1865/1/(MicrosoftWord-BIOPROSPECCL.pdf) Accessed 14.XI.2010.
  144. Ghasemi Y, Rasoul-Amini S, Morowvat MH. 2011. Algae for the Production of SCP. In: Bioprocess Science and Technology. Liong M-T (Ed.) Nova Sci. Publ., Inc., USA. pp. 165-186.
  145. Galhano V, de Figueiredo DR, Alves A, Correia A, Pereira MJ, Gomes-Laranjo J, Peixoto F. 2011. Morphological, biochemical and molecular characterization of *Anabaena*, *Aphanizomenon* and *Nostoc* strains (Cyanobacteria, Nostocales) isolated from Portuguese freshwater habitats. *Hydrobiologia* 663, 187-203.
  146. Montes D'Oca MG, Viégas CV, Lemões JS, Miyasaki EK, Morón-Villarreyes JA, Primel EG, Abreu PC. 2011. Production of FAMEs from several microalgal lipidic extracts and direct transesterification of the *Chlorella pyrenoidosa*. *Biomass and Bioenergy*, doi:10.1016/j.biombioe.2010.12.047
  147. Cheirsilp B, Suwannarat W, Niyomdecha R. 2011. Mixed culture of oleaginous yeast *Rhodotorula glutinis* and microalga *Chlorella vulgaris* for lipid production from industrial wastes and its use as biodiesel feedstock. *New Biotechnology*, accessed 11. II. 2011. doi:10.1016/j.nbt.2011.01.004
  148. Cheirsilp B, Kitcha S, Torpee S. 2011. Co-culture of an oleaginous yeast *Rhodotorula glutinis* and a microalga *Chlorella vulgaris* for biomass and lipid production using

- pure and crude glycerol as a sole carbon source. Annals of Microbiology DOI: 10.1007/s13213-011-0338-y. <http://www.springerlink.com/content/64117663j2651114/>
149. Li Y, Chen Y-F, Chen P, Min M, Zhou W, Martinez B, Zhu J, Ruan R. 2011. Characterization of a microalga *Chlorella* sp. well adapted to highly concentrated municipal wastewater for nutrient removal and biodiesel production. Bioresource Technology 102, 5138-5144.
  150. Khoeyi ZA, Seyfabadi J, Ramezanpour Z. 2011 (28. IV). Effect of light intensity and photoperiod on biomass and fatty acid composition of the microalgae, *Chlorella vulgaris*. Aquacult. Int. 9 p. DOI 10.1007/s10499-011-9440-1
  151. Abou-Shanab RAI, Matter IA, Su-Nam Kim, You-Kwan Oh, Jaeyoung Choi, Byong-Hun Jeon. 2011. Characterization and identification of lipid-producing microalgae species isolated from a freshwater lake. Biomass and Bioenergy 35 (7), 3079-3085.
  152. Chader S, Mahmah1 B, Chetehouna K, Mignolet E. 2011. Biodiesel production using *Chlorella sorokiniana* a green microalga. Revue des Energies Renouvelables 14 (1) 21-26.
  153. Farias SP, Miyasaki EK, Sobrinho RCMA, Vauchinski L, Montes D’Oca MG, Morón-Villarreyes JA. 2011. Correção do Índice de Iodo do óleo da microalga *Chlorella* sp utilizando blenda. 34a Reunião Anual da Sociedade Brasileira de Química (SBQ). Accessed 30. V. 2011. <http://sec.sjq.org.br/cdrom/34ra/resumos/T1463-2.pdf>
  154. Herrera-Valencia VA, Contreras-Pool PY, López-Adrián SJ, Peraza-Echeverría S, Barahona-Pérez LF. 2011. The Green Microalga *Chlorella saccharophila* as a Suitable Source of Oil for Biodiesel Production. Current Microbiology DOI: 10.1007/s00284-011-9956-7.
  155. Stengel DB, Connan S, Popper ZA. 2011. Algal chemodiversity and bioactivity: Sources of natural variability and implications 3 for commercial application. Biotechnology Advances, in press.
  156. Sánchez E, Ojeda K, El-Halwagi M, Kafarov V. 2011. Biodiesel from microalgae oil production in two sequential esterification/transesterification reactors: pinch analysis of heat integration. Chemical Engineering Journal, in press. Accessed 31.VII. 2011.
  157. Kun-yan Chen. 2011. Effects of light intensity and light wavelength on the production of active polysaccharides by *Chlorella* sp. in batch cultures. Master's Thesis, Chemical and Materials Engineering. Chinese, defended: 2011-07-04. 122 p.

Конференция по проект PISA, гр. Елена 2008:

Iliev I, Furnadzhieva S, Andreeva R, Lukavsky J, Petkov G. 2008. International Conference “Response of plants to environmental stress”, Elena, Bulgaria.

Цитат:

158. Řezanka T, Petránková M, Cepák V, Přibyl P, Sigler K, Cajthaml T. 2010. *Trachydiscus minutus*, a new biotechnological source of eicosapentaenoic acid. Folia Microbiologica 55(3), 265-269.

Статия 49

Petkov G. Could microalgae enhance the germination of *Tribulus terrestris* L. seeds? 2010. Biotechnol. & Biotechnol. Eq. 24, 53-55.

Цитат:

159. Evstatieva L, Tchorbanov B. 2011. Complex investigations of *Tribulus terrestris* L. for sustainable use from pharmaceutical industry. Biotechnol. & Biotechnol. Eq. 25 (2), 2341-2347.

Цитати на дисертацията за степен “доктор”:

160. Пиларски П. 1993. Оптимизиране продуктивността на зелени микроводорасли от род *Scenedesmus* култивирани на открито. Дисертация, ИФР, 119 с.
161. Чанева Г. 1999. Физиолого-бионахимични изменения на *Plectonema borianum* (Суанобактерия), индуцирани при култивиране в условия на оксидативен стрес. Дисертация, Биол. Фак., СУ ”Св. К. Охридски”, 167 с.
162. Chaneva G, Furnadzieva S. 1997. Influence of temperature and light intensity on the cyanobacterium *Plectonema borianum*. Algological Studies 86, 137-145.
163. Иванова Ю. 2006. Изследване на физиологията, бионахимията и контаминацията на червеното микроводорасло *Rhodella reticulata* Дисертация. ИФР-БАН, 119 с.
164. Gacheva G, Pilarski P. 2008. The resistance of a new strain *Chlorella* sp. R-06/2, isolated from an extreme habitat to environmental stress factors. Gen. Appl. Plant Physiol. 34, 347-360.