

СПИСЪК ЦИТАТИ ЗА 2012 г

Ivanov I, Gigova L. (1986) RNA colony hybridization method. Gene 46: 287-290.

1. Chouchani C, El Salabi A, Marrakchi R, Ferchichi L, Walsh TR. 2012. First report of *mefA* and *msrA/msrB* multidrug efflux pumps associated with *bla_{TEM-1}* β-lactamase in *Enterococcus faecalis*. International Journal of Infectious Diseases, 16 (2), e104-e109.

Popova L, T Tsonev, S Vaklinova (1987) A possible role for abscisic acid in regulation of photosynthetic and photorespiratory carbon metabolism in barley leaves. Plant Physiol, 83, 820-824

2. Gao Y, Miao CY, Xia J, Luo CY, Mao L, Zhou P, Shi WJ. 2012. Effect of citric acid on phytoextraction and antioxidative defense in *Solanum nigrum* L as a hyperaccumulator under Cd and Pb combined pollution. Environmental Earth Sciences, 65 (7), 1923-1932

3. Hlavinka J, Nozkova-Hlavackova V, Flokova K, Novak O, Naus J. 2012. Jasmonic acid accumulation and systemic photosynthetic and electrical changes in locally burned wild type tomato, ABA-deficient sitiens mutants and sitiens pre-treated by ABA. Plant Physiology and Biochemistry, 54, 89-96

Popova L, T Tsonev, S Vaklinova (1988) Changes in some photosynthetic and photorespiratory properties in barley leaves after treatment with jasmonic acid. Journal of Plant Physiol, 132, 257-261

4. Hlavinka J, Nozkova-Hlavackova V, Flokova K, Novak O, Naus J (2012) Jasmonic acid accumulation and systemic photosynthetic and electrical changes in locally burned wild type tomato, ABA-deficient sitiens mutants and sitiens pre-treated by ABA. Plant Physiology and Biochemistry, 54, 89-96

Petkov G, S. Furnadzieva (1988) Fatty acid composition of acylolipids from *Spirulina platensis*. C. r. bulg. Acad. Sci., 41, 103-104

5. Sotiroudis TG, Sotiroudis GT. 2012. Health aspects of *Spirulina (Arthrospira)* microalga food supplement J. Serb. Chem. Soc. 77, 1-14. doi: 10.2298/JSC121020152S

Maslenkova LT, Miteva TS, Popova LP (1992) Changes in the polypeptide patterns of barley seedlings exposed to jasmonic acid and salinity. Plant Physiology, 98(2): 700-707

6. Hlavinka, Jan; Nozkova-Hlavackova, Vladimira; Flokova, Kristyna; et al (2012) Jasmonic acid accumulation and systemic photosynthetic and electrical changes in locally burned wild type tomato, ABA-deficient sitiens mutants and sitiens pre-treated by ABA PLANT PHYSIOLOGY AND BIOCHEMISTRY 54 : 89-96 DOI: 101016/jplaphy201202014

7. Mohanty, Monalisa; Patra, Hemanta Kumar. 2012. Effect of Chelate-Assisted Hexavalent Chromium on Physiological Changes, Biochemical Alterations, and Chromium Bioavailability in Crop Plants-An In Vitro Phytoremediation Approach BIOREMEDiation JOURNAL 16(3): 147-155 DOI: 101080/108898682012687414

Maslenkova LT, Zanev Y, Popova LP (1993) Adaptation to salinity as monitored by PSII oxygen-evolving reactions in barley thylakoids JOURNAL OF PLANT PHYSIOLOGY 142(5): 629-634

8. Hua Chun; Zhou Feng; Ding Chun-xia; et al. 2012. Effects of exogenous spermidine on photosynthetic parameters and chloroplast ultrastructure of *Salicornia bigelovii* under NaCl stress. Journal of Plant Resources and Environment, 21(2): 89-95

Petkov G, Furnadzieva S (1993) Non-polar lipids of some microalgae. Arch. Hydrobiol. 96 (Algological Studies 68), 79-84

9. Prabakaran P, Ravindran A D. 2012. *Scenedesmus* as a potential source of biodiesel among selected microalgae Research Communications 102 (3) 5 pp., 10. II 2012, in press.

Georgiev G I, C A Atkins (1993) Effect of salinity on N₂ - fixation, nitrogen metabolism and export and diffusive conductance of cowpea root nodules. Symbiosis, 15, 239 -255

10. Dessislava Todorova, Zornitsa Katerova, Iskren Sergiev, Vera Alexieva Role of Polyamines in Alleviating Salt Stress. 2012. Ecophysiology and Responses of Plants under Salt Stress editors: Parvaiz Ahmad, M.M. Azooz, M.N.V. Prasad, ISBN: 978-1-4614-4746-7 (Print) 978-1-4614-4747-4 (Online)

11. Francisco J. Escaray^a, Ana B. Menendez^{a, b}, Andrés Gárriz^a, Fernando L. ieckenstain^a, María J. Estrella^a, Luis N. Castagno^a, Pedro Carrasco^c, Juan Sanjuán^d, Oscar A. Ruiz^a. 2012. Ecological and agronomic importance of the plant genus *Lotus*. Its application in grassland sustainability and the amelioration of constrained and contaminated soils, Plant Science, Volume 182, January, Pages 121–131

Maslenkova LT, Zanev Y, LP Popova (1993) Oxygen-evolving activity of thylakoids from barley plants cultivated on different concentrations of jasmonic acid. Plant physiology, 93(4): 1316-1320

12. Soitamo AJ, Jada B, Lehto K. 2012. Expression of geminiviral AC2 RNA silencing suppressor changes sugar and jasmonate responsive gene expression in transgenic tobacco plants – BMC, Plant Biology, biomedcentral.com

Livansky K., M. Kajan, P. Pilarski (1993) pCO₂ and pO₂ profiles along the flow of algal suspension in open solar culture units: Verification of a mathematical model. Archiv fur Hydrobiologie, 98, (Algological studies, 70), 97-119

13. Petkov G, Ivanova A, Iliev I, Vaseva I. 2012. A critical look at the microalgae biodiesel. European J. of Lipid Science and Technology, 114, 103-111.

Angelov M, T Tsonev, A Uzunova, K Gaidardjieva (1993) Cu²⁺ effect upon photosynthesis, chloroplast structure, RNA and protein synthesis of pea plants - Photosynthetica 28: 341-350

14. Borowiak K, Drzewiecka K, Magdziak Z, Gaścka M, Mleczek M. 2012. Effect of Ca/Mg ions ratio on copper accumulation, photosynthetic activity and growth of Cu²⁺-treated *Salix viminalis* L ‘Cannabina’. *Photosynthetica* 50 (3), 353-361

15. Jagatheeswari D, Ranganathan P. 2012. Influence of mercuric chloride on seed germination, seedling growth and biochemical analysis of green gram (*Vigna radiata* (L) Wilczek Var Vamban-3). *International Journal of Pharmaceutical & Biological Archives*, 3(2), 291-295

Tsonev T, I Sergiev (1993) Leaf area measurement using hand scanner, Photosynthetica, 29 (3), 625-630

16. Chipilski RR, Kocheva KV, Nenova VR Georgiev GI. 2012. Physiological responses of two wheat cultivars to soil drought. *Zeitschrift fur Naturforschung Series C (in press)*

Kicheva M, T Tsonev, L Popova (1994) Stomatal and nonstomatal limitations to photosynthesis in two wheat cultivars subjected to water stress of different intensity - Photosynthetica, 30(1), 107-116

17. Marcińska I, Czyczyło-Mysza I, Skrzypek E, Filek M, Grzesiak S, Grzesiak MT, Janowiak F, Hura T, Dziurka M, Dziurka K., Nowakowska A, Quarrie SA (2012) Impact of osmotic stress on physiological and biochemical characteristics in drought-susceptible and drought-resistant wheat genotypes, *Acta Physiologiae Plantarum*, (in press) DOI: 101007/s11738-012-1088-6
18. Saeedipour S (2012) Effect of post-anthesis water deficit on yield and some physiological parameters on two wheat cultivars, *African Journal of Agricultural Research*, 7 (23), 3446-3452
19. Saeedipour S (2012) Appraisal of some physiological traits in two wheat cultivars subjected to terminal drought stress during grain filling, *African Journal of Biotechnology*, 11 (83), 14884-14888

Fedina IS, Tsonev TD, Guleva EI (1994) ABA as a modulator of the response of *Pisum sativum* to salt stress. *Journal of Plant Physiology*, 143(2), 245-249

20. Akram NA, Ashraf M, Al-Qurainy F. 2012. Aminolevulinic acid-induced changes in some key physiological attributes and activities of antioxidant enzymes in sunflower (*Helianthus annuus* L) plants under saline regimes, *Scientia Horticulturae*, 142, 143-148
21. Ceylan HA, Türkan I, Sekmen AH. 2012. Effect of coronatine on antioxidant enzyme response of chickpea roots to combination of PEG-induced osmotic stress and heat stress, *Journal of Plant Growth Regulation*, (in press)
22. Daneshbakhsh B, Khoshgoftarmash AH, Shariatmadari H, Cakmak I. 2012. Effect of zinc nutrition on salinity-induced oxidative damages in wheat genotypes differing in zinc deficiency tolerance, *Acta Physiol Plant*, (in press) DOI 101007/s11738-012-1131-7
23. Su YH, Su YX, Liu YG, Zhang XS. 2012. Abscisic acid is required for somatic embryo initiation through mediating spatial auxin response in *Arabidopsis*, *Plant Growth Regulation*, , (in press) DOI: 101007/s10725-012-9759-2

Markovska YK, Tsonev TD, Kimenov GP, Tutekova AA (1994) Physiological changes in higher poikilohydric plants - *Haberlea rhodopensis* Friv and *Ramonda serbica* Panc during drought and rewetting at different light regimes. *Journal of Plant Physiology*, 144(1), 100-108

24. Georgieva T Christov NK, Djilianov D. 2012. Identification of desiccation-regulated genes by cDNA-AFLP in *Haberlea rhodopensis*: a resurrection plant, *Acta Physiologiae Plantarum*, 34 (3), 1055-1066
25. Denev I, Stefanov D, Terashima I. 2012. Preservation of integrity and activity of *Haberlea rhodopensis* photosynthetic apparatus during prolonged light deprivation. *Physiol Plant* 146, 1, 121-128
26. Gashi B, Abdullai K, Kongjika E. 2012. Comparison of photosynthetic pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* of some different populations from Kosovo, Albania and Macedonia, *American Journal of Plant Sciences*, 3, 1588-1593

Benderliev KM, Ivanova NI (1994) High-affinity siderophore-mediated iron-transport system in the green alga *Scenedesmus incrassatus*. *Planta*, 193, 163–166

27. Andrej Hartnett, Lars H. Böttger, Berthold F. Matzanke, Carl J. Carrano. 2012. A multidisciplinary study of iron transport and storage in the marine green alga *Tetraselmis suecica*. *Journal of Inorganic Biochemistry* 116, 188–194.

28. Hartnett A, Böttger LH, Matzanke BF Carrano CJ. 2012. Iron transport and storage in the coccolithophore: *Emiliania huxleyi*. *Metallooms*, 4, 1160-1166.
29. Hai Lin, Twining BS. 2012. Chemical speciation of iron in Antarctic waters surrounding free-drifting icebergs. *Marine Chemistry* 128-129 (2012) 81-91.

Petkov G, Furnadzieva S, Andreeva R (1994) Fatty acid and sterol composition of *Nannochloris* sp. *Arch. Hydrobiol. 102 (Algological Studies 72)*, 133-135

30. Lukavsky J. 2012. *Trachydiscus minutus*: A new algal EPA producer. In: Algae: ecology, economic uses and environment impact. Dagmar Krueger & Helga Meyer (Eds.). Nova Sci. Publ. New York, pp. 77-104. (ISBN: 978-1-62081-280-8)

Zheleva, D., T. Tsonev, I. Sergiev, E. Karanov (1994) Protective effect of exogenous polyamines against atrazine in pea plants. *J Plant Growth Regu.*, 13, 203-211. ISSN: 0721-7595.

31. Alexandrov S, I. Iliev J, Lukavský G. Petkov. 2012. Influence of herbicides on the growth and composition of the yellow-green alga *Trachydiscus minutus*. *J. BioSci. Biotech, SE/ONLINE*, 2012, 123-126. p-ISSN 1314-6238, e-ISSN 1314-6246

32. Iori V, Pietrini F, Zucchini M. 2012. Assessment of ibuprofen tolerance and removal capability in *Populus nigra* L. by in vitro culture. *Journal of Hazardous Materials* 229-230, 217-223. ISSN: 0304-3894

33. Movahed N., Eshghi S, Tafazoli E, Jamali B. 2012. Effects of polyamines on vegetative characteristics, growth, flowering and yield of strawberry ('Paros' and 'Selva'). *Acta Horticulturae* 926, 287-294. ISSN 0567-7572

34. Tan W, Li Q, Zhai H. 2012. Photosynthesis and growth responses of grapevine to acetochlor and fluoroglycofen. *Pesticide Biochemistry and Physiology* 103(3), 2012, 210-218. ISSN: 0048-3575

35. Lutts S, J-F Hausman, M Quinet, I Lefèvre. 2012. on-line. In Ahmad P., Azooz MM, Prasad MNV (eds) *Ecophysiology and responses of plants under salt stress*. Chapter 12. Polyamines and Their Roles in the Alleviation of Ion Toxicities in Plants. Springer New York Springer Science+Business Media, LLC. ISBN 978-1-4614-4746-7 e-ISBN 978-1-4614-4747-4

Nenova V., I. Stoyanov (1995). Physiological and biochemical changes in young maize plants under iron deficiency II. Catalase, peroxidase and nitrate reductase activities in leaves. *J Plant Nutrition*, 18 (10), 2081-2091

36. Keech O., W. Zhou, R. Fenske, C. Colas-des-Francs-Small, J. D. Bussell, M. R. Badger, S. M. Smith (2012). The Genetic Dissection of a Short-Term Response to Low CO₂ Supports the Possibility for Peroxide-Mediated Decarboxylation of Photorespiratory Intermediates in the Peroxisome. *Mol. Plant* 5 (6): 1413-1416

Alexieva, V., E. Karanov, R. Nikolova, A. Bojilova. Plant growth regulating activity of some phosphorus derivatives of coumarin. *Bulg. J. of Plant Physiology*, 1, XXI, 1995, 45-51. ISSN 1310-4586.

37. Atta S., Iqbal M, Kumar A, Singh N D P. 2012. Application of photoremoveable protecting group for controlled release of plant growth regulators by sunlight. *Journal of Photochemistry and Photobiology B: Biology*, 111, 39-49; ISSN: 1011-1344

Sergiev, I., V. Alexieva, E. Karanov (1995) Cytokinin and anticytokinin effects on growth and free polyamine content in etiolated and green radish cotyledons. *J. Plant Physiol.*, 145(3), 266-270. ISSN: 0176-1617.

38. Papenfus H.B, Stirk W A, Finnie J F, Van Staden. 2012. Seasonal variation in the polyamines of *Ecklonia maxima*. *J. Botanica Marina*, 55(4), 2012, ISSN 0006-8055

Penkov LI, Platonov ES, New DAT. (1995) Prolonged development of normal and parthenogenetic postimplantation mouse embryos in vitro. Int. J. Dev. Biol., 39, 985-991.

39. Chen Y.H., Yu J. 2012. Ectopic expression of Fgf3 leads to aberrant lineage segregation in the mouse parthenote preimplantation embryos. *Developmental Dynamics*, 241, 1651–1664. Wiley Online Library. DOI: 10.1002/dvdy.23851

Selenska-Pobell S, Gigova L, Petrova N (1995) Strain-specific fingerprints of *Rhizobium galegae* generated by PCR with arbitrary and repetitive primers. J. Appl. Bacteriol. 79(4):425-31

40. Jošić D, Radin D. 2012. Molecular Markers and Phage Typing as a Tool for Diversity Estimation of Rhizobia. http://semenarska.rs/UNS-PSU/radovi/1/24%20JO_SIC%20298-313.pdf

Maslenkova L, Toncheva S, Zeinalov Yu (1995) Effect of abscisic acid and jasmonic acid (or JA-Me) on the photosynthetic electron transport and oxygen evolving reactions in pea plants : Bulgarian Journal of Plant Physiology 21(4): 48-55

41. Hlavinka, Jan; Nozkova-Hlavackova, Vladimira; Flokova, Kristyna; et al. 2012. Jasmonic acid accumulation and systemic photosynthetic and electrical changes in locally burned wild type tomato, ABA-deficient sitiens mutants and sitiens pre-treated by ABA. *PLANT PHYSIOLOGY AND BIOCHEMISTRY*, 54: 89-96 DOI: 101016/jplaphy201202014

Popova LP, Stoinova ZG, Maslenkova LT (1995) Involvement of abscisic acid in photosynthetic process in *Hordeum vulgare* L during salinity stress. JOURNAL OF PLANT GROWTH REGULATION, Volume: 14 Issue: 4 Pages: 211-218 DOI: 101007/BF00204914

42. Xie Zhixia; Du Mingwei; Li Maoying; et al. 2012. Effect of coronatine on osmotic regulation and hormone of cotton (*Gossypium hirsutum* L) seedling under salt stress, *Nongyaoxue Xuebao* 14(3): 267-276 DOI: 103969/jissn1008-730320120305

Yordanov I, VGoltsev, TsTsonev, LKrueva (1995) Thermal acclimation of the photosynthetic apparatus depending on temperature and duration of treatment. Bulg J Plant Physiol, 21(1), 12-28

43. Durand TC, Sergeant K, Carpin S, Label P, Morabito D, Hausman J-F, Renaut J. 2012. Screening for changes in leaf and cambial proteome of *Populus tremula* × *P alba* under different heat constraints, *Journal of Plant Physiology*, 169(17):1698-718

Popova, L, T Tsonev, G Lazova, Zh Stoinova (1996) Drought- and ABA-induced changes in photosynthesis of barley plants. Physiol Plantarum, 96, 623-629

44. Marraccini P, Vinecky F, Alves GSC, Ramos HJO, Elbelt S, Vieira NG, Carneiro FA, Sujii PS, Alekcevetch JC, Silva VA, DaMatta FM, Ferrão MAG, Leroy T, Pot D, Vieira LGE, da Silva FR, Andrade AC. 2012. Differentially expressed genes and proteins upon drought acclimation in tolerant and sensitive genotypes of *Coffea canephora*, *Journal of Experimental Botany* (in press)

45. Wu Y., Vreugdenhil D., Liu C., Fu W. 2012. Expression of carbonic anhydrase genes under dehydration and osmotic stress in *Arabidopsis thaliana* leaves, *Advanced Science Letters*, 17 (1), 261-265.

Zeinalov Yu, Maslenkova L (1996) A computerised equipment for thermoluminescence investigations *Bulgarian Journal of Plant Physiology*, 22 (3-4): 88-94

46. Sane P V, Ivanov AG, Oquist G et al. 2012. Thermoluminescence PHOTOSYNTHESIS: PLASTID BIOLOGY, ENERGY CONVERSION AND CARBON ASSIMILATION Book Series: *Advances in Photosynthesis and Respiration* Eds EatonRye, JJ; Tripathy, BC; Sharkey, TD Volume: 34 pp: 445-474 DOI: 101007/978-94-007-1579-0_19

47. Misra AN, Misra M, Singh R. 2012. Thermoluminescence in chloroplast thylakoid. *Biophysics*, Dr Prof Dr ANMisra (Ed) ISBN: 978-953-51-0376-9, InTech

Yakimova, E., V. Kapchina-Toteva, V. Alexieva, I. Sergiev, E. Karanov (1996) Effect of chlorsulfuron (GLEAN-75) and sucrose on some post-harvest physiological events in cut flowers. *Bulg. J. Plant Physiol.*, 22(3-4), 74-87. ISSN 1310-4586.

48. Carrillo-López L M, Trejo-Téllez L I, Alcántar-González G, Arévalo-Galarza L, Gaytán-Acuña EA, and Gómez-Merino F.C. 2012. Use of nutrient solutions and traditional production system of *Chrysanthemum* on postharvest quality. [Proceedings of the II International Symposium on Soilless Culture and Hydroponics]. *Acta Hort.* (ISHS) 947, 291-298. ISSN 0567-7572

49. Kiamohammadi M. 2012. The effects of different floral preservative solutions on peduncle bending and quality attributes of lisianthus cut flowers. *Acta Hort.* (ISHS) 943, 203-208; ISSN 0567-7572

50. Kiamohammadi M., Golchin A and Hashemabadi D. 2012. Optimizing the vase life of cut lisianthus (*Eustoma grandiflorum*). *Acta Hort.* (ISHS), 934, 501-508; ISSN 0567-7572

Corona V, B Araci, G. Kosturkova, GE Bartley, L Pitto, L Giorgetti, P.A Scolnik, G. Giulianno. Regulation of carotenoid biosynthesis gene promoter during plant development. *The Plant Journal*, 9, 4, 1996, 505-512. ISSN 0960-7412.

51. Yang Q, D Yuan, L Shi, T Capell, C Bai, N Wen, X Lu, G Sandmann, P Christou, C Zhu. 2012. Functional characterization of the *Gentiana lutea* zeaxanthin epoxidase (GlZEP) promoter in transgenic tomato plants. *Transgenic Res* 21, 1043–1056. p-ISSN: 0962-8819,e-ISSN 1573-9368

Georgiev GI., B Atanasov, K Kalmuckov, E Alexandrova, A Uzunova (1996) Assimilates and nutrients partitioning and efficiency of nitrogen fixation of black locust plants /*Robinia pseudoacacia* L/ grown on the excess of Cu in soil. *Bulg. J. of Plant Physiology*, XXII, /3-4/, 40 -55.

52. Beatriz Sánchez-Pardo^a, Mercedes Fernández-Pascual^b, Pilar Zornoza^a Copper microlocalisation, ultrastructural alterations and antioxidant responses in the nodules of white lupin and soybean plants grown under conditions of copper excess. *Environmental and Experimental Botany*, Volume 84, December 2012, Pages 52–60.

Doncheva S, Nikolov B, Ogneva V (1996) Effect of copper excess on the morphology of the nucleus in maize root meristem cells. *Physiol Plant* 96 (1): 118-122

53. Sumer Aras, Semra Soydam Aydin, Didem Aksoy Körpe and Çiğdem Dönmez. 2012. Comparative Genotoxicity Analysis of Heavy Metal Contamination in Higher Plants, Ecotoxicology, Dr. Ghousia Begum (Ed.), ISBN: 978-953-51-0027-0, InTech

54. Anila Mesi Dizdari, Ditika Kopliku, Suzana Golemi. The use of Higher Plants as Bio-Indicators of Environmental Pollution. 2012. A New Approach for Toxicity Screening in Albani. 2012. VOLUME 4, pp.228-239 In: Book of Proceedings 2nd International

Conference on Human and Social Sciences A. Biagini et al. (eds.). ICHSS March 23-24, 2012, Tirana, Albania

Benderliev K, Ivanova N (1997) Iron uptake in a green alga, which has no membrane-bound chelators. *Algological Studies*, 85: 49-56

55. Doaa M. Hammad and Lubna A. 2012. Ibrahim Influence of Iron and Silicon Speciation on the Abundance of Diatoms in River Nile. Journal of Applied Sciences Research 8(1): 556-570.

Клячко-Гурвич, Г. Л., Н. А. Пронина, С. Фурнаджиева, З. М. Рамазанов, Г. Петков (1997) Действие субоптимальной температуры на липидный состав и состояние мембран *Dunaliella salina*. *Физиол. раст.* 44, 212-221

56. Taha O, El-Kheir WA, Hammouda F, Abd El-Hady H. 2012. Production of β-carotene and glycerol from *Dunaliella bardawil* and *D. Salina* isolated from the Egyptian wet-lands Qarun and Bardawil International Conf. on Ecological, Environ. and Biol. Sci. (ICEEBS'2012) Jan. 7-8, 2012 Dubai, pp. 369-373.

Pouneva I (1997) Evaluation of algal culture viability and physiological state by fluorescent microscopic methods. *Bulg. J. Phlant. Physiol.* 23, 67-76

57. Lorena Martínez García. 2012 Eliminacion de CO₂ con microalgas autoctonas Tesis por grado de Doctor.

58. Petrucci E., L. Di Palma, E. De Luca, G. Massini. 2012. Biocides electrogeneration for a zero-reagent on board disinfection of ballast water. *J Appl Electrochem.* DOI 10.1007/s10800-012-0507-0 (in press).

Ananieva K, Ananiev ED Comparative study of the effects of methyl jasmonate and abscisic acid on RNA and protein synthesis in excised cotyledons of *Cucurbita pepo* L (zucchini). *Bulg J Plant Physiol*, 23(3-4), 80-90, 1997

59. Badowiec A, Swigonska S, Szypulska E, Weidner S. 2012. Influence of exogenous abscisic acid on alterations in protein expression in the proteome of Triticosecale seedlings *Acta Physiol Plant*, 34(6), 2359-2368

Atanassova L., I. Stoyanov, M. Pissarska, Ch. Valkova (1997) Salt stress-induced changes of cytokinins in maize and pea plant RNA. *Bulg. J. Plant Physiol.*, 23, (1-2), 33-39. ISSN 1310-4586

60. Shahbaz, M. Ashraf, F. Al-Qurainy, P. J. C. Harris. Salt Tolerance in Selected Vegetable Crops. Critical Reviews in Plant Sciences, 31, 2012, 303-320. ISSN 0735-2689

Markovska YK, TD Tsonev, GP Kimenov (1997) Regulation of CAM and respiratory recycling by water supply and light regime in higher poikilohydride plants - *Haberlea rhodopensis* Friv and *Ramonda serbica* Panc at transition from biosis to anabiosis and vice versa. *Botanica Acta* 110, 18-24

61. Hajiboland R (2012) Photosynthetic carbon metabolism: Plasticity and evolution, In: (MM Najafpour, Ed) *Advances in Photosynthesis – Fundamental Aspects*, 367-400, InTech

Vassilev A, I Yordanov, T Tsonev - Effects of Cd²⁺ on the physiological state and photosynthetic activity of young barley plants, *Photosynthetica*, 34 (2) , 1997, 293-302

62. Amirmoradi S, Moghaddam PR, Koocheki A, Danesh S, Fotovat A. 2012. Effect of cadmium and lead on quantitative and essential oil traits of peppermint (*Mentha piperita*

L), *Not Sci Biol*, 4(4), 101-109

63. González Á, Chumillas V, Lobo MC. 2012. Effect of Zn, Cd and Cr on growth, water status and chlorophyll content of barley plants (*H vulgare* L), Agricultural Sciences, 3 (4), 572-581

64. Lee SC, Kim WS. 2012. Physiological and structural damages in acorus calamus var angustatus as native aquatic plants to cadmium, Korean Journal of Horticultural Science & Technology, 30, 4, 371-377

Metwally A, T Tsonev, Y Zeinalov (1997) Effect of cytokinins on the photosynthetic apparatus in water-stressed and rehydrated bean plants, *Photosynthetica* 34 (4), 563-567

65. Sane PV, Ivanov AG, Öquist G, Huner NPA (2012) Ch19 Thermoluminescence, In: *Photosynthesis Advances in Photosynthesis and Respiration*, Volume 34, Part 4, 445-474, Springer Netherlands

66. Hu L, Wang Z, Huan B. 2012. Growth and physiological recovery of Kentucky bluegrass from drought stress as affected by a synthetic cytokinin 6-Benzylaminopurine, *Crop Sci* 52, 2332–2340

Yordanov I, T Tsonev, V Goltsev, M Merakchiiska-Nikolova and K Georgieva (1997) Gas exchange and chlorophyll fluorescence during water and high temperature stresses and recovery Probable protective effect of carbamide cytokinin 4-PU30. *Photosynthetica* 33 (3-4) , 423-431

67. Штирбу А. 2012. Физиолого-биохимические особенности роста и продуктивности столовых сортов винограда, в зависимости от привойно-подвойных комбинаций, Диссертация на соискание ученой степени доктора биологических наук, Государственный Аграрный Университет Молдовы, Кишинэу,

Fedina IS, T Tsonev (1997) Effect of pretreatment with methyl jasmonate on the response of *Pisum sativum* to salt stress. *J Plant Physiol* 151, 735-740

68. Shahbaz M, Ashraf M, Al-Qurainy F, Harris PJC. 2012. Salt tolerance in selected vegetable crops, Critical Reviews in Plant Sciences, 31, 4, 303-320

Yordanov I, T Tsonev, V Goltsev, L Kruleva, V Velikova (1997) Interactive effect of water deficit and high temperature on photosynthesis in sunflower and maize plants 1 Changes in parameters of chlorophyll fluorescence induction kinetics and fluorescence quenching. *Photosynthetica* 33 (3-4), 391-402

69. Roseli ANM, Ying TF, Ramlan MF. 2012. Morphological and physiological response of *Syzygium myrtifolium* (Roxb) Walp to paclobutrazol, *Sains Malaysiana*, 41 (10), 1187-1192

70. Парахин НВ, Петрова СН. 2012. Фотофизические реакции листьев люпина узколистного при формировании растительно-микробных симбиозов, *Зернобобовые и крупяные культуры*, 1, 15-19

Y Zeinalov Y, Maslenkova LT (1997) Mechanisms of photosynthetic oxygen evolution In: M Pessarakli (Ed) Handbook of Photosynthesis Marsel Dekker, inc, NY, pp: 129-150

71. Dobrikova AG, Domonkos I, Sözer Ö, Laczkó-Dobos H et al, 2012. Effect of partial or complete elimination of light-harvesting complexes on the surface electric properties and the functions of cyanobacterial photosynthetic membranes, Article first published online: *Physiologia plantarum*, 22 JUN DOI: 101111/j1399-3054201201648x

Kicheva MI, Lazova GN (1997) Response of carbonic anhydrase to polyethylene glycol-mediated water stress in wheat. *Photosynthetica* 34:133–135

72. Xing D, Wu Y. 2012) Photosynthetic response of three climber plant species to osmotic stress induced by polyethylene glycol (PEG) 6000. *Acta Physiologiae Plantarum*, 34 (5): 1659-1668

73. Wu Y., Vreugdenhil D., Liu C., Fu W. (2012) Expression of carbonic anhydrase genes under dehydration and osmotic stress in *Arabidopsis thaliana* leaves. *Advanced Science Letters*, 17 (1): 261-265

Tsonev T, G Lazova, Zh Stoinova, L Popova (1998) A possible role for jasmonic acid in adaptation of barley seedlings to salinity stress. J of Plant Growth Regul 17 (3), 153-159

74. Abu-Romman S., Suwan M., Al-Zu'bi E. 2012. Physiological effects of salinity on cucumber microshoots grown on proliferation medium. *Advances in Environmental Biology*, 6 (11): 2829-2834

75. Akter N, Okuma E, Sobahan MA, Uraji M, Munemasa S, Nakamura Y, Mori IC, Murata Y. 2012. Negative regulation of methyl jasmonate-induced stomatal closure by glutathione in *Arabidopsis*, *J Plant Growth Regul*, DOI 101007/s00344-012-9291-7

76. Grantz DA, Vu H-B. 2012. Root and shoot gas exchange respond additively to moderate ozone and methyl jasmonate without induction of ethylene: ethylene is induced at higher O₃ concentrations. *Journal of Experimental Botany*, 63, 11, 2012, 4303-4313

77. Khan MIR, Syeed S, Nazar R, Anjum NA. 2012. Ch12: An Insight into the Role of Salicylic Acid and Jasmonic Acid in Salt Stress Tolerance, pp 277-300, In: (Eds NA Khan, R Nazar, N Iqbal, NA Anjum), *Phytohormones and Abiotic Stress Tolerance in Plants*, Springer, Berlin Heidelberg

78. Liu X, Chi H, Yue M, Zhang X, Li W, Jia E. 2012. The regulation of exogenous jasmonic acid on UV-B stress tolerance in wheat, *Journal of Plant Growth Regulation*, 31, 3, 436-447

79. Odjegba VJ. 2012. Exogenous salicylic acid alleviates arsenic toxicity in *Arabidopsis thaliana*, *Indian J Innovations*, 1 (7), 515-522

80. Wu H, Liu X, You L, Zhang L, Zhou D, Feng J, Zhao J, Yu J. 2012. Effects of Salinity on Metabolic Profiles, Gene Expressions, and Antioxidant Enzymes in Halophyte *Suaeda salsa*, *J Plant Growth Regul* 31, 3, 332-341

81. Yokotani N, Ichikawa T, Kondou Y, Iwabuchi M, Matsui M, Hirochika H, Oda K. 2012. Role of the rice transcription factor JAmyb in abiotic stress response, *Journal of Plant Research*, (in press) DOI 101007/s10265-012-0501-y

Vassilev A, T Tsonev, I Yordanov (1998) Physiological response of barley plants (*Hordeum vulgare* L) to cadmium contamination in soil during ontogenesis. *Environmental Pollution*, 103 (2-3), 287-293

82. Jia L, Liu Z, Chen W, He X. 2012. Stimulative effect induced by low-concentration Cadmium in *Lonicera japonica* Thunb, *African Journal of Microbiology Research* 6(4), 826-833

83. Kaznina NM, Titov AF, Topchieva LV, Laidinen GF, Batova YuV. 2012. Vliyanie vozrastnykh razlichii na reaktsiyu rastenii yachmenya na deistvie kadmiya, *Fiziologiya Rasteni,i* 59(1), 74-79

84. Rani A, Souche Y, Goel R. 2012. Comparative in situ remediation potential of *Pseudomonas putida* 710A and *Comammomas aquatica* 710B using plant (*Vigna radiata* (L) wilczek) assay, *Ann Microbiol*, (in press) DOI 101007/s13213-012-0545-1

Van Arendonk J, E Karanov, V Alexieva, H Lambers. 1998. Polyamine concentrations in four *Poa* species, differing in their maximum relative growth rate, grown with free access to nitrate and at limiting nitrate supply. *Plant Growth Regul.*, 24, 77-89; DOI: 10.1023/A:1005946330580. ISSN: 0167-6903.

85. Rubio-Wilhelmi, M.D.M., Sanchez-Rodriguez, E., Leyva, R., Blasco, B., Romero, L., Blumwald, E., Ruiz, J.M. 2012. Response of carbon and nitrogen-rich metabolites to nitrogen deficiency in P SARKCIPT tobacco plants. *Plant Physiology and Biochemistry*, 57, 231-237. ISSN: 0981-9428

Shtereva LA, Zagorska NA, Dimitrov BD, Kruleva MM, Oanh HK (1998) Induced androgenesis in tomato (*Lycopersicon esculentum* Mill). II. Factors affecting induction of androgenesis, PLANT CELL REPORTS 18 (3-4), 312-317.

86. S.M. Shahinul Islam, Narendra Tuteja. 2012. Enhancement of androgenesis by abiotic stress and other pretreatments in major crop species. *J. Plant Science*, vol. 182, 134-144.

87. Dedejski, George. 2012. Characterization and evaluation of some lines from cherry tomatoes lycopersicon esculentum mill. Var. Cerasiforme (dunal) and their ability for micropropagation in in vitro conditions. Masters thesis, Goce Delcev University, 86 p. <http://eprints.ugd.edu.mk>

88. Moreno, A., Claveria, E., Pujol, M. and Dolcet-Sanjuan, R. 2012. DEVELOPMENT OF A METHODOLOGY FOR THE PRODUCTION OF DOUBLED HAPLOID LINES IN SOLANUM LYCOPERSICUM L. *Acta Hort. (ISHS)* 935, 95-100. http://www.actahort.org/books/935/935_13.htm

Moreno, P., G. Petkov, Z. Ramazanov, G. Garsia. 1998. Lipids, fatty acids and sterols of *Cystoseira abies-marina*. Botanica Marina 41, 375-378

89. Gigova L, Ivanova N, Gacheva G, Andreeva R, Furnadzhieva S. 2012. Response of *Trachydiscus minutes* (Xanthophyceae) to temperature and light. *J. of Phycology* 48, 85-93.

90. Guiry M. 2012. National University of Ireland, Galway. Accessed 14. 07. 2012. <http://www.species.ie/contact/>

91. Lee, James Weifu (Ed.). 2012. Advanced biofuels and bioproducts. Springer, Heidelberg, 1122 p. ISBN 978-1-4614-3347-7

Zagorska NA, Shtereva LA, Dimitrov BD, Kruleva MM (1998) Induced androgenesis in tomato (*Lycopersicon esculentum* Mill.) - I. Influence of genotype on androgenetic ability. PLANT CELL REPORTS 17 (12), 968-973

92. Yan Xu, S. Jin, M. Zhao, W. Shi, Q. Liao, J. Chen. 2012. Investigation on the Precocity of Regenerated Seedlings from Micro Tom, Advanced Materials Research, vol. 365, 421-427.

93. Chaar, M., Pinker, I., Grieger, P. and Böhme, M. 2012. THE EFFECT OF FLOWER BUD SIZE AND PRE-TREATMENT ON CALLUS INDUCTION AND PLANT REGENERATION IN ANTER CULTURE OF *PETUNIA 'PURPLE WAVE'*. *Acta Hort. (ISHS)* 961, 375-382.

94. Dedejski, George. 2012. Characterization and evaluation of some lines from cherry tomatoes lycopersicon esculentum mill. Var. Cerasiforme (dunal) and their ability for micropropagation in in vitro conditions. Masters thesis, Goce Delcev University, 86 p. <http://eprints.ugd.edu.mk>

95. S.M. Shahinul Islam, Narendra Tuteja. 2012. Enhancement of androgenesis by abiotic stress and other pretreatments in major crop species. *Plant Science*, Volume 182, January 134–144. doi:10.1016/j.plantsci.2011.10.001

96. Moreno, A., Claveria, E., Pujol , M. and Dolcet-Sanjuan, R. 2012. DEVELOPMENT OF A METHODOLOGY FOR THE PRODUCTION OF DOUBLED HAPLOID LINES IN SOLANUM LYCOPERSICUM L. *Acta Hort. (ISHS)* 935, 95-100. http://www.actahort.org/books/935/935_13.htm

97. Julião S.A. Multiploidia em calos provenientes de anteras de tomate. Dissertação, Universidade Federal de Viçosa, Brasil. Pp. 63. (2012)

Velikova V, I Yordanov, K Georgieva, T Tsonev, V Goltsev (1998) Effects of exogenous polyamines applied separately and in combination with simulated acid rain on functional activity of photosynthetic apparatus. *J Plant Physiol*, 153, 299-307,

98. Jiang W, Bai, J, Yang, X, Yu, H, Liu, Y. 2012. Exogenous application of abscisic acid, putrescine, or 2,4-epibrassinolide at appropriate concentrations effectively alleviate damage to tomato seedlings from suboptimal temperature stress. *HortTechnology*, 22 (1), 137-144

99. Amri E, MJ Mohammadi. 2012. Effects of timing of drought stress on pomegranate seedlings (*Punica granatum* L cv 'Atabaki') to exogenous spermidine and putrescine polyamines. *African Journal of Microbiology*, 6(25), 5294-5300

Georgieva K (1999) Some mechanisms of damage and acclimation of the photosynthetic apparatus to high temperature *Bulg J Plant Physiol*, 25 (3-4), 89-99

100. Chauhan BS, G Mahajany, V Sardanay. 2012. Productivity and Sustainability of the RiceeWheat Cropping System in the Indo-Gangetic Plains of the Indian subcontinent: Problems, Opportunities, and Strategies. In: Advances in Agronomy, Donald Sparks (Ed), 315-369

101. Ranjeet Ranjan Kumar, Sushil Kumar Sharma, Kritika A Gadpayle, Khushboo Singh, Sivaranjani R, Suneha Goswami, Raj D Rai. 2012. Mechanism of action of hydrogen peroxide in wheat thermotolerance - interaction between antioxidant isoenzymes, proline and cell membrane. *African Journal of Biotechnology*, 11(78), 14368-14379

102. Yahya S Masrahi, Turki A Al-Turki, Osama H Sayed. 2012. Geographical distribution and chorology of grasses in the Arabian Peninsula. *Flora - Morphology, Distribution, Functional Ecology of Plants*, 207(4), 250–256

Ananieva K, Ananiev ED Effect of methyl ester of jasmonic acid and benzylaminopurine on growth and protein profile of excised cotyledons of *Cucurbita pepo* (zucchini). *Biologia Plantarum*, 42(4), 549-557, 1999

103. Gatehouse A, Ferry N. 2012. Successes and failures in plant–insect interactions: is it possible to stay one step ahead of the insects? In: Anthropod-plant interactions, Springer Netherlands, vol 14, pp 89-126 (book)

Landjeva S, Ganeva G (1999) Identification of *Aegilops ovata* chromosomes added to the wheat (*Triticum aestivum* L.) genome. *Cereal Res Comm* 27: 55-61

104. Kwiatek M, Błaszczyk L, Wiśniewska H and Apolinarska B. 2012. *Aegilops-Secale* amphiploids: chromosome categorisation, pollen viability and identification of fungal disease resistance genes. *Journal of Applied Genetics* 53 (1): 37-40

Dimova S, Vassileva V, Gigova L, Ignatov G (1999) Role of the enantiomeric forms of tryptophan and phenylalanine in the nodulation and nitrogen-fixing ability of

Rhizobium Galegae-Galega orientalis symbiotic system. Compt Rend Acad Bulg Sci, 52, N° 7-8, 67-70

105. Konstantopoulou E, Kaptis G, Salachas G, Petropoulos SA, Chatzieustratiou E, Karapanos IC, Harold C. Passam HC. 2012. J Plant Nutr 35, 8, 1246-1254
106. Dzul T, De la Kruz. 2012. Requerimientos nutricionales de chile poblano (*Capsicum annuum L.*) y su relación con el rendimiento y la calidad del fruto.
107. Frunze N. 2012. Spectrul aminoacizilor liberi din solul cultivat cu culturi furajere pp. 134-138. on line

Georgieva, I.D., A. Edreva, R.M. Rodeva (1999) Peroxidase response of ovaries and seeds in two host-parasite systems Triticum aestivum-Septoria nodorum and Lilium regale-Botrytis cinerea. Plant Peroxidase Newsletter, 13, 3–11.

108. Kapadia, C.V., M.K. Mahatma, V. Shrivastava, T. Ahmad, R.T. Desai. 2012. Defense response of resistant and susceptible genotypes of castor (*Ricinus communis L.*) to wilt disease. Archives of Phytopathology and Plant Protection, 1-13.

Sotirova V., Shtereva L., Zagorska N., Dimitrov B., Bogatsevska N., Resistance responses of plants regenerated from tomato anther and somatic tissue cultures to Clavibacter michiganense subsp. michiganense. Israel Journal of Plant Sciences, vol. 47, 1999, 237 - 243.

109. K. Neelakandan and Kan Wang. 2012. Recent progress in the understanding of tissue culture-induced genome level changes in plants and potential applications. Plant Cell Reports, Volume 31, Issue 4, April 2012, 597-620.

Stoynova, E Z; Karanov, E N; Alexieva V. (1999) Subcellular aspects of the protective effect of spermine against atrazine in pea plants. *Plant Growth Regulation* 29(3), 175-180. ISSN: 0167-6903.

110. Alexandrov S., Iliev I., Lukavský J., Petkov G. 2012. Influence of herbicides on the growth and composition of the yellow-green alga *Trachydiscus minutus*. *J. BioSci. Biotech.*, SE/ONLINE, 123-126 ; ISSN: 1314-6246

Velikova V, Tsonev T, Yordanov I (1999) Light- and CO₂-responses of photosynthesis and chlorophyll fluorescence characteristics in bean plants after simulated acid rain, *Physiol Plantarum*, 107, 77-83

111. Huseynova IM. 2012. Photosynthetic characteristics and enzymatic antioxidant capacity of leaves from wheat cultivars exposed to drought, *Biochimica et Biophysica Acta*, 1817, 1516–1523

112. Ozkaya A, Ciftci H, Yilmaz O, Cil E, Basar S. 2012. Chemical changes in leaves of corn and bean plants exposed to simulated acid rain, *Journal of the Chemical Society of Pakistan* 34 (4), 1037-1039

113. Wang RL, Rehman SU, Liang XT, Song YY, Su YJ, Baerson SR, Zeng RS. 2012. Effects of simulated acid rain on the allelopathic potential of invasive weed *Wedelia trilobata*, *Allelopathy Journal*, 30 (1), 23-32

114. Zlatev Z, Lidon FC. 2012. An overview on drought induced changes in plant growth, water relations and photosynthesis, *Emir J Food Agric* 24 (1), 57-72

Yordanov I, V Velikova, T Tsonev (1999) Influence of Drought, High Temperature, and Carbamide Cytokinin 4-PU-30 on Photosynthetic Activity of Bean Plants 1 Changes in Chlorophyll Fluorescence Quenching, *Photosynthetica*, 37, 447-457

115. Li Y-X, Shen S-H, Li L, Wang X-M, Zhang F-C, Han X-M. 2012. Effects of soil

moisture on leaf gas exchange and chlorophyll fluorescence parameters of winter wheat during its late growth stage. *Chinese Journal of Ecology*, 31(1), 2012, 74-80

116. Oukarroum A, El Madidi S, Strasser RJ. 2012. Exogenous glycine betaine and proline play a protective role in heat-stressed barley leaves (*Hordeum vulgare* L): A chlorophyll a fluorescence study. *Plant Biosystems*, 146 (4), 1037-1043

Zeinalov Yu, Maslenkova L (1999) Estimation of the quantum efficiency of photosynthesis I Theoretical ground and experimental approaches. Bulg J Plant Physiol 23: 26-38

117. Zheng Y, Zhao Z, Zhou J-J. 2012. Effects of the slope aspects and physiological characterization of the black locust (*Robinia pseudoacacia* L) on the loess plateau. *Pak J Bot* 44(3): 939-948

Nenova V., I. Stoyanov (1999). Physiological and biochemical changes in young maize plants under iron deficiency 3. Concentration and distribution of some nutrient elements. J. of Plant Nutrition, 22 (3), 565-578

118. Duman F.(2012). Uptake of mineral elements during abiotic stress. IN: P. Ahmad and M.N.V. Prasad (Eds.) *Abiotic Stress Responses in Plants. Metabolism, Productivity and Sustainability*, Springer, 267-281

119. Park W. , Kyung-Hwan Han and Sung-Ju Ahn (2012). Differences in root-to-shoot Cd and Zn translocation and by HMA3 and 4 could influence chlorophyll and anthocyanin content in *Arabidopsis* Ws and Col-0 ecotypes under excess metals. *Soil Science and Plant Nutrition* 58 (3), 334-348.

120. Rizwan. M. (2012) Silicon-mediated heavy-metal tolerance in durum wheat: evidences of combined effects at the plant and soil levels. These pour obtenir le grade de Docteur d'Aix-Marseille universite, Faculté des Sciences et Techniques, Discipline: Géosciences de l'Environnement, France. www.theses.fr/2012AIXM4335/abes

Nenova V., I.Stoyanov (2000). Effects of some growth regulators on young iron deficient maize plants. Biologia Plantarum, 43 (1), 35-39

121. Jiménez A, A. Torrecillas, F. Sevilla, M. F. Ortúñoz, W. Conejero, F. Ferreres, S. Medina, A. Galindo and A. Gil-Izquierdo-Lime (2012). Induced Iron Chlorosis in Citrus: Diagnosis Through Physiological and Metabolic Evidences-Advances in Citrus Nutrition . IN: *Advances in Citrus Nutrition*, Srivastava, Anoop Kumar (Editor), Publisher: Springer Netherlands, Chapter 21, pages 321-331, DOI: 10.1007/978-94-007-4171-3_22, Url: http://dx.doi.org/10.1007/978-94-007-4171-3_22 (last vue 05.06.2012)

122. Tuna, A.L. (2012). Comparative activities of triadimefon, thidiazuron, and chlorocholine chloride as salinity stress protectants in maize (*Zea mays* L.) plant. *Fresenius Environmental Bulletin* 21 (6 A),1598-1608

Cseh Z, Rajagopal S, Tsonev T, Busheva M, Papp E, and Garab G (2000) Thermooptic effect in chloroplast thylakoid membranes Thermal and light stability of pigment arrays with different levels of structural complexity. Biochemistry 39, 15250-15257

123. Tamary E, Kiss V, Nevo R, Adam Z, Bernát G, Rexroth S, Rögner M, Reich Z. 2012. Structural and functional alterations of cyanobacterial phycobilisomes induced by high light stress. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*, 1817 (2) , 319-327

124. Zhang Y, Liu C, Yang C. 2012. Analysis of heat-induced disassembly process of three different monomeric forms of the major light-harvesting chlorophyll *a/b* complex of photosystem II. *Photosynth Res*, 111 (1-2), 103-111

Dekov I, Tsonev T, Yordanov I (2000) Effects of water stress and high-temperature stress on the structure and activity of photosynthetic apparatus of Zea mays and Helianthus annuus, Photosynthetica 38 (3). 361-366

125. Kumar S, Gupta D, Nayyar H. 2012. Comparative response of maize and rice genotypes to heat stress: status of oxidative stress and antioxidants. *Acta Physiologiae Plantarum*, 34 (1), 75-86

126. Grigorova B, Vassileva V, Klimchuk D, Vaseva I, Demirevska K, Feller U. 2012. Drought, high temperature, and their combination affect ultrastructure of chloroplasts and mitochondria in wheat (*Triticum aestivum* L) leaves. *Journal of Plant Interactions* 7 (3), 204-213

127. Zhang L, Kato Y, Otters S, Vothknecht UC, Sakamoto W. 2012. Essential role of VIPP1 in chloroplast envelope maintenance in *Arabidopsis*. *Plant Cell*, 24 (9), 3695-3707

128. Zlatev Z, Lidon FC. 2012. An overview on drought induced changes in plant growth, water relations and photosynthesis, *Emir J Food Agric* 24 (1), 57-72

Velikova V, Yordanov I, Edreva A (2000) Oxidative stress and some antioxidant systems in acid rain-treated bean plants Protective role of exogenous polyamines. Plant Science 151: 59-66,

129. Aghdam EM, Azar LM, Barzegari A, Karimi F, Mesbahfar M, Samadi N, Hejaz MS. 2012. Effect of periplasmic expression of recombinant mouse interleukin-4 on hydrogen peroxide concentration and catalase activity in *Escherichia coli* Gene 511 (2): 455-460,

130. Ahmad P, Hakeem KR, Kumar A, Ashraf M, Akram NA. 2012. Salt-induced changes in photosynthetic activity and oxidative defense system of three cultivars of mustard (*Brassica juncea* L) *African Journal of Biotechnology* 11(11): 2694-2703,

131. Akram NA, Ashraf M, Al-Qurainy F. 2012. Aminolevulinic acid-induced changes in some key physiological attributes and activities of antioxidant enzymes in sunflower (*Helianthus annuus* L) plants under saline regimes *Scientia Horticulturae* 142 (13): 143-148,

132. An D, Yang J, Zhang P. 2012. Transcriptome profiling of low temperature-treated cassava apical shoots showed dynamic responses of tropical plant to cold stress *BMC Genomics*, 13:64, biomedcentralcom/1471-2164/13/64 (open access)

133. Ashraf MA, Ashraf M, Shahbaz M. 2012. Growth stage-based modulation in antioxidant defense system and proline accumulation in two hexaploid wheat (*Triticum aestivum* L) cultivars differing in salinity tolerance *Flora* 207 (5): 388-397

134. Bano S, Ashraf M, Akram NA, Al-Qurainy E. 2012. Regulation in some vital physiological attributes and antioxidative defense system in carrot (*Daucus carota* L) under saline stress *Journal of Applied Botany and Food Quality-Angewandte Botanik* 85(1): 105-115

135. Bansal R, Srivastava JP. 2012. Antioxidative defense system in pigeonpea roots under waterlogging stress *Acta Physiologiae Plantarum* 34 (2): 515-522, DOI: 101007/s11738-011-0848-z

136. Cakmak T, Cakmak ZE, Dumluipinar R, Tekinay T. 2012. Analysis of apoplastic and symplastic antioxidant system in shallot leaves: Impacts of weak static electric and magnetic field *Journal of Plant Physiology* 169 (11):1066-1073

137. Chang IH, Cheng KT, Huang PC, Lin YY, Cheng LJ, Cheng TS. 2012. Oxidative stress in greater duckweed (*Spirodela polyrhiza*) caused by long-term NaCl exposure *Acta Physiologiae Plantarum* 34(3):1165-1176

138. Cheng LJ, Cheng TS. 2012. Oxidative effects and metabolic changes following exposure of greater duckweed (*Spirodela polyrhiza*) to diethyl phthalate *Aquatic Toxicology* 109: 166-175, DOI: 101016/jaquatox201110003

139. Choudhary SP, Kanwar M, Bhardwaj R, Yu J-Q, Tran L-SP. 2012. Chromium stress mitigation by polyamine-brassinosteroid application involves phytohormonal and physiological strategies in *Raphanus sativus* L. *PLoS ONE* 7(3): e33210 doi:10.1371/journal.pone.0033210
140. Csiszar J, Galle A, Horvath E, Dancso P, Gombos M, Vary Z, Erdei L, Gyorgyey J, Tari I. 2012. Different peroxidase activities and expression of abiotic stress-related peroxidases in apical root segments of wheat genotypes with different drought stress tolerance under osmotic stress. *Plant Physiology and Biochemistry* 52: 119-129, DOI: 10.1016/j.jplaphy.2011.12.006
141. D'Souza RM, Devaraj VR. 2012. Induction of oxidative stress and antioxidative mechanisms in Hyacinth bean under zinc stress. *African Crop Science Journal* 20 (1): 17 – 29
142. Egbichi IM. 2012. Modulation of ascorbate peroxidase activity by nitric oxide in soybean **PhD Thesis** Institute of Plant Biotechnology, Department of Genetics, University of Stellenbosch
143. El-Shafey NM, AbdElgawad H. 2012. Luteolin, a bioactive flavone compound extracted from *Cichorium endivia* L subsp *divaricatum* alleviates the harmful effect of salinity on maize. *Acta Physiologiae Plantarum* 34(6): 2165-2177, DOI: 10.1007/s11738-012-1017-8
144. Farouk S, Osman MA. 2012. Alleviation of oxidative stress induced by spider mite invasion through application of elicitors in bean plants. *Egyptian Journal of Biology* 14: 1-13
145. Filippou P, Antoniou C, Fotopoulos V. 2012. The nitric oxide donor sodium nitroprusside regulates polyamine and proline metabolism in leaves of *Medicago truncatula* plants. *Free Radical Biology and Medicine* <http://dx.doi.org/10.1016/j.freeradbiomed.2012.09.037>, (in press)
146. Garg B, Jaiswal JP, Misra S, Tripathi BN, Prasad M. 2012. A comprehensive study on dehydration-induced antioxidative responses during germination of Indian bread wheat (*Triticum aestivum* L em Thell) cultivars collected from different agroclimatic zones. *Physiology and Molecular Biology of Plants* 18 (3): 217-228
147. Garg N, Aggarwal N. 2012. Effect of mycorrhizal inoculations on heavy metal uptake and stress alleviation of *Cajanus cajan* (L) Millsp genotypes grown in cadmium and lead contaminated soils. *Plant Growth Regulation* 66 (1): 9-26, 2012
148. Garg N, Bhandari P - Influence of cadmium stress and arbuscular mycorrhizal fungi on nodule senescence in *Cajanus cajan* (L) Millsp. *International Journal of Phytoremediation* 14 (1): 62-74, DOI: 10.1080/152265142011573822
149. Garg N, Kaur H. 2012. Influence of zinc on cadmium-induced toxicity in nodules of pigeonpea (*Cajanus cajan* L Millsp) inoculated with arbuscular mycorrhizal (AM) fungi. *Acta Physiologiae Plantarum* 34(4): 1363-1380
150. Garg N, Kaur H. 2012. Response of antioxidant enzymes, phytochelatins and glutathione production towards Cd and Zn stresses in *Cajanus cajan* (L) Millsp genotypes colonized by arbuscular mycorrhizal fungi. *Journal of Agronomy and Crop Science* DOI: 10.1111/j.1439-037X.2012.00533.x, (Early View)
151. Garg N, Singla P. 2012. The role of *Glomus mosseae* on key physiological and biochemical parameters of pea plants grown in arsenic contaminated soil. *Scientia Horticulturae* 143: 92-101, DOI: 10.1016/j.scienta.2012.06.010
152. Genisel M, Turk H, Erdal S. 2012. Exogenous progesterone application protects chickpea seedlings against chilling-induced oxidative stress. *Acta Physiologia Plantarum* DOI 10.1007/s11738-012-1070-3, (in press)
153. Gentile A, Antognoni F, Iorio RA, Distefano G, Las Casas G, La Malfa S, Serafini-Fracassini D, Del Duca S. 2012. Polyamines and transglutaminase activity are involved in compatible and self-incompatible pollination of *Citrus grandis*. *Amino Acids* 42 (2-3): 1025-1035, DOI: 10.1007/s00726-011-1017-9

154. Ghosh N, Das SP, Mandal C, Gupta S, Das K, Dey N, Adak MK. 2012. Variations of antioxidative responses in two rice cultivars with polyamine treatment under salinity stress. *Physiology and Molecular Biology of Plants* 18 (4): 301-313
155. Hassannejad S, Bernard F, Mirzajani F, Gholami M. 2012. SA improvement of hyperhydricity reversion in *Thymus daenensis* shoots culture may be associated with polyamines changes. *Plant Physiology and Biochemistry* 51: 40-46, DOI: 101016/jplaphy201110006
156. Hassanpour H, Khavari-Nejad RA, Niknam V, Najafi F, Razavi K. 2012. Effects of penconazole and water deficit stress on physiological and antioxidative responses in pennyroyal (*Mentha pulegium* L). *Acta Physiologiae Plantarum* 34(4): 1537-1549
157. Hussain I, Iqbal M, Qurat-Ul-Ain S, Rasheed R, Mahmood S, Perveen A, Wahid A. 2012. Cadmium dose and exposure-time dependent alterations in growth and physiology of maize (*Zea mays*). *International Journal of Agriculture & Biology* 14: 959-964
158. Ismail GSM. 2012. Protective role of nitric oxide against arsenic-induced damages in germinating mung bean seeds. *Acta Physiologiae Plantarum* 34(4): 1303-1311
159. Jungklang J, Saengnil K. 2012. Effect of paclobutrazol on patumma cv Chiang Mai Pink under water stress *Songklanakarin*. *Journal of Science and Technology* 362 34 (4): 361-366,
160. Kabiri R, Farahbakhsh H, Nasibi F. 2012. Salicylic acid ameliorates the effects of oxidative stress induced by water deficit in hydroponic culture of *Nigella sativa*. *Journal of Stress Physiology & Biochemistry* 8 (3): 13-22,
161. Kazemi N. 2012. Effect of exogenous nitric oxide on alleviating nickel-induced oxidative stress in leaves of tomato plants. *International Journal of AgriScience* 2 (9): 799-809
162. Keyster M, Klein A, Du Plessis M, Jacobs A, Kappo A, Kocsy G, Galiba G, Ludidi N. 2012. Capacity to control oxidative stress-induced caspase-like activity determines the level of tolerance to salt stress in two contrasting maize genotypes. *Acta Physiologia Plantarum* DOI 101007/s11738-012-1045-4
163. Khan MN, Siddiqui MH, Mohammad F, Naeem M. 2012. Interactive role of nitric oxide and calcium chloride in enhancing tolerance to salt stress. *Nitric Oxide* 27 (4): 210-218
164. Koodkaew I, Sunohara Y, Matsuyama S, Matsumoto H. 2012. Isolation of ambiguine D isonitrile from *Hapalosiphon* sp and characterization of its phytotoxic activity. *Plant Growth Regulation* 68(2): 141-150, DOI: 101007/s10725-012-9700-8
165. Koodkaew I, Sunohara Y, Matsuyama S, Matsumoto H. 2012. Phytotoxic action mechanism of hapalocyclamide in lettuce seedlings. *Plant Physiology and Biochemistry* 58: 23-28, DOI: 101016/jplaphy201206002
166. Li P, Song AL, Li ZJ, Fan FL, Liang YC. 2012. Silicon ameliorates manganese toxicity by regulating manganese transport and antioxidant reactions in rice (*Oryza sativa* L). *Plant and Soil* 354(1-2): 407-419
167. Lin M-H, Gresshoff PM, Ferguson BJ. 2012. Systemic regulation of soybean nodulation by acidic growth conditions. *Plant Physiology* 160: 2028-2039
168. Mahmood S, Wahid A, Rasheed R, Hussain I, Basra SMA. 2012. Possible antioxidative role of endogenous vitamins biosynthesis in heat stressed maize (*Zea mays*). *International Journal of Agriculture and Biology* 14: 705-712
169. Moalemi R, Aghdasi M, Ghanati F. 2012. Induction of phenolic compounds is affected by boron supply in marshmallow (*Althaea officinalis* L) cells. *Progress in Biological Sciences* 2 (1): 68-75

170. Mroczek-Zdryska M, Wojcik M. 2012. The influence of selenium on root growth and oxidative stress induced by lead in *Vicia faba* L Minor plants. *Biological Trace Element Research* 147(1-3): 320-328
171. Murthy SM, Devaraj VR, Anitha P, Tejavathi DH. 2012. Studies on the activities of antioxidant enzymes under induced drought stress in *in vivo* and *in vitro* plants of *Macrotyloma uniflorum* (Lam) Verdc. *Recent Research in Science and Technology* 4 (2): 34-37
172. Myrene D'souza R, Devaraj VR. 2012. Induction of oxidative stress and antioxidative mechanisms in hyacinth bean under zinc stress. *African Crop Science Journal* 20 (1): 17 – 29
173. Nikravesh F, Khavari-Nejad RA, Rahimian H, Fahimi H. 2012. Antioxidant enzyme activities and isozyme pattern in hairy roots and regenerated tobacco plants *Russian Journal of Plant Physiology* 59(5): 648-655, DOI: 101134/S1021443712030132
174. Nikravesh F, Khavari-Nejad RA, Rahimian H, Fahimi H. 2012. Study of antioxidant enzymes activity and isozymes pattern in hairy roots and regenerated plants in *Nicotiana tabacum* *Acta Physiologiae Plantarum* 34 (2): 419-427, DOI: 101007/s11738-011-0838-1
175. Nounjan N, Theerakulpisut P. 2012. Effects of exogenous proline and trehalose on physiological responses in rice seedlings during salt-stress and after recovery *Plant Soil Environ* 58 (7): 309–315
176. Ozturk L, Demir Y, Unlukara A, Karatas I, Kurunc A, Duzdemir O. 2012. Effects of long-term salt stress on antioxidant system, chlorophyll and proline contents in pea leaves *Romanian Biotechnological Letters* 17(3):7227-7236
177. Saeidi-Sar S, Abbaspour H, Afshari H, Yaghoobi SR. 2012. Effects of ascorbic acid and gibberellin A3 on alleviation of salt stress in common bean (*Phaseolus vulgaris* L) seedlings. *Acta Physiologiae Plantarum*, DOI 101007/s11738-012-1107-7
178. Saleem A, Ashraf M, Akram NA, Al-Qrainy F. 2012. Salinity-induced changes in key anti-oxidant enzyme activities and in the levels of some anti-oxidants, osmoprotectants, inorganic ions, and chlorophyll pigments in okra fruit (*Abelmoschus esculentus* L). *Journal of Horticultural Science & Biotechnology* 87(3):271-277
179. Saruhan N, Saglam A, Kadioglu A. 2012. Salicylic acid pretreatment induces drought tolerance and delays leaf rolling by inducing antioxidant systems in maize genotypes. *Acta Physiologiae Plantarum* 34 (1): 97-106,
180. Sengupta D, Mudalkar S, Reddy AR. 2012. Detoxification potential and expression analysis of eutypine reducing aldehyde reductase (VrALR) during progressive drought and recovery in *Vigna radiata* (L) Wilczek roots. *Planta* 236(4): 1339-1349, DOI: 101007/s00425-012-1716-9
181. Sengupta D, Ramesh G, Mudalkar SI, Kumar KRR, Kirti PB, Reddy AR. 2012. Molecular cloning and characterization of γ -glutamyl cysteine synthetase (Vr γ ECS) from roots of *Vigna radiata* (L) Wilczek under progressive drought stress and recovery. *Plant Molecular Biology Reporter* 30(4): 894-903
182. Sharma C, Singh N, Pal K. 2012. The effect of salt stress on biochemicals of chili at seedling level. *International Journal of Pharma Professional Research* 3 (3): 665- 670
183. Shu S, Guo S-R, Yuan L-Y. 2012. A Review: Polyamines and Photosynthesis In: *Advances in Photosynthesis – Fundamental Aspects*, Chapter 21 pp440-464 (Ed Mohammad Najafpour), Publisher InTech (**book**)
184. Siddiqui MH, Al-Whaibi MH, Sakran AM, Ali HM, Basalah MO, Faisal M, Alatar A, Al-Amri AA. 2012. Calcium-induced amelioration of boron toxicity in radish. *Journal of Plant Growth Regulation* DOI 101007/s00344-012-9276-6

185. Singh HP, Sharma VP, Batish DR, Kohli RK. 2012. Cell phone electromagnetic field radiations affect rhizogenesis through impairment of biochemical processes. *Environmental Monitoring and Assessment* 184 (4): 1813-1821, DOI: 101007/s10661-011-2080-0
186. Singh VP, Srivastava PK, Prasad SM. 2012. Impact of low and high fluence rates of UV-B radiation on growth and oxidative stress in *Phormidium foveolarum* and *Nostoc muscorum* under copper toxicity: differential display of antioxidants system *Acta Physiologiae Plantarum* 34(6): 2225-2239, DOI: 101007/s11738-012-1023-x,
187. Singh VP, Srivastava PK, Prasad SM. 2012. Differential effect of UV-B radiation on growth, oxidative stress and ascorbate-glutathione cycle in two cyanobacteria under copper toxicity. *Plant Physiology and Biochemistry* 61: 61-70,
188. Sood A, Kalra C, Pabbi S, Uniyal PL. 2012. Differential responses of hydrogen peroxide, lipid peroxidation and antioxidant enzymes in *Azolla microphylla* exposed to paraquat and nitric oxide. *Biologia* 67(6): 1119-1128 DOI: 102478/s11756-012-0110-1
189. Srivastava PK, Singh VP, Prasad SM. 2012. Compatibility of ascorbate-glutathione cycle enzymes in cyanobacteria against low and high UV-B exposures, simultaneously exposed to low and high doses of chlorpyrifos. *Ecotoxicology and Environmental Safety* 83: 79-88, DOI: 101016/j.ecoenv201206009
190. Subramanyam K, Arun M, Mariashibu TS, Theboral J, Rajesh M, Singh NK, Manickavasagam M, Ganapathi A. 2012. Overexpression of tobacco osmotin (*Tbosm*) in soybean conferred resistance to salinity stress and fungal infections. *Planta* 236:1909–1925, DOI 101007/s00425-012-1733-8
191. Sun J, Li C, Prasad KN, You X, Li L, Liao F, Peng H, He X, Li Z, Zhang Y. 2012. Membrane deterioration, enzymatic browning and oxidative stress in fresh fruits of three litchi cultivars during six-day storage. *Scientia Horticulturae* 148 (4): 97-103, 2012
192. Vinod K, Awasthi G, Chauhan PK - Cu and Zn tolerance and responses of the biochemical and physiochemical system of wheat *Journal of Stress Physiology & Biochemistry* 8 (3): 203-213
193. Wang J, Juan Chen, Pan K. 2012. Effect of exogenous abscisic acid on the level of antioxidants in *Atractylodes macrocephala* Koidz under lead stress. *Environ Sci Pollut Res* DOI 101007/s11356-012-1048-0
194. Wang X, Rong E, Zhang J, Yuan X, Wen Y, Guo P. 2012. Effect of quizalofop on protective enzymes and photosynthesis in *Radix Isatidis*. *Journal of Medicinal Plants Research* 6 (9): 1770-1776
195. Xu F, Zhang DW, Zhu F, Tang H, Lv X, Cheng J, Xie HF, Lin HH. 2012. A novel role for cyanide in the control of cucumber (*Cucumis sativus* L) seedlings response to environmental stress. *Plant Cell and Environment* 35(11): 1983-1997
196. Yiu JC, Tseng MJ, Liu CW, Kuo CT. 2012. Modulation of NaCl stress in *Capsicum annuum* L seedlings by catechin. *Scientia Horticulturae* 134: 200-209, DOI: 101016/j.scientia201111025
197. Zhang FJ, Chen FX, Liu WX, Guo JY, Wan FH. 2012. rho-Cymene inhibits growth and induces oxidative stress in rice seedling plants. *Weed Science* 60(4): 564-570, DOI: 101614/WS-D-12-000291
198. Zsigmond L, Szepesi A, Tari I, Rigo G, Kiraly A, Szabados L. 2012. Overexpression of the mitochondrial PPR40 gene improves salt tolerance in *Arabidopsis*. *Plant Science* 182 (Special Issue SI): 87-93
- Yordanov I, V Velikova, TTsonev (2000) Plant responses to drought, acclimation, and stress tolerance (review). *Photosynthetica*, 38 (1), 171-186**
199. Abdi N, Darvishzadeh R, Jafari M, Pirzad A, Haddadi P. 2012. Genetic analysis

and QTL mapping of agro-morphological traits in sunflower (*Helianthus annuus* L) under two contrasting water treatment conditions. *Plant Omics Journal* 5(2), 149-158

200. Andrello M, Bizoux J-P, Barbet-Massin M, Gaudeul M, Nicôle F, Till-Bottraud I. 2012. Effects of management regimes and extreme climatic events on plant population viability in *Eryngium alpinum*. *Biological Conservation*, 147, 1, 99–106

201. Ashraf M, Ali Q, Ashraf MA. 2012. Assessment of variation in drought tolerance using some key physiological criteria in potential wheat (*Triticum aestivum* L) cultivars of different geographic origins. *Archives of Agronomy and Soil Science*, (in press) DOI:101080/036503402012727401

202. Chaudhry V, Srivastava S, Chauhan PS, Singh PC, Mishra A, Nautiyal CS. 2012. Ch6 Plant Growth Promoting Rhizobacteria-Mediated Amelioration of Abiotic and Biotic Stresses for Increasing Crop Productivity, pp 133-153, In: (Narendra Tuteja, Sarvajeet Singh Gill, Renu Tuteja, eds) Improving Crop Productivity in Sustainable Agriculture, Wiley-VCH Verlag GmbH & Co KGaA

203. De Oliveira LM, Da Silva JN, Coelho CCR, Silva JES, Barbosa RR, Neto CFO. 2012. Acúmulo de prolina em plantas de jenipapo sob déficit hídrico, *XXII Congresso Brasileiro de Fruticultura*, Bento Goncalves pp : 10-13

204. Dhal Y, Deo B, Sahu RK, 2012. Antioxidant activity of enzymatic extracts of *Curcuma zedoaria* (Christm). *International Journal of Pharmacy and Pharmaceutical Sciences* 4 (3) , 343-346

205. Edwards CE, Ewers BE, McClung CR, Lou P, Weinig C. 2012. Quantitative variation in water-use efficiency across water regimes and its relationship with circadian, vegetative, reproductive, and leaf gas-exchange traits. *Mol Plant*, 5 (3), 653-668

206. Ghassemi-Golezani K, Asadi-Danalo A, Shafagh-Kalvanagh J. 2012. Seed vigour and field performance of lentil (*Lens culinaris* Medik) under different irrigation treatments. *Research on Crops*, 13 (1), 113-117

207. Guarnaschelli AB, Garau AM, Lemcoff JH. 2012. Ch4 Water Stress and Afforestation: A Contribution to Ameliorate Forest Seedling Performance During the Establishment, pp 73-110, In: *Water Stress* (Edited by Ismail Md Mofizur Rahman and Hiroshi Hasegawa), InTech, Rijeka, Croatia 2012

208. Guha A, Sengupta D, Reddy AR. 2012. Polyphasic chlorophyll a fluorescence kinetics and leaf protein analyses to track dynamics of photosynthetic performance in mulberry during progressive drought. *Journal of Photochemistry and Photobiology B: Biology*, (in press)

209. Hadi H, Khazaei F, Babaei N, Daneshian J, Hamidi A. 2012. Evaluation of water deficit on seed size and seedling growth of sunflower cultivars, *International Journal of AgriScience*, 2(3), 2012, 280-290

210. Kausar R, Arshad M, Shahzad A, Komatsu S. 2012. Proteomics analysis of sensitive and tolerant barley genotypes under drought stress, *Amino Acids*, DOI: 101007/s00726-012-1338-3

211. Kulaç Ş, Nzokou P, Guney D, Cregg BM, Turna I. 2012. Growth and physiological response fraser fir [*Abies fraseri* (Pursh) Poir] seedlings to water stress: Seasonal and diurnal variations in photosynthetic pigments and carbohydrate concentration, *HortScience* 47(10), 1512–1519

212. Linke R. 2012. Ch7 Drought Stress and the Need for Drought Stress Sensing in a World of Global Climate Change, pp 114-178, In: (Teang Shui Lee, Ed) Irrigation Systems and Practices in Challenging Environments, InTech

213. Lisar SYS, Motafakkerazad R, Hossain MM, Rahman IMM. 2012. Water Stress in Plants: Causes, Effects and Responses (Introductory Chapter) pp 1-14, In: *Water Stress* (Edited by Ismail Md Mofizur Rahman and Hiroshi Hasegawa), InTech, Rijeka, Croatia

214. Merewitz EB, Belanger FC, Warnke SE, Huang BR. 2012. Identification of quantitative trait loci linked to drought tolerance in a colonial x creeping bentgrass hybrid population, *Crop Science*, 52 (4), 2012, 1891-1901
215. Miransari M. 2012. Ch17 Role of phytohormone signaling during stress, In: (P Ahmad, MNV Prasad, Eds) *Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change*, pp 381-394, Springer New York Dordrecht Heidelberg London
216. Rosales MA, Ocampo, Rodríguez-Valentín R, Olvera-Carrillo Y, Acosta-Gallegos J, Covarrubias AA. 2012. Physiological analysis of common bean (*Phaseolus vulgaris* L) cultivars uncovers characteristics related to terminal drought resistance. *Plant Physiology et Biochemistry*, 56, 24-34
217. Sanfuentes C, Sierra-Almeida A, Cavieres LA. 2012. Effect of the increase in temperature in the photosynthesis of a high-andean species at two elevations. *Gayana Botanica*, 69 (1), 37-45
218. Sohrabi Y, Heidari G, Weisany W, Golezani KG, Mohammadi K. 2012. Changes of antioxidative enzymes, lipid peroxidation and chlorophyll content in chickpea types colonized by different Glomus species under drought stress. *Symbiosis* 56 (1): 5-18, DOI:101007/s13199-012-0152-8
219. Suresh K, Nagamani C, Kantha DL, Kumar MK. 2012. Changes in photosynthetic activity in five common hybrids of oil palm (*Elaeis guineensis* Jacq) seedlings under water deficit. *Photosynthetica*, 50 (4), 549-556
220. Vitale M, Mancini M, Matteucci G, Francesconi F, Valenti R, Attorre F. 2012. Model-based assessment of ecological adaptations of three forest tree species growing in Italy and impact on carbon and water balance at national scale under current and future climate scenarios. *iForest – Biogeosciences and Forestry*, 5, 235-246
221. Wang ZX, Chen L, Ai J, Qin HY, Liu YX, Xu PL, Jiao ZQ, Zhao Y, Zhang QT. 2012. Photosynthesis and activity of photosystem II in response to drought stress in Amur Grape (*Vitis amurensis* Rupr). *Photosynthetica* 50 (2), 189-196
222. Wang C-J, Guo Y-H, Wang C, Liu H-X, Niu D-D, Wang Y-P, Guo J-H. 2012. Enhancement of tomato (*Lycopersicon esculentum*) tolerance to drought stress by plant-growth-promoting rhizobacterium (PGPR) *Bacillus cereus* AR156. *Journal of Agricultural Biotechnology*, 20 (10), 1097-1105
223. Wójcik M, Dresler S, Jawor E, Kowalczyk K, Tukiendorf A. 2012. Morphological, physiological, and genetic variation between metallicolous and nonmetallicolous populations of *Dianthus carthusianorum*. *Chemosphere* (in press) <http://dx.doi.org/10.1016/j.chemosphere.2012.09.068>
224. Xu ZF, Hu TX, Zhang YB. 2012. Effects of experimental warming on phenology, growth and gas exchange of treeline birch (*Betula utilis*) saplings, Eastern Tibetan Plateau, China. *European Journal of Forest Research*, 131 (3), 811-819
225. Yogamaya D, Bandita D, Sahu RK. 2012. Comparative antioxidant activity of non-enzymatic and enzymatic extracts of *Curcuma caesia* Roxb - an important medicinal plant. *Research Journal of Biotechnology*, 7 (4), 17-22
226. Zhang S, Chen LH, Duan BL, Korpelainen H, Li CY. 2012. *Populus cathayana* males exhibit more efficient protective mechanisms than females under drought stress, *Forest Ecology and Management*, 275, 68-78
227. Zlatev Z, Lidon FC. 2012. An overview on drought induced changes in plant growth, water relations and photosynthesis, *Emir J Food Agric* 24 (1), 57-72

Stanoeva, E., S. Varbanov, V. Alexieva, I. Sergiev, V. Vassileva, M. Rashkova, A. Georgieva. Synthesis and plant growth regulating activity of some novel tertiary phosphinoxides and esters of phosphoric acids containing triazolo- or

pyrazolopyrimidine ring. Phosphorus, Sulfur, and Silicon, 165, 2000, 117-133. ISSN 1042-6507.

228. Chobe S. S., Dawane B. S., Tumbi K. M., Nandekar P. P., Sangamwar A. T. 2012. An ecofriendly synthesis and DNA binding interaction study of some pyrazolo [1,5-al]pyrimidines derivatives. *Bioorganic & Medicinal Chemistry Letters*; **22**(24), 2012, 7566-7572. ISSN: 0960-894X

Venkov, P; Topashka-Ancheva, M; Georgieva, M, E. Karanov, V. Alexieva. Genotoxic effect of substituted phenoxyacetic acids. Arch. Toxicol. 74(9), 2000, 560-566. [IF=1.601]. ISSN 0340-5761.

229. Anandan, R., Sudhakar, D., Balasubramanian, P., Gutierrez-Mora. 2012. A. *In vitro* somatic embryogenesis from suspension cultures of *Carica papaya* L. *Scientia Horticulturae* 136, 43-49. ISSN: 0304-4238

230. Joshi, S.C., Tibrewal, P., Sharma, A., Sharma, P. 2012. Evaluation of toxic effect of 2,4-d (2,4-dichlorophenoxyacetic acid) on fertility and biochemical parameters of male reproductive system of albino rats. *International Journal of Pharmacy and Pharmaceutical Sciences*, **4**(3), 2012, 338-342. ISSN- 0975 – 1491

231. Yaaqoub L. A. Study the effect of triazophos as plant growth regulator in tissue culture of different plants. *Current Research Journal of Biological Sciences* 4(5), 2012, 619-622; ISSN: 2041-0778

Simova-Stoilova L, Demirevska-Kepova D, Stoyanova Z (2000) Total and RUBISCO specific proteolytic activity during dark induced senescence of barley seedlings. Bulg. J. Plant Physiol. 26: 5-26.

232. Wang Q, Yi Q, Hu Q, Zhao Y, Nian H, Li K, Yu Y, Izui K, Chen L. 2012. Simultaneous overexpression of citrate synthase and phosphoenolpyruvate carboxylase in leaves augments citrate exclusion and Al resistance in transgenic tobacco. *Plant Mol Biol Rep* 30: 992–1005 DOI 10.1007/s11105-011-0397-z

Landjeva S, Ganeva G (2000). Chromosome N-banding polymorphism in *Aegilops geniculata* Roth. Genet Resour Crop Evol 47: 35-42

233. Schneider A, Molnár-Láng M. 2012. Detection of Various U and M Chromosomes in Wheat-*Aegilops biuncialis* Hybrids and Derivatives Using Fluorescence *in situ* Hybridisation and Molecular Markers. *Czech J. Genet. Plant Breed.* 48 (4): 169–177

Georgieva, I., A. Edreva, R. Rodeva, V. Sotirova, E. Stoimenova (2000) Metabolic changes in tomato fruits and seeds after viral, bacterial and fungal infections. Acta Physiologiae Plantarum, 22, 3, 281-284.

234. Forsberg. 2012. Förekomst och rekrytering av lönn vid dess nordgräns i relation till klimatvariation i tid och rum. *J. Plant Ecology*, 4, 2012, 1-46.

235. Kalogirou, M., Cranfield Health. 2012. Antiviral and quality effects of chemical elicitors and *Cucumber Mosaic Virus* (CMV) infection on tomato plants and fruits. *Plant Science Laboratory*, Ph.D. Thesis, 2012.

Georgieva I. D., A. Edreva, R. Rodeva, V. Sotirova, E. Stoimenova (2000) Peroxidase and β-glucosidase responses of tomato fruits to viral, bacterial and fungal infections. Plant Peroxidase Newsletter, 15, 29-35.

236. Forsberg J. . 2012. Förekomst och rekrytering av lönn vid dess nordgräns i relation till klimatvariation i tid och rum. *Plant Ecology*, 4, 1-47.

Zeinalov, Yu, Maslenkova, L (2000) On the action spectra of photosynthesis and spectral dependence of the quantum efficiency. Bulgarian Journal of Plant Physiology, 2000, 26(1-2), 58-69

237. Steven P Mielke, Nancy Y Kiang, Robert E Blankenship, David Mauzerall. 2012. Photosystem trap energies and spectrally-dependent energy-storage efficiencies in the Chl d-utilizing cyanobacterium, *Acaryochloris marina* *Biochimica et Biophysica Acta (BBA)* - Bioenergetics, Available online

Pavlova D K and V I Manova (2000) Pollen morphology of the genera *Onobrychis* and *Hedysarum* (Hedysareae, Fabaceae) in Bulgaria. Ann. Bot. Fennici. 37: 207-217.

238. F. Ghanavati, and H. Amirabadizadeh. 2012. Pollen grain morphology in Iranian Hedysareae (Fabaceae). Crop Breeding Journal 2(1): 25-33.

Petrova N, Gigova L, Venkov P (2000) NifH and NifM proteins interact as demonstrated by the yeast two-hybrid system. Biochemical and Biophysical Research Communications 270: 863-867

239. Yang C., C. Hamel, V. Vujanovic and Y. Gan. 2012. Nontarget effects of foliar fungicide application on the rhizosphere: diversity of nifH gene and nodulation in chickpea field. J Appl microbiol 112, 966–974

Pilarska D, McManus M, Hajek A, Herard F, Vega F, Pilarski P, Markova G (2000) Introduction of the entomopathogenic fungus *Entomophaga maimaiga* Hum., Shim. & Sop. (Zygomycetes:Entomophthorales) to a *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae) population in Bulgaria. Journal of Pest Science (Anzeiger fur Schadlingskunde), 73(5), 125-126. ISSN: 1612-4758

240. Georgiev G, Mirchev P, Georgieva M, Rossnev B, Petkov P, Matova M, Kitanova S. 2012. First Record of Entomopathogenic Fungus *Entomophaga maimaiga* Humber, Shimazu and Soper (Entomophthorales: Entomophthoraceae) in *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae) in Turkey. *Acta zoologica bulgarica*, 64(2):123-127.

241. Augustyniuk-Kram A., Kram, K. J. 2012. Entomopathogenic Fungi as an Important Natural Regulator of Insect Outbreaks in Forests (Review), 265-294. In: Forest Ecosystems - More than Just Trees, Eds. Blanco, J.j A. , Yueh-Hsin Lo., InTech, 464 pp.

Toncheva-Panova T, Ivanova J (2000) Influence of physiological factors on the lysis effect of Cytophaga on the red microalga Rhodella reticulata Journal of Applied Microbiology 88 (2), 358–363

242. Chuan Tian, Xianglong Liu, Jing Tan, Shengqin Lin, Daotang Li, Hong Yang. 2012. Isolation, identification and characterization of an algicidal bacterium from Lake Taihu and preliminary studies on its algicidal compoundsJournal of Environmental Sciences 24 (10), 1823–1831.

Stoilov L., F. Darroudi, R. Meschini, G. Van Der Schans, L.H.F. Mullenders and A.T. Natarajan (2000) Inhibition of repair of X-ray induced DNA double-strand breaks in human blood lymphocytes exposed to sodium butyrate. Int. J. Rad. Biol., 76, 1485-1491.

243. V Manova, SK Singh and G Iliakis. 2012. Processing of DNA double strand breaks by alternative non-homologous end-joining in hyperacetylated chromatin. Genome Integrity (3:4) doi:10.1186/2041-9414-3-4

Carballeira NM, A Guzman, JT Nechev, K Lahtchev, A Ivanova, K Stefanov (2000) Unusual lipid composition of a *Bacillus* sp isolated from Lake Pomorie in Bulgaria,

Lipids, 35: 1371-1375

244. Revellame ED, Hernandez R, French W, Holmes WE, Benson TJ, Pham PJ, Forks A, Callahan Ii R (2012) Lipid storage compounds in raw activated sludge microorganisms for biofuels and oleochemicals production. *RSC Advances* 2 (5): 2015-2031

Georgieva K, T Tsonev, V Velikova, I Yordanov (2000) Photosynthetic activity during high temperature treatment of pea plants. *J Plant Physiol*, 157, 169-176

245. Guidi L, Degl'Innocenti E. 2012. Chlorophyll a fluorescence in abiotic stress Crop Stress and Its Management: Perspectives and Strategies, 359-398, DOI: 101007/978-94-007-2220-0_10

246. Rym BD. 2012. Photosynthetic Behavior of Microalgae in Response to Environmental Factors. In: Applied Photosynthesis, Dr Mohammad Najafpour (Ed), 23-46

247. Čaňová I, J Ďurkovič, D Hladká, I Lukáčik. 2012. Changes in stomatal characteristics and photochemical efficiency during leaf development in six species of Sorbus. *Photosynthetica*, 50 (4), 635-640

Yordanov I, V Velikova, T Tsonev, K Georgieva, P Ivanov, N Tsenov, T Petrova (2001) Changes in CO₂ assimilation, transpiration and stomatal resistance of different wheat cultivars experiencing drought under field conditions *Bulg J Plant Physiol*, 27 (3-4), 20-33

248. Grigorova B, V Vassileva, D Klimchuk, I Vaseva, K Demirevska, U Feller. 2012. Drought, high temperature, and their combination affect ultrastructure of chloroplasts and mitochondria in wheat (*Triticum aestivum* L) leaves. *Journal of Plant Interactions*, 7 (3), 204-213

Carballeira NM, Miranda C, Lozano CM, Nechev JT, Ivanova A, Ilieva M, Zvetkova I, Stefanov K. (2001) Characterization of novel methyl-branched chain fatty acids from a halophytic. *Bacillus* species, *J Nat Prod*, 64: 256-259

249. Vyssotski M, Ryan J, Lagutin K, Wong H, Morgan X, Stott M (2012) A novel fatty acid, 12,17-dimethyloctadecanoic acid, from the extremophile *Thermogemmatispora* sp (strain T81). *Lipids*, 47 (6): 601-606

Shtereva L., Atanassova B (2001) Callus induction and plant regeneration via anther culture in mutant tomato (*Lycopersicon esculentum* Mill.) lines with anther abnormalities. *Israel Journal of Plant Sciences*, vol. 49, 203-208.

250. Muhammad Ishfaq, Idrees Ahmad Nasir, Nasir Mahmood and Muhammad Saleem. 2012. *In vitro* induction of mutation in tomato (*Lycopersicon esculentum* L.) cv. ROMA by using chemical mutagens. *Pak. J. Bot.*, 44, 2012, 311-314.

Atanassova B., Daskalov S., Shtereva L., Balacheva E (2001) Anthocyanin mutations improving tomato and pepper tolerance to adverse climatic conditions. *Euphytica* 120, 357-365.

251. E. Ramalho do Rêgo, F.L. Finger, A.M. Mapeli, N.F.F. do Nascimento, M.F. Nascimento, R.M. Cortez dos Santos, M. Monteiro do Rêgo. 2012. ANTHOCYANIN CONTENT AND TOTAL PHENOLICS OF FLOWERS AND LEAVES IN ORNAMENTAL PEPPERS. *Acta Horticulturae* 937; <http://www.actahort.org/>

Yordanova R, Popova L (2001) Photosynthetic response of barley plants to soil flooding. *Photosynthetic*, 39 (4): 515-520

252. Simova-Stoilova L , Demirevska K, Kingston-Smith A, Feller U. 2012. Involvement of the leaf antioxidant system in the response to soil flooding in two *Trifolium* genotypes differing in their tolerance to waterlogging. *Plant Science*, 183, pp43-49

Loreto F, Velikova V (2001) Isoprene produced by leaves protects the photosynthetic apparatus against ozone damage, quenches ozone products, and reduces lipid peroxidation of cellular membranes. *Plant Physiology* 127: 1781-1787

253. Achary VMM, Parinandi NL, Panda BB. 2012. Aluminum induces oxidative burst, cell wall NADH peroxidase activity, and DNA damage in root cells of *Allium cepa* L *Environmental and Molecular Mutagenesis* 53(7): 550-560, DOI: 101002/em21719

254. Achary VMM, Patnaik AR, Panda BB. 2012. Oxidative biomarkers in leaf tissue of barley seedlings in response to aluminum stress *Ecotoxicology and Environmental Safety* 75 (1): 16-26

255. Bai B, Sikron N, Gendler T, Kazachkova Y, Barak S, Grafi G, Khozin-Goldberg I, Fait A. 2012. Ecotypic variability in the metabolic response of seeds to diurnal hydration-dehydration cycles and its relationship to seed vigor. *Plant and Cell Physiology* 53(1): 38-52

256. Beis A, Patakas A. 2012. Relative contribution of photoprotection and anti-oxidative mechanisms to differential drought adaptation ability in grapevines. *Environmental and Experimental Botany* 78: 173-183, DOI: 101016/jenvexpbot201112038

257. Cicatelli A, Lingua G, Todeschini V, Biondi S, Torrigiani P, Castiglione S. 2012. Arbuscular mycorrhizal fungi modulate the leaf transcriptome of a *Populus alba* L clone grown on a zinc and copper-contaminated soil. *Environmental and Experimental Botany* 75: 25-35

258. Dizengremel P, Vaultier M-N, Le Thiec D, Cabané M, Bagard M, Gérant D, Gérard J, Dghim AA, Richet N, Afif D, Pireaux J-C, Hasenfratz-Sauder M-P, Jolivet Y. 2012. Phosphoenolpyruvate is at the crossroads of leaf metabolic responses to ozone stress. *New Phytologist* 195 (3): 512-517

259. Exton DA, Suggett DJ, Steinke M, McGinity TJ - Spatial and temporal variability of biogenic isoprene emissions from a temperate estuary *Global Biogeochemical Cycles* 26, Article Number: GB2012, 2012

260. Faraldo JA, Gonzalez V, Li A, Yu F, Köksal M, Christianson DW, Allemann RK. 2012. Probing the mechanism of 1,4-conjugate elimination reactions catalyzed by terpene synthases. *Journal of the American Chemical Society* 134: 20844-20848

261. Gil M, Pontin M, Berli F, Bottini R, Piccoli P. 2012. Metabolism of terpenes in the response of grape (*Vitis vinifera* L) leaf tissues to UV-B radiation. *Phytochemistry* 77:89-98

262. Hameed A, Hussain T, Gulzar S, Aziz I, Gul B, Khan MA. 2012. Salt tolerance of a cash crop halophyte *Suaeda fruticosa*: biochemical responses to salt and exogenous chemical treatments. *Acta Physiologiae Plantarum* 34(6): 2331-2340, DOI: 101007/s11738-012-1035-6

263. Hartikainen K, Kivimaenpaa M, Nerg AM, Holopainen T. 2012. Significance of leaf structure and emission of volatile organic compounds in ozone tolerance of oat and wheat. *Botany-Botanique* 90, (2): 121-135, DOI: 101139/B11-090

264. Hartikainen K, Riikonen J, Nerg AM, Kivimaenpaa M, Ahonen V, Tervahauta A, Karenlampi S, Maenpaa M, Rousi M, Kontunen-Soppela S, Oksanen E, Holopainen T. 2012. Impact of elevated temperature and ozone on the emission of volatile organic compounds and gas exchange of silver birch (*Betula pendula* Roth). *Environmental and Experimental Botany* 84: 33-43, DOI: 101016/jenvexpbot201204014

265. Kumar RR, Goswami S, Sharma SK, Singh K, Gadpayle KA, Kumar N, Rai GK, Singh M, Rai RD. 2012. Protection against heat stress in wheat involves change in cell

membrane stability, antioxidant enzymes, osmolyte, H₂O₂ and transcript of heat shock protein. *International Journal of Plant Physiology and Biochemistry* 4 (4): 83-91

266. Kumar RR, Sharma SK, Gadpayle KA, Singh K, Sivarajanji R, Goswami S, Rai RD. 2012. Mechanism of action of hydrogen peroxide in wheat thermotolerance - interaction between antioxidant isoenzymes, proline and cell membrane. *African Journal of Biotechnology* 11 (78): 14368-14379

267. Llusia J, Llorens L, Bernal M, Verdaguer D, Penuelas J. 2012. Effects of UV radiation and water limitation on the volatile terpene emission rates, photosynthesis rates, and stomatal conductance in four Mediterranean species *Acta Physiologiae Plantarum* 34 (2): 757-769, DOI: 101007/s11738-011-0876-8

268. Miresmailli S, Zeri M, Zangerl AR, Bernacchi CJ, Berenbaum MR, Delucia EH. 2012. Impacts of herbaceous bioenergy crops on atmospheric volatile organic composition and potential consequences for global climate change GCB Bioenergy doi: 101111/j1757-1707201201189x

269. Nanayakkara NMC. 2012. Study of the effect of abiotic and biotic stress on the growth development and Secondary metabolism of medicinal plant species Universita□ Degli Studi Di Milano **PhD Thesis**

270. Nazari M, Maali Amiri R, Mehraban FH, Khanegah HZ. 2012. Change in antioxidant responses against oxidative damage in black chickpea following cold acclimation. *Russian Journal of Plant Physiology* 59 (2): 183-189

271. Puckette M, Iyer NJ, Tang YH, Dai XB, Zhao P, Mahalingam R. 2012. Differential mRNA translation in *Medicago truncatula* accessions with contrasting responses to ozone-induced oxidative stress. *Molecular Plant* 5 (1): 187-204, DOI: 101093/mp/ssr069

272. Rai R, Agrawal M. 2012. Impact of tropospheric ozone on crop plants. *Proceedings of the National Academy of Sciences India Section B-Biological Sciences* 82(2):241-257, (reiew)

273. Rossato LV, Nicoloso FT, Farias JG, Cargnelli D, Tabaldi LA, Antes FG, Dressler VL, Morsch VM, Schetinger MRC. 2012. Effects of lead on the growth, lead accumulation and physiological responses of *Pluchea sagittalis*. *Ecotoxicology* 21 (1): 111-123

274. Sahu GK, Upadhyay S, Sahoo BB. 2012. Mercury induced phytotoxicity and oxidative stress in wheat (*Triticum aestivum* L) plants. *Physiology and Molecular Biology of Plants* 18 (1): pp 21-31

275. Sharkey TD, Gray DW, Pell HK, Breneman SR, Topper L. 2012. Isoprene synthase genes form a monophyletic clade of acyclic terpene synthases in the tps-b terpene synthase family. *Evolution* DOI: 101111/evo12013 (Early View)

276. Šimpraga M. 2012. Understanding the link between photosynthesis, growth and emissions of biogenic volatile organic compounds (BVOC) in temperate trees **PhD Thesis**, Ghent University, Belgium

277. Sun ZH, Copolovici L, Niinemets U. 2012. Can the capacity for isoprene emission acclimate to environmental modifications during autumn senescence in temperate deciduous tree species *Populus tremula*? *Journal of Plant Research* 125 (2): 263-274, DOI: 101007/s10265-011-0429-7

278. Sun ZH, Niinemets U, Huve K, Noe SM, Rasulov B, Copolovici L, Vislap V. 2012. Enhanced isoprene emission capacity and altered light responsiveness in aspen grown under elevated atmospheric CO₂ concentration *Global Change Biology* 18(11): 3423-3440, (reiew)

279. Way DA, Pearcy RW. 2012. Sunflecks in trees and forests: from photosynthetic physiology to global change biology *Tree Physiology* 32(9): 1066-1081, DOI: 101093/treephys/tps064, (Review)

280. Weisany W, Sohrabi Y, Heidari G, Siosemardeh A, Ghassemi-Golezani K. 2012. Changes in antioxidant enzymes activity and plant performance by salinity stress and zinc application in soybean (*Glycine max* L) *Plant Omics Journal* 5(2): 60-67
281. Xia Y, Qi Y, Yuan YX, Wang GP, Cui J, Chen YH, Zhang HS, Shen ZG. 2012. Overexpression of *Elsholtzia haichowensis* metallothionein 1 (EhMT1) in tobacco plants enhances copper tolerance and accumulation in root cytoplasm and decreases hydrogen peroxide production. *Journal of Hazardous Materials* 233: 65-71, DOI: 10.1016/j.jhazmat.2012.06.047
282. Xu S, Chen W, Huang YQ, He XY. 2012. Responses of growth, photosynthesis and VOC emissions of *Pinus tabulaeformis* Carr exposure to elevated CO₂ and/or elevated O₃ in an urban area. *Bulletin of Environmental Contamination and Toxicology* 88 (3): 443-448, DOI: 10.1007/s00128-011-0462-1
283. Yang J, Xian M, Su S, Zhao G, Nie Q, Jiang X, Zheng Y, Liu W. 2012. Enhancing production of bio-isoprene using hybrid MVA pathway and isoprene synthase in *E. coli*. *PLoS ONE* 7(4): e33509 doi:10.1371/journal.pone.0033509
284. Ye L, Fu X, Ge F. 2012. Enhanced sensitivity to higher ozone in a pathogen-resistant tobacco cultivar. *Journal of Experimental Botany* 63 (3), DOI:10.1093/jxb/err361
285. Zhao F-Y, Han M-M, Zhang S-Y, Wang K, Zhang C-R, Liu T, Liu W. 2012. Hydrogen peroxide-mediated growth of the root system occurs via auxin signaling modification and variations in the expression of cell-cycle genes in rice seedlings exposed to cadmium stress. *Journal of Integrative Plant Biology* 54 (12): 991–1006,
286. Zurbriggen A, Kirst H, Melis A. 2012. Isoprene production via the Mevalonic acid pathway in *Escherichia coli* (Bacteria). *Bioenergy Research* 5(4): 814-828, DOI: 10.1007/s12155-012-9192-4

Doncheva S, Stoyanova Z, Velikova V (2001) The influence of succinate on zinc toxicity of pea plants. *J Plant Nutr* 24 (6): 789-806

287. Tsonev T., Fernando Jose Cebola Lidon. 2012. Zinc in plants - An overview. Emirates. *Journal of Food and Agriculture*, 24, 4, 322-333.
288. Solymosi K, Bertrand M . 2012. Soil metals, chloroplasts, and secure crop production: a review *Agronomy for Sustainable Development* 32 (1): 245-272, DOI: 10.1007/s13593-011-0019-z

Doncheva S, Vassileva V, Ignatov G, Pandev S, Dris R, Niskanen R (2001) Influence of nitrogen deficiency on photosynthesis and chloroplast ultrastructure of pepper plants. *Agricult Food Sci Finland* 10: 59-64

289. Eleni Konstantopoulou, Georgios Kapotis, Georgios Salachas, Spyridon A. Petropoulos, Eleni chatzieustratiou, Ioannis C. Karapanos, Harold C Passam. 2012. Effect of nitrogen application on growth parameters, yield and leaf nitrate content of greenhouse lettuce cultivated during three seasons. *Journal of Plant Nutrition* 35, 8, 1246-1254.

Georgieva, I.D., A. Edreva, R. Rodeva (2001) Response of beta-glucosidase to fungal infections in seed, ovary and fruit. *Biologia Plantarum*, 44, 4, 573-578.

290. Forsberg, J. 2012. Förekomst och rekrytering av lönn vid dess nordgräns i relation till klimatvariation i tid och rum. *Plant Ecology*, 4, 1-46.

Mehandjiev A., G. Kosturkova, M. Mihov (2001) Enrichment of *Pisum sativum* gene resources through combined use of physical and chemical mutagens. *Israel J. Plant Science*, 49, 279-284. ISSN: 0792-9978.

291. Mensah, J. K., J. Ihenye, G. Okooboh and S.A. Ojeagbase. 2012. Effect of hydroquinone on growth and yield parameters of cowpea (*Vigna unguiculata* (L.) Walp). International Journal of Innovations in Bio-Sciences, 2 (2), 89-97. ISSN 2277-2367

Alexieva, V., I. Sergiev, S. Mapelli, E. Karanov (2001) The effect of drought and ultraviolet radiation on growth and stress markers in pea and wheat. *Plant, Cell and Environ.*, 24, 1337-1344; [IF=3.613]. ISSN: 1365-3040.

292. Bahuguna, R.N., Joshi, R., Shukla, A., Pandey, M., Kumar. 2012. Thiamine primed defense provides reliable alternative to systemic fungicide carbendazim against sheath blight disease in rice (*Oryza sativa* L.). *J. Plant Physiology and Biochemistry*, **57**, 159-167. ISSN: 0981-9428

293. Bandurska H., Cieślak M. 2012. The interactive effect of water deficit and UV-B radiation on salicylic acid accumulation in barley roots and leaves. *Environmental and Experimental Botany*, On-line ISSN: 0098-8472

294. Bandurska, H., Pietrowska-Borek, M., Cieślak, M. 2012. Response of barley seedlings to water deficit and enhanced UV-B irradiation acting alone and in combination. *Acta Physiologiae Plantarum* **34**(1), 161-171. p-ISSN: 0137-5881, e-ISSN: 1861-1664

295. Berli F. J., Alonso R., Bressan-Smith R., Bottini R. 2012. UV-B impairs growth and gas exchange in grapevines grown in high altitude. *Physiologia Plantarum*, DOI: 10.1111/ppl.12012; online. ISSN 1399-3054

296. Bianucci, E., Sobrino-Plata, J., Carpena-Ruiz, R.O., Del Carmen Tordable, M., Fabra, A., Hernández, L.E., Castro, S. 2012. Contribution of phytochelatins to cadmium tolerance in peanut plants. *Metalomics*, **4**(10), 1119-1124. ISSN: 17565901

297. Bidabadi S. S., Meon S., Wahab Z., Subramaniam S., Mahmood M. 2012. *In vitro* selection and characterization of water stress tolerant lines among ethyl methanesulphonate (EMS) induced variants of banana (*Musa* spp., with AAA genome). *Australian Journal of Crop Science* **6**(3), 567-575, ISSN:1835-2707

298. Campos M.L., de Hsie B. S., Granja J. A. A., Correia R. M., de Almeida-Cortez J. S., Pompelli M. F. 2012. Photosynthesis and antioxidant activity in *Jatropha curcas* L. under salt stress. *Braz. J. Plant Physiol.*, **24**(1), 55-67. ISSN 0176-1617

299. Chen J., Wang W.-H., Wu F.-H., You Ch.-Y., Liu T.-W., Dong X.-J., He J.-X., Zheng H.-L. 2012. Hydrogen sulfide alleviates aluminum toxicity in barley seedlings. *Plant and Soil*, On-line, DOI: 10.1007/s11104-012-1275-7. ISSN: 1573-5036 (Online)

300. Chipilski, R. R.; Kocheva, K. V.; Nenova, V. R.; Georgiev, G. I. 2012. Physiological responses of two wheat cultivars to soil drought. *Zeitschrift fur Naturforschung Section C: A Journal of Biosciences*, **67**(3-4), 181-186. ISSN 0939-5075

301. Çiçek, N., Fedina, I., Çakirlar, H., Velitchkova, M., Georgieva, K. 2012. The role of short-term high temperature pretreatment on the UV-B tolerance of barley cultivars. *Turkish Journal of Agriculture and Forestry* **36**(2), 153-165; p-ISSN 1300-011X, e-ISSN 1303-6173

302. Comont D., Martinez Abaigar H., Albert A., Aphalo P., Causton D.R., Figueiroa F.L., Gaberscik A., Llorens L., Hauser M.-T., Jansen M.A.K., M. Kardefelt, P. de la Coba Luque, S. Neubert, E. Núñez-Olivera, J. Olsen, M. Robson, M. Schreiner, R. Sommaruga, Å. Strid, S. Torre, M. Turunen, S. Veljovic-Jovanovic, D. Verdaguer, M. Vidovic, J. Wagner, J. Barbro Winkler, G. Zipoli, D. Gwynn-Jones. 2012. UV responses of *Lolium perenne* raised along a latitudinal gradient across Europe: a filtration study. *Physiologia Plantarum*, **145**(4), 604-618. e-ISSN 1399-3054

303. Comont D., Winters A., Gwynn-Jones D. 2012. Acclimation and interaction between drought and elevated UV-B in *A. thaliana*: Differences in response over treatment,

recovery and reproduction. *Ecology and Evolution* 2(11), 2695-2709. Online ISSN: 2045-7758

304. Costa R, Pinheiro N, Almeida AS, Maçãs B. 2012. Influence of enhanced UV-B radiation on wheat production in relation with abiotic, biotic and socioeconomics constraints. *Emir. J. Food Agric.* **24**(6), 565-575; e-ISSN: 2079-0538, p-ISSN: 2079-052X

305. Doupis G., Chartzoulakis K., Patakas A. 2012. Differences in antioxidant mechanisms in grapevines subjected to drought and enhanced UV-B radiation. *Emirates J. Food Agric.*, **24**(6), 607-613. e-ISSN: 2079-0538, p-ISSN: 2079-052X

306. Furlan A., Llanes A., Luna V., Castro S. 2012. Physiological and biochemical responses to drought stress and subsequent rehydration in the symbiotic association *Peanut-Bradyrhizobium* sp. ISRN Agronomy, Article ID 318083, 2012 Online, 8 pp.; DOI:10.5402/2012/318083. ISSN: 2090-7664

307. Gholami M., Rahemi M., Kholdebarin B., Rastegar S. 2012. Biochemical responses in leaves of four fig cultivars subjected to water stress and recovery. *Scientia Horticulturae*, **148**, 2012, 109–117. ISSN: 0304-4238

308. Hagh A. G., Khara J., Darvishzadeh R. 2012. Effect of UV-B radiation on activity of antioxidant enzymes in four sunflower cultivars. *International Journal of Agriculture: Research and Review*, **2**(5), 528-534; ISSN 2228-7973

309. Hasheminasab H., Assad M. T., Aliakbari A., Saghafi S. R. 2012. Influence of drought stress on oxidative damage and antioxidant defense systems in tolerant and susceptible wheat genotypes. *Journal of Agricultural Science*, **4**(8), 20-30; p-ISSN 1916-9752, e-ISSN 1916-9760

310. Ibrahim, M.H., Jaafar, H.Z.E. 2012. Primary, secondary metabolites, H₂O₂, malondialdehyde and photosynthetic responses of *Orthosiphon stimaneus* benth. to different irradiance levels. *Molecules*, **17**(2), 1159-1176. ISSN 1420-3049

311. Janmohammadi M. 2012. Alleviation the adverse effect of cadmium on seedling growth of greater burdock (*Aractium lappal* L.) through pre-sowing treatments. *Agriculture & Forestry*, **56**(10) (1-4), 55-70; p-ISSN 0554-5579, e-ISSN 1800-9492

312. Jenkinson R. 2012. Adapting to a drying climate: Genetics by Environment by Management interactions in wheat. *MB Thesis*, Curtin University of Technology, Kent St Bentley WA 6102, 2012, Australia

313. Kabiri R., Farahbakhsh H., Nasibi F. 2012. Salicylic acid ameliorates the effects of oxidative stress induced by water deficit in hydroponic culture of *Nigella sativa*. *Journal of Stress Physiology & Biochemistry*, **8**(3), 13-22

314. Kant, K., Arora, A. 2012. Characterization of proteases during flower senescence in Gladiolus (*Gladiolus grandiflora* Hort.). *Indian Journal of Plant Physiology*, **17**(1), 44-51. ISSN 0019-5502

315. Kataria, S., Guruprasad, K.N. 2012. Solar UV-B and UV-A/B exclusion effects on intraspecific variations in crop growth and yield of wheat varieties. *Field Crops Research*, **125**, 8-13; ISSN: 0378-4290

316. Katerova, Z., Todorova, D. 2012. Polyamines and free proline protect young pea (*Pisum sativum* L.) leaves against enhanced UV-C irradiation. *Comptes Rendus de L'Academie Bulgare des Sciences*, **65**(4), 473-478. ISSN 1310-1331

317. Klem K., Holub P., Kubásek J., Holíšová P., Večeřová K., Rajsnerová P., Urban O. 2012. Interactive effects of UV radiation and drought on physiological and morphological parameters in selected species of the mountain grassland. [2nd Forum Carpaticum, From Data to Knowledge, from Knowledge to Action, 30th May – 2nd Jun Stará Lesná, High Tatras, Slovakia], The Conference Abstracts pp. 52-54; ISBN: 978-80-968901-9-4.

318. Kushida K. 2012. Global remote sensing of water-chlorophyll ratio in terrestrial plant leaves. *Ecology and Evolution*, **2**(10), 2549–2556. e-ISSN: 2045-7758

319. Landjeva, S., Kocheva, K., Karceva, T., Sepsi, A., Molnár, I., Schneider, A., Ganeva, G., Molnár-Láng, M. 2012. Molecular cytogenetic identification of a wheat - *Aegilops geniculata* Roth spontaneous chromosome substitution and its effects on the growth and physiological responses of seedlings to osmotic stress. *Plant Breeding* **131**(1), 81-87; e-ISSN: 1439-0523
320. Li, L.-X., Zhao, J.-Q., Tang, X.-X. 2012. Effect of UV-B radiation on GSH and GSH-related enzymes of brown alga *Sargassum thunbergii* (Mert.) O.Kuntze. *Advanced Materials Research*, **518-523**, 5442-5445. ISSN: 1022-6680
321. Lidon, F.C., Ramalho, J.C., Pais, I.P., Ramos, A.P., Santos, M.J., Arrabaça, J.D., da Barreiro, M.G. 2012. Fungistatic action of *Aureobasidium pullulans* on *Penicillium expansum* in "Rocha" pear: Implications for oxidative stress during fruit storage. *International Journal of Pest Management* **58**(1), 41-52; p-ISSN 0967-0874, e-ISSN 1366-5863
322. Lidon, F.J.C., Teixeira, M., Ramalho, J.C. 2012. Decay of the chloroplast pool of ascorbate switches on the oxidative burst in UV-B-irradiated rice. *Journal of Agronomy and Crop Science* **198**(2), 130-144; e-ISSN: 1439-037X
323. Medeiros C. D., Oliveira M. T., Rivas R., Baldani J. I., Kido E. A., Santos M. G. 2012. Gas exchange, growth, and antioxidant activity in sugarcane under biological nitrogen fixation. *Photosynthetica* **50**(4), 2012, 519-528. p-ISSN: 0300-3604, e-ISSN: 1573-9058
324. Monteiro C. C.; Rolão M. B., Franco M.R.; Peters L.P.; Cia M.C.; Capaldi F.R.; Carvalho R.F.; Gratão P.L.; Rossi M.L.; Martinelli A.P.; Peres L.E.P.; Azevedo R.A. 2012. Biochemical and histological characterization of tomato mutants. *Anais da Academia Brasileira de Ciências*, **84**(2), 573-585. p- ISSN 0001-3765
325. Nasrin F, Nasibi F, Rezazadeh R. 2012. Comparison the effects of nitric oxide and spermidin pretreatment on alleviation of salt stress in chamomile plant (*Matricaria recutita* L.). *Journal of Stress Physiology & Biochemistry*, **8**(3), 214-223. ISSN 1997-0838
326. Neves, G.Y.S., Ferrarese, MLL, Marchiosi, R., de Cássia Siqueira-Soares, R., Ferrarese-Filho, O. 2012. Effects of calcium on lignification related parameters in sodium chloride-stressed soybean roots. *Journal of Plant Nutrition*, **35**(11), 1657-1670. p-ISSN 0190-4167, e-ISSN 1532-4087
327. Pandey, M., Srivastava, A.K., Suprasanna, P., D'Souza, S.F. 2012. Thiourea mediates alleviation of UV-B stress-induced damage in the Indian mustard (*Brassica juncea* L.). *Journal of Plant Interactions*, **7**(2), 143-150. p-ISSN 1742-9145, e-ISSN 1742-9153
328. Peykarestan B., Seify M. R. 2012. UV Irradiation effects on seed germination and growth, protein content, peroxidase and protease activity in red bean. *International Journal of Science and Engineering Investigations*, **1**(3), 107-113. ISSN (online): 2251-8843
329. Peykarestan B., Seify M., Fadaei M. S., Abdoli M. 2012. Ultraviolet irradiation effects on seed germination and growth, protein content, peroxidase and protease activity in purslane and thyme. *International Journal of Agriculture: Research and Review*, **2**(1), 12-19. ISSN 2228-7973
330. Piotrowska-Niczypruk, A., Bajguz, A., Zambrzycka, E., Godlewska-zyłkiewicz, B. 2012. Phytohormones as regulators of heavy metal biosorption and toxicity in green alga *Chlorella vulgaris* (Chlorophyceae). *Plant Physiology and Biochemistry* **52**, 52-65. ISSN: 0981-9428
331. Podazza, G., Arias, M., Prado, F.E. Cadmium accumulation and strategies to avoid its toxicity in roots of the citrus rootstock Citrumelo. *Journal of Hazardous Materials* **215-216**, 83-89; ISSN: 0304-3894
332. Qiu ZB, Li JT, Zhang MM, Bi ZZ, Li ZL. 2012. He-Ne laser pretreatment protects wheat seedlings against cadmium-induced oxidative stress. *Ecotoxicology and Environmental Safety*, on-line ISSN: 0147-6513.

333. Rivas R., Oliveira M., Santos M. 2012. Three cycles of water deficit from seed to young plants of *Moringa oleifera* woody species improves stress tolerance. *Plant Physiology and Biochemistry*, online ISSN: 0981-9428
334. Schoedl K., Schuhmacher R., Forneck A. 2012. Correlating physiological parameters with biomarkers for UV-B stress indicators in leaves of grapevine cultivars Pinot noir and Riesling. *The Journal of Agricultural Science / FirstView Article*, on-line p-ISSN 0021-8596, e-ISSN: 1469-5146
335. Sharma P., Bhatt D., Zaidi M. G. H., Pardha Saradhi P., Khanna P. K., Arora S. 2012. Silver nanoparticle-mediated enhancement in growth and antioxidant status of *Brassica juncea*. *Applied Biochemistry and Biotechnology*, 167(8), 2012, 2225-2233. p-ISSN 0273-2289, e-ISSN 1559-0291
336. Shen, J.J., Qiao, Z.J., Xing, T.J., Zhang, L.P., Liang, Y.L., Jin, Z.P., Yang, G.D., Wang, R. and Pei, Y.X. 2012. Cadmium toxicity is alleviated by AtLCD and AtDCD in *Escherichia coli*. *Journal of Applied Microbiology*. **113**(5), 1130-1138. Online ISSN: 1365-2672
337. Shukla, N.; Awasthi, R. P.; Rawat, L., Kumar J. 2012. Biochemical and physiological responses of rice (*Oryza sativa* L.) as influenced by *Trichoderma harzianum* under drought stress. *Plant Physiology and Biochemistry*, 54, 78-88; ISSN: 0981-9428
338. da Silva P. F., Paulo L., Barbaflina A., Eisei F., Quina F. H., Maçanita A. L. 2012. Photoprotection and the photophysics of acylated anthocyanins. *Chemistry - A European Journal*, 18(12), 2012, 3736–3744. e-ISSN: 1521-3765
339. Sima, G., Fatemeh, Z., Vahid, N. 2012. Determination of peroxidase activity, total phenolic and flavonoid compounds due to lead toxicity in *Medicago sativa* L. *Advances in Environmental Biology*, **6**(8), 2357-2364. p-ISSN 1995-0756, e-ISSN 1998-1066
340. Sohrabi Y., Heidari G., Weisany W., Ghasemi-Golezani K., Mohammadi K. 2012. Some physiological responses of chickpea cultivars to arbuscular mycorrhiza under drought stress. *Russian Journal of Plant Physiology*, **59**(6), 708-716, p-ISSN: 1021-4437 e-ISSN: 1608-3407
341. Song, S., Chen, Y., Zhao, M., Zhang, W.-H. 2012. A novel *Medicago truncatula* HD-Zip gene, MtHB2, is involved in abiotic stress responses. *Environmental and Experimental Botany* 80, 1-9; ISSN: 0098-8472
342. Srivastava, A.K. 2012. PhD Thesis, Identification of the thiol induced transcripts, their functional characterization and role in crop improvement, Bhabha Atomic Research Centre, Homi Bhabha National Institute, Mumbai, India
343. Tian ZG; Wang F; Zhang WN; Liu CM, Zhao XM. 2012. Antioxidant mechanism and lipid peroxidation patterns in leaves and petals of marigold in response to drought stress. *Horticulture Environment and Biotechnology*, **53**(3), 183-192; p-ISSN: 2211-3452, e-ISSN: 2211-3460
344. Wang XP; Liu TX; Li ChH. 2012. Characterization of biogenic volatile organic compounds and membrane lipid peroxidation during leaf ageing in maize (*Zea mays*). *Indian Journal of Agricultural Sciences*, 82(5), 447-450. ISSN 0019-5022
345. Yang A., Dai X., Zhang W.-H. 2012. A R2R3-type MYB gene, OsMYB2, is involved in salt, cold, and dehydration tolerance in rice. *J. Exp. Bot.* 63(7), 2541-2556. e-ISSN 1460-2431, p-ISSN 0022-0957
346. Yang, L., Han, R., Sun, Y. 2012. Damage repair effect of He-Ne laser on wheat exposed to enhanced ultraviolet-B radiation. *Plant Physiology and Biochemistry*, 57, 218-221. ISSN: 0981-9428
347. Yang Y., Guo J.-Y., Wang G.-X., Yang L.-D., Yang Y. 2012. Effects of drought and nitrogen addition on photosynthetic characteristics and resource allocation of *Abies fabri*

seedlings in eastern Tibetan Plateau. *New Forests*, 43(4), 2012, 505-518; p-ISSN: 0169-4286, e-ISSN: 1573-5095

348. Zlatev Zl. S., Lidon F. J. C., Kaimakanova M. 2012. Plant physiological responses to UV-B radiation. *Emirates J. Food Agric.*, 24(6), 481-501; e-ISSN: 2079-0538, p-ISSN: 2079-052X

349. Steinberg C.E.W. 2012 In: Stress Ecology. Environmental Stress as Ecological Driving Force and Key Player in Evolution. Springer Netherlands. 1st Edition., XII, 480 p. ISBN 978-94-007-2072-5

Ivanov, S., T. Konstantinova, D. Parvanova, D. Todorova, D. Djilianov, V. Alexieva (2001) Effect of high temperature on the growth, free proline content and some antioxidant in tobacco plants. *Comp. Rend. Acad. Bulg. Sci.*, 54(7), 71-74. ISSN 1310-1331

350. Kolupaev Yu. E., Yastreb T. O., Shvidenko N. V., Karpets Yu. V. 2012. Induktsiya teplostoiichivosti koleoptilei pshenitsy salitsilovoi i yantarnoi kislotami: svyaz' effektov s obrazovaniem i obezvrezhivaniem aktivnykh form kisloroda. *Prikladnaya biokhimiya i mikrobiologiya*, 48(5), 550-556. p-ISSN 0555-1099

351. Savicka M., Škute N. 2012. Some morphological, physiological and biochemical characteristics of wheat seedling *Triticum aestivum* L. organs after high-temperature treatment. *Ekologija* (Lietuvos mokslų akademija), 58(1), 9–21. ISSN: 0235-7224

Ananieva E. A., V. S. Alexieva, L. P. Popova (2002) Treatment with salicylic acid decreases the effects of parquat on photosynthesis. *J. Plant Physiol.*, 159, 685-693. [IF=1.149]. ISSN: 0176-1617.

352. Esim N, Tiryaki D, Karadagoglu O, Atici O. 2012. Toxic effects of boron on growth and antioxidant system parameters of maize (*Zea mays* L.) roots. *Toxicol Ind Health*, on-line, p-ISSN 0748-2337, e-ISSN 1477-0393

353. Hao J.-H.; Yi Y.; Shang Q.-M., Dong, C.-J., Zhang, Z.-G. 2012. Effects of exogenous salicylic acid on membrane lipid peroxidation and photosynthetic characteristics of *Cucumis sativus* seedlings under drought stress. *Yingyong Shengtai Xuebao*, 23(3), 717-723. p-ISSN:1001-9332 e-ISSN 1001-9332

354. Janda, K., Hideg, É., Szalai, G., Kovács, L., Janda, T. 2012. Salicylic acid may indirectly influence the photosynthetic electron transport. *Journal of Plant Physiology*, 169(10), 971-978. ISSN: 0176-1617

355. Kundu S., Chakraborty D., Pal A. 2012. Salicylic acid ameliorates susceptible *Vigna mungo* cultivar to mungbean yellow mosaic India virus infection. *Science and Culture*, 78(5–6), 217-226. ISSN 0036-8156

356. Li L-Y, J-L Wang, M Wang, Z-K Gao. 2012. Effects of exogenous salicylic acid on nitrate reduction and assimilation in Chinese chive under weak light. *Scientia Agricultura Sinica*, 45(20), 4216-4223. ISSN 0578-1752

357. Odjegba V. J. 2012. Exogenous salicylic acid alleviates arsenic toxicity in *Arabidopsis thaliana*. *Indian J. Innovations Dev.*, 1(7), 515-522; ISSN 2277-5390

358. Prado R, Rioboo C, Herrero C, Suárez-Bregua P, Cid A. 2012. Flow cytometric analysis to evaluate physiological alterations in herbicide-exposed *Chlamydomonas moewusii* cells. *Ecotoxicology* 21(2), 409-420; p-ISSN: 0963-9292 e-ISSN: 1573-3017

359. Radwan D. E. M., Soltan D. M. 2012. The negative effects of clethodim in photosynthesis and gas-exchange status of maize plants are ameliorated by salicylic acid pretreatment. *Photosynthetica*, 50(2), 171-179. p-ISSN: 0300-3604 e-ISSN: 1573-9058

360. Shui, D.-J., Shi, Y., Cao, L.-L., Yang, T., Wang, B.-L. 2012. Effects of exogenous SA pretreatment on thermotolerance and photosynthesis in pakchoi under high

temperature stress. *Zhiwu Shengli Xuebao/Plant Physiology Journal*, 48(4), 386-392. ISSN 0257-4829

Nechev J, S Khotimchenko, A Ivanova, K Stefanov, S Dimitrova-Konaklieva, S Andreev, S Popov (2002) Effect of diesel fuel pollution on the lipid composition of some wide-spread Black sea algae and invertebrates. Z Naturforsch, 57c: 339-343

361. Namiesnik J, Szefer P, Moncheva S, Ham K-S, Kang S-G, Arancibia-Avila P, Toledo F, Gorinstein S (2012) Characterization of *Rapana thomasiana* as an indicator of environmental quality of the Black Sea coast of Bulgaria. *Environmental Technology*, 33 (2): 201-209

Alexieva V., S. Ivanov, I. Sergiev, E. Karanov (2002) Interaction between stresses (Review). Bulg. J. Plant Physiol., Special issue – Proceedings of the European Workshop on Environmental Stress and Sustainable Agriculture, 7–12 September, Varna, Bulgaria, V. Alexieva, I. Sergiev, E. Karanov, M. Hall (Eds.), 1-17. ISSN 1310-4586.

362. Bandurska H, Cieślak M. 2012. The interactive effect of water deficit and UV-B radiation on salicylic acid accumulation in barley roots and leaves. *Environmental and Experimental Botany*, 2012 on-line. ISSN: 0098-8472

363. Coelho C. C. R.; Da Silva J. N.; De Oliveira L. M.; Silva J. E. S.; Barbosa R. R. N.; De Oliveira Neto C. F. 2012 Conteúdo relativo de água, concentrações de nitrato e amônio livre em plantas de jenipapo submetida ao déficit hídrico. XXII Congresso Brasileiro de Fruticultura, Bento Gonçalves – RS, 22-26 Oct Brazil.

364. Comont, D., Martinez Abaigar, J., Albert, A., Aphalo, P., Causton, D. R., Figueroa, F. L., Gaberscik, A., Llorens, L., Hauser, M.-T., Jansen, M. A. K., Kardefelt, M., de la Coba Luque, P., Neubert, S., Núñez-Olivera, E., Olsen, J., Robson, M., Schreiner, M., Sommaruga, R., Strid, Å., Torre, S., Turunen, M., Veljovic-Jovanovic, S., Verdaguer, D., Vidovic, M., Wagner, J., Winkler, J. B. , Zipoli, G. and Gwynn-Jones, D. 2012. UV responses of *Lolium perenne* raised along a latitudinal gradient across Europe: a filtration study. *Physiologia Plantarum*, 145(4), 604-618; Online ISSN: 1399-3054

365. Doupis G., Chartzoulakis K., Patakas A. 2012. Differences in antioxidant mechanisms in grapevines subjected to drought and enhanced UV-B radiation. *Emirates J. Food Agric.*, 24(6), 607-613; e-ISSN: 2079-0538, p-ISSN: 2079-052X

366. Giannakoula, A.; Ilias, I. F.; Maksimovic, J. J. D.; Maksimovic V.M.; Zivanovic B.D. 2012. Does overhead irrigation with salt affect growth, yield, and phenolic content of lentil plants? *Arch. Biol. Sci., Belgrade*, 64(2), 539-547; p-ISSN 0354-4664, e-ISSN 1821-4339

367. Heinrich S, Valentin K, Frickenhaus S, John U, Wiencke C. 2012. Transcriptomic analysis of acclimation to temperature and light stress in *Saccharina latissima* (Phaeophyceae). *PLoS ONE*, 7(8), e44342; e-ISSN-1932-6203

368. Shah A. H., Shah S. H., Ahmad H., Swati Z. A., Shah A. H., Afzal M., Aiman U., Khalid Q. 2012. The phenomenon of cross tolerance in osmotically and ionically adapted rice (*Oryza sativa* L.) cell lines. *African Journal of Biotechnology*, 11(3), 713-717; ISSN 1684-5315

369. Zlatev Zl. S., Lidon, Fernando J. C., Kaimakanova M. 2012. Plant physiological responses to UV-B radiation. *Emirates J. Food Agric.*, 24(6), 481-501; e-ISSN: 2079-0538, p-ISSN: 2079-052X

Peev, G., A. Nikolova, D. Todorova (2002) Mass transfer from solid particles to power law non-Newtonian fluid in granular bed at low Reynolds numbers. Chem. Eng. J. 88, 119-125. ISSN: 1385-8947.

370. Kishan, N., S. Maripala. 2012. Thermophoresis and viscous dissipation effects on Darcy–Forchheimer MHD mixed convection in a fluid saturated porous media. *Advances in Applied Science Research*, 3 (1), 60-74. ISSN: 0976-8610

371. Salem AA. 2012. On the effectiveness of variable properties and thermophoresis on steady MHD heat and mass transfer over a porous flat surface. *Engineering Computations*, 29 (4), 419 – 440. ISSN: 0264-4401

Georgieva K, Brugnoli E (2002) Influence of high temperature on the photosynthetic apparatus In: A Hemantaranjan (ed) Advances in Plant Physiology, 4, 75-88, Scientific Publishers (India)

372. Masrahi Yahya S, Turki A Al-Turki, Osama H Sayed. 2012. Geographical distribution and chorology of grasses in the Arabian Peninsula. *Flora - Morphology, Distribution, Functional Ecology of Plants*, 207 (4), 250–256

373. Михайлова Г. 2012. Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими Дисертация, София, БАН-ИФРГ

Fedina I, K Georgieva, I Grigorova (2002) Light-dark changes of proline content in barley leaves under salt stress. *Biol Plant*, 45, 59-63

374. Majláth, I, Szalai, G, Soós, V, Sebestyén, E, Balázs, E, Vanková, R, Dobrev, P, Janda, T. 2012. Effect of light on the gene expression and hormonal status of winter and spring wheat plants during cold hardening. *Physiologia Plantarum*, 145 (2), 296-314

375. Kong-Ngern, K, Bunnag, S, Theerakulpisut, P. 2012. Proline, hydrogen peroxide, membrane stability and antioxidant enzyme activity as potential indicators for salt tolerance in rice (*Oryza sativa* L). *International Journal of Botany*, 8 (2), 54-65

376. Hayat S, Hayat Q Alyemeni, MN, Wani AS, Pichtel J, Ahmad A. 2012. Role of proline under changing environments. *A review Plant Signaling and Behavior*, 7 (11), 1456 – 1466

377. Parvaneh Rahdari, Shahrokh Tavakoli, Seyed Meysam Hosseini. 2012. Studying of Salinity Stress Effect on Germination, Proline, Sugar, Protein, Lipid and Chlorophyll Content in Purslane (*Portulaca oleracea* L) Leaves. *Journal of Stress Physiology & Biochemistry*, 8 (1), 182-193

378. Parvaneh Rahdari, Seyed Maysam Hosseini, Shahrokh Tavakoli. 2012. The studying effect of drought stress on germination, proline, sugar, lipid, protein and chlorophyll content in purslane (*Portulaca oleracea* L) leaves. *Journal of Medicinal Plants Research*, 6(9), 1539-1547

379. Parvaneh Rahdari, Seyed Meysam Hoseini. 2012. Drought Stress: A Review International journal of Agronomy and Plant Production 3 (10), 443-446

380. Atusa Vaziri, Nasrin Motamed, Mohammad Reza Naghavi, V N, Vahid Niknam Niknam. 2012. Physiological and biochemical responses of *Aeluropus lagopoides* and *Aeluropus littoralis* to drought stress Open Access Journal of Medicinal and Aromatic Plants, 2(2), 5-14

Platonov ES, Penkov LI, New DAT (2002) Effects of Growth Factors FGF2 and IGF2 on the Development of Parthenogenetic Mouse Embryos in utero and in vitro. Russian Journal of Developmental Biology (Ontogenet), 33, 60-67.

381. Wang L.M., Wen J.X., Yuan J.L., Cang M., Liu D.J. 2012. Knockdown of IGF-IR by siRNA injection during bovine preimplantation embryonic development. *Cytotechnology*, 64, 165-172, Springer. DOI: 10.1007/s10616-011-9402-5.

382. Ragina N.P., Schlosser K., Knott J.G., Senagore P.K., Swiatek P.J., Chang E.A., Fakhouri W.D., Schutte B.C., Kiupel M., Cibelli J.B. 2012. Downregulation of H19 improves the differentiation potential of mouse parthenogenetic embryonic stem cells. *Stem Cells and Development*, 21, 1134-1144. DOI: 10.1089/scd.2011.0152.

Stoyanova Z, Doncheva S (2002) The effect of zinc supply and succinate treatment on plant growth and mineral uptake in pea plant. *Braz J Plant Physiol* 14 (2):111-116

383. Sivasankar R, R. Kalaikandhan and P.Vijayarengan. 2012. Phytoremediating capability of four plant species under zinc stress. *International Journal of Research in Environmental Science and technology* 2012; 2 (1): 1-9

384. Tsonev T, Fernando Jose Cebola Lidon. 2012. Zinc in plants - An overview. *Emirates Journal of Food and Agriculture* 24, 4, 322-333.

385. Oves M, Khan M S, Zaidi A, Ees Ahmad. 2012. Soil Contamination, Nutritive Value, and Human Health Risk Assessment of Heavy Metals: An Overview. *Toxicity of heavy metal to legumes and bioremediation*, 1-27, DOI: 10.1007/978-3-7091-0730-0_1

386. Bhat T M, Sana Choudhary, MYK Ansari, Alka, Rumana Aslam. 2012. Genotoxicity and molecular screening of proteins in root tip cells of *Trigonella foenum-graecum* (Fenugreek var- Azad) under cadmium stress condition *International Journal of Plant Physiology and Biochemistry* Vol. 4(3), pp. 46-51

387. Tony Remans' Kelly Opdenakker, Yves Guisez, Robert Carleer, Henk Schat, Jaco Vangronsveld, Ann Cuypers. 2012. Exposure of *Arabidopsis thaliana* to excess Zn reveals a Zn-specific oxidative stress signature. *Env. Exp Bot* 84, 61-71

388. Abolfazl Lolaei, Mohammad Ali Rezaei, Mojtaba Khorrami Raad and Behzad Kaviani. 2012. Effect of Paclobutrazol and Sulfate Zinc on Vegetative Growth, Yield and Fruit Quality of Strawberry (*Fragaria × ananassa* Duch. cv. Camarosa) *Annals of Biological Research*, 3 (10):4657-4662.

389. Towseef Mohsin Bhat, Sana Choudhary, MYK Ansari, Alka, and Rumana Aslam, 2012. Genotoxicity and molecular screening of proteins in root tip cells of *Trigonella foenum- graecum* (Fenugreek var- Azad) under cadmium stress condition. *International Journal of Plant Physiology and Biochemistry* 4(3):46-51.

390. Mohammad Oves, Mohammad Saghir Khan, Almas Zaidi, and Ees Ahmad. 2012. Soil Contamination, Nutritive Value, and Human Health Risk Assessment of Heavy Metals: An Overview A. Zaidi et al. (eds.), *Toxicity of Heavy Metals to Legumes and Bioremediation*, DOI 10.1007/978-3-7091-0730-0_1, # Springer-Verlag Wien 2012

391. Atanassova, B., Shtereva, L., Balatcheva E (2012) Estimation of heterosis for productivity and early yield in F1 hybrids of tomato (*Lycopersicon esculentum* Mill.) mutants differing in their vitality. *Acta Horticulturae*, 579, 45-48.

392. Akram Farzane, Hossein Nemati, Hossein Arouiee, Amin Mirshamsi Kakhki and Navid Vahdati. 2012. The Estimate of Combining Ability and Heterosis for Yield and Yield Components in Tomato (*Lycopersicon esculentum* Mill.). *J. BIOL. ENVIRON. SCI.*, 6(17), 129-134.

393. K. O. Al-sane, G. Povero and P. Perata. 2012. Anthocyanin tomato mutants: Overview and characterization of an anthocyanin-less somaclonal mutant. *Plant Biosystems*, 145, 2, 436-444.

Stoyanova Z, Simova-Stoilova L, Demirevska-Kepova K, Stoilova E (2002) Effect of Cu and Mn toxicity on growth parameters and photosynthetic pigments of young barley plants. *Comptes Rendus de l'Académie Bulgare des Sciences* 55, 83-88.

394. Cuypers A, Remans T, Weyens N, Colpaert J, Vassilev A, Vangronsveld J. 2012. Soil-plant relationships of heavy metals and metalloids. In: Book Heavy Metals in

Toncheva-Panova T, Donchev A, Dimitrov MI, Ivanova J (2002) Extra and intra cellular lytic effects of Cytophaga sp. LR2 on the red microalgae Rhodella reticulata. Journal of Applied Microbiology, 93, 5, 751-757

395. Nosalova G, Capek P, Matakova T, Nosal S, Fleskova D, Antitussive activity of an extracellular Rhodella grisea proteoglycan on the mechanically induced cough reflex. Carboh. polymers V87, 752-756.

Atanassova B., Shtereva L., Baralieva D., Georgiev Hr (2003) Study of the content variation of compounds related to nutritive and flavour quality in tomato (*Lycopersicon esculentum* Mill). Acta Horticulturae, 613, 327-330.

410. N. Tomlekova. 2012. Induction and study of tomato and pepper mutants with high nutritive quality. In: Physical mapping technologies for the identification and characterization of mutated genes contributing to crop quality. IAEA, VIENNA, 2011, 105-120.

Fedina I, I Grigorova, K Georgieva (2003) Response of barley seedlings to UV-B radiation as affected by NaCl J Plant Physiol, 160, 205-208

411. Wang G, Deng S, Li C, Liu Y, Chen L, Hu C (2012) Damage to DNA caused by UV-B radiation in the desert cyanobacterium *Scytonema javanicum* and the effects of exogenous chemicals on the process. Chemosphere, 88 (4), 413-417

412. Hayat S, Hayat Q, Alyemeni MN, Wani AS, Pichtel J, Ahmad A (2012) Role of proline under changing environments. A review Plant Signaling and Behavior, 7 (11), 1456 - 1466

Popova L., E. Ananieva, V. Hristova, K. Christov, K. Georgieva, V. Alexieva, Zh. Stoinova. (2003) Salicylic acid- and methyl jasmonate-induced protection on photosynthesis to paraquat oxidative stress. Bulg. J. Plant Physiol., issue – Proceedings of the European Workshop on Environmental Stress and Sustainable Agriculture, 7–12 September, 2002, Varna, Bulgaria, V. Alexieva, I. Sergiev, E. Karanov, M. Hall (Eds.), 133-152. ISSN 1310-4586.

413. Khan M. I. R., Syeed S., Nazar R., Anjum N. A. 2012, In: Khan N.A., Nazar R, Iqbal N, Anjum N.A (Eds.) *Phytohormones and Abiotic Stress Tolerance in Plants*. Chapter 12. An insight into the role of salicylic acid and jasmonic acid in salt stress tolerance. Springer Berlin Heidelberg Dordrecht London New York. p. 277-300, p-ISBN 978-3-642-25828-2, e-ISBN 978-3-642-25829-9

414. Liu X., Chi H., Yue M., Zhang X F, Li W J, Jia E P. 2012. The regulation of exogenous jasmonic acid on UV-B stress tolerance in wheat. *Journal of Plant Growth Regulation*, 31(3) 2012, 1-12; p-ISSN 0721-7595 e-ISSN: 1435-8107

415. Rong E., Zhao Z., Zang WD, Guo PG, Zhang J., Zhao WF, Feng MC, Wang LS, Xie DL, Yang WD. 2012. Significant pathway analysis of *Arabidopsis thaliana* following treatment with paraquat (PQ). *Journal of Medicinal Plants Research* 6(9), 2012, 1697-1701. ISSN 1996-0875

Tsvetkova, G., G. Georgiev (2003) Effect of phosphorus nutrition on the nodulation, nitrogen fixation and nutrient - use efficiency of *Bradyrhizobium japonicum*-soybean (*Glycine max* L. Merr) symbiosis, Bulg. J. Plant Physiol., special Issue, 331-335.

- 416.Ghayal, Nivedita A. 2012. Studies On Allelopathic Potential And Biochemical Characterization Of Cassia Uniflora And Synedrella Nodiflora, The Dominant Invasive Weeds From The Campus Of Pune University Ph.D Thesis, University Of Pune, India
- 417.Kumar, K. Sridevi, R. Tamilarasan. 2012. Assessment of cadmium and its impact on the uptake efficiency of Phosphate fertilizers by *Amaranthus tricolour* , J. Mater. Environ. Sci. 3 (5). 947-954 Kumar et al. ISSN : 2028-2508 CODEN: JMESCN
- 418.Alpha Kamara, Friday Ekeleme, Lucky Omoigui and Hakeem Ajeigbe. 2012. Phosphorus and nitrogen fertilization of soybean in the nigerian savanna - experimental agriculture, 1, 39-48, cambridge univ press, doi:10.1017/s0014479711000512
- 419.Abbasi, M. Kaleem, et al. 2012. Soybean Yield and Chemical Composition in Response to Phosphorus–Potassium Nutrition in Kashmir. *Agronomy Journal* 104.5. 1476-1484.
- 420.Bekere, Workneh, Endalkachew Wolde-meskel, and Tesfu Kebede. 2012. Growth and nodulation response of soybean (*Glycine max L*) to Bradyrhizobium inoculation and phosphorus levels under controlled condition in South Western Ethiopia. *African Journal of Agricultural Research* 7.30, 4266-4270.
- 421.Bargaz, A., et al. 2012. A phosphoenol pyruvate phosphatase transcript is induced in the root nodule cortex of *Phaseolus vulgaris* under conditions of phosphorus deficiency. *Journal of experimental botany* 63.13, 4723-4730.
- 422.Shiri-Janagard, Manochehr, et al. 2012. Influence of *Bradyrhizobium japonicum* and phosphate solubilizing bacteria on soybean yield at different levels of nitrogen and phosphorus. *International Journal of Agronomy and Plant Production* 3.11, 544-549.
- 423.Sepehr, Mozhgan Farzami, Mahlagha Ghorbanli, and Fereshte Amini. 2012. The effect of water stress on nitrate reductase activity and nitrogen and phosphorus contents in cuminum cyminum l. *Pak.J. Bot* 44.3, 899-903.
- 424.Wangiyana, Wayan, Ari Apriani, and Nihla Farida. 2012. Response of various varieties of soybean (*glycine max (l) merril*) tosoil sterilization and inoculation with arbuscular mycorrhiza" Agroteksos Vol. 21 No.1
- Kocheva K & Georgiev G (2003) Evaluation of the reaction of two contrasting barley (*Hordeum vulgare L.*) cultivars in response to osmotic stress with PEG 6000. Bulgarian Journal of Plant Physiology (special issue): 290–294.**
- 425.Begum MK, Alam MR, Islam MS, Arefin MS. 2012. Effect of water stress on physiological characters and juice quality of sugarcane. Sugar Tech DOI: 10.1007/s12355-012-0140-6.
- Yordanova, RY; Alexieva, VS; Popova, LP (2003) Influence of root oxygen deficiency on photosynthesis and antioxidant status in barley plants. Russian J. Plant Physiol., 50(2), 163-167 [IF=0.127]. ISSN: 1021-4437.**
- 426.Bansal, R., Srivastava, J.P. 2012. Antioxidative defense system in pigeonpea roots under waterlogging stress. *Acta Physiologiae Plantarum* 34(2), 2012, 515-522; p-ISSN: 0137-5881 e-ISSN: 1861-1664.
- 427.Deng YM, Shao QS, Li CC, Yea XQ, Tang RS. 2012. Differential responses of double petal and multi petal jasmine to shading: II. Morphology, anatomy and physiology. *Scientia Horticulturae*, 144, 2012, 19–28; ISSN: 0304-4238
- 428.Zhai, H., Dong, B., Qiao, Y., Shi, C., Yang, J., Li, D., Liu, Y., Zhang T., Liu, M. 2012. Irrigation with aerated saline water enhances water use efficiency and salt tolerance of tomato. *Fresenius Environmental Bulletin*, 21(8), 2012, 2072-2077. ISSN: 1018-4619

Tsonev T, Hikosaka K (2003) Contribution of photosynthetic electron transport, heat dissipation, and recovery of photoinactivated Photosystem II to photoprotection at different temperatures in *Chenopodium album* leaves. *Plant Cell Physiol* 44(8), 828–835

429.Campbell DA, Tyystjärvi E. 2012. Parameterization of photosystem II photoinactivation and repair. *Biochim Biophys Acta* 1817 (1) Special Issue, 258-265

430.Chakraborty U, Pradhan B. 2012. Oxidative stress in five wheat varieties (*Triticum aestivum* L) exposed to water stress and study of their antioxidant enzyme defense system, water stress responsive metabolites and H₂O₂ accumulation. *Braz J Plant Physiol* 24 (2), 117-130

431.Komatsu M, Tobita H, Watanabe M, Yazaki K, i Koike T, Kitao M. 2012. Photosynthetic downregulation in leaves of the Japanese white birch grown under elevated CO₂ concentration does not change their temperature-dependent susceptibility to photoinhibition. *Physiologia Plantarum* (in press) doi:101111/j1399-3054201201651x

432.Rym BD. 2012. Ch2 Photosynthetic Behavior of Microalgae in Response to Environmental Factors, pp 23-46, In: *Applied Photosynthesis*, (Ed MM Najafpour), InTech, Rijeka, Croatia

Yordanov, I, V Velikova and T Tsonev (2003) Plant responses to drought and stress tolerance. *Bulg J Plant Physiol, Spec Issue*, 187-206

433.Anosheh HP, Emam Y, Ashraf M, Foolad MR. 2012. Exogenous application of salicylic acid and chlormequat chloride alleviates negative effects of drought stress in wheat. *Advanced Studies in Biology*, 4 (11), 2012, 501 - 520

434.Arshi A, Ahmad A, Aref IM, Iqbal M. 2012. Comparative studies on antioxidant enzyme action and ion accumulation in soybean cultivars under salinity stress. *Journal of Environmental Biology*, 33 (1), 2012, 9-20

435.Ardestani HG, Rad AHS. 2012. Impact of regulated deficit irrigation on the physiological characteristics of two rapeseed varieties as affected by different potassium rates. *African Journal of Biotechnology*, 11(24), 6510-6519

436.Benešová M, Holá D, Fischer L, Jedelský PL, Hnilička F, Wilhelmová N, Rothová O, Kočová M, Procházková D, Honnerová J, Fridrichová L, Hniličková H. 2012. The physiology and proteomics of drought tolerance in maize: early stomatal closure as a cause of lower tolerance to short-term dehydration? *PLoS ONE* 7(6), e38017

437.Castaneda-Saucedo MC, Delgado-Alvarado A, Cordova-Tellez L, Gonzalez-Hernandez VA, Tapia-Campos E, Santacruz-Varela A, Vazquez-Carrillo MG, Garcia-de los Santos G - Changes in carbohydrate concentration in leaves, pods and seeds of dry bean plants under drought stress, *Interciencia*, 37 (3), 2012, 168-175

438.Cai XY, Starman T, Niu GH, Hall C, Lombardini L. 2012. Response of selected garden roses to drought stress. *Hortscience* 47(8): 1050-1055

439.Chen Y, Chen Y, Xu C, Li W. 2012. Groundwater depth affects the daily course of gas exchange parameters of *Populus euphratica* in arid areas. *Environmental Earth Sciences*, 66 (2), 433-440

440.Flood J. 2012. Water management in Neopalatial Crete and the development of the mediterranean climate (*Master Thesis*) The University of North Carolina

441.Linke R. 2012. Ch7 Drought Stress and the Need for Drought Stress Sensing in a World of Global Climate Change, pp 114-178, In: (Teang Shui Lee, Ed) *Irrigation Systems and Practices in Challenging Environments*, InTech

442.Liu YF, Qi MF, Li TL. 2012. Photosynthesis, photoinhibition, and antioxidant system in tomato leaves stressed by low night temperature and their subsequent recovery. *Plant Science* (in press), <http://dx.doi.org/10.1016/j.plantsci.2012.07.005>

443.Rahdari P, Hoseini SM . 2012. Drought Stress: A Review. *International journal of*

Agronomy and Plant Production 3 (10), 2012, 443-446

- 444.Rahdari P, Hosseini SM, Tavakoli S. 2012. The studying effect of drought stress on germination, proline, sugar, lipid, protein and chlorophyll content in purslane (*Portulaca oleracea* L) leaves. *Journal of Medicinal Plants Research*, 6(9), 1539-1547
- 445.Rahdari P, Tavakoli S, Hosseini SM. 2012. Studying of salinity stress effect on germination, proline, sugar, protein, lipid and chlorophyll content in purslane (*Portulaca oleracea* L) leaves. *Journal of Stress Physiology & Biochemistry*, 8 (1), 182-193
- 446.Raheleh R, Ramazanali K-N, Ali G, Abdolreza B, Farzaneh N, Masoud R. 2012. Use of biochemical indices and antioxidant enzymes as a screening technique for drought tolerance in Chickpea genotypes (*Cicer arietinum* L). *African Journal of Agricultural Research*, 7(39), 2012, 5372-5380
- 447.Signorelli S, Corpas FJ, Borsani O, Barroso JB, Monza J. 2012. Water stress induces a differential and spatially distributed nitro-oxidative stress response in roots and leaves of *Lotus japonicas*. *Plant Sci (in press)*
- 448.Wang ZX, Chen L, Ai J, Qin HY, Liu YX, Xu PL, Jiao ZQ, Zhao Y, Zhang QT. 2012. Photosynthesis and activity of photosystem II in response to drought stress in Amur Grape (*Vitis amurensis* Rupr). *Photosynthetica* 50 (2), 189-196
- 449.Zlatev Z, Lidon FC. 2012. An overview on drought induced changes in plant growth, water relations and photosynthesis. *Emir J Food Agric* 24 (1), 57-72

Velikova V, Edreva A, Loreto F (2004) Endogenous isoprene protects *Phragmites australis* leaves against singlet oxygen. *Physiologia Plantarum* 122: 219-225

- 450.Bartwal A, Mall R, Lohani P, Guru SK, Arora S. 2012. Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses. *Journal of Plant Growth Regulation* 2012, DOI: 101007/s00344-012-9272-x (*in press*)
- 451.Wahid A, Farooq M, Hussain I, Rasheed R, Galani S. 2012. Ch6 Responses and Management of Heat Stress in Plants, , In: (Parvaiz Ahmad, M N V Prasad, eds) *Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change*, Springer (**book**)

452.Wang XP, Liu TX, Li CH. 2012. Characterization of biogenic volatile organic compounds and membrane lipid peroxidation during leaf ageing in maize (*Zea mays*). *Indian Journal of Agricultural Sciences* 82(5): 447-450

453.Way DA, Pearcy RW. 2012. Sunflecks in trees and forests: from photosynthetic physiology to global change biology. *Tree Physiology* 32(9): 1066-1081, DOI: 101093/treephys/tps064, (**Review**)

Bogoeva V., M. Radeva, L. Atanasova, S. Stoitsova, R. Boteva (2004) Fluorescence analysis of hormone binding activities of wheat germ agglutinin. *Biochim. Biophys. Acta*, 1698, 213-218. ISSN: 1570-9639.

454.Kovalchuk, N.V., Melnykova, N.M., Musatenko, L.I. 2012. Role of phytolectin in the life cycle of plants. *Biopolymers and Cell* 28, 171-180. p-ISSN 0233-7657, e-ISSN 1993-6842

455.Minas I.S., G. Tanou, M. Belghazi, D. Job, G. A. Manganaris, A. Molassiotis, M. Vasilakakis. 2012. Physiological and proteomic approaches to address the active role of ozone in kiwifruit post-harvest ripening. *J. Exp. Bot.* 63, 2449-2464. e-ISSN 1460-2431, p-ISSN 0022-0957

Alexieva, VS; Sergiev, IG; Todorova, DA., Karanov, A. Smith, M. Hall (2004) Effect of ethylene and its antagonist 1-MCP on the senescence of detached leaves of *Arabidopsis thaliana* (L.) Heynh. *Biologia Plantarum* 48(4), 593-595 [IF=]. ISSN: 0006-3134

456.Nadeem S. M., Ahmad M., Zahir Z.A., Ashraf M. 2012. In: D. K. Maheshwari (ed.) *Bacteria in Agrobiology: Stress Management. Microbial ACC-deaminase biotechnology: Perspectives and applications in stress agriculture.* Springer, Berlin, pp. 141-185, ISBN 978-3-642-23465-1

457.Zhao C-N, Ma F.F., Liu Y., Feng K. 2012. Effects of different concentrations of 1-MCP treatments on post -harvest storage of *Pleurotus eryngii*. *Food and Fermentation Industries*, 38(8), 231-234. ISSN 0253-990X

Parvanova D, Ivanov S, Konstantinova T, Karanov E, Atanassov A, Tsvetkov T, Alexieva V, Djilianov D (2004) Transgenic tobacco plants accumulating osmolytes show reduced oxidative damage under freezing stress. *Plant Physiol. Biochem.*, 42, 57-63. [IF=]. ISSN: 0981-9428.

458.Çelik Ö., Atak Ç. 2012. The effect of salt stress on antioxidative enzymes and proline content of two Turkish tobacco varieties. *Turk J Biol* 36(3), 339-356. ISSN 1300-0152

459.Fan, H.-F.; Du, Ch.-X.; Guo, Sh.-R. 2012. Effect of nitric oxide on proline metabolism in cucumber seedlings under salinity stress. *J Am Soc Horticultural Sci*, 137(3), 127-133. ISSN: 0003-1062

460.Hoffman, L., DaCosta, M., Ebdon, J.S., Zhao, J. 2012. Effects of drought preconditioning on freezing tolerance of perennial ryegrass. *Environmental and Experimental Botany*, 79, 11-20. ISSN: 0098-8472

461.Li, T., Du, J., Hao, Z., Zhang, X., Chen, B. 2012. Molecular basis for enhancement of plant drought tolerance by arbuscular mycorrhizal symbiosis: A mini-review. *Shengtai Xueba/Acta Ecologica Sinica* 32(22), 7169-7176. ISSN: 1872-2032

462.Ling L. 2012. Abiotic stress - molecular mechanism. *Journal of Hunan University of Science and Engineering*, 33(9), 2012, 173-175. ISSN: 1673-2219

463.Pandey, M., Srivastava, A.K., Suprasanna, P., D'Souza, S.F. 2012. Thiourea mediates alleviation of UV-B stress-induced damage in the Indian mustard (*Brassica juncea* L.). *Journal of Plant Interactions*, 7(2) , pp. 143-150. p-ISSN 1742-9145, e-ISSN 1742-9153

464.Schaeffer S., Koepke T., Dhingra A. In: Tuteja N., Gill S.S., Tiburcio A.F. and Tuteja R. (eds.), *Improving Crop Resistance to Abiotic Stress*. Vol. 1-2, Ch. 46 Tobacco: A Model Plant for Understanding the Mechanism of Abiotic Stress Tolerance. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany. 2012, pp. 1169–1201, DOI: 10.1002/9783527632930.ch46

Kocheva K, Lambrev P, Georgiev G, Goltsev V, Karabaliiev M (2004) Evaluation of chlorophyll fluorescence and membrane injury in the leaves of barley cultivars under osmotic stress. *Bioelectrochemistry* 63 (1-2): 121-124. .

465.Begum MK, Alam MR, Islam MS, Arefin MS. 2012. Effect of Water Stress on Physiological Characters and Juice Quality of Sugarcane. *Sugar Tech* DOI: 10.1007/s12355-012-0140-6.

466.Ebrahimi R, Ebrahimi F, Ahmadizadeh M. 2012. Effect of Different Substrates on Herbaceous Pigments and Chlorophyll Amount of Strawberry in Hydroponic Cultivation System. *American-Eurasian J. Agric. & Environ. Sci.*, 12 (2): 154-158.

467.Geetha A, Saidaiah P, Sivasankar A, Suresh J, Prayaga L, Anuradha G. 2012. Screening of Sunflower Genotypes for Drought Tolerance Based on Certain Morpho-Physiological Parameters. *Madras Agric. J.*, 99 (1-3): 26-33.

468.Brestic M, Zivcak M, Kalaji HM, Carpentier R, Allakhverdiev SI.. 2012. Photosystem II thermostability in situ: Environmentally induced acclimation and genotype-specific reactions in *Triticum aestivum* L. *Plant Physiol Biochem* 57: 93-105.

469. AP de Faria, J Lemos-Filho, LV Modolo and MG Costa França. 2012. Electrolyte leakage and chlorophyll a fluorescence among castor bean cultivars under induced water deficit. *Acta Physiologiae Plantarum*. DOI 10.1007/s11738-012-1054-3.

470. K Zhani, BF Mariem, M Fardaous, H Cherif. 2012. Impact of salt stress (NaCl) on growth, chlorophyll content and fluorescence of Tunisian cultivars of chili pepper (*Capsicum frutescens* L.). *Journal of Stress Physiology & Biochemistry*, 8 (4): 236-252.

471. C.C.D. Schlindwein. 2012. Reportas fisiologicas dessecacao e a re-hidratacao em quarto especies de pteridofitas epifiticas. Tese de doutorado. pp. 94. Univerdidade federal do Rio Grande do Sul, Instituto de Biosciencias.

Yonova P.A., Stoilkova G.M (2004) Synthesis and biological activity of urea and thiourea derivatives from 2-aminoheterocyclic compounds. *Journal of Plant Growth Regulation*, 23 (4), 280-291. ISSN: 0721-7595.

472. Perveen, S., Fatima, N., Khan, M.A., Dar, A., Khan, K.M., Afza, N., Voelter, W. 2012. Antidepressant activity of carbamates and urea derivatives. *Medicinal Chemistry Research* 21 (9), 2709-2715. p-ISSN: 1054-2523 e-ISSN: 1554-8120

473. Cao, X., Xu, S., Li, X., Shen, X., Zhang, Q., Li, J., Chen, C. N-Nitrourea. 2012. Derivatives as Novel Potential Fungicides against Rhizoctonia solani: Synthesis, Antifungal Activities, and 3D-QSAR. *Chemical Biology and Drug Design* 80 (1), 80-88. e- ISSN: 1747-0285

474. Perveen, S., Mustafa, S., Khan, M.A., Dar, A., Khan, K.M., Voelter, W. 2012. Substituted urea derivatives: A potent class of antidepressant agents. *Medicinal Chemistry* 8 (3), 330-336. ISSN 1573-4064

475. Yusufzai, S.K., Osman, H., Rahim, A.S.A., Arshad, S., Razak, I.A. 2012. 3B-Chloro-5-cholestan-6-one. *Acta Crystallographica Section E: Structure Reports Online* 68 (4), o1211-o1212. ISSN: 1600-5368

476. Wang WH, H Zhong, X Yang Deng, Guang Yi Liu. 2012. Synthesis and Bioactivities of Poly N-Arenely-N'-(1,4-Butenelydioxycarbonyl) thioureas. In: Q. Xu, Y. Ju, H. Ge (Eds) Advanced Materials Research, Volume 610-613. Progress in Environmental Science and Engineering, 177-180. ISSN: 1662-8985

Bakalova S, Nikolova A, Nedeva D (2004) Isoenzyme profiles of peroxidase, catalase and superoxide dismutase as affected by dehydration stress and ABA during germination of wheat seeds. *Bulg. J. Plant Physiol*, 30 (1-2), 64-77

477. Mona A. Ismail1, Laila M. Abu Al-Ola, Salih A. Bazaid, Mohamed S. Beltagi. 2012. Influence of Methyl tert-Butyl Ether (MTBE) on white Corn (*Zea mays* L.). *Plant Growth, Life Science Journal*, 9(2).

478. Simova-Stoilova,L., Demirevska, K., Kingston-Smithb, A., Feller, U. 2012. Involvement of the leaf antioxidant system in the response to soil flooding in two *Trifolium* genotypes differing in their tolerance to waterlogging. *Plant Science* 183, 43–49.

479. Narong Jaidee, Chutima Kongjaroon. 2012. Peroxidase activity in american mariglod (*Tagetes erecta* L.)seedling under sound stress. 38th Congress on Science and Technology of Thailand, October 17 – 19, 2012.

480. Narong Jaidee, Chutima Kongjaroon. 2012. Effect of sound treatment on peroxidase activity in *Cosmos bipinnatus* seedling. 38th Congress on Science and Technology of Thailand, October 17 – 19, 2012.

481. Sharifi G. 2012. Plant Antioxidative Enzymes –Case Study: In Vitro Organogenesis of Saffron (*Crocus sativus* L.), In: Antioxidant Enzyme, Chapter 14 Edited by Mohammed Amr El-Missiry, Published by InTechJanezaTrdine 9, 51000 Rijeka, Croatia.

Benderliev K, N Ivanova, P Pilarski (2004) Singlet oxygen and other reactive oxygen species are involved in regulation of release of iron-binding chelators from *Scenedesmus* cells. *Biologia Plantarum*, 47, (4), 523-526

482.Han D-G, Wang Y, Zhang L, Ma L, Zhang X-Z, Xu X-F, Han Z-H. 2012. Organ-dependent responses of the african rice to short-term iron toxicity: Ferritin regulation and antioxidative responses. *Biologia Plantarum* 51 (2), 303-312

Doltchinkova V, Georgieva K, Traytcheva N, Slavov C, Mishev K (2004) Melittin-induced changes in thylakoid membranes: particle electrophoresis and light scattering study. *Biophysical Chemistry* 109: 387-397.

483.Lee J. W. 2012. Designer transgenic algae for photobiological production of hydrogen from water. advanced biofuels and bioproducts, pp 371-404 ISBN: 978-1-4614-3347-7.

Rodeva R, J Gabler (2004) First report of *Phomopsis diachenii* in Bulgaria. *Mycologia Balcanica*, 1, 2-3, 153-157.

484.Machowicz-Stefaniak, Z., E. Zalewska, E. Król. 2012. Pathogenicity of *Phomopsis diachenii* Sacc. isolates to caraway *Carum carvi* L. (Apiaceae). *Acta Sci. Pol., Hortorum Cultus* 11, 2, 185-202.

485.Mačkinaite, R. 2012. Potential pathogens of common caraway (*Carum carvi* L.) seeds and search for measures suppressing their spread. Žemdirbyste = Agriculture, 99, 2, 179-188.

486.Machowicz-Stefaniak Z., Zalewska E., Król E., Kowalik B., Growth and development of *Phomopsis diachenii* Sacc. in different culture conditions. *Acta Sci. Pol. Hortorum Cultus*, 11(6): 69-80 (2012)

Demirevska-Kepova K, Simova-Stoilova L, Stoyanova Z, Hölzer R, Feller U (2004) Biochemical changes in barley plants after excessive supply of copper and manganese. *Environmental and Experimental Botany* 52, 3: 253-266.

487.Adams A, Raman A, Hodgkins D. 2012. How do the plants used in phytoremediation in constructed wetlands, a sustainable remediation strategy, perform in heavy-metal-contaminated mine sites? *Water and Environment Journal* DOI: 10.1111/j.1747-6593.2012.00357.x

488.Athamna OM, Bengoumi M, Faye B. 2012. Selenium and copper status of camels in Al-Jouf area (Saudi Arabia) *Tropical Animal Health and Production* 44, 3: 551-556.

489.Shan C, Dai H, Sun Y. 2012. Hydrogen sulfide protects wheat seedlings against copper stress by regulating the ascorbate and glutathione metabolism in leaves. *Australian J Crop Science* 6, 2: 248-254.

490.Chu J-M, Wang Y, Wang Q, Li S-N, Wang Y-H. 2012 Absorption and concentration effects of evergreen species (*Pinus tabuliformis* and *Platycladus orientalis*) to typical pollutants. *J. Meteorology and Environment* 28, 3: 15-20 (in Chinese).

491.Cuypers A, Remans T, Weyens N, Colpaert J, Vassilev A, Vangronsveld J. 2012. Soil-plant relationships of heavy metals and metalloids. In: Book Heavy Metals in Soils subtitle Trace Metals and Metalloids in Soils and their Bioavailability, series Environmental Pollution 22, 161-193 DOI 10.1007/978-94-007-4470-7_6

492.Doganlar ZB, Cakmak S, Yanik T. 2012. Metal uptake and physiological changes in *Lemna gibba* exposed to Manganese and Nickel. *International Journal of Biology* 4, 3 ISSN 1916-9671

- 493.Gao L, Peng K, Chen Y, Wang G, Shen Z. 2012. Roles of apoplastic peroxidases, laccases, and lignification in the manganese tolerance of hyperaccumulator *Phytolacca americana*. *Acta Physiologiae Plantarum* 34, 1: 151-159.
- 494.Gil PM, Bonomelli C, Schaffer B, Ferreyra R, Gentina C. 2012. Effect of soil water-to-air ratio on biomass and mineral nutrition of avocado trees. *Journal of Soil Science and Plant Nutrition* 12, 3: 609-630.
- 495.Hasanuzzaman M, Fujita M. 2012. Heavy metals in the environment current status, toxic effects on plants and phytoremediation. Chapter 2 p 7-73 In: Phytotechnologies: Remediation of Environmental Contaminants 2, 7-73. CRC Press.
- 496.Hernández LE, Ortega-Villasante C, Belén Montero-Palmero M, Escobar C, Carpeta RO. 2012. Heavy metal perception in a microscale environment: A model system using high doses of pollutants. In: Metal Toxicity in Plants: Perception, Signaling and Remediation pp. 23-39, Springer Berlin Heidelberg.
- 497.Irfan M, Hayat S, Ahmad A, Alyemeni MN. 2012. Soil Cadmium enrichment: Allocation and plant physiological manifestations. *Saudi Journal of Biological Sciences* doi.org/10.1016/j.sjbs.2012.11.004.
- 498.Kaur S, Singh HP, Batish DR, Negi A, Mahajan P, Rana S, Kohli RK. 2012. Arsenic (As) inhibits radicle emergence and elongation in *Phaseolus aureus* by altering starch-metabolizing enzymes vis-à-vis disruption of oxidative metabolism. *Biological Trace Element Research* 146, 3: 360-368.
- 499.Lakhdar A, Slatni T, Iannelli MA, Debez A, Pietrini F, Jedidi N, Massacci A, Abdelly C. 2012. Risk of municipal solid waste compost and sewage sludge use on photosynthetic performance in common crop (*Triticum durum*). *Acta Physiologiae Plantarum* 34, 3: 1017-1026.
- 500.Li P, Song A, Li Z, Fan F, Liang Y. 2012. Silicon ameliorates manganese toxicity by regulating manganese transport and antioxidant reactions in rice (*Oryza sativa* L.). *Plant and Soil* 354, 1-2: 407-419.
- 501.Li F-L, Yuan J, Sheng GD. 2012. Altered transfer of heavy metals from soil to Chinese cabbage with film mulching. *Ecotoxicology and Environmental Safety* 77: 1-6.
- 502.Millaleo R, Reyes-Díaz M, Alberdi M, Ivanov AG, Krol M, Hüner NPA. 2012. Manganese excess inhibits PSI of *Arabidopsis thaliana*. *Journal of Experimental Botany* November 26, 2012.
- 503.Pena LB, Azpilicueta CE, Benavides MP, Gallego SM. 2012. Protein oxidative modifications. In: Metal Toxicity in Plants: Perception, Signaling and Remediation 2. pp 207-225, Springer Berlin Heidelberg, DOI 10.1007/978-3-642-22081-4_10
- 504.Petrová S, Benešová D, Soudek P, Vaněk T. 2012. Enhancement of metal(loid)s phytoextraction by *Cannabis sativa* L. *Journal of Food, Agriculture and Environment* 10, 1: 631-641.
- 505.Ray S, Kapoor S, Tyagi AK. 2012. Analysis of transcriptional and upstream regulatory sequence activity of two environmental stress-inducible genes, NBS-Str1 and BLEC-Str8, of rice. *Transgenic Research* 21, 2: 351-366.
- 506.Sghaier-Hammami B, Saidi MN, Castillejo MÁ, Jorrín-Novo JV, Namsi A, Drira N, Gargouri-Bouzid R. 2012. Proteomics analysis of date palm leaves affected at three characteristic stages of brittle leaf disease. *Planta* 236, 5: 1599-1613.
- 507.Shan C, Dai H, Sun Y. 2012. Hydrogen sulfide protects wheat seedlings against copper stress by regulating the ascorbate and glutathione metabolism in leaves. *Australian Journal of Crop Science* 6, 2: 248-254.
- 508.Srivastava S, Dubey RS. 2012. Nitric oxide alleviates manganese toxicity by preventing oxidative stress in excised rice leaves. *Acta Physiologiae Plantarum* 34, 2: 819-825.

- 509.Tao YM, Chen YZ, Tan T, Liu XC, Yang DL, Liang SC. 2012. Comparison of antioxidant responses to cadmium and lead in *Bruguiera gymnorhiza* seedlings. *Biologia Plantarum* 56, 1: 149-152.
- 510.Yao YA, Wang J, Ma X, Lutts S, Sun C, Ma J, Yang Y, Xu G. 2012. Proteomic analysis of mn-induced resistance to powdery mildew in grapevine. *Journal of Experimental Botany* 63, 14: 5155-5170.
- 511.Yu J, Yuan S, Tang Z, Li D, Zu Y. 2012. Degradation and ecological functions of Rubisco LSU during severe drought stress leaves of *Camptotheca acuminata*. *Advanced Materials Research* 518, 523: 5429-5435.
- 512.Yuan D. 2012. Copper and inhibitors induced changes on subcellular antioxidant enzyme activities in the leaves of *Elsholtzia haichowensis*. *Advanced Materials Research* 518, 523: 5539-5544.
- 513.Wang H, Shi G, Zhong G. 2012. Effects of phosphorus supply on copper tolerance and ascorbate-glutathione cycle in maize (*Zea mays* L.) seedlings. *Sensor Letters* 10, 1-2: 670-677.
- 514.Wang P, Zhang S, Wang C, Lu J. 2012. Effects of Pb on the oxidative stress and antioxidant response in a Pb bioaccumulator plant *Vallisneria natans*. *Ecotoxicology and Environmental Safety* 78: 28-34.
- 515.Zarinkamar F, Ghannadnia M, Haddad R. 2012. Limonene synthase gene expression under different concentrations of manganese in *Cuminum cyminum* L. *African Journal of Plant Science* 6, 6: 203-212. DOI: 10.5897/AJPS11.118.
- 516.Zhao H, Wu L, Chai T, Zhang Y, Tan J, Ma S. 2012. The effects of copper, manganese and zinc on plant growth and elemental accumulation in the manganese-hype raccumulator *Phytolacca americana*. *J. Plant Physiol.* 169, 13: 1243-1252.
- Atanasova L., M. Pissarska, G. Popov, G. Georgiev (2004) Growth and Endogenous Cytokinins of Juniper Shoots as Affected by High Metal Concentrations. Biol. Plantarum. 48, 157-159. ISSN: 0006-3134.**
517. Piotrowska-Niczyporuk A., A. Bajguz, E. Zambrzycka, B. Godlewska-Zykiewicz. Phytohormones as regulators of heavy metal biosorption and toxicity in green alga *Chlorella vulgaris* (Chlorophyceae). *Plant Physiol. Biochem.* 52, 2012, 52-65. ISSN: 0981-9428
- Vaseva-Gemisheva I, Lee D, Alexieva V, Karanov E (2004) Cytokinin oxidase/dehydrogenase in *Pisum sativum* plants during vegetative development. Influence of UV-B irradiation and high temperature on enzymatic activity. *Plant Growth Regul* 42: 1-5.**
518. Mameaux S, Cockram J, Thiel T, Steuernagel B, Stein N, Taudien S, Jack P, Werner P, Gray JC, Greenland AJ, Powell W. 2012. Molecular, phylogenetic and comparative genomic analysis of the cytokinin oxidase/dehydrogenase gene family in the Poaceae. *Plant Biotech J* 10, 1: 67-82.
- Peeva V, Maslenkova L (2004) Thermoluminescence study of photosystem II activity in *Haberlea rhodopensis* and spinach leaves during desiccation. *Plant biology*, 6(3): 319-324**
519. Georgieva T, Christov NK, Djilianov D. 2012. Identification of desiccation-regulated genes by cDNA-AFLP in *Haberlea rhodopensis*: a resurrection plant. *Acta Physiologiae Plantarum*, 34(3): 1055-1066
520. Sane P V, Ivanov AG, Oquist G et al. 2012. Thermoluminescence PHOTOSYNTHESIS: PLASTID BIOLOGY, ENERGY CONVERSION AND CARBON ASSIMILATION Book Series: *Advances in Photosynthesis and*

Respiration Eds EatonRye, JJ; Tripathy, BC; Sharkey, TD Volume: 34 pp: 445-474
DOI: 101007/978-94-007-1579-0_19

521. Михайлова Г. 2012. Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими. Дисертация, София, ИФРГ-БАН

Ananieva K, Malbeck J, Kaminek M, van Staden J (2004) Changes in endogenous cytokinin levels in cotyledons of *Cucurbita pepo* (zucchini) during natural and dark-induces senescence *Physiol Plant*, 122, 133-142

522. Cuesta C, Novak O, Ordas R, Fernandez B, Strnad M, Dolezal K, Rodriguez A. 2012. Endogenous cytokinin profiles and their relationships to between-family differences during adventitious caulogenesis in *Pinus pinea* cotyledons. *J Plant Physiol* 169(18), 1830-1837
523. Yildashev R, Avalbaev A, Bezrukova M, Vysotskaya L, Khripach V, Shakirova F. 2012. Cytokinin oxidase is involved in the regulation of cytokinin content by 24-epobrassinolide in wheat seedlings. *Plant Physiology and biochemistry* 55, 1-6

Ananieva K, Malbeck J, Kaminek M, van Staden J (2004) Methyl jasmonate down-regulates endogenous cytokinin levels in cotyledons of *Cucurbita pepo* (zucchini) seedlings *Physiol Plant*, 122, 496-503

524. Kumar H, Kaul K, Bajpai-Gupta S, Kaul V-K, Kumar S. 2012. A comprehensive analysis of fifteen genes of steviol glycosides biosynthesis pathway in *Stevia rebaudiana* (Bertoni). *Gene* 492 (1), 276-284
525. Li D-M, Guo Y-K, Li Q, Zhang J, Wang X-J, Bai J-G. 2012. The pretreatment of cucumber with methyl jasmonate regulates antioxidant enzyme activities and protects chloroplast and mitochondrial ultrastructure in chilling-stressed leaves. *Scientia Horticulturae* 143, 135-143
526. Shakirova F, Avalbaev A, Bezrukova M, Fatkhutdinova R, Maslennikova D, Yuldashev R, Allagulova Ch, Lastochkina O. 2012. Hormonal intermediates in the protective action of exogenous phytohormones in wheat plants under salinity In: *Phytohormones and abiotic stress tolerance in plants*, Springer Berlin Heidelberg, 185-228
527. Varanasi VK, Chao WS, Anderson JV, Horvath DP. 2012. Differential Expression of Two Different EeSTM Genes of Leafy Spurge (*Euphorbia esula*) and Root-directed Expression from EeSTM Promoter in Leafy Spurge and Arabidopsis. *Agrotechnology*, doi:104172/2168-98811000102

Ananiev E, Ananieva K, Todorov I (2004) Effect of methyl ester of jasmonic acid, abscisic acid and benzyladenine on chlorophyll synthesis in excised cotyledons of *Cucurbita pepo* (zucchini) *Bulg J Plant Physiol*, 30(1-2), 51-63

528. Singh PK, Chaturvedi VK. 2012. Effects of salicylic acid on seedling growth and nitrogen use efficiency in cucumber (*Cucumis sativus* L) *Plant Biosystems*, 146(2), 302-308
529. Kepczyńska E, Król P. 2012. The phytohormone methyl jasmonate as an activator of induced resistance against the necrotroph *Alternaria porri* f sp *Solanii* in tomato plants *J Plant Interactions*, 7(4)

Ananieva K, Ananiev ED, Doncheva S, Georgieva K, Tzvetkova N, Kamínek M, Motyka V, Dobrev P, Gajdošová S, Malbeck J (2004) Senescence progression in a single

darkened cotyledon depends on the light status of the other cotyledon in *Cucurbita pepo* (zucchini) seedlings: potential involvement of cytokinins and cytokinin oxidase/dehydrogenase activity *Physiol Plant*, 134 (4), 609-623

530. Han R, Lefevre I, Albacete A, et al. 2012. Antioxidant enzyme activities and hormonal status in response to Cd stress in the wetland halophyte *Kosteletzkaya virginica* under saline conditions *Physiol Plant*, doi: 101111/j1399-3054201201667x,

Zagorska N., Shtereva L., Dimitrov B., Kruleva M., Sotirova V., Baralieva D. 2004. Induced androgenesis in tomatoes (*Lycopersicon esculentum* Mill.) III. Characteristic of the regenerants. *Plant Cell Reports*, 22 (7): 449-456.

531. Julião S.A. Multiploidia em calos provenientes de anteras de tomate. Dissertação, Universidade Federal de Viçosa, Brasil. Pp. 63. (2012)

Fedina I, K Georgieva, I Grigorova (2004) Response of barley seedlings to UV-B radiation as affected by proline and NaCl *Biol Plantarum*, 47 (4), 549-554

532. Bandurska H, Pietrowska-Borek M, Cieslak M. 2012. Response of barley seedlings to water deficit and enhanced UV-B irradiation acting alone and in combination *Acta Physiologiae Plantarum*, 34 (1), 161-171

533. Hamid, N, Hussain, H, Jawaid, F, Rahman, A (2012) Short term exposure of UV-B radiation enhances salinity tolerance in *Vigna adiata* *Pakistan Journal of Botany*, 44 (2), 841-844

Yordanova R, Christov K, Popova L (2004) Antioxidative enzyme in barley plants subjected to soil flooding *Environmental and Experimental Botany*, 51: 93-101

534. Bertolde FZ, Almeida A-AF, Pirovani CP, Gomes FP, Ahnert D, Baligar VC, Valle RR. 2012. Physiological and biochemical responses of *Theobroma cacao* L genotypes to flooding. *Photosynthetica* 50 (3), pp 447-457

535. Bansal R, Srivastava JP. 2012. Antioxidative defense system in pigeonpea roots under waterlogging stress. *Acta Physiologiae Plantarum* 34 (2), pp 515-522

Yordanova R, Uzunova A, Popova L (2005) Effect of short-term soil flooding on stomata behavior and leaf gas exchange in barley plants. *Biologia Plantarum*, 49(2): 317-319

536. Pistelli L, Iacona C, Miano D, Cirilli M, Colao MC, Mensuali-Sodi A, Muleo R Novel. 2012. Prunus rootstock somaclonal variants with divergent ability to tolerate waterlogging. *Tree Physiology* 32 (3), pp 355-368

537. Zhou Q, Dong Y, Bian Y-J, Han L-L, Tian Y-D, Xing H, Jiang H-D. 2012 .Influence of different duration of waterlogging on the growth and C and N metabolism of soybean at seedling and flowering stages. *Chinese Journal of Applied Ecology* 23 (6), pp 1577-1584

Fedina I, M Velitchkova, K Georgieva, I Grigorova (2005) UV-B –induced compounds as affected by proline and NaCl in *Hordeum vulgare* L cv Alfa *Environmental and Experimental Botany*, 54 (2), 182-191

538. Pandey M, Srivastara AK, Suprasanna P, D'Souza SF. 2012. Thiourea mediates alleviation of UV-B stress-induced damage in the Indian mustard (*Brassica juncea* L). *Journal of Plant Interactions*, 7 (2) , pp 143-150

539. Meiling Liu, Bo Cao, Shenghui Zhou, Yubing Liu. 2012. Responses of the flavonoid pathway to UV-B radiation stress and the correlation with the lipid antioxidant

characteristics in the desert plant *Caryopteris mongolica* *Acta Ecologica Sinica*, 32(3), 150–155

Georgieva K, Maslenkova L, Peeva V, Markovska Yu, Stefanov D, Tuba Z (2005) Comparative study on the changes in photosynthetic activity of the homoiochlorophylloous desiccation-tolerant *Haberlea rhodopensis* and desiccation-sensitive spinach leaves during desiccation and rehydration. *Photosynthesis Research*, 85(2): 191-203

540. Dinakar C, Djilianov D, Bartels D. 2012. Photosynthesis in desiccation tolerant plants: Energy metabolism and antioxidative stress defense. *Plant Science*, 182: 29-41
541. Sperdouli I, Moustakas M. 2012. Spatio-temporal heterogeneity in *Arabidopsis thaliana* leaves under drought stress. *PLANT BIOLOGY*, 14(1): 118-128 DOI: 101111/j.1438-8677.2011.00473.x
542. Georgieva T, Christov NK, Djilianov D. 2012. Identification of desiccation-regulated genes by cDNA-AFLP in *Haberlea rhodopensis*: a resurrection plant. *Acta Physiologiae Plantarum*, 34 (3), 1055-1066,
543. Wu, N, Zhang, YM, Downing, A, Zhang, J, Yang, CH. 2012. Membrane stability of the desert moss *Syntrichia caninervis* mitt during desiccation and rehydration. *Journal of Bryology*, 34 (1), 1-8
544. Михайлова Г. 2012. Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими. Дисертация, София, БАН-ИФРГ

Vaseva-Gemisheva I, Lee D, Karanov E (2005) Response of *Pisum sativum* cytokinin oxidase/dehydrogenase expression and specific activity to drought stress and herbicide treatments. *Plant Growth Regul* 46: 199–208.

545. Kummerová M, Zezulka Š, Váňová L, Fišerová H. 2012. Effect of organic pollutant treatment on the growth of pea and maize seedlings. *Central European Journal of Biology* 7, 1: 159-166.

Vassileva VN, Kouchi H, Ridge RW (2005) Microtubule dynamics in living root hairs: transient slowing by lipochitin oligosaccharide nodulation signals. *Plant Cell* 17: 1777-1787.

546. Markmann K, Radutoiu S, Stougaard J. 2012. Infection of *Lotus japonicus* by *Mesorhizobium loti*. In: Eds. Perotto S, Baluska F. *Signaling and Communication in Plants* 10: 31-50.
547. Perotto S, Baluska F. 2012. *Signaling and Communication in Plant Symbiosis, Signaling and Communication in Plants* 11, Springer-Verlag Berlin Heidelberg DOI 10.1007/978-3-642-20966-6_2.

Vassileva VN, Fujii Y, Ridge RW (2005) Microtubule dynamics in plants. *Plant Biotechnology* 22: 171-178.

548. Sheremet YA, Yemets AI, Azmi A, Vissenberg K, Verbelen J-P, Blume B. 2012. Effects of tyrosine kinase and phosphatase inhibitors on mitosis progression in synchronized tobacco BY-2 cells. *Cytology and Genetics* 46, 263-271.

Vassilevska - Ivanova R, Tcekova Z (2005) Agronomic characteristic of a dwarf sunflower germplasm line. *Helia*, 28 (42), 51 - 56.

549. Breton C., Gil A., Wargnier J., Seriyes H., Berville A. 2012. Transfer of architectural traits from perennial *Helianthus mollis* Lam. to sunflower (*H. annuus* L.) and

localisation of introgression. *Euphytica*, 86 (2), 557–572. DOI: 10.1007/s10681-012-0656-6

Zehirov G, G I Georgiev (2005) Effects of boron starvation on lignin content and mineral composition of N₂ fixing soybean plants, Balkan Sci. Conf. of Biology , Plovdiv, 360-365.

550. Amare Haileslassie, Michael Blümmel, S. P. Wani, K. L. Sahrawat, G. Pardhasaradhi, Anandan Samireddypalle. 2012. Extractable soil nutrient effects on feed quality traits of crop residues in the semiarid rainfed mixed crop–livestock farming systems of Southern India, Environment, Development and Sustainability, ISSN: 1387-585X (Print) 1573-2975 (Online)

Demirevska-Kepova K, Hölzer R, Simova-Stoilova L, Feller U (2005) Heat stress effects on Rubisco, Rubisco binding protein and Rubisco activase in wheat leaves. *Biologia Plantarum* 49, 4: 521-525.

551. Cottet NS, Bange MP, Wilson IW, Tan DKY. 2012. Developing controlled environment screening for high-temperature tolerance in cotton that accurately reflects performance in the field. *Functional Plant Biology* 39, 8: 670-678.
552. DeRidder BP, Shybut ME, Dyle MC, Kremling KAG, Shapiro MB. 2012. Changes at the 3'-untranslated region stabilize Rubisco activase transcript levels during heat stress in *Arabidopsis*. *Planta* 236, 2: 463-476.
553. Golam F, Prodhan ZH, Nezhadahmadi A, Rahman M. 2012. Heat tolerance in tomato. *Life Science Journal* 9, 4.
554. Khanna-Chopra R. 2012. Leaf senescence and abiotic stresses share reactive oxygen species-mediated chloroplast degradation. *Protoplasma* 249, 3: 469-481.
555. Kumar S, Singh R, Nayyar H. 2012. a-Tocopherol application modulates the response of wheat (*Triticum aestivum* L.) seedlings to elevated temperatures by mitigation of stress Injury and enhancement of antioxidants. *J Plant Growth Regul* DOI 10.1007/s00344-012-9299-z
556. Kumar S, Thakur P, Kaushal N, Malik JA, Gaur P, Nayyar H. 2012. Effect of varying high temperatures during reproductive growth on reproductive function, oxidative stress and seed yield in chickpea genotypes differing in heat sensitivity *Archives of Agronomy and Soil Science* 1-21.
557. Nemeskeri E, Molnar K, Víg R, Dobos A, Nagy J. 2012. Defence strategies of annual plants against drought. In: Advances in Selected Plant Physiology Aspects, G. Montanaro (Ed.).
558. Tuteja N, Gill S, Tiburcio AF, Tuteja R, Singh K, Chugh V, Sahi GK, Chhuneja P. 2012. Wheat: Mechanisms and Genetic Means for Improving Heat Tolerance Published Online: 30 MAR 2012 DOI: 10.1002/9783527632930.ch29, Wiley-VCH Verlag GmbH & Co. KgaA
559. Žróbek-Sokolnik. 2012. Temperature Stress and Responses of Plants. In: Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change, Eds. Parvaiz Ahmad, M.N.V. Prasad, pp 113-134, Springer New York, DOI 10.1007/978-1-4614-0815-4_5.
560. Григорова БС. 2012. Биохимични, физиологични и морфологични промени при пшенични растения под влияние на засушаване, висока температура и тяхната комбинация. Докторска дисертация, София.

Doncheva S, Amenos M, Poschenrieder C, Barcelo J (2005) Root cell patterning: a primary target for aluminium toxicity in maize. *J Exp Bot* 56 (414): 1213-1220

561. Tammam A A, S. Khallil, A. M. Elnagar. 2012. Alleviation of Al-toxicity in wheat by boron. Anatomical and ultrastructure effects of aluminium on root of aluminium-tolerant cultivar of *Triticum aestivum*. *Acta Botanica Hungarica*, 54, 1-2, 189-210
562. Guo Tian-rong, Yao Peng-cheng, Zhang Zi-dong, Wang Jiang-jia, Wang Mei. 2012. Devolvement of Antioxidative Defense System in Rice Growing Seedlings Exposed to Aluminum Toxicity and Phosphorus Deficiency. *Rice Science*, 19(2):
563. Guo Tian-rong, Yao Peng-cheng, Zhang Zi-dong, Wang Jiang-jia, Wang Mei (*Life Sciences Campus, Shaoxing University, Shaoxing 312000, China*). 2012. Involvement of Antioxidative Defense System in Rice Seedlings Exposed to Aluminum Toxicity and Phosphorus Deficiency. *Rice Science*, 2012, 19(3): 207–212
564. Song IP, A, Z Li, F Fan, Y Lian. 2012. Silicon ameliorates manganese toxicity by regulating manganese transport and antioxidant reactions in rice (*Oryza sativa L.*) - Plant and Soil, 1-2, 404-412.
565. Lei Chen, Tianzuo Wang, Mingui Zhao, Qiuying Tian and Wen-Hao Zhang. 2012. Identification of aluminum-responsive microRNAs in *Medicago truncatula* by genome-wide high-throughput sequencing. *Planta*, 2, 375-386
566. Marzena Sujkowska-Rybikowska. 2012. Reactive oxygen species production and antioxidative defense in pea (*Pisum sativum L.*) root nodules after short-term aluminum treatment. *Acta Physiologiae Plantarum DOI: 10.1007/s11738-012-0935-*
567. Silva Sonia. 2012. Aluminium Toxicity Targets in Plants. *Review Article Hindawi Publishing Corporation Journal of Botany Volume*, Article ID 219462, 8 pages
568. Sónia Silva, Eleazar Rodriguez, Olinda Pinto-Carnide, Paula Martins-Lopes, Manuela Matos, Henrique Guedes-Pinto, Conceição Santos. 2012. Zonal responses of sensitive vs. tolerant wheat roots during Al exposure and recovery. *J Plant Physiology*, 169, 8, 760-769
569. Sónia Silva, Conceição Santos Manuela Matos, Olinda Pinto-Carnide. 2012. Al toxicity mechanism in tolerant and sensitive rye genotypes. *Env. Exp. Botany*, 75, 89-97.
570. Magalhães PC, Souza TC, Cantão Fro, Padilha FA. 2012. Root morphology of maize lines with contrasting drought resistance under three toxic levels of aluminum Revista Brasileira de Milho e Sorgo, v.11, n.1, p. 35-48
571. Lucia Mattiello, Felipe Rodrigues da Silva, Marcelo Menossi. 2012. Linking microarray data to QTLs highlights new genes related to Al tolerance in maize. *Plant Science*, 191–192, 8–15
572. Liliana B. Pena, Roberto A. Barcia, Claudia E. Azpilicueta, Andrea A.E. Méndez, Susana M. Gallego. 2012. Oxidative post translational modifications of proteins related to cell cycle are involved in cadmium toxicity in wheat seedlings *Plant Science* 191–192, 1–7
573. Huiy He, Longfei He and Minghua Gu. 2012. Interactions between nitric oxide and plant hormones in aluminum tolerance. *Plant Signaling & Behavior* 7, 4, 469 – 471
574. Li Ping, Alin Song, Zhaojun Li, Fenliang Fan, Youngchao Liang. 2012. Silicon ammeriolates manganese toxicity by regulation manganese transport and antioxidant reactions in rice (*Oryza sativa L.*). *Plant and Soil* 354 , 407-412
575. Paulo César Magalhães,Tthiago Corrêa de Souza Fernando, Rodrigo de Oliveira Cantão, Fábio Andrade Padilha. 2012. Root morphology of maize lines with contrasting drought resistance under three toxic levels of aluminum. *Revista Brasileira de Milho e Sorgo*, v.11, n.1, p. 35-48, 2012
576. Eleazar Rodriguez, Sónia Silvaa, Olinda Pinto-Carnideb, Paula Martins-Lopesb,Manuela Matosb, Henrique Guedes-Pintob, Conceição Santos. 2012. Zonal

- responses of sensitive vs. tolerant wheat roots during Al exposure and recovery. *Journal of Plant Physiology* 169, 8, 760–769, 15 May 2012
577. Paula Cartes, Michael McManus, Cristián Wulff-Zottele, Susanna Leung, Ana Gutiérrez-Moraga, María de la Luz Mora. 2012. Differential superoxide dismutase expression in ryegrass cultivars in response to short term aluminium stress. *Plant Soil* (2012) 350:353–363
578. Yin An Yao, Donglin Mou, Gang Xu, Stanley Lutts, Varenyam Achal, Jinbiao Ma. 2012. Contrasting Performance and Different Tolerance of Chestnut Rose and Grape to Excess Manganese. *J Plant Growth Regul* (2012) 31:416–426.

Doncheva D, Georgieva K, Vassileva V, Stoyanova Z, Popov N, Ignatov G (2005) Effects of succinate on manganese toxicity in pea plants. *J. Plant Nutr.* 28, 47-62.

579. Gong J-F, Zhou Y-C, Li, X-Y, Ran X. 2012. Responses of physiological indices of pinus massoniana seedlings to high manganese stress. *Chinese Journal of Ecology* 31, 3: 520-525.

Ganeva G, Korzun V, Landjeva S, Tsenov N, Atanasova M (2005) Identification, distribution and effects on agronomical traits of the semi-dwarfing Rht alleles in Bulgarian bread wheat varieties. *Euphytica* 145 (3): 307-317

580. Bakshi S, Bhagwat SG. 2012. Allelic variations at *Xgwm261* locus, sequence determination and agronomic evaluation in Indian bread wheat genotypes *Cereal Research Communications* 40: 34-43
581. Asplund L, Leino MW, Hagenblad J. 2012. Allelic variation at the *Rht8* locus in a 19th century wheat collection (Review). *The Scientific World Journal*, Vol. 2012, Article number 385610;
582. Gasperini D, Greenland A, Hedden P, Dreos R, Harwood W and Griffiths S. 2012. Genetic and physiological analysis of *Rht8* in bread wheat: an alternative source of semi-dwarfism with a reduced sensitivity to brassinosteroids. *Journal of Experimental Botany* doi: 10.1093/jxb/ERS138
583. Maydup M L, Antonietta M, Guiamet J J, Tambussi EA. 2012. The contribution of green parts of the ear to grain filling in old and modern cultivars of bread wheat (*Triticum aestivum* L.): Evidence for genetic gains over the past century. *Field Crops Research* 134: 208-215
584. Divashuk M G, Bespalova L A, Vasilyev A V, Fesenko I A, Puzyrnaya O Yu, Karlov G I. 2012. Reduced height genes and their importance in winter wheat cultivars grown in southern Russia. *Euphytica* 10.1007/s10681-012-0789-7
585. Petrović S, Marić S, Čupić T, Drezner G, Karsai I. 2012. distribution of allelic variants of hexaploid wheat germplasm at *Xgwm261* and *Ppd-D1* locus. *Poljoprivreda* 18(2): 25-29
586. Chebotar G A, Chebotar S V, Motsnny I.I., Sivolap Yu M. 2012. The *Rht* and *Ppd-D1* genes in Ukrainian winter bread wheats: effects and distribution // European Cereals Genetic Co-operative Newsletter. Proceedings of the 15th International EWAC Conference (7-11 November, 2011), pp 62-66.
587. Чеботар Г О. 2012. Алелі генів короткостебловості *Rht8*, *Rht-B1*, *Rht-D1*, нечутливості до фотoperіоду *Ppd-D1* м'якої пшениці та їх ефекти на агрономічні ознаки // Дисертація на здобуття наукового ступеня канд. біол. наук. – Одеса – 185 с

Gemishev O, Vaseva I, Atev A (2005) Abscisic acid and ethylen influence on endo-1,4-B-glucanase activity in *Trichoderma reesei* I-27. *Biotech & Biotech. Equip.* 19, 3:106-112.

588. Singh R, Kapoor V, Kumar V. 2012. Production of thermostable, Ca^{+2} -independent, maltose producing α -amylase by *Streptomyces* sp. MSC702 (MTCC 10772) in submerged fermentation using agro-residues as sole carbon source. *Annals of Microbiology* 62, 3: 1003-1012.

Yonova P, Stoilkova G (2005) Synthesis and biological activity of urea and thiourea derivates from 2 – aminoheterocyclic compounds. *J Plant Growth Regul*, 23: 280-291

589. Perveen S, Fatima N, Khan MA, Dar A, Khan KM, Afza N, Voelter W. 2012. Antidepressant activity of carbamates and urea derivatives *Medical Chemistry Research*, 21(9): 2709-2715

590. Cao X, Xu S, Shen X, Zhang Q, Li J, Chen C. 2012. N-Nitrourea derivatives as novel potential fungicides against Rhizoctonia solani:synthesis, antifungal activities and and 3D-QSAR *Chemical Biology and drug design*, 80(1), pp 80-88

591. Yusufzai S K, Osman H, Rahim A S A, Arshad S, Razak I A. 2012. 3B-chloro-5-cholestan-6-one Acta Chrystallographica Section E: Structure Reports Online 68(4), pp1211 - 1212

592. Perveen S, Mustafa S, Khan MA, Dar A, Khan KM, Voelter W. 2012. Substituted urea derivatives: A potent class of antidepressant agents. *Medicinal Chemistry* 8 (3), pp 330-336

593. Quinjie Xu, Yarizhong Ju and Honghua Ge. 2012. Synthesis and Bioactivities of Poly N-Arenely-N'-(1, 4-Butenelydioxycarbonyl) thioureas *Advanced Materials Research* 610: 177 -180

Miteva E., D. Christova, V. Nenova, S. Maneva (2005). Arsenic as a factor affecting virus infection in tomato plants. Changes in plant growth, peroxidase activity and chloroplasts pigments. *Scientia Horticulturae - Amsterdam*, 105, 343-358.

594. El-Bramawy, M.A.S.A., El-Beshehy, E.K.F. (2012). Inheritance of Resistance to Bean Yellow Mosaic Virus in Faba Bean Plants -International Journal of Virology 8 (1), 98-105.

595. Kaya, A., Yigit, E., Akbulut, G.B (2012)-. The effects of reactive black 5 textile dye on peroxidase activity, lipid peroxidation and total chlorophyll content of *phaseolus vulgaris* L. CV. "Gina". *Fresenius Environmental Bulletin* 21 (1), 54-60.

596. Kaya, A., Yigit, E., Akbulut, G.B (2012)..Effects of reactive red 239 textile dye on total soluble protein content, peroxidase activity and lipid peroxidation of *Zea mays* L. cv. "Martha F1". *African Journal of Agricultural Reserach* 7 (24), 3588-3593.

597. Srivastava, S., Bisht, H., Sidhu, O.P. , Srivastava, A., Singh, P.C., Pandey, R.M., Raj, S.K., Roy, R. , Nautiyal, C.S. (2012). Changes in the metabolome and histopathology of *Amaranthus hypochondriacus* L. in response to Ageratum enation virus infection. *Phytochemistry* 80, 8-16.

598. Abdelkader A. F. and E. F.al Ahmed (2012). Antimicrobial and antioxidant activities of drought-endemic plants and enzymes production in Schefflera arboricola plants under pesticides stress. *Journal of Medicinal Plants Research* 6 (9), 1596-1604.

599. Kalogirou M. (2012). Antiviral and quality effects of chemical elicitors and Cucumber Mosaic Virus (CMV) infection on tomato plants and fruits. Ph.D. Thesis, Cranfield University <http://dspace.lib.cranfield.ac.uk/handle/1826/7278>

Kirova E, Nedeva D, Nikolova A, Ignatov G (2005) Changes in the biomass production and total soluble protein spectra of nitrate-fed and nitrogen-fixing soybeans subjected to gradual water stress. *Plant Soil Environ.* 51, 5: 237-242.

600. Corell M, Garcia MC, Contreras JI, Segura ML, Cermeño P. 2012. Effect of water stress on *Salvia officinalis* L. bioproduction and its bioelement concentrations. *Communications in Soil Science and Plant Analysis* 43, 1-2: 419-425.

Pouneva ID (2005) Effect of humic substances on the growth of microalgal cultures. *Russ. J. Plant. Physiol.* 52, 3, 410–413

601. Bai Wen-bo, Song Ji-qing, Guo Jin-yi, LIU Xing-hai, LI Ji-hui. 2012. Effects of plant polysaccharide compound agents on the photosynthetic characteristics and dry matter of soybean. *J. Appl. Ecol.*, 23 (7): 1861-1868.

602. BAI Wen-Bo, SONG Ji-Qing, LV Guo-Hua, GUO Jin-Yi, LIU Xing-Hai, LI Ji-Hui. 2012. Effects of plant polysaccharide compound agents on winter wheat photosynthetic characteristics and grain filling processes. *Chinese Journal of Eco-Agriculture*, Apr. 2012, 20(4): 433–439.

603. Bährs H., R. Menzel, G. Kusbasch, R. Stößer, A. PutschewT. Heinze, C. E.W. Steinberg. 2012. Does quinine or phenol enrichment of humic substances alter the primary compound from a non-algicidal to an algicidal preparation? *Chemosphere*, 87, 11, 1193–1200.

Stoimenova E, G Marinova, and I Garcia-Luque (2005) Influence of virus concentration on expression of cucumber mosaic virus resistance in pepper. *Boitechnology and biotechnological equipment* 2 (19), 36-41.

604. Li, D. 2012. The Ncm-1 gene for resistance to Cucumber mosaic virus in yellow lupin (*Lupinus luteus*): molecular studies and marker development. PhD thesis, Murdoch University, Australia,

Ivanov S., L. Miteva, V. Alexieva, H. Karjin, E. Karanov (2005) Alterations in some oxidative parameters in susceptible and resistant wheat plants infected with *Puccinia recondita* f.sp *tritici*. *J. Plant Physiol.*, 162(3), 275-279, [IF=1.149]. ISSN: 0176-1617.

605. Kovács, V., Vida, G., Szalai, G., Janda, T., Pál, M. 2012. Relationship between biotic stress tolerance and protective compounds in wheat genotypes. *Acta Agronomica Hungarica*, 60(2), 131-141. p- ISSN 0238-0161 e-ISSN 1588-2527

606. Pál M., V. Kovács, G. Vida, G. Szalai, T. Janda. 2012. Changes induced by powdery mildew in the salicylic acid and polyamine contents and the antioxidant enzyme activities of wheat lines. *European Journal of Plant Pathology*, on-line, DOI: 10.1007/s10658-012-0063-97. p-ISSN: 0929-1873 e-ISSN: 1573-8469

607. Salem W. M., Sayed W. F., Abdel-Fatah H., Neamat H. H. 2012. Assessment of compost for suppression of *Fusarium oxysporum* and improving *Zea mays* and *Hibiscus sabdarriffa* resistance to wilt diseases. *African Journal of Biotechnology*, 11(69), 13403-13414; ISSN 1684-5315

Ivanov, SV; Alexieva, VS; Karanov, EN (2005) Cumulative effect of low and high atrazine concentrations on *Arabidopsis thaliana* plants. *Russian J Plant Physiol.* 52(2), 213-219. [IF=0.127]. ISSN: 1021-4437.

608. Lukatkin A. S., Gar'kova A. N., Bochkareva A. S., Nushtaeva O. V., Teixeira da Silva J. A. 2012. Treatment with the herbicide TOPIK induces oxidative stress in cereal leaves. *Pesticide Biochemistry and Physiology*, online 2012; ISSN: 0048-3575

Miteva L., Tsoneva J., Ivanov S., Alexieva V (2005) Alteration of the content of hydrogen peroxide and malondialdehyde and activity of some antioxidant enzymes in the roots and leaves of Pea and Wheat plants exposed to glyphosate. Compt. rend. Acad. Bulg. Sci., 58(6), 723-728. [IF=0.219]. ISSN 1310-1331

609. Lukatkin A. S., Gar'kova A. N., Bochkarjova A. S., Nushtaeva O. V., Teixeira da Silva J. A. 2012. Treatment with the herbicide TOPIK induces oxidative stress in cereal leaves. *Pesticide Biochemistry and Physiology*, online ISSN: 0048-3575

Velikova V, Loreto F (2005) On the relationship between isoprene emission and thermotolerance in *Phragmites australis* leaves exposed to high temperatures and during the recovery from a heat stress. Plant Cell and Environment 28, 318-327

610. Bidabadi SS, Meon S, Wahab Z, Subramaniam S, Mahmood M. 2012. *In vitro* selection and characterization of water stress tolerant lines among ethyl methanesulphonate (EMS) induced variants of banana (*Musa* spp, with AAA genome). *Australian Journal of Crop Science* 6 (3): 567-575
611. Bidabadi SS, Mahmood M, Baninasab B, Ghobadi C. 2012. Influence of salicylic acid on morphological and physiological responses of banana (*Musa acuminata* cv 'Berangan', AAA) shoot tips to *in vitro* water stress induced by polyethylene glycol. *Plant Omics Journal* 5 (1): 33-39
612. Behnke K, Grote R, Bruggemann N, Zimmer I, Zhou GW, Elobeid M, Janz D, Polle A, Schnitzler JP. 2012. Isoprene emission-free poplars - a chance to reduce the impact from poplar plantations on the atmosphere. *New Phytologist* 194 (1), Special Issue: SI: 70-82, DOI: 101111/j1469-8137201103979x
613. Hartikainen K, Riikonen J, Nerg AM, Kivimaenpaa M, Ahonen V, Tervahauta A, Karenlampi S, Maenpaa M, Rousi M, Kontunen-Soppela S, Oksanen E, Holopainen T. 2012. Impact of elevated temperature and ozone on the emission of volatile organic compounds and gas exchange of silver birch (*Betula pendula* Roth). *Environmental and Experimental Botany* 84: 33-43, DOI: 101016/jenvexpbot201204014
614. Mahmood M, Bidabadi SS, Ghobadi C, Gray DJ. 2012. Effect of methyl jasmonate treatments on alleviation of polyethylene glycol -mediated water stress in banana (*Musa acuminata* cv 'Berangan', AAA) shoot tip cultures *Plant Growth Regulation* 68(2): 161-169
- Soliman WS, Fujimori M, Tase K, Sugiyama S - Heat tolerance and suppression of oxidative stress: comparative analysis of 25 cultivars of the C3 grass *Lolium perenne*. *Environmental and Experimental Botany* 78: 10-17
615. Sun Z, Copolovici L, Niinemets Ü. 2012. Can the capacity for isoprene emission acclimate to environmental modifications during autumn senescence in temperate deciduous tree species *Populus tremula*? *Journal of Plant Research* 125 (2), DOI 101007/s10265-011-0429-7
616. Wang D, Heckathorn SA, Wang XZ, Philpott SM. 2012. A meta-analysis of plant physiological and growth responses to temperature and elevated CO₂ *Oecologia* 169(1):1-13 (review)

Velikova V, Pinelli P, Pasqualini S, Reale L, Ferranti F, Loreto F (2005) Isoprene decreases the concentration of nitric oxide in leaves exposed to elevated ozone. New Phytologist 166: 419-426

617. Wang H, Nagegowda DA, Rawat R, Bouvier-Nave P, Guo D, Bach TJ, Chye M-L. 2012. Overexpression of *Brassica juncea* wild-type and mutant HMG-CoA synthase 1 in *Arabidopsis* up-regulates genes in sterol biosynthesis and enhances sterol production and stress tolerance. *Plant Biotechnology Journal* 10: 31-42, 2012

Velikova V, Tsonev T, Pinelli P, Alessio GA, Loreto F (2005) Localized ozone fumigation system for studying ozone effect on photosynthesis, respiration, electron transport rate and isoprene emission in field-grown Mediterranean oak species. *Tree Physiology*, 25, 1523-1532

618. Mazarura U . 2012. Effect of sequences of ozone and nitrogen dioxide on plant dry matter and stomatal diffusive resistance in radish, *African Crop Science Journal*, 20, Iss Supplement s2, 371-384

Lambreva M, Stoyanova-Koleva D, Baldjiev G, Tsonev T (2005) Early acclimation changes in the photosynthetic apparatus of bean plants during short-term exposure to elevated CO₂ concentration under high temperature and light intensity. *Agriculture, Ecosystems and Environment* 106(2-3), 219-232

619. Hu H, Zhang J, Sun X, Zheng K, Hua W, Liu H. 2012. Vertical distribution of leaf chlorophyll fluorescence of salt sensitive and tolerant barley under NaCl stress. *Advanced Science Letters*, 11 (1), 2012, 734-737

Velikova V, Loreto F, Tsonev T, Brilli F, Edreva A (2006) Isoprene prevents the negative consequences of high temperature stress in *Platanus orientalis* leaves, *Funct Plant Biol* 33, 931-940

620. Exton DA, Suggett DJ, Steinke M, McGenity TJ. 2012. Spatial and temporal variability of biogenic isoprene emissions from a temperate estuary. *Global Biogeochemical Cycles* 26, GB2012, DOI: 101029/2011GB004210

621. Hüve K, Bichele I, Ivanova H, Keerberg O, Pärnik T, Rasulov B, Tobias M, Niinemets Ü. 2012. Temperature responses of dark respiration in relation to leaf sugar concentration. *Physiologia Plantarum* 144 (4), 320-334

Lambreva M, Christov K, Tsonev T (2006) Short-term effect of elevated CO₂ concentration and high irradiance on the antioxidant enzymes in bean plants. *BiolPlant* 50 (4), 617-623

622. Cheng GY, Liu J, Tao MX, Lu CM, Wu GR. 2012. Activity, thermostability and isozymes of superoxide dismutase in 17 edible mushrooms, *Journal of Food Composition and Analysis* 26 (1-2), 136-143

Sergiev, I., V. Alexieva, S. Ivanov, I. Moskova, E. Karanov (2006) The phenylurea cytokinin 4PU-30 protects maize plants against glyphosate action. *Pest. Bioch. Physiol.*, 85(3), 139-146. ISSN 0048-3575, [IF=1.189]. ISSN: 0048-3575

623. Barbosa, H.S., Arruda, S.C.C., Azevedo, R.A., Arruda, M.A.Z. 2012. New insights on proteomics of transgenic soybean seeds: Evaluation of differential expressions of enzymes and proteins. *Analytical and Bioanalytical Chemistry*, 402 (1), 299-314; p-ISSN: 1618-2642 e-ISSN: 1618-2650

624. Chen S., Chai M-L, Jia Y-F, Gao Z-S, Zhang L, Gu M-X, Lin W-D, Wang L-P. 2012. *In vitro* selection of glyphosate-tolerant variants from long-term callus cultures of *Zoysia matrella* [L.]. Merr. *Plant Cell, Tissue and Organ Culture*; p-ISSN: 0167-6857 e-ISSN: 1573-5044

625. Huang J L, Silva E. N., Shen Z G, Jiang B, Lu H F. 2012. Effects of glyphosate on photosynthesis, chlorophyll fluorescence and physicochemical properties of cogongrass (*Imperata cylindrical* L.). *Plant Omics Journal*, 5(2), 177-183; ISSN:1836-3644

626. Liu Y., Zhang C-X, Liu H-Z, Liu T., Wei S-H, Huang H-J. 2012. Construction of suppression subtractive hybridization library from *Cirsium setosum* (Willd.) MB under glyphosate stress. *African Journal of Microbiology Research*, **6**(26), 5506-5510; ISSN 1996-0808
627. Lu W., Li L., Chen M., Zhou Z-F, Zhang W., Ping S-Z, Yan Y-L, Wang J., Lin M. 2012. Genome-wide transcriptional responses of *Escherichia coli* to glyphosate, a potent inhibitor of the shikimate pathway enzyme 5-enolpyruvylshikimate-3-phosphate synthase. *Mol. BioSyst.*, online ISSN: 1742-206X

Petrova M., N. Zagorska, K. Tasheva, L. Evstatieva (2006) In vitro propagation of Gentiana lutea L. Genetics and Breeding, 35(1-2), 63-68. ISSN

628. Millaku F, B Gashi, K Abdullai, S Aliu, M Osmani, E Krasniqi, V Mata, A Rysh. 2012. Effects of cold-stratification, gibberellic acid and potassium nitrate on seed germination of yellow gentian (*Gentiana lutea* L.). *African Journal of Biotechnology*, **11** (68), 13173 – 13178. ISSN 1684-5315
629. Holobiuc I., R. Catana. 2012. Recurrent somatic embryogenesis in long term cultures of *Gentiana lutea* L. as a source for synthetic seed production. *Arch. Biol. Sci., Belgrade*, **64** (2), 809-817 DOI:10.2298/ABS1202809H. p-ISSN 0354-4664, e-ISSN 1821-4339

Toncheva-Panova T, Merakchiyska M, Djingova R, Ivanova J, Sholeva M, Paunova S (2006) Effect of Cu²⁺ on the red microalga *Rhodella reticulata*. Gen. Appl. Plant Physiol., Special Issue 53-60

630. Priyadarshami I, Rath B. 2012. Effect of heavy metals on cyanobacteria of odishacost. *Journal of Microbiology and Biotechnology Research*, **2** (5), 665-674.
631. Batir L. 2012. Productivitateasi component biochimica a cianobacteriei spirulinaplatensis cnm-cb-02 LA cultivare in prezenta unor compusi coordinative aicuprului- Academia de Stiinje a Moldovei, IMB MICROBIOLOGIE SI BIOTEHNOLOGIE (дисертация)

Pilarska D, McManus M, Pilarski P, Georgiev G, Mirchev P, Linde A (2006) Monitoring the establishment and prevalence of the fungal entomopathogen *Entomophaga maimaiga* in two *Lymantria dispar* L. populations in Bulgaria. Journal of Pest Science, 79(2), 63-67

632. Zhou, X. 2012. Winter prevalence of obligate aphid pathogen Pandora neoaphidis mycosis in the host *Myzus persicae* populations in southern china: Modeling description and biocontrol implication. *Brazilian Journal of Microbiology* **43** (1), 325-331

Simova-Stoilova L, Vassileva V, Petrova T, Tsenov N, Demirevska K, Feller U (2006) Proteolytic activity in wheat leaves during drought stress and recovery, Gen. Appl. Plant Physiol. Special issue 32, 91-100.

633. Khoudi H, Maatar Y, Brini F, Fourati A, Ammar N, Masmoudi K. 2012. Phytoremediation potential of *Arabidopsis thaliana*, expressing ectopically a vacuolar proton pump, for the industrial waste phosphogypsum. *Environmental Science and Pollution Research* 1-11.
634. Kohli A, Narciso JO, Miro B, Raorane. 2012. Root proteases: reinforced links between nitrogen uptake and mobilization and drought tolerance. *Physiol. Plantarum* 145, 1: 165-79.
635. Rollins, J. 2012. Genetic and proteomic responses to abiotic stress in barley (*Hordeum vulgare*) (Doctoral dissertation, Universität zu Köln).
636. Wang T, Chen X-P, Li H-F, Liu H-Y, Hong Y-B, Yang O-L, Chi X-Y, Yang Z, Yu S-L, Li L, Liang X-Q. 2012. Transcriptome identification of the resistance-associated genes (RAGs) to *Aspergillus flavus* infection in pre-harvested peanut (*Arachis hypogaea*). *Functional Plant Biology* <http://dx.doi.org/10.1071/FP12143>
637. Григорова БС. 2012. Биохимични, физиологични и морфологични промени при пшенични растения под влияние на засушаване, висока температура и тяхната комбинация. Докторска дисертация, София

Kirova E (2006) Response of nitrate-fed and nitrogen-fixing legume plants to water stress. *Plant Science* 44: 13–17 (in Bulgarian).

638. Vasileva V. 2012. Nitrogen content in yield of dry aboveground and root mass of forage lucerne (*Medicago sativa* L.) after mineral nitrogen fertilization and water deficiency stress. *Agronomy Research* 10, 1–2: 351–356.

Geneva M, G Zehirov, E Djonova, N Kaloyanova, G Georgiev, I Stancheva (2006) The effect of inoculation of pea plants with mycorrhizal fungi and Rhizobium on nitrogen and phosphorus assimilation. *Plant Soil Environ.* 52, 435–440.

639. Yasmeen T, Hameed S, Tariq M, Iqbal J. 2012. Vigna radiata root associated mycorrhizae and their helping bacteria for improving crop productivity. *Pak. J. Bot.*, 44(1): 87-94,
640. Sharma MP, Jaisinghami K, Sharma SK, Bhatia VS. 2012. Effect of native soybean rhizobia and am fungi in the improvement of nodulation, growth, soil enzymes and physiological status of soybean under microcosm conditions. *Agricultural Research* 1-6.

Demirevska-Kepova K, Simova-Stoilova L, Stoyanova Z , Feller U (2006) Cadmium stress in barley: Growth, leaf pigment, and protein composition and detoxification of reactive oxygen species. *J. Plant Nutrition* 29, 3: 451-468.

641. Cuypers A, Remans T, Weyens N, Colpaert J, Vassilev A, Vangronsveld J. 2012. Soil-plant relationships of heavy metals and metalloids. In: Heavy Metals in Soils subtitle Trace Metals and Metalloids in Soils and their Bioavailability, series Environmental Pollution 22, pp 161-193, DOI 10.1007/978-94-007-4470-7_6.
642. Faizan S, Kausar S, Perveen R. 2012. Variation in growth, physiology and yield of four chickpea cultivars exposed to cadmium chloride. *Journal of Environmental Biology* 33, 6: 1137-1142.
643. Iqbal N, Khan NA, Khan MIR, Nazar R, Masood A, Syeed S. 2012. Sulfur in the Alleviation of Cadmium-Induced Oxidative Stress in Plants. In: Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change, pp 429-446, Springer New York. DOI 10.1007/978-1-4614-0815-4_20.

644. Koyro H-W, Ahmad P, Geissler N. 2012. Environmental adaptations and stress tolerance of plants in the era of climate change. In: Abiotic Stress Responses in Plants: An Overview, pp. 1-28, Springer New York. DOI 10.1007/978-1-4614-0815-4_1.
645. Li Y, Zhang S, Jiang W, Liu D. 2012. Cadmium accumulation, activities of antioxidant enzymes, and malondialdehyde (MDA) content in *Pistia stratiotes* L. *Environ Sci Pollut Res* DOI 10.1007/s11356-012-1054-2.
646. Mohamed AA, Castagna A, Ranieri A, Sanità di Toppi L. 2012. Cadmium tolerance in *Brassica juncea* roots and shoots is affected by antioxidant status and phytochelatin biosynthesis. *Plant Physiology and Biochemistry* 57: 15-22.

Doncheva S, Stoyanova Z, Georgieva K, Nedeva D, Dikova R, Zehirov G, & Nikolova A (2006) Exogenous succinate increases resistance of maize plants to copper stress. Journal of Plant Nutrition and Soil Science, 169, 247-254.

647. Daiva Janušauskaite, Dalia Feiziene. 2012: Chlorophyll fluorescence characteristics throughout spring triticale development stages as affected by fertilization, *Acta Agriculturae Scandinavica, Section B - Soil & Plant Science*, 62:1, 7-15
648. Chatterjee S, Singh L, Chattopadhyay B, Datta S, Mukhopadhyay SK. 2012. A study on the waste metal remediation using floriculture at East Calcutta Wetlands, a Ramsar site in India. *Environmental Monitoring and Assessment* 184, 8: 5139-5150.

Hristozkova, M., M. Geneva and I. Stancheva (2006) Response of pea plants (*Pisum sativum* L.) to reduced supply with molybdenum and copper. Int. J. Agric. Biol., 8: 218–200.

649. Bouzid S, Rahmoune C. 2012. Enhancement of Saline Water for Irrigation of *Phaseolus vulgaris* L. Species in Presence of Molybdenum, *Procedia Engineering*, 33, 168–173
650. Parvaze Ahmad Wani, Mohammad Saghir Khan and Almas Zaidi. 2012. Toxic Effects of Heavy Metals on Germination and Physiological Processes of Plants, Toxicity of Heavy Metals to Legumes and Bioremediation, 45-66, DOI: 10.1007/978-3-7091-0730-0_3

Krasteva ME, Georgieva EI (2006) Germline p53 single-base changes associated with Balkan endemic nephropathy. Biochemical and Biophysical Research Communications 342 (2): 562-567.

651. Khani H, Hosseinpourefeizi M, Pouladi N, Chaparzadeh N, Montazeri V, Azarfam P. 2012. Detection of p53 gene exons 5 and 6 mutations among East Azerbaijani women with breast cancer. *Journal of Zanjan University of Medical Sciences and Health Services* Volume 20, Issue 78

Landjeva S, Korzun V, Ganeva G (2006). Evaluation of genetic diversity among Bulgarian winter wheat (*Triticum aestivum* L.) varieties during the period 1925-2003 using microsatellites. Genet Resour Crop Evol 53: 1605-1614

652. Karsai I, Vida Gy, Petrovics S, Petcu E, Kobiljski B, Ivanovska S, Bedö Z, Veisz O. 2012. Assessment of the spatial genotypic and phenotypic diversity present in the various winter wheat breeding programs in Southeast Europe. *Euphytica* 186: 139-151
653. Cheng X, Xu H, Dong Z, Chen F, Zhan K and Cui D. 2012. Genetic evolution and utilization of wheat germplasm resources in Huanghuai winter wheat region of China. *Pakistan J Botany* 44(1): 281-288

654. Rauf S, Tariq SA, Hassan S. 2012. Estimation of pedigree based diversity in Pakistani wheat (*Triticum aestivum* L.) germplasm. Communications in Biometry and Crop Science 7(1): 14-22
655. Španić V, Buerstmayr H, Drezner G. 2012. Assessment of genetic diversity of wheat genotypes using microsatellite markers. Periodicum Biologorum 114(1):37-42
656. Haile JK, Hammer K, Badebo A, Nachit MM, Röder MS. 2012. Genetic diversity assessment of Ethiopian tetraploid wheat landraces and improved durum wheat varieties using microsatellites and markers linked with stem rust resistance. Genet Resour Crop Evol DOI 10.1007/s10722-012-9855-1
657. Li H, Zhang H, Liu B, Liu D, Zhang B. 2012. Assessing genetic diversity and its changes of bread wheat in Qinghai Province, China, using agronomic traits and microsatellite markers. Biological Agriculture & Horticulture 28: 120-128
658. Santos-Garcia MO, de Toledo-Silva G, Sasaki RP, Ferreira TH et al. 2012. Using genetic diversity information to establish core collections of *Stylosanthes capitata* and *Stylosanthes macrocephala*. Genetics and Molecular Biology 35(4): 847-861
659. Petrović S, Marić S, Čupić T, Drezner G, Karsai I. 2012. Assessment of genetic diversity in Croatian winter wheat varieties using SSR and AFLP markers. Poljoprivreda 18(2): 18-24
660. Wang Y, Wang Ch, Zhang H, Yue Zh, Liu X, Ji W. 2012. Genetic analysis of wheat (*Triticum aestivum* L.) and related species with SSR markers. Genetic Resources and Crop Evolution DOI 10.1007/s10722-012-9907-6
661. Чеботар Г.О. 2012. Алелі генів короткостебловості Rht8, Rht-B1, Rht-D1, нечутливості до фотoperіоду Ppd-D1 м'якої пшениці та їх ефекти на агрономічні ознаки // Дисертація на здобуття наукового ступеня канд. біол. наук. – Одеса – 185 с

Landjeva S, Korzun V, Tsanev V, Vladova R, Ganeva G (2006). Distribution of the wheat-rye translocation 1RS.1BL among bread wheat varieties of Bulgaria. Plant Breed 125: 102-104

662. Zhao C, Cui F, Wang X, Shan S, Li X, Bao Y, Wang H. 2012. Effects of 1BL/1RS translocation in wheat on agronomic performance and quality characteristics. Field Crops Research 127: 79-84

Petrova M, Stoilova Ts, Zagorska N (2006) Isoenzyme and protein patterns of in vitro micropaginated plantlets of *Gentiana lutea* L. after application of various growth regulators. Biotechnol. Biotechnol. Eq., 20, 15–19.

663. Branka Vinterhalter, Dijana Krstić Milošević, Teodora Janković, Jelena Milojević, Dragan Vinterhalter. 2012. *In vitro* propagation of *Gentiana dinarica* Beck. Central European Journal of Biology, 7 (4), 2012, 690-697.

Stancheva I, M Geneva, G Zehirov, G Tsvetkova, M Hristozkova, G Georgiev (2006) Effects of combined inoculation of pea plants with arbuscular mycorrhizal fungi and Rhizobium on nodule formation and nitrogen fixing activity. Gen. Appl. Plant Physiology, Special issue, 61-66.

664. Tajini F, Trabelsi M, & Drevon, J J. 2012. Arbuscular mycorrhizas by contact with mycorrhized *Stylosanthes guianensis* enhance P use efficiency for N₂ fixation in the common bean (*Phaseolus vulgaris* L.). African Journal of Microbiology Research, 6 (6), 1297-1305.

Georgieva K, L Maslenkova (2006) Thermostability and Photostability of PSII in Leaves of Resurrection Plant *Haberlea rhodopensis* Studied by Means of Chlorophyll Fluorescence Z Naturforshung, 61c, 234-240

665. Dinakar C, Djilianov D, Bartels D. 2012. Photosynthesis in desiccation tolerant plants: Energy metabolism and antioxidative stress defense. *Plant Science*, 182 (1), 29-41
666. B N Popov, S Y Georgieva, S Lalchev. 2012. Radioprotection from genetic damage by resurrection plant *Haberlea rhodopensis* – in vivo/in vitro study with rabbits. *Trakia Journal of Sciences*, 10 (3), 41-47
667. Михайлова Г (2012) Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими Дисертация, София, БАН-ИФРГ

Fedina I, K Georgieva, M Velitchkova, I Grigorova (2006) Effect of pre-treatment of barley seedlings with different salts on the level of UV-B induced and UV-B absorbing compounds. Environmental and Experimental Botany, 56 (3), 225-230

668. Li X, Zhang L, Li Y, Ma L, Bu N, Ma C. 2012. Changes in photosynthesis, antioxidant enzymes and lipid peroxidation in soybean seedlings exposed to UV-B radiation and/or Cd²⁺ Plant and Soil, 352 (1-2), 377-387
669. Kravets E, Zelena L, Zabara E, Ya B Blume. 2012. Adaptation strategy of barley plants to UV-B radiation. Emirates Journal of Food and Agriculture, 24(6), 632-645

Georgieva K, HK Lichtenthaler (2006) Photosynthetic response of different pea cultivars to a low and high temperature treatment Photosynthetica, 44(4), 569-578

670. Cherif, J, Derbel, N, Nakkach, M, Von Bergmann, H, Jemal, F, Lakhdar, ZB. 2012. Spectroscopic studies of photosynthetic responses of tomato plants to the interaction of zinc and cadmium toxicity. *Journal of Photochemistry and Photobiology B: Biology*, 111, 9-16

Christov I, D Stefanov, T Velinov, V Goltsev, K Georgieva, P Abracheva, Y Genova, Nikolai Christov (2007) Symptomless leaf infection in grapevine plants grown *in vitro* with grapevine leafroll associated virus 3. J Plant Physiol, 164 (9), 1124-1133

671. Repetto O, Bertazzon N, De Rosso M, Miotti L, Flamini R, Angelini E, Borgo M. 2012. Low susceptibility of grapevine infected by GLRaV-3 to late Plasmopara viticola infections: Towards understanding the phenomenon. *Physiological and Molecular Plant Pathology*, 79, 55-63

Ducruet J-M, Peeva V, Havaux M (2007) Chlorophyll thermofluorescence and thermoluminescence as complementary tools for the study of temperature stress in plants. Photosynthesis research 93(1-3): 159-171

672. Duan R-Y, Huang M-Y, Wu L-F, Wang Y-M, Yang D-W, Rui L. 2012. Effects of temperature on chlorophyll fluorescence parameters of *Fragaria ananassa* Duch Cv Toyonoka. *World Automation Congress Proceedings*, Article number 6322862
673. Song L, Jiang Y, Zhao H, Hou M. 2012. Acquired thermotolerance in plants. *Plant Cell, Tissue and Organ Culture* 111(3): 265-276
674. Xue L-J, Zhang J-J, Xue H-W. 2012. Genome-wide analysis of the complex transcriptional networks of rice developing seeds. *PLoS ONE*
675. Tovuu A, Zulfugarov IS, Lee CH. 2012. Correlations between the temperature dependence of chlorophyll fluorescence and the fluidity of thylakoid membranes. *Physiologia Plantarum* doi: 10.1111/j.1365-3042.2012.02170.x

676. Kalaji HM, Goltsev V, Bosa K, Allakhverdiev SI, Strasser RJ, Govindjee. 2012. Experimental in vivo measurements of light emission in plants: a perspective dedicated to David Walker. *Photosynthesis Research* 114(2): 69-96
677. Misra AN, Misra M, Singh R. 2012. Thermoluminescence in chloroplast thylakoid. *Biophysics*, ISBN 978-953-51-0376-9
678. Dongsansuk A, Lütz C, Neuner G. 2012. Effects of temperature and irradiance on quantum yield of PSII photochemistry and xanthophyll cycle in a tropical and temperate species. *Photosynthetica*, DOI 101007/s11099-012-0070-2

Georgieva K, Szigeti Z, Savari E, Gaspar L, Maslenkova L, Peeva V, Peli E, Tuba Z. (2007) Photosynthetic activity of homoiochlorophyllous desiccation tolerant plant Haberlea rhodopensis during dehydration and rehydration. *Planta*, 225(4): 955-964

679. Jogaiah S, Govind SR, Tran L-SP. 2012. Systems biology-based approaches toward understanding drought tolerance in food crops, *Critical Reviews in Biotechnology* doi:103109/073885512012659174
680. Tremblay N, Wang Z, Cerovic Z. 2012. Sensing crop nitrogen status with fluorescence indicators. A review *Agronomy for sustainable development* 32(2): 451-464
681. Dinakar C, Djilianov D, Bartels D. 2012. Photosynthesis in desiccation tolerant plants: Energy metabolism and antioxidative stress defense. *Plant Science* 182: 29-41
682. Farrant JM, Cooper K, Nell H. 2012. Desiccation tolerance In: *Plant Stress Physiology*, ed Sergey Shabala, pp: 238-265
683. Georgieva T, Christov NK, Djilianov D. 2012. Identification of desiccation-regulated genes by cDNA-AFLP in *Haberlea rhodopensis*: a resurrection plant. *Acta Physiologiae Plantarum*, 34(3): 1055-1066
684. Garcia-Plazaola JI, Esteban R, Fernandez-Martin B, Kranner I, Porcar-Castell A. 2012. Thermal energy dissipation and xanthophyll cycles beyond the Arabidopsis model. *Photosynthesis research*, 113(1-3): 89-103
685. Apostolova E, Rashkova M, Anachkov N, Denev I, Toneva V, Minkov I, Yahubyan G. 2012. Molecular cloning and characterization of cDNAs of the superoxide dismutase gene family in the resurrection plant *Haberlea rhodopensis*. *Plant Physiology and Biochemistry*, 55: 85-92
686. Tao Y, Zhang YM. 2012. Effects of leaf hair points of a desert moss on water retention and dew formation: implications for desiccation tolerance. *Journal of plant research*, 125(3): 351-360
687. Denev I, Stefanov D Terashima I. 2012. Preservation of integrity and activity of *Haberlea rhodopensis* photosynthetic apparatus during prolonged light deprivation. *PHYSIOLOGIA PLANTARUM*, 146(1): 121-128 DOI: 101111/j1399-3054201201608x

Stoilov L M, Mullenders L H F, Darroudi F and A T Natarajan (2007) Adaptive response to DNA and chromosomal damage induced by X-rays in human blood lymphocytes. *Mutagenesis*, 22, 117-122.

688. A Eken, A Aydin, O Erdem, C Akay. 2012. Induced antioxidant activity in hospital staff occupationally exposed to ionizing radiation. *Journal of Radiation Biology*, 88, 648-653.
689. SH Kaur. 2012. Evaluation of ionizing radiation exposure for biodosimetry validation of whole chromosome painting shodhganga.inflibnet.ac.in
690. S Galaz-Leiva, G Pérez-Rodríguezq A. Blazko-Kastro, J. Stockert. 2012. A simplified chromatin dispersion (nuclear halo) assay for detecting DNA breakage

induced by ionizing radiation and chemical agents Biotechnic & Histochemistryq, 871, 208-217.

691. Zeni, A Sannino, S Romeo, R Massa, M Sarti A. Reddy^e, T. Prihoda, Vijayalaxmi^e, M. Scarfi. 2012. Induction of an adaptive response in human blood lymphocytes exposed to radiofrequency fields: Influence of the universal mobile telecommunication system (UMTS) Mutation Research -Genetic Toxicology and Environmental Mutagenesis, 747, 298-35.

Petkov G, Garcia G (2007) Which are fatty acids of the green alga *Chlorella*? Biochemical Systematics and Ecology 35, 281-285

692. Cheirsilp B, Kitcha S, Torpee S. 2012. Co-culture of an oleaginous yeast *Rhodotorula glutinis* and a microalga *Chlorella vulgaris* for biomass and lipid production using pure and crude glycerol as a sole carbon source. Annals of Microbiology 62 (3), 987-993, <http://www.springerlink.com/content/64117663j2651114/>
693. Khoeyi ZA, Seyfabadi J, Ramezanpour Z. 2012. Effect of light intensity and photoperiod on biomass and fatty acid composition of the microalgae, *Chlorella vulgaris*. Aquacult. Int. 20 (1) 41-49.
694. Wang H, Xiong, H, Hui Z, Zeng X. 2012. Mixotrophic cultivation of *Chlorella pyrenoidosa* with diluted primary piggery wastewater to produce lipids. Bioresource Technology 104, 215-220.
695. Bai Attila, Stündl László, Bársony Péter, Fehér Milán, Jobbágó Péter, Herpergel Zoltán and Vaszkó Gábor. 2012. Algae production on pig sludge Agronomy for Sustainable Development 32 (3), 611-618. DOI: 10.1007/s13593-011-0077-2
696. Muge Isleten-Hosoglu, Idil Gultepe, Murat Elibol. 2012. Optimization of carbon and nitrogen sources for biomass and lipid production by *Chlorella saccharophila* under heterotrophic conditions and development of Nile red fluorescence based method for quantification of its neutral lipid content. Biochemical Engineering Journal 61, 11-19.
697. Ofori-Boateng C, Keat TL, Jitkang L. 2012. Feasibility study of microalgal and jatropha biodiesel production plants: Exergy analysis approach. Applied Thermal Engineering 36, 141–151.
698. Fan J, Huang J, Li Y, Han F, Wang J, Li X, Wang W, Li S. 2012. Sequential heterotrophy-dilution-photoinduction cultivation for efficient microalgal biomass and lipid production Bioresource Technology, 112, 206-211. <http://www.sciencedirect.com/science/article/pii/S0960852412002970>
699. Min-Kyu Ji & Hyun-Chul Kim & Veer Raghavulu Sapireddy & Hyun-Shik Yun & Reda A. I. Abou-Shanab & Jaeyoung Choi & Wontae Lee & Thomas C. Timmes & Inamuddin & Byong-Hun Jeon. 2012. Simultaneous nutrient removal and lipid production from pretreated piggery wastewater by *Chlorella vulgaris* YSW-04. Appl Microbiol Biotechnol DOI 10.1007/s00253-012-4097-x Accessed: 15. 05. 2012.
700. Borowitzka MA. 2012. Handbook of Bioenergy Crop Plants. In: DR. Shonnard (Ed.). CRC Press, pp 653-670. <http://www.crcnetbase.com/doi/abs/10.1201/b11711-30>
701. Anna Claudia de Andrade Tomaz. 2012. Substancias encontradas em algas rodoficeas do litoral paraibano e do Mar Jonico – Grecia. PhD Thesis, University of Paraiba, 350 p. http://bdtd.biblioteca.ufpb.br/tde_arquivos/13/TDE-2012-05-29T124500Z-1668/Publico/arquivototal.pdf
702. Ratha SK, Babu S, Renuka N, Prasanna R, Prasad RBN, Saxena AK. 2012. Exploring nutritional modes of cultivation for enhancing lipid accumulation in microalgae. J. of Basic Microbiology, Publ.: 26. Jun 2012. DOI: 10.1002/jobm.201200001

703. Tomaz, ACDA, Miranda GECD, Souza MDFVD, da Cunha EVL. 2012. Analysis and characterization of methyl esters of fatty acids of some *Gracilaria* species. Biochemical Systematics and Ecology 44, 303–306.
704. Celine Dejoye Tanzi, Maryline Abert Vian, Ginies C., Elmaataoui M., Chemat F. Terpenes as Green Solvents for Extraction of Oil from Microalgae. Molecules 2012, 17, 8196-8205
705. Wang Y, Chen T, Qin S. 2012. Differential fatty acid profiles of *Chlorella kessleri* grown with organic materials. Journal of Chemical Technology and Biotechnology, online: 17 07. DOI: 10.1002/jctb.3881
706. Pardo, Y., Peralta Y., Gonzalez A., Kafarov V. 2012. Computer aided evaluation of eco-efficiency of solvent-based algae oil extraction processes for biodiesel production. In: Lockhard ID, Fairweather M. (Eds.) Proceedings of the 22nd European Symposium on Computer Aided Chemical Engineering 30, 87-90. Elsevier, London.
707. Mathias Ahii Chia. 2012. physiological response of *Chlorella vulgaris* to cadmium, phosphorus and nitrogen. PhD-Thesis, Univ. Sao Carlos, 103 p.
708. Peralta-Ruiz Y, Gonzalez-Delgado A-D, Kafarov V. 2012. Evaluation of alternatives for microalgae oil extraction based on exergy analysis. Applied Energy, in press.
709. ZHENG Xue-hong, ZHENG Ai-rong. 2012. Determination of fatty acids in algae Chlorella by gas chromatography Department of Oceanography, Xiamen University, Xiamen 361005, China Marine Science 36 (6), 22-27.
710. Momocha Ngangkham, Sachitra Kumar Ratha, Radha Prasanna, Anil Kumar Saxena, Dolly Wattal Dhar, Chandragiri Sarika, Rachapudi Badari Narayana Prasad. 2012. Biochemical modulation of growth, lipid quality and productivity in mixotrophic cultures of *Chlorella sorokiniana*. SpringerPlus doi:10.1186/2193-1801-1-33, ISSN 2193-1801. <http://www.springerplus.com/content/1/1/33>
711. Tsigie Y.A., Huynh L.H., Ismadji S., Engida A.M., Ju Y-H. 2012. *In situ* biodiesel production from wet *Chlorella vulgaris* under subcritical condition. Chemical Engineering Journal, <http://dx.doi.org/10.1016/j.cej.2012.09.112>
712. Soleymanian, S., Sateei, A., Shokravi, Sh. 2012. The Effect of Aluminum presence in heterotrophic and autotrophic conditions on the content changes of saturated and unsaturated fatty acids in micro algae *Chlorella vulgaris* Beijernick. J. Appl. Environ. Biol. Sci., 2(10)537-548.
713. Li C, Yang H, Xia X, Li Y, Chen L, Zhang M, Wang W. 2013. High efficient treatment of citric acid effluent by *Chlorella vulgaris* and potential biomass utilization. Bioresource Technology 127, 248-255.
714. Lukavsky J. 2012. Trachydiscus minutus: A new algal EPA producer. In: Algae: ecology, economic uses and environment impact. Dagmar Krueger & Helga Meyer (Eds.). Nova Sci. Publ. New York, pp. 77-104. (ISBN: 978-1-62081-280-8)
715. Chia MA, Melão M da GG, Lombardi AT, Parrish CC. 2012. Lipid composition of *Chlorella vulgaris* (Trebouxiophyceae) as a function of different cadmium and phosphate concentrations. Aquatic Toxicology. <http://dx.doi.org/10.1016/j.aquatox.2012.12.004>
716. Abou-Shanab RAI, Raghavulu1 SV, Hassanin NMA, Kim S, Kim YJ, Oh SU, Oh Y-K, Jeon1 B-H. 2012. Manipulating nutrient composition of microalgal growth media to improve biomass yield and lipid content of *Micractinium pusillum*. African Journal of Biotechnology 11(96), 16270-16276.
717. Ornkanya Mengyu, Amphai Longloy, Nanthawan Santisthikul. 2012. Effect of Bio-fermented Seaweed *Chaetomorpha crassa* (C. Agardh) Kützing, F.T., 1845 on Phytoplankton Growth Technical Paper No. 22/2012. รหัสทะเบียนวิจัย 54-0345-54047

718. Pardo Y, Peralta Y, Gonzalez A, Kafarov V. 2012. Exergy and environmental analysis of oil extraction methods for sustainable microalgal biodiesel production. Univ. Indust. Santander, Bucaramanga, Colombia
<http://conf.ti.kviv.be/iscre22/programme/10-ABSTRACT-589-Abstract%20Extraction.pdf> Conf. Maanstricht, 2-5 IX, <http://conf.ti.kviv.be/iscre22/>

Minkova K, Gigova L, Tchernov A, Stojanova M, Ivanova N, Boteva R, et al. (2007) Isolation of pure C-phycocyanin from *Arthrospira maxima* and *Arthrospira fusiformis* by a modified nonchromatographic rivanol-sulfate procedure. C R Acad Bulg Sci;60:795–8

719. Olguín, EJ. 2012. Dual purpose microalgae–bacteria-based systems that treat wastewater and produce biodiesel and chemical products within a Biorefinery. Biotechnology Advances, 30, (5), 1031–1046.

Minkova K, M Tchorbadjieva, A Tchernov, M Stojanova, L Gigova, M Busheva. (2007) Improved procedure for separation and purification of *Arthonema africanum* phycobiliproteins. Biotechnology Letters 29, 4: 647-651

720. Cai, C., Li, C., Wu, S., Wang, Q., Guo, Z. and He, P. 2012. Large scale preparation of phycobiliproteins from *Porphyra yezoensis* using co-precipitation with ammonium sulfate. *Natural Science*, 4, 536-543.doi: 10.4236/ns.2012.48071.

721. Fan C, Jiang J, Yin X, Wong K-H, Zheng W, Chen T. 2012. Purification of selenium-containing allophycocyanin from selenium-enriched *Spirulina platensis* and its hepatoprotective effect against t-BOOH-induced apoptosis. Food Chemistry 134 (1), pp. 253-261.

722. CAI Chun-er, LI Chun-xia, TENG Yi-yue, LIN Zi-long, GU Bi-ying, HE Pei-min. 2012. Comparison of crude extraction methods of phycoerythrin from *Porphyra yezoensis*. Journal of Shanghai Ocean University vol.21, №3, 368-373.

Landjeva S, Korzun V, Börner A (2007) Molecular markers: actual and potential contributions to wheat genome characterization and breeding. Euphytica 156: 271–296

723. Huang BE, George AW, Forrest KL, Kilian A, Hayden AJ, Morell MK, Cavanagh CR. 2012. A multiparent advanced generation inter-cross population for genetic analysis in wheat. Plant Biotechnol J DOI: 10.1111/j.1467-7652.2012.00702.x

724. Khlestkina EK. 2012. Molecular methods for analyzing the structure-function organization of genes and genomes in higher plants. Russian Journal of Genetics: Applied Research 2(3): 243-251

725. Gao H, Zhu F, Jiang Y, Wu J, Yan W, Zhang Q, Jacobi A, Cai S. 2012. Genetic analysis and molecular mapping of a new powdery mildew resistant gene *Pm46* in common wheat. Theoretical and Applied Genetics DOI: 10.1007/s00122-012-1886-7

726. Cheng X, Xu H, Dong Z, Chen F, Zhan K, Cui D. 2012. Genetic evolution and utilization of wheat germplasm resources in Huanghuai winter wheat region of China. Pakistan J Botany 44(1): 281-288

727. Trkulja D, Kondić-Špika A, Brbaklić L, Kobiljski B, Hristov N. 2012. Marker-trait associations for spike-related characters in a doubled haploid population of wheat. Romanian Agricultural Research 29: 9-16

728. Diederichsen A, Solberg S, Jeppson S. 2012. Morphological changes in Nordic spring wheat (*Triticum aestivum* L.) landraces and cultivars released from 1892 to 1994. Genet Resour Crop Evol DOI: 10.1007/s10722-012-9858-y

729. Chrpová J, Šíp V, Bartoš P, Hanzalová A, Palicová J, Štočková L, Čejka L, Bížová I, Laml P, Nováček T, Horčička P. 2012. Results of the Czech National Ring Tests of Disease Resistance in Wheat. Czech J Genet Plant Breed 48(4): 189–199

730. Schneider A, Molnár-Láng M. 2012. Detection of Various U and M Chromosomes in Wheat-*Aegilops biuncialis* Hybrids and Derivatives Using Fluorescence *in situ* Hybridisation and Molecular Markers. *Czech J Genet Plant Breed* 48 (4): 169–177
731. Gedye KR, Gonzalez-Hernandez JL, Owens V, Boe A. 2012. Advances towards a Marker-Assisted Selection Breeding Program in Prairie Cordgrass, a Biomass Crop. *International Journal of Plant Genomics*, Vol. 2012, Article ID 313545, doi:10.1155/2012/313545
732. Timonova EM, Leonova IN, Röder MS, Salina EA. 2012. Marker-assisted development and characterization of a set of *Triticum aestivum* lines carrying different introgressions from the *T. timopheevii* genome. *Molecular Breeding* DOI: 10.1007/s11032-012-9776-x
733. Nakatsuka T, Saito M, Sato-Ushiku Y, Yamada E, Nakasato T, Hoshi N, Fujiwara K, Hikage T, Nishihara M. 2012. Development of DNA markers that discriminate between white- and blue-flowers in Japanese gentian plants. *Euphytica* 184:335–344
734. Tocho EF, Marino de Remes Lenicov AM, Castro AM. 2012. Assessment of resistance against *Schizaphis graminum* (Hemiptera: Aphididae) in barley. *Rev. Soc. Entomol. Argent.* 71(1-2): 1-10

Hristozkova M, M Geneva, I Stancheva, G Georgiev (2007) Nitrogen assimilatory enzymes and amino acid content in inoculated foliar fertilized pea plants grown at reduced molybdenum concentration. *Journal of Plant Nutrition*, 30, 1409-1419

735. Lou, Y.^a, Xu, M.^a, He, X.^{ab}, Duan Y.^a, Li L. 2012. Soil nitrate distribution, N₂O emission and crop performance after the application of N fertilizers to greenhouse vegetables, *Soil Use and Management* Volume 28, Issue 3, September, 299-306
736. Smoleń S, Sady W. 2012. Effect of foliar application of urea, molybdenum, benzyladenine, sucrose and salicylic acid on yield, nitrogen metabolism of radish plants and quality of edible roots, *Journal of Plant Nutrition* Volume 35, Issue 8, May, Pages 1113-1129.
737. Rekoumi K, Karapanos IC, Akoumianakis KA, Passam HC. 2012. Nitrogen application affects yield and postharvest quality of okra (*hibiscus esculentus* L. cv. 'Boyatiou'), *International Journal of Plant Production* 6 (1), pp. 59-72

Gorinova N, Nedkovska M, Todorovska E, Simova-Stoilova L, Stoyanova Z, Georgieva K, Demirevska-Kepova K, Atanassov A, Herzig R (2007) Improved phytoaccumulation of cadmium by genetically modified tobacco plants (*Nicotiana tabacum* L.). Physiological and biochemical response of the transformants to cadmium toxicity. *Environmental Pollution* 145, 161-170.

738. Da Silva AJ, Do Nascimento CWA, Da Silva Gouveia-Neto A, Da Silva Jr EA. 2012. LED-induced chlorophyll fluorescence spectral analysis for the early detection and monitoring of cadmium toxicity in maize plants. *Water, Air, and Soil Pollution* 223, 6: 3527-3533.
739. Gouveia-Neto AS, Silva Jr EA, Da Silva AJ, Do Nascimento CWA. 2012. Heavy metal stress detection and monitoring via LED-induced chlorophyll fluorescence analysis of *Zea mays* L. seedlings aimed at polluted soil phytoremediation. *Progress in Biomedical Optics and Imaging - Proceedings of SPIE* 8225, art. no. 822505
740. Kim Y-O, Lee YG, Patel DH, Kim HM, Ahn S-J, Bae H-J. 2012. Zn tolerance of novel *Colocasia esculenta* metallothionein and its domains in *Escherichia coli* and tobacco 2012 *Journal of Plant Research* 125, 6: 793-804.

Ananieva K, Ananiev ED, Mishev K, Georgieva K, Malbeck J, Kaminek M, van Staden J (2007) Methyl jasmonate is a more effective senescence-promoting factor in *Cucurbita pepo* (zucchini) cotyledons when compared with darkness at the early stage of senescence. *Journal of Plant Physiology* 164: 1179-1187.

741. Wang C-L, Liang Z-S, Li D-R, Yang J-L. 2012. Salvianolic acids production in *Salvia miltiorrhiza* Bunge was regulated by both soluble sugars accumulation and growth substances salicylic acid and methyl jasmonate. *Journal of Medicinal Plants Research* 6, 13: 2666-2673.
742. Wang C-L, Liang Z-S, Li D-R, Liu Y, Liu F-H. 2012. Effects of growth-regulating substances and soluble sugar contents on accumulation of salvianolic acids in *salvia miltiorrhiza* bunge Zhiwu Shengli Xuebao/Plant Physiology Journal 48 (2) , 181-188

Kocheva K.V., Georgiev G.I., Vunkova-Radeva R.V (2007) Contribution of mineral nutrition to the response of barley seedlings to polyethylene glycol-induced mild water stress. *J Plant Nutr. Soil Sci.*, 170 (3): 392-397.

743. W Feijuan, Z Cheng. 2012. Effects of nitrogen and light intensity on tomato (*Lycopersicon esculentum* Mill) production under soil water control. *African Journal of Agricultural Research* 7 (31): 4408-4415.

Fedina I, Velitchkova M, Georgieva K, Demirevska K, Simova L (2007) UV-B response of green and etiolated barley seedlings. *Biol. Plant.* 51, 4: 699-706.

744. Salekjalali M, Haddad R, Jafari B. 2012. Effects of soil water shortages on the activity of antioxidant enzymes and the contents of chlorophylls and proteins in barley. *American-Eurasian J. Agric. & Environ. Sci.* 12, 1: 57-63.
745. Zlatev ZS, Lidon FJC, Kaimakanova M. 2012. Plant physiological responses to UV-B radiation. *Emir. J. Food Agric.* 24, 6: 481-501.

Tsvetkova G, G I Georgiev (2007) Changes in phosphate fractions extracted from different organs of phosphorus starved nitrogen fixing pea plants. *J. Plant Nutrition*, v.30, N 12, 2129-2140

746. Attar, H. A., et al. 2012. Relationship between phosphorus status and nitrogen fixation by common beans (*Phaseolus vulgaris* L.) under drip irrigation. *International Journal of Environmental Science and Technology*: 1-13.

Moskova, I., D. Todorova, V. Alexieva, I. Sergiev (2007) Hydrogen peroxide pretreatment alleviates paraquat injuries in pea (*Pisum sativum* L.). *Compt. Rend. Acad. Bulg. Sci.* 60 (10), 1101-1106. ISSN 1310-1331

747. Goldani M., Y. Selahvarzi, J. Nabati, M. Alirezai. 2012. Effect of Exogenous Application of Hydrogen Peroxide on some Salt Tolerance Indices in Oregano (*Origanum majorana* L.). *Journal of Horticultural Science*, 26 (2), 2012, 153-161. ISSN: 2008 – 4730 (in farsi)
748. Kamali M., M. Goldani, A. Farzane. 2012. The Effect of Different Irrigation Regimes and Hydrogen Peroxide on Growth and Photosynthetic Parameteres on Ornamental Amaranth (*Amaranthus tricolor* L.). *Journal of Water and Soil*, 26 (2), 2012, 309-318. ISSN: 2008-4757. (in farsi)

Todorova, D., Sergiev, I., Alexieva, V., Karanov, E., Smith, A., Hall, M (2007) Polyamine content in *Arabidopsis thaliana* (L.) Heynh during recovery after low and high temperature treatments. *Plant Growth Regulation*, 51 (3), 185-191. ISSN: 0167-6903.

749. Asthir B., A. Koundal, N. S. Bains. 2012. Putrescine modulates antioxidant defense response in wheat under high temperature stress. *Biologia plantarum* 56 (4), 757-761. ISSN: 0006-3134
750. Niemenak N., T. M. Awah, R. Lieberei. 2012. Establishment of suspension culture in *Theobroma cacao* and polyamines associated with cacao embryogenesis. *Plant Growth Regulation* 67, 1-8. ISSN: 0167-6903
751. CHENG, L., SUN, R., WANG, F., PENG, Z., KONG, F., WU, J., CAO, J., LU, G. 2012. Spermidine affects the transcriptome responses to high temperature stress in ripening tomato fruit. *Journal of Zhejiang University SCIENCE B (Biomedicine & Biotechnology)* 13 (4), 283-297. ISSN 1673-1581
752. BIBI, A. C., D. M. OOSTERHUIS, E. D. GONIAS, J. D. MATTICE. 2012. Nodal distribution of free polyamines in cotton ovaries. *The Journal of Agricultural Science*, 150 (3), 2012, 365-372. ISSN: 0021-8596
753. Cvirková, M., L Gemperlová, J Dobra, O Martincová, Prasil, I., J. Gubis, R. Vankova. Effect of heat stress on polyamine metabolism in proline-over-producing tobacco plants. *Plant Science* 182 (1), 49-58. ISSN: 0168-9452
754. Oosterhuis D.M. and D.A. Loka, 2012. In: D. M. OOSTERHUIS AND J. T. COTHREN (Eds.) FLOWERING AND FRUITING IN COTTON. THE COTTON FOUNDATION REFERENCE BOOK SERIES, Number Eight. Chapter 8 Polyamines and Cotton Flowering, The Cotton Foundation, Cordova, Tennessee, U.S.A. pp. 109-132. ISBN 978-0-939809-08-0 (digital)

Brankova, L., S. Ivanov, V. Alexieva (2007) The induction of microsomal NADPH:cytochrome P450 and NADH:cytochrome b5 reductases by long-term salt treatment of cotton (*Gossypium hirsutum* L.) and bean (*Phaseolus vulgaris* L.) plants. *Plant Physiol. Biochem.*, 45, 691-695. [IF=1.556]. ISSN: 0981-9428.

755. Zhao CQ, Tang T, Liu JQ, Feng XY, LH Qiu. 2012. Identification and expression analysis of NADH-cytochrome b5 reductase gene in the cotton bollworm, *Helicoverpa armiger*. *Gene*, 511(1), 96–102; ISSN: 0378-1119

Hung S.H., C.C. Wang, S.V. Ivanov, V. Alexieva, C. W. Yu (2007) Repetition of hydrogen peroxide treatment induces a chilling tolerance comparable to cold acclimation in mung bean *Journal of the American Society for Horticultural Science*, 132, 770-776. [IF=1.147]. ISSN: 0003-1062.

756. Sarma K, Singh A, Singh HB, Upadhyay RS. 2012. In: V. K. Gupta, M. Ayyachamy (Eds.) Biotechnology of Fungal Genes, Ch. 5 Enhanced resistance to fungal pathogens in plants through selective utilization of useful fungal genes, Science Publishers, CRC Press, 93-111

Edreva A M, Velikova V B, Tsonev T D (2007) Phenylamides in Plants. RussJPlant Physiol 54, (3), 287–301

757. Bartwal A, Mall R, Lohani P, Guru SK, Arora S . 2012. Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses, *Journal of Plant Growth Regulation*, 2 (in press) DOI: 101007/s00344-012-9272-x
758. Carrasco KBR. 2012. Expression profiling in developing peach seed and mesocarp as affected by growth regulators, PhD Thesis, Universita degli Studi Bologna
759. Eliasova A, Poracka V, Pal'ove-Balang P, Imrich J, Repcak M. 2012. Accumulation of tetracoumaroyl spermine in *Matricaria chamomilla* during floral development and nitrogen deficiency. *Zeitschrift für Naturforschung Section C-A Journal of Biosciences*, 67 (1-2), 58-64

760. Gunnaiah R, Kushalappa AC, Duggavathi R, Fox S, Somers DJ. 2012. Integrated metabolo-proteomic approach to decipher the mechanisms by which wheat QTL (Fhb1) contributes to resistance against *Fusarium graminearum*. *PLoS ONE*, 7 (7), 2012, e40695
761. Hennion F, Bouchereau A, Gauthier C, Hermant M, Vernon P, Prinzing A. 2012. Variation in amine composition in plant species: how it integrates macroevolutionary and environmental signals. *American Journal of Botany*, 99(1), 36-45
762. Onkokesung N, Gaquerel E, Kotkar H, Kaur H, Baldwin IT, Galis I. 2012. MYB8 controls inducible phenolamide levels by activating three novel hydroxycinnamoyl-CoA: polyamine transferases in *Nicotiana attenuata*. *Plant Physiology* 158, 389–407
763. Rimando AM, Pan Z, Polashock JJ, Dayan FE, Mizuno CS, Snook ME, Liu C-J, Baerson SR. 2012. *In planta* production of the highly potent resveratrol analogue pterostilbene via stilbene synthase and *O*-methyltransferase co-expression. *Plant Biotechnology Journal*, 10 (3), 269-283
764. Torrigiani P, Bressanin D, Carrasco KR, Tadiello A, Trainotti L, Bonghi C, Ziosi V, Costa G. 2012. Spermidine application to young developing peach fruits leads to a slowing down of ripening by impairing ripening-related ethylene and auxin metabolism and signaling. *Physiologia Plantarum* 146 (1), 86-98

Velikova VB, Edreva AM, Tsonev TD, Jones HG, Singlet oxygen quenching by phenylamides and their parent compounds. Z Naturforsch C, 62, 2007, 833-838

765. Ohara K, Doi K, Niizaki Y, Nagaoka S. 2012. A time-resolved luminescence study on singlet oxygen quenching by hydroxycinnamic acids under acidic, neutral and basic conditions. *Journal of Photochemistry and Photobiology A: Chemistry*, 249, 1–8
766. Rapulenyane N, Antunes E, Masilela N, Nyokong T. 2012. Synthesis and photophysicochemical properties of novel zinc phthalocyanines mono substituted with carboxyl containing functional groups. *Journal of Photochemistry and Photobiology A: Chemistry*, 250, 18–24

Janda T, Szalai G, K Leskó, Yordanova R, Apostol S, Popova LP (2007) Factors contributing to enhanced freezing tolerance in wheat during frost hardening in the light. Phytochemistry, 68: 1674-1682

767. Klíma M, Vítámvás P, Zelenková S, Vyvadilová M, Prášil IT. 2012. Dehydrin and proline content in *Brassica napus* and *B carinata* under cold stress at two irradiances. *Biologia Plantarum* 56 (1), pp 157-161
768. Kosová K, Prášil IT, Vítámvás P, Dobrev P, Motyka V, Floková K, Novák O, Vanková R. 2012. Complex phytohormone responses during the cold acclimation of two wheat cultivars differing in cold tolerance, winter Samanta and spring Sandra *Journal of Plant Physiology* 169 (6), pp 567-576

Yordanova R, L Popova (2007) Flooding-induced changes in photosynthesis and oxidative status in maize plants Acta Physiogia Plantarum, 29(6), 535-541,

769. Simova-Stoilova L, Demirevska K, Kingston-Smith A, Feller U. 2012 Involvement of the leaf antioxidant system in the response to soil flooding in two *Trifolium* genotypes differing in their tolerance to waterlogging. *Plant Science* 183 , pp 43-49
770. Gimeno V, Syvertsen JP, Simón I, Nieves M, Díaz-López L, Martínez V, García-Sánchez F. 2012. Physiological and morphological responses to flooding with fresh or saline water in *Jatropha curcas*. *Environmental and Experimental Botany* 78, pp 47-55
771. Balakhnina TI, Matichenkov VV, Włodarczyk T, Borkowska A, Nosalewicz M, Fomina IR .2012. Effects of silicon on growth processes and adaptive potential of

- barley plants under optimal soil watering and flooding. *Plant Growth Regulation* 67 (1), pp 35-43
772. Ghanbary E, Tabari M, González E, Zarafshar M. 2012. Morphophysiological responses of *Alnus subcordata* (L) Seedlings to permanent flooding and partial submersion. *Agris On-line Papers in Economics and Informatics* 2 (3), pp 1211-1222
773. Gimeno V, Simón I, Nieves M, Martínez V, Cámara-Zapata JM, García AL, García-Sánchez F. 2012. The physiological and nutritional responses to an excess of boron by Verna lemon trees that were grafted on four contrasting rootstocks *Trees - Structure and Function* 26 (5), pp 1513-1526

Shtereva L., Atanassova B., Karzteva T., Petkov V. The effect of water stress on the growth rate, water relations and proline accumulation in tomato calli and seedlings. *Acta Horticulture* 789: 189-198 (2008).

774. Sibomana C.I., Aguyoh J.N., Opiyo A.M., Influence of soil moisture levels and packaging on postharvest qualities of tomato. Third RUFORUM Biennial Meeting 24 - 28 September 2012, Entebbe, Uganda. 2047-2058 (2012).
775. Obaid H.I., Fallouh I.J., Léon J. Morphological and physiological responses of two wild apples rootstocks (*Malus trilobata*) and (*Malus communis*) to water stress. 143-159 *الصفحات 2 العدد 28 (2012) الزراعية للعلوم دمشق جامعة مجلة*

Krantev A, Yordanova R, Janda T, Szalai G, Popova P (2008) Treatment with salicylic acid decreases the effect of cadmium on photosynthesis in maize plants *Journal of Plant Physiology* 165: 920 – 931

776. Çanakci S, Dursun B. 2012. The effect of pre-application of salicylic acid on some physiological and biochemical characteristics of tomato seedling (*Lycopersicon esculentum* L) growing in cadmium containing media. *African Journal of Biotechnology* 11 (13), pp 3173-3178
777. Piotrowska-Niczyporuk A, Bajguz A, Zambrzycka E, Godlewska-zyłkiewicz B. 2012. Phytohormones as regulators of heavy metal biosorption and toxicity in green alga *Chlorella vulgaris* (Chlorophyceae). *Plant Physiology and Biochemistry* 52 , pp 52-65
778. Gao Y, Miao C, Xia J, Luo C, Mao L, Zhou P, Shi W. 2012. Effect of citric acid on phytoextraction and antioxidative defense in *Solanum nigrum* L as a hyperaccumulator under Cd and Pb combined pollution. *Environmental Earth Sciences* 65 (7), pp 1923-1932
779. Januškaitiene I. 2012. The effect of cadmium on several photosynthetic parameters of pea (*Pisum sativum* L) at two growth stages. *Zemdirbyste* 99 (1), pp 71-76
780. Goel S, Malik J, Awasthi R, Sandhir R, Nayyar H. 2012. Growth and metabolic responses of maize (C 4 species) and rice (C 3 species) genotypes to cadmium toxicity. *Cereal Research Communications* 40 (2) , pp 225-234
781. Li L, Wang Y, Shen W. 2012. Roles of hydrogen sulfide and nitric oxide in the alleviation of cadmium-induced oxidative damage in alfalfa seedling roots. *BioMetals* 25 (3), pp 617-631
782. Gao Y, Miao C, Wang Y, Xia J, Zhou P. 2012. Metal-resistant microorganisms and metal chelators synergistically enhance the phytoremediation efficiency of *Solanum nigrum* L in Cd- and Pb-contaminated soil. *Environmental Technology (United Kingdom)* 33 (12) , pp 1383-1389
783. Dai H-P, Wei Y, Yang T-X, Sa W-Q, Wei A-Z. 2012. Influence of cadmium stress on chlorophyll fluorescence characteristics in *Populus × canescens*. *Journal of Food, Agriculture and Environment* 10 (2), pp 1281-1283

784. Butnariu M. 2012. An analysis of Sorghum halepense's behavior in presence of tropane alkaloids from Datura stramonium extracts *Chemistry Central Journal* 6 (1), art no 75
785. Wang Y, Liu J-H. 2012. Exogenous treatment with salicylic acid attenuates occurrence of citrus canker in susceptible navel orange (*Citrus sinensis* Osbeck). *Journal of Plant Physiology* 169 (12), pp 1143-1149
786. Cui W, Li L, Gao Z, Wu H, Xie Y, Shen W. 2012. Haem oxygenase-1 is involved in salicylic acid-induced alleviation of oxidative stress due to cadmium stress in *Medicago sativa*. *Journal of Experimental Botany* 63 (15), pp 5521-5534
787. Issam N, Kawther M, Haythem M, Moez J. 2012. Effects of CaCl₂ pretreatment on antioxidant enzyme and leaf lipid content of faba bean (*Vicia faba* L) seedlings under cadmium stress. *Plant Growth Regulation* 68 (1), pp 37-47
788. Wang X, Li Y, Liu C, Zhang Z, Shi G. 2012. Effects of cadmium and salicylic acid on growth, Cd accumulation and photosynthesis of an energy crop, castor bean *Proceedings - 2012 3rd International Conference on Digital Manufacturing and Automation, ICDMA 2012*, art no 6298327, pp 360-363
789. Wang Q, Liang X, Dong Y, Xu L, Zhang X, Hou J, Fan Z. 2012. Effects of exogenous nitric oxide on cadmium toxicity, element contents and antioxidative system in perennial ryegrass. *Plant Growth Regulation* 69 (1), pp 11-20

Fares S, Brilli F, Noguès I, Velikova V, Tsonev T, Dagli S, Loreto F (2008) Isoprene emission and primary metabolism in *Phragmites australis* grown under different phosphorus levels. *Plant Biology* 10 (1), 38-43

790. Asensio D, Rapparini F, Penuelas J. 2012. AM fungi root colonization increases the production of essential isoprenoids vs nonessential isoprenoids especially under drought stress conditions or after jasmonic acid application. *Phytochemistry*, 77, 149-161
791. Blanch J-S, Sampedro L, Llusià J, Moreira X, Zas R, Peñuelas J. 2012. Effects of phosphorus availability and genetic variation of leaf terpene content and emission rate in *Pinus pinaster* seedlings susceptible and resistant to the pine weevil, *Hylobius abietis*, *Plant Biology*, 14, 66-72

Velikova V, Fares S, Loreto F (2008) Isoprene and nitric oxide reduce damages in leaves exposed to oxidative stress. *Plant Cell and Environment* 31: 1882-1894

792. Bavita A, Shashi B, Navtej SB. 2012. Nitric oxide alleviates oxidative damage induced by high temperature stress in wheat. *Indian Journal of Experimental Biology* 50(5): 372-378
793. Dorokhov YL, Komarova TV, Petrunia IV, Frolova OY, Pozdyshev DV, Gleba YY. 2012. Airborne signals from a wounded leaf facilitate viral spreading and induce antibacterial resistance in neighboring plants. *PLoS Pathogens* 8(4): e1002640 doi:10.1371/journal.ppat.1002640
794. Dorokhov YL, Komarova TV, Petrunia IV, Kosorukov VS, Zinovkin RA, Shindyapina AV, Frolova OY, Gleba YY. 2012. Methanol may function as a cross-kingdom signal *PLoS ONE* 7(4): e36122 doi:10.1371/journal.pone.0036122
795. Exton DA, Suggett DJ, Steinke M, McGinity TJ. 2012. Spatial and temporal variability of biogenic isoprene emissions from a temperate estuary *Global Biogeochemical Cycles* 26, Article Number: GB2012

Edreva A, Velikova V, Tsonev T, Dagnon S, Gürel A, Aktaş, Gesheva E (2008) Stress-protective role of secondary metabolites: diversity of functions and mechanisms. General and Applied Plant Physiology v XXXIV (1-2), 67-78

796. Bartwal A, Mall R, Lohani P, Guru SK, Arora S. 2012. Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses. *Journal of Plant Growth Regulation, (in press)* DOI: 101007/s00344-012-9272-x
797. Hong S-Y, Roze LV, Wee J, Linz JE. 2012. Evidence that a transcription factor regulatory network coordinates oxidative stress response and secondary metabolism in aspergilli. *MicrobiologyOpen, (in press)*
798. Magarelli G, da Silva JG, Filho IAS, Lopes Inayan SD, De Souza JR, Hoffmann LV, de Castro CSP. 2012. Development and validation of a voltammetric method for determination of total phenolic acids in cotton cultivars. *Microchemical Journal, (in press)* <http://dx.doi.org/10.1016/j.microc.2012.05.014>
799. More S, Maldar NN, Bhamra P, Sharon M, Sharon M. 2012. Antimicrobial activity of naphthyl iso-quinoline alkaloids of *Ancistrocladus heyneanus*: I Extracted from leaves. *Advances in Applied Science Research, 3 (5)*, 2760-2765
800. Redha A, Al-Mansor N, Suleman P, Al-Hasan R, Afzal M. 2012. Modulation of antioxidant defenses in *Conocarpus lancifolius* under variable abiotic stress. *Biochemical Systematics and Ecology* 43, 80-86
801. Rodríguez-Urra AB, Jiménez C, Nieto MI, Rodríguez J, Hayashi H, Ugalde U. 2012. Signaling the Induction of Sporulation Involves the Interaction of Two Secondary Metabolites in *Aspergillus nidulans*. *ACS Chem Biol, 7(3)*, 599-606, DOI: 10.1021/cb200455u
802. Shaukat SS, Zaidi S, Khan MA. 2012. Effect of supplemental UV-B radiation on germination, seedling growth, and biochemical responses of sunflower (*Helianthus annuus* L.). *Fuuast Journal of Biology, vol2*
803. Simlai A, Roy A. 2012. Analysis of and correlation between phytochemical and antimicrobial constituents of *Ceriops decandra*, a medicinal mangrove plant, from Indian Sundarban estuary. *Journal of Medicinal Plants Research 6(32)*, 4755-4765
804. Šimpraga M. 2012. Understanding the link between photosynthesis, growth and emissions of biogenic volatile organic compounds (BVOC) in temperate trees, PhD thesis, Ghent University, Belgium
805. Tarrag J, Filip R, Mroginski L, Sansberro P. 2012. Influence of the irradiance on phenols content and rooting of *Ilex paraguariensis* cuttings collected from adult plants. *Acta Physiol Plant, 34 (6)*, 2419-2424
806. Vallotton AD, Murray LW, Delaney KJ, Sterling TM. 2012. Water deficit induces swainsonine of some locoweed taxa, but with no swainsonine-growth trade-off. *Acta Oecologica, 43*, 140–149

Loreto F, Tsonev T, Centritto M - The impact of blue-light on mesophyll conductance (2008) ESF Exploratory Workshop on Mesophyll Conductance to CO₂, pp 37-38 Flexas J, ed, Spain: Universitat del les Illes Balears

807. Sun W, Ubriena N, Ma J-Y, Cousins AB. 2012. The influence of light quality on C₄ photosynthesis under steady-state conditions in *Zea mays* and *Miscanthus× giganteus*: changes in rates of photosynthesis but not the efficiency of the CO₂ concentrating mechanism, *Plant, Cell & Environment 35 (5)*, 982-993

Kosturkova G, Todorova R, Sakthivelu G, Akitha Devi MK, Giridhar P, Rajasekaran T, Ravishankar GA. Response of Bulgarian and Indian soybean genotypes to drought and

water deficiency in field and laboratory conditions. Gen Appl Plant Physiol (3–4), 2008, 239–250. ISSN 1312-8183.

808. Ghane, S. G., V. H. Lokhande, T. D. Nikam. 2012. Differential growth, physiological and biochemical responses of niger (*Guizotia abyssinica* Cass.) cultivars to water-deficit (drought) stress. *Acta Physiologiae Plantarum* 34(1), 215-225. p-ISSN: 0137-5881, e-ISSN: 1861-1664

Vaseva I, Todorova D, Malbeck J, Trávníčková A, Macháčková I (2008) Response of cytokinin pool and cytokinin oxidase/dehydrogenase activity to abscisic acid exhibits organ specificity in peas. *Acta Physiologiae Plantarum* 30, 2: 151-155.

809. Ha S, Vankova R, Yamaguchi-Shinozaki K, Shinozaki K, Lam-Son P-Tran. 2012. Cytokinins: metabolism and function in plant adaptation to environmental stresses. *Trends Plant Sci* 17, 3: 172-179.

Toncheva-Panova T, Pouneva I, Mizinska-Boevska Y (2008) Lysis of the green alga *Cloricystis minor* by bacterial pathogen. *Compt. Rend. Acad. Bulg. Sci.* 61, 1013-1020.

810. Gordon R. & Seckbach J. 2012, The science of algal fuels. Springer, Heidelberg. ISBN 978-94-007-5109-5

Gacheva G, Pilarski P (2008) The resistance of a new strain Chlorella sp R-06/2 isolated from an extreme habitat to environmental stress factors. *Gen. & Appl. Plant Physiol.* 34 (3-4), 347-360

811. Nguyễn Minh Tuấn, Lê Thị Bích Yến, Nguyễn Phước Hải 2012. Effect of cultivation conditions on the growth and lipid content of the microalgae *Chlorella vulgaris* for biodiesel production. 1-8. <http://www.ud.edu.vn/svnckh/PDF/TB02-05.pdf>

Landjeva S, Neumann K, Lohwasser U, Börner A (2008). Molecular mapping of genomic regions associated with wheat seedling growth under osmotic stress. *Biol Plant* 52: 259-266

812. Liu X, Li R, Chang X, Jing R. 2012. Mapping QTLs for seedling root traits in a doubled haploid wheat population under different water regimes. *Euphytica* DOI 10.1007/s10681-012-0690-4

Ananieva K, Ananiev ED, Mishev K, Georgieva K, Tzvetkova N, van Staden J (2008) Changes in photosynthetic capacity and polypeptide patterns during natural senescence and rejuvenation of *Cucurbita pepo* L. (zucchini) cotyledons. *Plant Growth Regulation*, 54: 23-29.

813. Wei X-D, Shi D-W, Chen G-X. 2012. Physiological, structural, and proteomic analysis of chloroplasts during natural senescence of Ginkgo leaves. *Plant Growth Regulation*, DOI 10.1007/s10725-012-9761-8.

Bakalova S, Nedeva D, McKee J (2008) Protein profiles in wheat seedlings subjected to dehydration stress. *Applied Ecology and Environmental Research*, 6, 2, 37-48, ISSN 1589-1623

814. Karimi Sara, Hossein Abbaspour, Jafar Masoud Sinaki, Hassan Makarian. 2012. Effects of Water Deficit and Chitosan Spraying on Osmotic Adjustment and Soluble Protein of Cultivars Castor Bean (*Ricinus communis* L.), *Journal of Stress Physiology & Biochemistry*, Vol. 8 No. 3, pp. 160-169.

815. Khalid Rehman Hakeem, Ruby Chandna, Parvaiz Ahmad, Muhammad Iqbal, Munir Ozturk. 2012. Relevance of Proteomic Investigations in Plant Abiotic Stress Physiology. A Journal of Integrative Biology, 16(11), 621-635.

Demirevska K, Simova-Stoilova L, Vassileva V, Feller U (2008) Rubisco and some chaperone protein responses to water stress and rewetting at early seedling growth of drought sensitive and tolerant wheat varieties. *Plant Growth Regul.* 56, 2: 97-106.

816. Shan C-J, Tang J-X, Yang W-P, Zhao X-L, Ren X-J, Li Y-Z. 2012. Comparison of photosynthetic characteristics of four wheat (*Triticum aestivum* L.) genotypes during jointing stage under drought stress. *African Journal of Agricultural Research* 7, 8: 1289-1295.

817. Kohli A, Narciso JO, Miro B, Raorane M. 2012. Root proteases: reinforced links between nitrogen uptake and mobilization and drought tolerance. *Physiol. Plant.* 145, 1: 165-79.

818. Wang Y, Yuan X, Hu H, Liu Y, Sun W, Shan Z, Zhou X. 2012. Proteomic analysis of differentially expressed proteins in resistant soybean leaves after *Phakopsora pachyrhizi* infection. *J. Phytopathol.* 160, 10: 554-560.

819. Yang YQ, Chen J, Liu Q, Ben C, Todd CD, Shi J, Yang Y, Hu X. 2012. Comparative proteomic analysis of the thermotolerant plant portulaca oleracea acclimation to combined high temperature and humidity stress. *Journal of Proteome Research* 11, 7: 3605-3623.

820. Wendelboe-Nelson C, Morris PC. 2012. Proteins linked to drought tolerance revealed by DIGE analysis of drought resistant and susceptible barley varieties. *Proteomics* 12, 22: 3374-3385.

821. Debez A, Braun H, Pich A, Taamalli W, Koyro H, Abdelly C, Huchzermeyer B. 2012. Proteomic and physiological responses of the halophyte cakile maritima to moderate salinity at the germinative and vegetative stages. *Journal of Proteomics* 75, 18: 5667-5694.

822. Григорова БС. 2012. *Биохимични, физиологични и морфологични промени при пшенични растения под влияние на засушаване, висока температура и тяхната комбинация. Докторска дисертация, София.*

823. Panitlertumpai N, Nakbanpote W, Sangdee A, Thumanu K, Nakai I, Hokura A. 2012. Zinc and/or cadmium accumulation in *Gynura pseudochina* (L.) DC. Studied *in vitro* and the effect on crude protein. *Journal of Molecular Structure*.

824. Guha A, Sengupta D, Reddy AR. 2012. Polyphasic chlorophyll *a* fluorescence kinetics and leaf protein analyses to track dynamics of photosynthetic performance in mulberry during progressive drought. *Journal of Photochemistry and Photobiology B: Biology*.

Kocheva K., G.I.Georgiev (2008) Changes in foliar proline concentration of osmotically stressed barley. *Zeishrift fur Naturforshung. Series C Biol. Sciences*, 63, 101-104

825. Wendelboe-Nelson C, Morris PC. 2012. Proteins linked to drought tolerance revealed by dige analysis of drought resistant and susceptible barley varieties, PROTEOMICS, vol 12, issue 22, 3374-3385.

De Smet I, Vassileva V, De Rybel B, Levesque MP, Grunewald W, Van Damme D, Van Noorden G, Naudts M, Van Isterdael G, De Clercq R, Wang JY, Meuli N, Vanneste S, Friml J, Hilson P, Jürgens G, Ingram GC, Inzé D, Benfey PN, Beeckman T (2008)

Receptor-like kinase ACR4 restricts stem cell divisions in the *Arabidopsis* root. *Science* 322, 5901: 594-597.

826. Dodueva IE, Yurlova EV, Osipova MA, Lutova LA. 2012. CLE peptides are universal regulators of meristem development. *Russian Journal of Plant Physiology* 59, 1: 17-21.
827. Sanz L, James A. H. Murray JAH, Walter Dewitte W. 2012. To divide and to rule; regulating cell division in roots during post-embryonic growth. *Progress in Botany* 73, Part 2, 57-80.
828. Dubrovsky JG, Forde BG. 2012. Quantitative analysis of lateral root development: pitfalls and how to avoid them. *Plant Cell* 24 1: 4-14.
829. Stahl Y, Simon R. 2012. Receptor kinases in plant meristem development. *Signaling and Communication in Plants* 13: 23-39.
830. Butenko MA, Aalen RB. 2012. Receptor ligands in development. *Signaling and Communication in Plants* 13: 195-226.
831. Perini S, Di Mambro R, Sabatini S. 2012. Growth and development of the root apical meristem. *Current Opinion in Plant Biology* 15, 1: 17-23.
832. Goh T, Joi S, Mimura T, Fukaki H. 2012. The establishment of asymmetry in *Arabidopsis* lateral root founder cells is regulated by LBD16/ASL18 and related LBD/ASL proteins. *Development* 139, 5: 883-93.
833. Meng L, Buchanan BB, Feldman LJ, Luan S. 2012. CLE-like (CLEL) peptides control the pattern of root growth and lateral root development in *Arabidopsis*. *PNAS* 109, 5: 1760-1765.
834. da Rocha Correa L, Troleis J, Mastroberti AA, Mariath JEA, Fett-Neto AG. 2012. Distinct modes of adventitious rooting in *Arabidopsis thaliana*. *Plant Biology* 14, 1: 100-109.
835. Pu C-X, Ma Y, Wang J, Zhang Y-C, Jiao X-W, Hu Y-H, Wang L-L, Zhu Z-G, Sun D, Sun Y. 2012. Crinkly4 receptor-like kinase is required to maintain interlocking of the palea and lemma and fertility in rice by promoting epidermal cell differentiation. *Plant J* 70, 6: 940-953.
836. Aichinger E, Kornet N, Friedrich T, Laux T. 2012. Plant stem cell niches. *Annual Review of Plant Biology* 63: 615-636.
837. Dhonukshe P, Weits DA, Cruz-Ramirez A, Deinum EE, Tindemans SH, Kakar K, Prasad K, Mähönen AP, Ambrose C, Sasabe M, Wachsmann G, Luijten M, Bennett T, MacHida Y, Heidstra R, Wasteneys G, Mulder BM. 2012. A PLETHORA-auxin transcription module controls cell division plane rotation through MAP65 and CLASP. *Cell* 149 2: 383-396.
838. Stahl Y, Simon R. 2012. Peptides and receptors controlling root development. *Philosophical Transactions of the Royal Society B: Biological Sciences* 367, 1595: 1453-1460.
839. Anne Vatén. 2012. Symplastically transmitted signals regulate pattern formation during root development in *Arabidopsis thaliana*. PhD thesis, Faculty of Biological and Environmental Sciences, Department of Biosciences, Division of Plant Biology and Institute of Biotechnology and Viikki Doctoral Programme in Molecular Biosciences University of Helsinki.
840. Mitchum MG, Wang X, Wang J, Davis EL. 2012. Role of Nematode Peptides and Other Small Molecules in Plant Parasitism. *Annual Review of Phytopathology* 50: 175-195.
841. Asbahi AAA, Maqtari MAA, Naji KM. 2012. ABA biosynthesis defective mutants reduce some free amino acids accumulation under drought stress in tomato leaves in

- comparison with *Arabidopsis* plants tissues. *Journal of Stress Physiology & Biochemistry* 8: 179-192.
842. Sauter M. 2012. Peptides regulating root growth. *Signaling and Communication in Plants* 16: 41-58.
843. Pérez-Henríquez P, Raikhel NV, Norambuena L. 2012. Endocytic trafficking towards the vacuole plays a key role in the auxin receptor SCF^{TIR}-independent mechanism of lateral root formation in *A. thaliana*. *Molecular Plant* 5, 6: 1195-209.
844. Dubrovsky JG, Rost TL. 2012. Pericycle. In: eLS. John Wiley & Sons, Ltd: Chichester
845. Rose CM, Venkateshwaran M, Volkening JD, Grimsrud PA, Maeda J, Bailey DJ, Park K, Howes-Podoll M, den Os D, Yeun LH, Westphall MS, Sussman MR, Ané J-M, Coon JJ. 2012. Rapid phosphoproteomic and transcriptomic changes in the Rhizobia-legume symbiosis. *Mol Cell Proteomics* 11: 724-744.
846. Kim M-J, Kim J. 2012. Identification of nuclear localization signal in ASYMMETRIC LEAVES2-LIKE18/LATERAL ORGAN BOUNDARIES DOMAIN16 (ASL18/LBD16) from *Arabidopsis*. *Journal of Plant Physiology* 169, 12: 1221-1226.
847. Enugutti B, Kirchhelle C, Schneitz K. 2012. On the genetic control of planar growth during tissue morphogenesis in plants. *Protoplasma* 1-11.
848. Pu C-X, Sun Y. 2012. Rice Crinkly4 receptor-like kinase positively regulates culm elongation and amino acid K532 is not essential for its kinase activity. *Plant Signaling and Behavior* 7, 9: 1062-1064.
849. Di Rubbo S, Russinova E. 2012. Receptor-mediated endocytosis in plants. *Endocytosis in plants*, pp.151-164.
850. Roeder AH, Cunha A, Ohno CK, Meyerowitz EM. 2012. Cell cycle regulates cell type in the *Arabidopsis* sepal. *Development* 139, 23: 4416-4427.
851. Lee Y, Lee WS, Kim S-H. 2012. Hormonal regulation of stem cell maintenance in roots. *J. Exp. Bot.* doi: 10.1093/jxb/ers331
852. Zhiponova MK, Vanhoutte I, Boudolf V, Betti C, Dhondt S, Coppens F, Mylle E, Maes S, González-García M-P, Caño-Delgado AI, Inzé D, Beemster GTS, De Veylder L, Russinova E. 2012. Brassinosteroid production and signaling differentially control cell division and expansion in the leaf. *New Phytologist* 197, 2: 490-502.
853. Lee JS, Torii KU. 2012. A tale of two systems: peptide ligand–receptor pairs in plant development. In *Cold Spring Harbor Symposia on Quantitative Biology*. Cold Spring Harbor Laboratory Press.
854. Stefan Schilderink. 2012. Epigenetic control of root and nodule development. PhD thesis, Wageningen University, Wageningen, The Netherlands.
855. Zhang H, Zhou H, Berke L, Heck AJR, Mohammed S, Scheres B, Menke FLH. 2013. Quantitative phosphoproteomics after auxin-stimulated lateral root induction identifies a SNX1 phosphorylation site required for growth. *Mol. Cell Proteomics* doi: 10.1074/mcp.M112.021220
856. Ильина Елена Леонидовна. 2012. Клеточные и физиологические механизмы инициации боковых корней у кабачка. PhD thesis, Ботанический институт Российской Академии Наук, Санкт-Петербург.

Demirevska K, Simova-Stoilova L, Vassileva V, Vaseva I, Grigorova B, Feller U (2008) Drought induced leaf protein alterations in sensitive and tolerant wheat varieties. *Gen. Appl. Plant Physiol. Special Issue* 34, 1-2: 79-102.

857. Hassanein RA, Abdelkader AF, Ali H, Amin AAE-S, Rashad E-SM. 2012. Grain-priming and foliar pretreatment enhanced stress defense in wheat (*Triticum aestivum* var. Gimaza 9) plants cultivated in drought land. *Aust J Crop Sci* 6, 1:121-129.
858. Kohli A, Narciso JO, Miro B, Raorane M. 2012. Root proteases: reinforced links between nitrogen uptake and mobilization and drought tolerance. *Physiol. Plantarum* 145, 1: 165-79.
859. Landjeva S, Kocheva K, Karceva T, Sepsi A, Molnár I, Schneider A, Ganeva G, Georgiev G, Molnár-Láng M. 2012. Molecular cytogenetic identification of a wheat-*Aegilops geniculata* Roth spontaneous chromosome substitution and its effects on the growth and physiological responses of seedlings to osmotic stress. *Plant Breeding* 131, 1: 81-87.
860. Marraccini P, Vinecky F, Alves GSC, Ramos HJO, Elbelt S, Vieira NG, Carneiro FA, Sujii PS, Alekcevetch JC, Silva VA, DaMatta FM, Ferrão MAG, Leroy T, Pot D, Vieira LGE, da Silva FR, Andrade AC. 2012. Differentially expressed genes and proteins upon drought acclimation in tolerant and sensitive genotypes of *Coffea canephora*. *J. Exp. Bot.* 63: 4191-4212.
861. Haider A. 2012. Characterization and expression of dehydrins in wild Egyptian pea (*Pisum sativum* L.). *African Journal of Biotechnology* 11, 55: 11789-11796.
862. Hossain A, Teixeira Da Silva JA. 2012. Phenology, growth and yield of three wheat (*Triticum aestivum* L.) varieties as affected by high temperature stress. *Not Sci Biol* 4, 3: 97-109.
863. Pacheco IT, Guevara RG, de Querétaro A. 2012. Relación de la inmunología vegetal y la producción de alimentos. *CIENCIA@UAQ*
864. Torres Pacheco I, Guevara González RG, Mejía Teniente L, Chapa Oliver AM. 2012. Relationship between plant immunology and food production. *CIENCIA@UAQ* 5, 1: 3-9.
865. Katam R, Basha SM, Parks C, Sakata K, Latinwo LM. 2012. Identification and characterisation of differentially expressed leaf proteins among *Vitis* specie. *Annals of Applied Biology* 160, 3: 273-290.
866. Mohammadi PP, Moieni A, Komatsu S. 2012. Comparative proteome analysis of drought-sensitive and drought-tolerant rapeseed roots and their hybrid F1 line under drought stress. *Amino Acids* 43: 2137–2152.
867. Hossain A, da Silva JAT, Lozovskaya MV, Zvolinsky VP, Mukhortov VI. 2012. High temperature combined with drought affect rainfed spring wheat and barley in south-eastern Russia: Yield, relative performance and heat susceptibility index. *Journal of Plant Breeding and Crop Science* 4, 11: 184-196.

Georgieva M, and L Stoilov (2008) Assessment of DNA strand breaks induced by bleomycin in barley by the comet assay. Environmental and Molecular Mutagenesis, 49, 381-387.

868. Leitao J. M. 2012. Chemical Mutagenesis, pp. 135-158. In: Plant Mutation Breeding and Biotechnnology (Eds. Shu, Forster, Nakagava) Joint FAO-IAEA Programme

Georgieva M, Krasteva M, Angelova E, Ralchev K, Dimitrov V, Bozhimirov S, Georgieva E, Berger MR (2008) Analysis of the K-ras/B-raf/Erk signal cascade, p53 and CMAP as markers for tumor progression in colorectal cancer patients. Oncology Reports 20 (1): 3-11.

869. Yu C-C, Chiang P-C, Lu P-H, Kuo M-T, Wen W-C, Chen P, Guh J-H. 2012. Antroquinonol, a natural ubiquinone derivative, induces a cross talk between

- apoptosis, autophagy and senescence in human pancreatic carcinoma cells. *Journal of Nutritional Biochemistry*. Volume 23, Issue 8, Pages 900-907.
870. Zhang Yao-Yao, Chen Bin, Ding Yan-Qing. 2012. Metastasis-associated factors facilitating the progression of colorectal cancer (MINI-REVIEW). DOI:<http://dx.doi.org/10.7314/APJCP.2012.13.6.2437>
- Geneva M, Stancheva I, Sichanova M, Boychinova M, Georgiev G, Doležal M (2008) Improvement of milk thistle (*Silybum marianum* L.) seed yield and quality with foliar fertilization and growth effector MD 148/II. *Gen. Appl. Plant Physiol.* 34, 309–318.**
871. Rahimi A. and Kamali M. 2012. Different Planting Date and Fertilizing System Effects on the Seed Yield, Essential Oil and Nutrition Uptake of Milk Thistle (*Silybum marianum* (L.) Gaertn). *Advances in Environmental Biology*, 6(5): 1789-1796.
- Geneva M, G Zehirov, I Stancheva, L Iliev, G Georgiev (2008) Effect of soil fertilizer, foliar fertilizer, and growth regulator application on milk thistle development, seed yield and silymarin content. *Commun Soil Sci Plant Analysis*, 39: 17–24.**
872. Osuagwu GGE, Edeoga HO. 2012. Effect of inorganic fertilizer application on the flavonoid, phenol and steroid content of the leaves of *Ocimum gratissimum* (L.) and *Gongronema latifolium* (Benth). *Int J Med Arom Plants*, 2, 2, 254-262
873. Rahimi A, Kamali M. 2012..Different planting date and fertilizing system effects on the seed yield, essential oil and nutrition uptake of Milk thistle (*Silybum marianum* (L) Gaertn). *Advances in Environmental Biology*, Volume 6, Issue 5, May, Pages 1789-1796.
- Kirova E, Tzvetkova N, Vaseva I, Ignatov G (2008) Photosynthetic responses of nitrate-fed and nitrogen-fixing soybeans to progressive water stress. *Journal of Plant Nutrition* 31: 445-458.**
874. El-Akhal MR, Rincon A, Coba de la Peña T, Lucas MM, El Mourabit N, Barrijal S, Pueyo JJ. 2012. Effects of salt stress and rhizobial inoculation on growth and nitrogen fixation of three peanut cultivars. *Plant Biology* doi:10.1111/j.1438-8677.2012.00634.x
- Ivanova J, Toncheva-Panova T, Chernev G, Samuneva B (2008) Effect of Ag⁺, Cu²⁺ and Zn²⁺ containing hybrid nanomatrixes of the green algae *CHLORELLA KEISSLERI*. *Gen. Appl. Plant Physiology* 2008, 34 (3-4)**
875. Haque MA, Bangrak PH, Sirisansaneeyaku S, Choorit LW. 2012. Factors Affecting the Biomass and Lipid Production from *Chlorella* sp. TISTR 8990 under Mixotrophic Culture. *J Sci& Tech*; 9(4):
876. Batir L. 2012 Productivitateasi component biochimica a cianobacterieispirulinaplatensis cnm-cb-02 LA cultivare in prezentaunorcompusi coordinative aicuprului- Academia de Stiinje a Moldovei, IMB MICROBIOLOGIE SI BIOTEHNOLOGIE (дисертация)
877. Nosálová G, Capek P, Matáková T, Nosál^c S, Flešková D, Jureček L. 2012. Antitussive activity of an extracellular *Rhodella grisea* proteoglycan on the mechanically induced cough reflex. *Carbohydrate polymers* 87 2012, 752-756
- Simova-Stoilova L, Demirevska K, Petrova T, Tsenov N, Feller U (2008) Antioxidative protection in wheat varieties under severe recoverable drought at seedling stage. *Plant, Soil and Environment* 54, 12: 529-536.**

878. Anjum SA, Farooq M, Xie X-Y, Liu X-J, Ijaz MF. 2012. Antioxidant defense system and proline accumulation enables hot pepper to perform better under drought. *Scientia Horticulturae* 140: 66-73.
879. Garg B, Jaiswal JP, Misra S, Tripathi BN, Prasad MA. 2012. Comprehensive study on dehydration-induced antioxidative responses during germination of Indian bread wheat (*Triticum aestivum* L. em Thell) cultivars collected from different agroclimatic zones. *Physiology and Molecular Biology of Plants* 18, 3: 217-228.
880. Farhoudi R, Hussain M, Lee D-J. 2012. Modulation of enzymatic antioxidants improves the salinity resistance in canola (*Brassica napus*). *International Journal of Agriculture and Biology* 14, 3: 465-468.
881. Farooq M, Hussain M, Abdul Wahid, Siddique KHM. 2012 Drought Stress in Plants: An Overview, In: Plant Responses to Drought Stress, Subtitle From Morphological to Molecular Features, pp 1-33, Springer Berlin Heidelberg. DOI 10.1007/978-3-642-32653-0_1
882. Kang Y, Udvardi M. 2012. Global regulation of reactive oxygen species scavenging genes in alfalfa root and shoot under gradual drought stress and recovery. *Plant Signaling and Behavior* 7, 5: 539-543.
883. Landjeva S, Kocheva K, Karceva T, Sepsi A, Molnár I, Schneider A, Ganeva G, Molnár-Láng M. 2012. Molecular cytogenetic identification of a wheat-*Aegilops geniculata* Roth spontaneous chromosome substitution and its effects on the growth and physiological responses of seedlings to osmotic stress. *Plant Breeding* 131, 1: 81-87.
884. Pyngrope S, Bhoomika K, Dubey RS. 2012. Oxidative stress, protein carbonylation, proteolysis and antioxidative defense system as a model for depicting water deficit tolerance in Indica rice seedlings. *Plant Growth Regul* DOI 10.1007/s10725-012-9758-3
885. Raheleh R, Ramazanali K, Ali G. et al . 2012. Use of biochemical indices and antioxidant enzymes as a screening technique for drought tolerance in chickpea genotypes (*Cicer arietinum* L.). *African Journal of Agricultural Research* 7, 39: 5372-5380.
886. Yang Y, Yang F, Li X, Shi R, Lu J. 2012. Signal regulation of proline metabolism in callus of the halophyte *Nitraria tangutorum* Bobr. grown under salinity stress *Plant Cell Tiss Organ Cult* 112: 33-42.

Ruffini Castiglione M, Venora G, Ravalli C, Stoilov L, Gecheff KI, Cremonini R (2008) DNA methylation and genome rearrangements in barley reconstructed karyotypes. *Protoplasma*, 232, 215–222.

887. Jun Li & Shibin He & Lu Zhang & Yong Hu & Fei Yang & Lu Ma & Jing Huang & Lijia Li. 2012. Telomere and 45S rDNA sequences are structurally linked on the chromosomes in Chrysanthemum segetum L. *Protoplasma* 249:207–215.

Stoyanova Z, Zozikova E, Poschenrieder Ch, Barcelo J, Doncheva S (2008) The effect of silicon on the symptoms of manganese toxicity in maize plants. *Acta Biologica Hungarica* 59, 4: 479-487

888. Li P, Song A, Zhaojun Li, Fenliang Fan, Yongchao Liang. 2012. Silicon ameliorates manganese toxicity by regulating manganese transport and antioxidant reactions in rice (*Oryza sativa* L.) *Plant and Soil* 354, 407-419.

Ivanova A, A Ivanova, K Seizova, I Kostova, L Evstatieva, K Stefanov (2008) Effect of soil salinity on the chemical composition of two populations of *Tribulus terrestris* from

Bulgaria, Compt Rend Acad Bulg Sci, 61: 55-62

889. Todorova D, Katerova Z, Sergiev I, Alexieva V. Role of polyamines in alleviating salt stress, 355-379, Chapter 13 In : Ecophysiology and Responses of Plants under Salt Stress. Springer Science,(Eds Ahmad, P, Prasad, M, Azooz, M) LLC-2012 ISBN 978-1-4614-4746-7

Georgieva K, S Lenk, C Buschmann (2008) Responses of the resurrection plant *Haberlea rhodopensis* to high irradiance. Photosynthetica, 46, 208-215 :

890. Dinakar C, Bartels D. 2012. Light response, oxidative stress management and nucleic acid stability in closely related Linderniaceae species differing in desiccation tolerance. *Planta*, 236 (2), 541-555
891. Denev I, Stefanov D, Terashima I. 2012. Preservation of integrity and activity of *Haberlea rhodopensis* photosynthetic apparatus during prolonged light deprivation. *Physiologia Plantarum*, 146 (1), 121-128
892. Михайлова Г. 2012. Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими Дисертация, София, БАН-ИФРГ

Çakırlar H, N Çiçek, I Fedina, K Georgieva, A Doğru, M Velitchkova (2008) NaCl induced cross-acclimation to UV-B radiation in four barley (*Hordeum vulgare* L) cultivars. Acta Physiol Plant, 30, 561–567

893. Singh, S, Kumari R, Agrawal M, Agrawal SB. 2012. Differential response of radish plants to supplemental ultraviolet-B radiation under varying NPK levels: Chlorophyll fluorescence, gas exchange and antioxidants. *Physiologia Plantarum*, 145 (3), 474-484
894. Kravets E, Zelena L, Zabara E, Ya B Blume. 2012. Adaptation strategy of barley plants to UV-B radiation. *Emirates Journal of Food and Agriculture*, 24(6), 632-645
895. Hui R, Li X, Chen C, Zhao X, Jia R, Liu L and Wei Y. 2012. Responses of photosynthetic properties and chloroplast ultrastructure of *Bryum argenteum* from a desert biological soil crust to elevated ultraviolet-B radiation. *Physiologia Plantarum* doi: 101111/j.1399-3054.2012.01679.x
896. Radyukina, VI M Toaima, NR Zaripova. 2012. The involvement of low-molecular antioxidants in cross-adaptation of medicine plants to successive action of UV-B radiation and salinity. *Russian Journal of Plant Physiology*, 59(1), 71-78

Georgieva K, A Roding, C Buchel (2009) Changes in some thylakoid membrane proteins and pigments upon desiccation of the resurrection plant *Haberlea rhodopensis*. J Plant Physiology, 166, 1520-1528

897. Dinakar C, Djilianov D, Bartels D. 2012. Photosynthesis in desiccation tolerant plants: Energy metabolism and antioxidative stress defense *Plant Science*, 182 (1), 29-41
898. Yang X-S, Chen G-X, Wei X-D, Xie K-B. 2012. Enhanced antioxidant protection at the early stages of leaf expansion in ginkgo under environmental conditions. *Biologia Plantarum*, 56 (1), 181-186
899. Almoguera C, Prieto-Dapena P, Personat J-M, Tejedor-Cano J, Lindahl M, et al. 2012. Protection of the Photosynthetic Apparatus from Extreme Dehydration and Oxidative Stress. In: Seedlings of Transgenic Tobacco PLoS ONE 7(12): e51443 doi:10.1371/journal.pone.0051443
900. Михайлова Г. 2012 Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими Дисертация, София, БАН-ИФРГ

Fedina I, K Georgieva, M Velitchkova, D Nedeva, H Çakarlar (2009) UV-B response of greening barley seedlings. *Acta Biologica Hungarica*, 60 (2), 195-210

901. Klem K, Ac A, Holub P, Kovac D, Spunda V, Matthew Robson T. 2012. Interactive effects of PAR and UV radiation on the physiology, morphology and leaf optical properties of two barley varieties. *Environmental and Experimental botany*, 75, 52-64

Fedina I, D Nedeva, K Georgieva, M Velitchkova. 2009. Methyl jasmonate counteract UV-B stress in barley seedlings. *Journal of Agronomy and Crop Science*, 195 (3), 204-212

902. Liu X, Chi H, Yue M, Zhang X, Li W, Jia E. 2012. The Regulation of Exogenous Jasmonic Acid on UV-B Stress Tolerance in Wheat. *Journal of Plant Growth Regulation*, 31 (3), 436-447

903. Bing-Bing Liu, L Opgenoorth, G Miehe, D-Y Zhang, D-S Wan, C-M Zhao,D-R Jia, J-Q Liu. 2012. Molecular bases for parallel evolution of translucent bracts in an alpine “glasshouse” plant Rheum alexandrae (Polygonaceae). *Journal of Systematics and Evolution*, DOI: 101111/j1759-6831201200225x

904. Xia Q -Z, Liu H-M, Hr Ch-Z, Wang L-Ch, Wan H, Zhang X-M. 2012. Effects of artificial low temperature stress on physiological and biochemical indexes of cold resistancein cashew blade. *Northern Horticulture*, 11, 27-29

Popova LP, Maslenkova LT, Yordanova RY, Ivanova AP, Krantev AP, Szalai G, Janda T (2009) Salicylic acid protects photosynthesis against cadmium toxicity in pea plants. *Plant Physiol And Biochem*, 47: 224-231

905. Wang C-L, Liang Z-S, Li D-R, Liu Y, Liu F-H. 2012. Effects of growth-regulating substances and soluble sugar contents on accumulation of salvianolic acids in salvia miltiorrhiza bunge. *Zhiwu Shengli Xuebao/Plant Physiology Journal* 48 (2): 181-188

906. Çanakci S, Dursun. B 2012. The effect of pre-application of salicylic acid on some physiological and biochemical characteristics of tomato seedling (*Lycopersicon esculentum* L) growing in cadmium containing media. *African Journal of Biotechnology*, 11 (13) , pp 3173-3178

907. Januškaitiene I. 2012. The effect of cadmium on several photosynthetic parameters of pea (*Pisum sativum* L) at two growth stages | [Kadmio poveikis dvieju{ogonek} vystymosi tarpsnu{ogonek} sėjamojo žirnio (*Pisum sativum* L) fotosintezės rodikliams]. *Zemdirbyste* 99 (1) , pp 71-76

908. Tripathi DK, Singh VP, Kumar D, Chauhan DK. 2012. Rice seedlings under cadmium stress: Effect of silicon on growth, cadmium uptake, oxidative stress, antioxidant capacity and root and leaf structures. *Chemistry and Ecology*, 28 (3) , pp 281-291

909. Valentovičová K, Mistrík I, Zelinová V, Tamás L 2012. How cobalt facilitates cadmium- and ethylene precursor-induced growth inhibition and radial cell expansion in barley root tips. *Central European Journal of Biology* 7 (3) . pp 551-558

910. Gajewska E, Bernat P, Dlugoński J, Skłodowska M . 2012. Effect of Nickel on Membrane Integrity, Lipid Peroxidation and Fatty Acid Composition in Wheat Seedlings. *Journal of Agronomy and Crop Science* 198 (4) , pp 286-294

911. Wang Y, Liu J-H. 2012. Exogenous treatment with salicylic acid attenuates occurrence of citrus canker in susceptible navel orange (*Citrus sinensis* Osbeck). *Journal of Plant Physiology* 169 (12, pp 1143-1149

912. Issam N, Kawther M, Haythem M, Moez J. 2012. Effects of CaCl₂ pretreatment on antioxidant enzyme and leaf lipid content of faba bean (*Vicia faba* L) seedlings under cadmium stress. *Plant Growth Regulation* 68 (1) , pp 37-47

913. Hao X-Z, Zhou D-M, Li D-D, Jiang P. 2012. Growth, Cadmium and Zinc Accumulation of Ornamental Sunflower (*Helianthus annuus* L) in Contaminated Soil with Different Amendments. *Pedosphere* 22 (5), pp 631-639
914. H Farahbakhsh 2012 Germination and seedling growth in un-primed and primed seeds of Fenel as affected by reduced water potential induced by NaCl International Research Journal of Applied and Basic Sciences Vol, 3 (4), 737-744
915. Parvaiz Ahmad, Renu Bhardwaj. 2012. Plant Signaling Under Abiotic Stress Environment Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change. pp 297-32
916. Weiti Cui, Le Li, Zhaozhou Gao, Honghong Wu, Yanjie Xie and Wenbiao Shen. 2012. Haem oxygenase-1 is involved in salicylic acid-induced alleviation of oxidative stress due to cadmium stress in *Medicago sativa*. *Journal of Experimental Botany*, 63(15): 5521-5534
917. Aïcha Belkadhi, Hédia Hédiji, Zouhaier Abbes, Wahbi Djebali* and Wided Chaïbi. 2012. Influence of salicylic acid pre-treatment on cadmium tolerance and its relationship with non-protein thiol production in flax root. *African Journal of Biotechnology*, Vol 11(41), pp 9788-9796, 22 May, 2012
918. Noushina Iqbal, Nafees A Khan, Md Iqbal R Khan, Rahat Nazar, Asim Masood, Shabina Syeed. 2012. Sulfur in the Alleviation of Cadmium-Induced Oxidative Stress in Plants Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change. pp 429-44
919. Jagna Chmielowska-Bąk, Joanna Deckert. 2012. A common response to common danger? Comparison of animal and plant signaling pathways involved in cadmium sensing. *Journal of Cell Communication and Signaling*, 6, Issue 4, pp 191-204
920. Guillermo Noriega, Ethel Caggiano, Manuel López Lecube, Diego Santa Cruz, Alcira Batlle, María Tomaro, Karina Beatriz Balestrasse. 2012. The role of salicylic acid in the prevention of oxidative stress elicited by cadmium in soybean plants. *BioMetals*, 25, Issue 6, pp 1155-1165

Stoyanova Z, Poschenrieder Ch, Tzvetkova N, Doncheva S (2009) Characterization of the tolerance to excess manganese in four maize varieties. *Soil Sci Plant Nutr* 55 (6): 747-753

921. Maria C., Hernandez-Soriano, Fien Degryse, Enzo Lombi, Erik Smolders. 2012. Manganese Toxicity in Barley is Controlled by Solution Manganese and Soil Manganese Speciation. *Soil Science Society of America Journal*, 76, 2, p. 399-407.
922. R. Millaleo, M. Reyes-Dñaz, M. Alberdi, A. G. Ivanov, M. Krol and N. P. A. Hñner. 2012. Excess manganese differentially inhibits photosystem I versus II in *Arabidopsis thaliana* *Journal of Experimental Botany Advance Access published November 26*

Petrova D, G Marinova, G Chaneva, V Kapchina-Toteva, and E Stoimenova (2009) Local and systemic responses of antioxidants to cucumber mosaic virus infection in pepper plants. *Biotechnology and biotechnological equipment* 23, 516-518.

923. Kalogirou M. 2012. Antiviral and quality effects of chemical elicitors and Cucumber Mosaic Virus (CMV) infection on tomato plants and fruits. Ph.D.Thesis,

Rodeva R, Gabler J, Stoyanova Z (2009) First evidence of *Itersonilia perplexans* on dill (*Anethum graveolens*) in Bulgaria. *Scientific Works of the Lithuanian Institute of Horticulture and Lithuanian University of Agriculture. Sodininkystė ir daržininkystė* 28, 3, 193-198.

924. Dorn-In, Samart. 2012. Untersuchungen zur Rekonstruktion der ursprünglichen Pilzflora hitzebehandelter Lebensmittel mittels qPCR und PCR-SSCP. Ph.D. Thesis, München,

Demirevska K, Zasheva D, Dimitrov R, Simova-Stoilova L, Stamenova M, Feller U (2009) Drought stress effects on Rubisco in wheat: Changes in the Rubisco large subunit. *Acta Physiologiae Plantarum* 31, 6: 1129-1138.

925. Chipilski RR, Kocheva KV, Nenova VR, Georgiev GI. 2012. Physiological responses of two wheat cultivars to soil drought. *Zeitschrift fur Naturforschung - Section C Journal of Biosciences* 67 C, 3-4: 181-186.

926. Ge, P., Ma, C., Wang, S., Gao, L., Li, X., Guo, G., Ma, W., Yan, Y. Comparative proteomic analysis of grain development in two spring wheat varieties under drought stress 2012 *Analytical and Bioanalytical Chemistry* 402 (3), pp. 1297-1313

927. Ghassemi-Golezani K, Lotfi R. 2012. Responses of soybean leaves and grain yield to water stress at reproductive stages. *International Journal of Plant, Animal and Environmental Sciences* 2, 3: 63-67.

928. Kamal AHM, Cho K, Choi J-S, Jin Y, Park C-S, Lee JS, Woo SH. 2012. Patterns of protein expression in water-stressed wheat chloroplasts. *Biol. Plant* (in press)

929. Sadeghipour O, Aghaei P. 2012. Impact of exogenous salicylic acid application on some traits of common bean (*Phaseolus vulgaris* L.) under water stress conditions. *Intl J Agri Crop Sci.* 4, 11: 685-690.

930. Григорова БС. 2012. Биохимични, физиологични и морфологични промени при пшенични растения под влияние на засушаване, висока температура и тяхната комбинация. Докторска дисертация, София

Doncheva S, Poschenrieder C, Stoyanova Z, Georgieva K, Velichkova M, Barceló, J (2009) Silicon amelioration of manganese toxicity in Mn-sensitive and Mn-tolerant maize varieties. *Env Exp Bot* 65 (2-3): 189-197

931. Y Liu, K Wang, P Xu Zh Wang. 2012. Physiological Responses and Tolerance Threshold to Cadmium Contamination in *Eremochloa Ophiuroides*. *Inter J of Phytoremediation* 14, 5, 467-480

932. Y A, D Mou, G Xu, S Lutts, V Achal and J Ma. 2012. Contrasting Performance and Different Tolerance of Chestnut Rose and Grape to Excess Manganese. *J Plant Growth Regulation*, 31, 3, 416-42

933. Cogliati EE, Gilardi G, Gullino ML, Garibaldi A. 2012. Effect of electrical conductivity and silicate on infection of basil with *colletotrichum gloeosporioides* in soilless culture. *Journal of Phytopathology*, 160 (11-12), 655-660

934. Li Ping, Alin Song, Zhaojun Li, Fenliang Fan, Youngchao Liang. 2012. Silicon ameliorates manganese toxicity by regulation manganese transport and antioxidant reactions in rice (*Oryza sativa* L). *Plant and Soil* 354 , 407-419

935. Rizwan M, Meunier J-D, Miche H, Keller C. 2012. Effect of silicon on reducing cadmium toxicity in durum wheat (*Triticum turgidum* L cv Claudio W) grown in a soil with aged contamination. *Journal of Hazardous Materials*, 209-210, 326-334

936. Fu Y-Q, Shen H, Wu D-M, Cai K-Z. 2012. Silicon-Mediated Amelioration of Fe 2+ Toxicity in Rice (*Oryza sativa* L). *Roots Pedosphere*, 22 (6), 795-802

937. Yin An Yao, Donglin Mou, Gang Xu, Stanley Lutts, Varenyam Achal, Jinbiao Ma. 2012. Contrasting Performance and Different Tolerance of Chestnut Rose and Grape to Excess Manganese. *Journal of Plant Growth Regulation*, 31 (3), 416-426

938. Yiming Liu, Kai Wang, Peixian Xu, Zhaolong Wang. 2012. Physiological Responses and Tolerance Threshold to Cadmium Contamination in *Eremochloa Ophiuroides*. International Journal of Phytoremediation, 14 (5), 467-480
939. Millaleo R, M Reyes-Díaz, M Alberdi, A G Ivanov, M Krol, N P A Hüner. 2012. Excess manganese differentially inhibits photosystem I versus II in *Arabidopsis thaliana* J Exp Bot doi:10.1093/jxb/ers339

Iantcheva A, Vassileva V, Ugrinova M, Vlahova M (2009) Development of functional genomic platform for model legume *Medicago truncatula* in Bulgaria. Biotechnology & Biotechnological Equipment 23, 4: 1440-1443.

940. Yahia Y, Elfalleh W, Tlili N, Hannachi H, Loumerem M, Ferchichi A. 2012. Phytochemical contents and antioxidant activities of some Tunisian faba bean populations. *Romanian Agricultural Research* (in press).

Nagel, M., Vogel H., Landjeva, S., Buck-Sorlin, G., Lohwasser, U., Scholz, U. and Börner A. (2009). Seed conservation in ex situ genebanks—genetic studies on longevity in barley. EUPHYTICA 170 (1-2): 5-14

941. de Carvalho MAAP, Bebeli PJ, Bettencourt E, Costa G, Dias S, Dos Santos TMM and Slaski JJ. 2012. Cereal landraces genetic resources in worldwide GeneBanks. A review. Agronomy for Sustainable Development DOI: 10.1007/s13593-012-0090-0
942. Van Hintum T, Van Treuren R. 2012. Reliability of germination testing of ex situ conserved seeds: A genebank case study on outsourced analyses. Plant Genetic Resources: Characterisation and Utilisation 10(2): 134-136
943. Scalone R, Albach: DC. 2012. Degradation of sexual reproduction in *Veronica filiformis* after introduction to Europe. BMC Evolutionary Biology 12:233-252.
944. van Treuren R, de Groot EC, van Hintum Th J L. 2012. Preservation of seed viability during 25 years of storage under standard genebank conditions. Genet Resour Crop Evol DOI 10.1007/s10722-012-9929-0

Nedeva D, Pouneva I (2009) Changes in electrophoretic profiles of proteins and some antioxidant enzymes in Antarctic alga *Choricystis minor* and *Chlorella* sp. as affected by temperature and oxidative stress. Biotechnol. Biotechnol. Equip. 23:233–6

945. Chankova S, N. Yurina. 2012. Micro-algae as a Model System for Studying of Genotype Resistance to Oxidative Stress and Adaptive Response. Radiobiology and Environmental Security NATO Science for Peace and Security Series C: Environmental Security, 2012, 19-30.

Manova V, M Georgieva, B Borisov, B Stoilova, K Gecheff and L Stoilov (2009) Genomic and gene-specific induction and repair of DNA damage in barley. Invited lecture Q.Y. Shu (ed.), Induced Plant Mutations in the Genomics Era. Food and Agriculture Organization of the United Nations, Rome, 2009, 133-136.

946. Lagoda P.J.L. . 2012. Effects of Radiation on Living Cells and Plants 123-134. In: Plant Mutation Breeding and Biotechnnology (Eds. Shu, Forster, Nakagava) Joint FAO-IAEA Programme, 2012.

Simova-Stoilova L, Demirevska K, Petrova T, Tsenov N, Feller U (2009) Antioxidative protection and proteolytic activity in tolerant and sensitive wheat (*Triticum aestivum* L.) varieties subjected to long-term field drought. Plant Growth Regulation 58, 1: 107-117.

947. Karthikeyan B, Joe MM, Islam MR,Sa T. 2012. ACC deaminase containing diazotrophic endophytic bacteria ameliorate salt stress in *Catharanthus roseus* through

- reduced ethylene levels and induction of antioxidative defense systems. *Symbiosis* 56, 2: 77-86.
948. Varga B, Janda T, László E, Veisz O. 2012. Influence of abiotic stresses on the antioxidant enzyme activity of cereals. *Acta Physiologiae Plantarum* 34, 3: 849-858.
- Vaseva I, Todorova D, Malbeck J, Travničkova A, Machačkova I (2009) Mild temperature stress modulates cytokinin content and cytokinin oxidase/ dehydrogenase activity in young pea plants. *Acta Agronomica Hungarica* 57, 1: 33–40.**
949. Majláth I, Szalai G, Soós V, Sebestyén E, Balázs E, Vanková R, Dobrev PI, Tari I, Tandori J, Janda T. 2012. Effect of light on the gene expression and hormonal status of winter and spring wheat plants during cold hardening. *Physiologia Plantarum* DOI: 10.1111/j.1399-3054.2012.01579.x
- Vassileva V, Simova-Stoilova L, Demirevska K, Feller U (2009) Variety-specific response of wheat (*Triticum aestivum* L.) leaf mitochondria to drought stress. *J. Plant Research* 122, 4: 445-454.**
950. Zhou J, Tian X, Qiao L, Qin P. 2012. Respiratory enzyme activity and regulation of respiration pathway in seashore mallow (*Kosteletzkyia virginica*) seedlings under waterlogging conditions. *Aust. J Crop Sci* 6, 4: 756-762.
951. Chipilski RR, Kocheva, K.V, Nenova VR, Georgiev GI. 2012. Physiological responses of two wheat cultivars to soil drought. *Zeitschrift fur Naturforschung - Section C Journal of Biosciences*. 67 C, 3-4: 181-186.
952. Григорова БС. 2012. Биохимични, физиологични и морфологични промени при пшенични растения под влияние на засушаване, висока температура и тяхната комбинация. Докторска дисертация, София.
- Yonova P, Gateva S, Mincheva N, Jovchev G, Stergious M, Kapchina-Toteva V (2009) IMPROVEMENT OF TOLERANCE TO PARAQUAT IN BARLEY (HORDEUM VULGARE L.) BY A SYNTHETIC THIOUREA COMPOUND: EFFECTS ON GROWTH AND BIOCHEMICAL RESPONSES. General and Applied Plant Physiology 35(3-4), 162-171. ISSN 1312-8183.**
953. Rong, E., Z. Zhao, W. Zang, P. Guo, J. Zhang, W. Zhao, M. Feng, L. Wang, D. Xie, W. Yang. 2012. Significant pathway analysis of *Arabidopsis thaliana* following treatment with paraquat (PQ). *Journal of Medicinal Plants Research* 6(9), 2012, 1697-1701. ISSN 1996-0875
- Peeva V, Cornic G (2009) Leaf photosynthesis of *Haberlea rhodopensis* before and during drought. *Environ Exp Bot* 65: 310-318**
954. Silva EN, Ribeiro RV, Ferreira-Silva SL, Vieira SA, Ponte LFA, Silveira JAG. 2012. Coordinate changes in photosynthesis, sugar accumulation and antioxidative enzymes improve the performance of *Jatropha curcas* plants under drought stress. *Biomass and Bioenergy*, 45: 270-279
955. Deng Y, Shao Q, Li C, Ye X, Tang R. 2012. Differential responses of double petal and multi petal jasmine to shading: II Morphology, anatomy and physiology. *Scientia Horticulturae* 144: 19-28
956. Garcia-Plazaola JI, Esteban R, Fernandez-Martin B, Kranner I, Porcar-Castell A. 2012. Thermal energy dissipation and xanthophyll cycles beyond the *Arabidopsis* model. *Photosynthesis research*, 113(1-3): 89-103

957. Georgieva K, Doncheva S, Mihailova G, Petkova S. 2012. Response of sun- and shade- adapted plants of *Haberlea rhodopensis* to desiccation. *Plant growth Regulation*: 1-12
958. Péli ER, Mihailova G, Petkova S, Tuba Z, Georgieva K. 2012. Differences in physiological adaptation of *Haberlea rhodopensis* Friv Leaves and roots during dehydration-rehydration cycle. *Acta Physiologiae Plantarum* 34(3): 947-955
959. Dinakar C, Djilianov D, Bartels D. 2012. Photosynthesis in desiccation tolerant plants: Energy metabolism and antioxidative stress defense. *Plant Science* 182: 29-41
960. Flexas J, Galle A, Galmes J, Ribas-Carbo M, Medrano H. 2012. The response of photosynthesis to soil water stress *Plant Responses to drought stress* pp: 129-144
961. Михайлова Г. 2012. Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими Дисертация, София, ИФРГ-БАН

Moskova I., D. Todorova, V. Alexieva, S. Ivanov, I. Sergiev (2009) Effect of exogenous hydrogen peroxide on enzymatic and nonenzymatic antioxidants in leaves of young pea plants treated with paraquat. *Plant Growth Regul.* 57 (2), 193-202. ISSN: 0167-6903.

962. Rong, E., Z. Zhao, W. Zang, P. Guo, J. Zhang, W. Zhao, M. Feng, L. Wang, D. Xie, W. Yang. 2012. Significant pathway analysis of *Arabidopsis thaliana* following treatment with paraquat (PQ). *Journal of Medicinal Plants Research* 6(9), 1697-1701. ISSN 1996-0875
963. Goldani M., Y. Selahvarzi, J. Nabati, M. Alirezai. 2012. Effect of Exogenous Application of Hydrogen Peroxide on some Salt Tolerance Indices in Oregano (*Origanum majorana* L.). *Journal of Horticultural Science*, 26 (2), 153-161. ISSN: 2008 – 4730 (in farsi)

Katerova Z., D. Todorova (2009) Endogenous polyamines lessen membrane damages in pea plants provoked by enhanced ultraviolet-C radiation. *Plant Growth Regul.* 57 (2), 145-152. ISSN: 0167-6903

964. Fariduddin, Q., P Varshney, M Yusuf, A Ahmad. 2012. Polyamines: potent modulators of plant responses to stress. *Journal of plant interaction-Online*. ISSN 1742-9153

Katerova Z, S Ivanov, S Mapelli, V Alexieva (2009) Phenols, proline and low-molecular thiol levels in pea (*Pisum sativum*) plants respond differently toward prolonged exposure to ultraviolet-B and ultraviolet-C radiations. *Acta Physiologiae Plantarum*, 31(1) 111-117. ISSN: 0137-5881

965. Zuo M, Zhou J, He W, Yang H, Yang Z, Liu L, Liu Y, Xiao Z. Adaptability of Different Flue-cured Tobacco Varieties to UV-C Stress Duration. *Chinese Tobacco Science* 31(6), 2010-12, 14-19 (*In Chinese*). ISSN 1007-5119
966. Pandey M, Srivastava AK, Suprasanna P, D'Souza SF. Thiourea mediates alleviation of UV-B stress-induced damage in the Indian mustard (*Brassica juncea* L.). *Journal of Plant Interactions*. 7(2), 2012, 143-150 p-ISSN 1742-9145, e-ISSN 1742-9153 IF
967. Al-Enezi N.A., Al-Khayri J.M. Effect of X-irradiation on proline accumulation, growth and water content of date palm (*Phoenix dactylifera* L.) seedlings. *Journal of Biological Sciences* 12 (3), 2012, 146-153. eISSN: 1812-5719 pISSN: 1727-3048 IF

Katerova Z, S Ivanov, E Prinsen, H Van Onckelen, V Alexieva, A Azmi. Low doses of ultraviolet-B or ultraviolet-C radiation affect phytohormones in young pea plants. *Biologia plantarum* 53 (2), 2009, 365-368. ISSN: 0006-3134

968. Zuo M, Zhou J, He W, Yang H, Yang Z, Liu L, Liu Y, Xiao Z. Adaptability of Different Flue-cured Tobacco Varieties to UV-C Stress Duration. *Chinese Tobacco Science* 31(6), 2010-12, 14-19 (*In Chinese*). ISSN 1007-5119

Katerova, Z (2009) Prolonged influence of short pulses ultraviolet-C radiation on young pea plant does not alter important antioxidant defence enzyme activities in young leaves. General and Applied Plant Physiology 35(3-4), 134-139. ISSN 1312-8183.

969. Rohanie M, M Ayoub, 2012. In: G.Montanaro and B. Dichio (Eds.), *Advances in Selected Plant Physiology Aspects*, Chapter 11. Significance of UV-C Hormesis and Its Relation to Some Phytochemicals in Ripening and Senescence Process, Publisher: InTech p. 254 ISBN 978-953-51-0557

Maslenkova L, Peeva V, Stojnova Zh, Popova L (2009) Salicylic acid-induced changes in photosystem ii reactions in barley plants Biotechnology & Biotechnological Equipment Volume 23, Number 2

970. Hlavinka, Jan; Nozkova-Hlavackova, Vladimira; Flokova, Kristyna; et al. 2012. Jasmonic acid accumulation and systemic photosynthetic and electrical changes in locally burned wild type tomato, ABA-deficient sitiens mutants and sitiens pre-treated by ABA. *PLANT PHYSIOLOGY AND BIOCHEMISTRY*, 54: 89-96 DOI: 101016/j.jplaphy201202014

Loreto F, Tsonev T, Centritto M (2009) The impact of blue light on leaf mesophyll conductance, Journal of Experimental Botany 60, 8, 2283–2290

971. Abidi F, Girault T, Douillet O, Guillemain G, Sintes G, Laffaire M, Ben Ahmed H, Smiti S, Huche-Thelier L, Leduc N. 2012. Blue light effects on rose photosynthesis and photomorphogenesis. *Plant Biology*, (*in press*) DOI: 101111/j.1438-8677.2012.02006.x

972. Bermúdez MA, Galmés J, Moreno I, Mullineaux PM, Gotor C, Romero LC. 2012. Photosynthetic adaptation to length of day synthase activity in the thylakoid lumen. *Plant Physiology* 160, 1, 274-288

973. Gilbert ME, Pou A, Zwieniecki MA, Holbrook NM . 2012. On measuring the response of mesophyll conductance to carbon dioxide with the variable *J* method. *Journal of Experimental Botany*, 63 (1), 413-425

974. Kaldenhoff R. 2012. Mechanisms underlying CO₂ diffusion in leaves. *Current Opinion in Plant Biology* 15 (3): 276-281

975. Savvides A, Fanourakis D, van Ieperen W. 2012. Co-ordination of hydraulic and stomatal conductances across light qualities in cucumber leaves. *Journal of Experimental Botany*, 63(3): 1135-1143

976. Suetsugu N, Wada M. 2012. Ch11 Chloroplast photorelocation movement: a sophisticated strategy for chloroplasts to perform efficient photosynthesis. In: (MM Najafpour, Ed) *Advances in Photosynthesis – Fundamental Aspects*, 215-234, InTech

977. Sun W, Ubriena N, Ma J-Y, Cousins AB. 2012. The influence of light quality on C₄ photosynthesis under steady-state conditions in *Zea mays* and *Miscanthus×giganteus*: Changes in rates of photosynthesis but not the efficiency of the CO₂ concentrating mechanism. *Plant, Cell and Environment* 35 (5) , 982-993

978. Tholen D, Ethier G, Genty B, Pepin S, Zhu X-G. 2012. Variable mesophyll conductance revisited: theoretical background and experimental implications. *Plant, Cell and Environment*, 35 (12), 2087-2103

Vickers CE, Possell M, CI Cojocariu, Velikova VB, Laothawornkitkul J, Ryan A, Mullineaux PM, Hewitt CN (2009) Isoprene synthesis protects transgenic plants from oxidative stress. Plant Cell and Environment 32: 520-531

979. Bagnoli F, Fineschi S, Loreto F. 2012. 6 Volatile isoprenoids and abiotic stresses In: *The Ecology of Plant Secondary Metabolites: From Genes to Global Processes*, Series: Ecological Reviews (Eds Glenn R Iason, Marcel Dicke, Susan E Hartley), Cambridge University Press, pp: 101-121(**Book**)
980. Behnke K, Grote R, Bruggemann N, Zimmer I, Zhou GW, Elobeid M, Janz D, Polle A, Schnitzler JP . 2012. Isoprene emission-free poplars - a chance to reduce the impact from poplar plantations on the atmosphere *New Phytologist* 194 (1), Special Issue: SI: 70-82, DOI: 101111/j1469-8137201103979x
981. Faraldo JA, Gonzalez V, Li A, Yu F, Köksal M, Christianson DW, Allemann RK. 2012. Probing the mechanism of 1,4-conjugate elimination reactions catalyzed by terpene synthases. *Journal of the American Chemical Society* 134: 20844-20848
982. Hartikainen K, Kivimaenpaa M, Nerg AM, Holopainen T. 2012. Significance of leaf structure and emission of volatile organic compounds in ozone tolerance of oat and wheat. *Botany-Botanique* 90, (2): 121-135, DOI: 101139/B11-090
983. Hartikainen K, Riikonen J, Nerg AM, Kivimaenpaa M, Ahonen V, Tervahauta A, Karenlampi S, Maenpaa M, Rousi M, Kontunen-Soppela S, Oksanen E, Holopainen T. 2012. Impact of elevated temperature and ozone on the emission of volatile organic compounds and gas exchange of silver birch (*Betula pendula* Roth). *Environmental and Experimental Botany* 84: 33-43, DOI: 101016/jenvexpbot201204014
984. Hasanuzzaman M, Hossain MA, Teixeira da Silva JA, Fujita M. 2012. Plant response and tolerance to abiotic oxidative stress: antioxidant defense is a key factor Chapter 8 In: *Crop Stress and its Management: Perspectives and Strategies* (B Venkateswarlu AK Shanker, C Shanker, M Maheswari), DOI: 101007/978-94-007-2220-0_8 Springer Science+Business Media BV; pp: 261-315 (book)
985. Marti G, Erb M, Boccard J, Glauser G, Doyen GR, Villard N, Robert CAM, Turlings TCJ, Rudaz S, Wolfender J-L. 2012. Metabolomics reveals herbivore-induced metabolites of resistance and susceptibility in maize leaves and roots. *Plant, Cell & Environment* 2doi: 101111/pce12002 (*Early View*)
986. Pallozzi E, Fortunati A, Marino G, Loreto F, Agati G, Centritto M. 2012. BVOC emission from *Populus* × *canadensis* saplings in response to acute UV-A radiation. *Physiologia Plantarum* DOI: 101111/j1399-3054201201687x (*Early View*)
987. Sharkey TD, Gray DW, Pell HK, Breneman SR, Topper L. 2012. Isoprene synthase genes form a monophyletic clade of acyclic terpene synthases in the tps-b terpene synthase family. *Evolution* DOI: 101111/evo12013 (*Early View*)
988. Sharkey TD. 2012. Is it useful to ask why plants emit isoprene? *Plant, Cell & Environment* DOI: 101111/pce12038 (*Early View*)
989. Way DA, Pearcy RW. 2012. Sunflecks in trees and forests: from photosynthetic physiology to global change biology. *Tree Physiology* 32(9): 1066-1081, DOI: 101093/treephys/tps064 (Review)
990. Wang Y, Shen C, Li J, Jiang H, Chu Y. 2012. Chapter 28 Proton Transfer Reaction Mass Spectrometry (PTR-MS) In: *Mass Spectrometry Handbook*, First Edition Edited by Mike S Lee © 2012 John Wiley & Sons, Inc Published by John Wiley & Sons, Inc, pp: 605-630, (Book) DOI: 101002/9781118180730ch28
991. Zurbriggen A, Kirst H, Melis A. 2012. Isoprene production via the Mevalonic acid pathway in *Escherichia coli* (Bacteria). *Bioenergy Research* 5(4): 814-828, DOI: 101007/s12155-012-9192-4

Velikova V, Tsonev T, Barta C, Centritto M, Koleva D, Stefanova M, Busheva M, Loreto F (2009) BVOC emissions, photosynthetic characteristics and changes in chloroplast ultrastructure of *Platanus orientalis* L exposed to elevated CO₂ and high temperature Env Pol 157, 2629-2637

992. Flexas J, Barbour MM, Brendel O, Cabrera HM, Carriquí M, Diaz-Espejo A, Douthe C, Dreyer E, Ferrio JP, Gago J, Galle A, Galmés J, Kodama N, Medrano H, Niinemets Ü, Peguero-Pina J, Pou A, Ribas-Carbo M, Tomas M, Tosens T, Warren CR. 2012. Mesophyll diffusion conductance to CO₂: An unappreciated central player in photosynthesis (Review). *Plant Sci* 193, 70-84
993. Grigorova B, Vassileva V, Klimchuk D, Vaseva I, Demirevska K, Feller U. 2012. Drought, high temperature, and their combination affect ultrastructure of chloroplasts and mitochondria in wheat (*Triticum aestivum* L) leaves. *Journal of Plant Interactions* 7 (3), 204-213
994. Hartikainen K, Riikonen J, Nerg A-M, Kivimäenpää M, Ahonen V, Tervahauta A, Kärenlampi S, Mäenpää M, Rousi M, Kontunen-Soppela S, Oksanen E, Holopainen T. 2012. Impact of elevated temperature and ozone on the emission of volatile organic compounds and gas exchange of silver birch (*Betula pendula* Roth). *Environ Exp Bot*, 84, 33-43
995. Wang XP, Liu TX, Li CH. 2012. Characterization of biogenic volatile organic compounds and membrane lipid peroxidation during leaf ageing in maize (*Zea mays*). *Indian Journal of Agricultural Sciences*, 82 (5), 2012, 447-450
996. Klaiber J, Najar-Rodriguez AJ, Piskorski R, Dorn S. 2012. Plant acclimation to elevated CO₂ affects important plant functional traits, and concomitantly reduces plant colonization rates by an herbivorous insect. *Planta*, 2012, (in press) DOI: 101007/s00425-012-1750-7
997. Sun Z, Niinemets U, Hüve K, Noe SM, Rasulov B, Copolovici L, Vislap V. 2012. Enhanced isoprene emission capacity and altered light responsiveness in aspen grown under elevated atmospheric CO₂ concentration. *Global Change Biology*, 18 (11), 3423-3440
998. Zhang F-F, Wang Y-L, Huang Z-Z, Zhu X-C, Zhang F-J, Chen F-D, Fang W-M, Teng N-J. 2012. Effects of CO₂ enrichment on growth and development of *Impatiens hawker*. *The ScientificWorld Journal*, Volume Article ID 601263, 9 pages

Nenova, V (2009). Growth and photosynthesis of pea plants under different iron supply. Acta Physiologiae Plantarum, 31 (2), 385-391

999. Dhir, B., Srivastava, S. (2012). Disposal of metal treated salvinia biomass in soil and its effect on growth and photosynthetic efficiency of wheat. *International Journal of Phytoremediation* 14 (1), 24-34.
1000. Miralles, P., Johnson, E., Church, T.L., Harris, A.T (2012). Multiwalled carbon nanotubes in alfalfa and wheat: Toxicology and uptake . *Journal of the Royal Society Interface* 9 (77), 3514-3527.
1001. Trejgell, A., Libront, I., Tretyn, A. (2012). The effect of Fe-EDDHA on shoot multiplication and in vitro rooting of *Carlina onopordifolia* Besser. *Acta Physiologiae Plantarum* 34 (5), 2051-2055.

Velikova V, Salerno G, Frati F, Peri E, Conti E, Colazza S, Loreto F (2010) Influence of feeding and oviposition by phytophagous pentatomids on photosynthesis of herbaceous plants. Journal of Chemical Ecology 36: 629-641

1002. Büchel K, McDowell E, Nelson W, Descour A, Gershenson J, Hilker M, Soderlund C, Gang DR, Fenning T, Meiners T. 2012. An elm EST database for

- identifying leaf beetle egg-induced defense genes. *MBC Genomics* 13: 242
1003. Fatouros NE, Lucas-Barbosa D, Weldegergis BT, Pashalidou FG, van Loon JJA, Dicke M, Harvey JA, Gols R, Huigens ME. 2012. Plant volatiles induced by herbivore egg deposition affect insects of different trophic levels. *Plos One* 7(8), Article Number: e43607, DOI: 10.1371/journal.pone.0043607
1004. Frier JPD, Hernández CVS, Tiessen A. 2012. Friend or Foe? Exploring the factors that determine the difference between positive and negative effects on photosynthesis in response to insect herbivory. In: *Artificial Photosynthesis*, Dr Mohammad Najafpour (Ed), ISBN: 978-953-307-966-0, InTech (BOOK)
1005. Kerchev PI, Fenton B, Foyer CH, Hancock RD. 2012. Plant responses to insect herbivory: interactions between photosynthesis, reactive oxygen species and hormonal signalling pathways. *Plant, Cell and Environment* 35: 441-453
1006. Šimpraga M. 2012. Understanding the link between photosynthesis, growth and emissions of biogenic volatile organic compounds (BVOC) in temperate trees *PhD Thesis*, Ghent University, Belgium

Maslenkova L, Peeva V, Markovska Yu, Zeinalov Yu (2010) Thermoluminescence study of photosystem II activity in resurrection plant *Haberlea rhodopensis* during desiccation
In: Handbook of Plant and Crop Stress, Third Edition (edMPessarakli), 435-446, New York: CRC Press, Taylor & Francis Group

1007. Михайлова Г (2012) Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими
Дисертация, София, ИФРГ-БАН

Katerova Z, Miteva L (2010) In: Anjum NA; Chan M-T; Shahid U. (Eds.) Ascorbate-Glutathione Pathway and Stress Tolerance in Plants. 1st Edition. Chapter 6 Glutathione and Herbicide Resistance in Plants. Springer Dordrecht Heidelberg London New York, ISBN: 978-90-481-9403-2, pp 191-207.

1008. Yu G-B, Y Zhang' G J Ahammed, X-J Xia, W-H Mao, K Shi, Y-H Zhou, J-Q Yu. 2012. Glutathione biosynthesis and regeneration play an important role in the metabolism of chlorothalonil in tomato. *Chemosphere*, online, ISSN: 0045-6535

Tasheva K., Kosturkova G (2010) Bulgarian golden root in vitro cultures for micropropagation and reintroduction. Central European Journal of Biology, 5, 6, 853 – 863. ISSN: 1895-104X.

1009. ZHU Shun-qin, LIU Wan-hong, DAI Chuan-yun. 2012. Advances in Studies on Cellular and Molecular Biology of Salidroside Biosynthesis. *Food Sciences*, 33(03), 267 - 271. doi: 10.1002/1002-6630(2012)03-0267-05 (in Chinese) ISSN 1002-6630

Miteva L., Ivanov S., Alexieva V (2010) Alterations in glutathione pool and some related enzymes in leaves and roots of Pea plants treated with the herbicide glyphosate. Russian Journal of Plant Physiology, 57(1), 131-136. ISSN: 1021-4437.

1010. Alberto Moldes C., Camiña, J.M., Medici, L.O., Tsai, S.M., Azevedo, R.A. 2012. Physiological effects of glyphosate over amino acid profile in conventional and transgenic soybean (*Glycine max*). *Pesticide Biochemistry and Physiology*, 102(2), 134-141. ISSN: 0048-3575

1011. Lukatkin A. S., Gar'kova A. N., Bochkarjova A. S., Nushtaeva O. V., Teixeira da Silva J. A. 2012. Treatment with the herbicide TOPIK induces oxidative stress in cereal leaves. *Pesticide Biochemistry and Physiology*, online ISSN: 0048-3575

1012. Siddiqui, S., Meghvansi, M., Khan, S. 2012. Glyphosate, alachor and maleic hydrazide have genotoxic effect on *Trigonella foenum-graecum* L. *Bulletin of Environmental Contamination and Toxicology*, 88(5), 659-665; p-ISSN: 0007-4861 e-ISSN: 1432-0800

Vassileva V, Zehirov G, Ugrinova M, Iantcheva A (2010) Variable leaf epidermal morphology in *Tnt1* insertional mutants of the model legume *Medicago truncatula*. *Biotechnology & Biotechnological Equipment* 24: 2060-2065.

1013. Panara F, Calderini O, Porceddu A. 2012. *Medicago truncatula* functional genomics – an invaluable resource for studies on agriculture sustainability, 131-154.

1014. Petrović DV, Golubović ZD, Dajić Z, Kurt W, Tomantschger KW, Radojević RL. 2012. Mathematical modeling the surface roughness distribution of artificial cell wall material. *FACTA UNIVERSITATIS*, Series: Mechanical Engineering 10, 1: 1-6.

Van de Velde W, Zehirov G, Szatmari A, Debreczeny M, Ishihara H, Kevei Z, Mergaert P (2010) Plant peptides govern terminal differentiation of bacteria in symbiosis. *Science Signalling* 327, 5969: 1122.

1015. Young ND, Bharti AK. 2012. Genome-Enabled Insights into Legume Biology. *Annual Review of Plant Biology* 63: 283-305.

1016. Meckfessel MH, Blancaflor EB, Plunkett M, Dong Q, Dickstein R. 2012. Multiple domains in MtENOD8 protein including the signal peptide target it to the symbiosome. *Plant Physiology* 159, 1: 299-310.

1017. Nowack EC, Grossman AR. 2012. Trafficking of protein into the recently established photosynthetic organelles of Paulinella chromatophora. *Proceedings of the National Academy of Sciences* 109, 14: 5340-5345.

1018. De Coninck B, Cammue B, Thevissen K. 2012. Modes of antifungal action and *in planta* functions of plant defensins and defensin-like peptides. *Fungal Biology Reviews*, <http://dx.doi.org/10.1016/j.fbr.2012.10.002>

1019. Davy SK, Allemand D, Weis VM. 2012. Cell biology of cnidarian-dinoflagellate symbiosis. *Microbiology and Molecular Biology Reviews* 76, 2: 229-261.

1020. Huisman R, Ovchinnikova E, Bisseling T, Limpens E. 2012. Endocytic accommodation of microbes in plants. *Endocytosis in Plants*, 271-295.

1021. Damiani I, Baldacci-Cresp F, Hopkins J, Andrio E, Balzergue S, Lecomte P,

Hérouart, D. 2012. Plant genes involved in harbouring symbiotic rhizobia or pathogenic nematodes. *New Phytologist* doi: 10.1111/j.1462-2920.2012.02835.x.

1022. Tian CF, Garnerone AM, Mathieu-Demazière C, Masson-Boivin C, Batut, J. 2012. Plant-activated bacterial receptor adenylate cyclases modulate epidermal infection in the *Sinorhizobium meliloti*-*Medicago* symbiosis. *Proceedings of the National Academy of Sciences* 109, 17: 6751-6756.

1023. Benyamina SM, Baldacci-Cresp F, Couturier J, Chibani K, Hopkins J, Bekki A,

Frendo P. 2012. Two *Sinorhizobium meliloti* glutaredoxins regulate iron metabolism and symbiotic bacteroid differentiation. *Environmental Microbiology* doi: 10.1111/j.1462-2920.2012.02835.x.

1024. Markmann K, Radutoiu S, Stougaard J. 2012. Infection of *Lotus japonicus* Roots by *Mesorhizobium loti*. *Signaling and Communication in Plant Symbiosis* 31-50.
1025. Shigenobu S, Stern DL. 2013. Aphids evolved novel secreted proteins for symbiosis with bacterial endosymbiont. *Proceedings of the Royal Society B: Biological Sciences* 280, 1750.
1026. Brown DB, Forsberg LS, Kannenberg EL, Carlson RW. 2012. Characterization of galacturonosyl transferase genes rgtA, rgtB, rgtC, rgtD, and rgtE responsible for lipopolysaccharide synthesis in nitrogen-fixing endosymbiont *Rhizobium leguminosarum*. *Journal of Biological Chemistry* 287, 2: 935-949.
1027. Ziegler D, Mariotti A, Pflüger V, Saad M, Vogel G, Tonolla M, Perret X. 2012. In situ identification of plant-invasive bacteria with MALDI-TOF mass spectrometry. *PloS one* 7, 5, e37189.
1028. Terpolilli JJ, Hood GA, Poole PS. 2012. What determines the efficiency of N₂-fixing *Rhizobium*-legume symbioses?. *Advances in Microbial Physiology* 60: 326.
1029. Wang D, Yang S, Tang F, Zhu H. 2012. Symbiosis specificity in the legume-rhizobial mutualism. *Cellular Microbiology* 14, 3: 334-42.
1030. Hirsch AM, Fujishige NA. 2012. Molecular signals and receptors: communication between nitrogen-fixing bacteria and their plant hosts. *Biocommunication of Plants* 255-280.
1031. Arnold MFF, Haag AF, Capewell S, Boshoff HI, James EK, McDonald R, Ferguson GP. 2013. Partial complementation of *Sinorhizobium meliloti* bacA mutant phenotypes by the *Mycobacterium tuberculosis* BacA protein. *Journal of Bacteriology* 195, 2: 389-398.
1032. Mortier V, Mathesius U, Goormachtig S. 2012. The role of plant peptides in symbiotic interactions. *Plant Signaling Peptides* 135-162.
1033. Hakoyama T, Niimi K, Yamamoto T, Isobe S, Sato S, Nakamura Y, Suganuma N. 2012. The integral membrane protein SEN1 is required for symbiotic nitrogen fixation in *Lotus japonicus* nodules. *Plant and Cell Physiology* 53, 1: 225-236.
1034. Haag AF, Kerscher B, Dall'Angelo S, Sani M, Longhi R, Balaban M, Ferguson GP. 2012. Role of cysteine residues and disulfide bonds on the activity of a legume root nodule-specific, cysteine-rich peptide. *Journal of Biological Chemistry* 287, 14: 10791-10798.
1035. Heath KD, Burke PV, Stinchcombe JR. 2012. Coevolutionary genetic variation in the legume-rhizobium transcriptome. *Molecular Ecology* 21, 19: 4735-4747.
1036. Perrineau MM, Galiana A, de Faria SM, Bena G, Duponnois R, Reddell P, Prin, Y. 2012. Monoxenic nodulation process of *Acacia mangium* (*Mimosoideae, Phyllodineae*) by *Bradyrhizobium* sp. *Symbiosis* 86, 2: 87-95.
1037. Bodył A, Mackiewicz P, Gagat P. 2012. Organelle evolution: *Paulinella* breaks a paradigm. *Current Biology* 22, 9: R304-R306.
1038. Pontarotti P. (Ed.). 2012. *Evolutionary Biology-Mechanisms and Trends*. Springer.
1039. Provorov NA, Vorobyov NI. 2012. Reconstruction of the adaptively advantages macroevolutionary events in the mutualistic symbioses. *Evolutionary Biology: Mechanisms and Trends* 169-187.
1040. De-la-Pena C, M Loyola-Vargas V. 2012. The hidden chemical cross-talk between roots and microbes: a proteomic approach. *Current Proteomics* 9, 2: 103-117.

1041. Bosch TC. 2012. Bakterien—eher Partner als Feinde. *Biologie in unserer Zeit* 42, 5: 302-309.
1042. Shigenobu S, Stern DL. 2013. Aphids evolved novel secreted proteins for symbiosis with bacterial endosymbiont. *Proceedings of the Royal Society B: Biological Sciences* 280, 1750.
1043. Arnold MFF, Haag AF, Capewell S, Boshoff HI, James EK, McDonald R, Ferguson GP. 2013. Partial complementation of *Sinorhizobium meliloti* bacA mutant phenotypes by the *Mycobacterium tuberculosis* BacA protein. *Journal of Bacteriology* 195, 2: 389-398.
1044. Queiroux C, Washburn BK, Davis OM, Stewart J, Brewer TE, Lyons MR, Jones KM. 2012. A comparative genomics screen identifies a *Sinorhizobium meliloti* 1021 sodM-like gene strongly expressed within host plant nodules. *BMC Microbiology* 12, art. no. 74, .
1045. Meng L. 2012. Roles of secreted peptides in intercellular communication and root development. *Plant Science* 183: 106-114.
1046. Costa LM, Yuan J, Rouster J, Paul W, Dickinson H, Gutierrez-Marcos J.F. 2012. Maternal control of nutrient allocation in plant seeds by genomic imprinting. *Current Biology* 22, 2: 160-165.
1047. Provorov NA. 2013. Improvement of symbiotic nitrogen fixation in plants: Molecular-genetic approaches and evolutionary models. *Russian Journal of Plant Physiology* 60, 1: 27-32.
1048. Provorov NA, Vorob'ev NI. 2012. Coevolution of partners and integrity of symbiotic systems. *Biology Bulletin Reviews* 2, 5: 400-412.
1049. Ivanov Sergey. 2012. The formation of endosymbiotic membrane compartments: membrane identity markers and the regulation of vesicle trafficking. PhD thesis, Wageningen University, Wageningen, NL.
1050. Lillo Alessandra. 2012. Co-option of pre-existing pathways during rhizobium-legume symbiosis evolution. PhD thesis, Wageningen University, Wageningen, NL.
1051. Ovchinnikova Evgenia. 2012. Genetic analysis of symbosome formation. PhD thesis, Wageningen University, Wageningen, NL.

Vaseva II, Grigorova BS, Simova-Stoilova LP, Demirevska KN, Feller U (2010) Abscisic acid and late embryogenesis abundant protein profile changes in winter wheat under progressive drought stress. *Plant Biology* 12, 5: 698-707.

1052. Ashraf Haider. 2012. Characterization and expression of dehydrins in wild Egyptian pea (*Pisum sativum* L.) *African Journal of Biotechnology* 11, 55: 11789-1179. DOI: 10.5897/AJB12.1707.
1053. Anna Leigh Pranger. 2012. Synthetic hexaploid wheat contributes favorable alleles for yield and yield components in an advanced backcross winter wheat population. PhD thesis, Department of Soil and Crop Sciences, Colorado State University Fort Collins, Colorado, USA.
1054. Min D-H, Zhang X-H, Xu Z-S, Zhao Y, Chen Y, Li L-C, Chen M, Ma Y-Z. 2012. Induction kinetics of a novel stress-related LEA gene in wheat. *Plant Molecular Biology Reporter* 30, 6: 1313-1321.
1055. Su L, Xu L, Chen Y, Li L. 2012. Isolation of AhDHNs from *Arachis hypogaea* L. and evaluation of AhDHNs expression under exogenous abscisic acid (ABA) and water stress. *African Journal of Biotechnology* 11, 51: 11221-11229.
1056. Velasco-Conde T, Yakovlev I, Majada JP, Aranda I, Johnsen Ø. 2012. Dehydrins in maritime pine (*Pinus pinaster*) and their expression related to drought stress response. *Tree Genetics and Genomes* 8, 5: 957-973.

1057. Zhu W, Zhang L, Zhang N, Xing Y, Jiang B. 2012. The clone of wheat dehydrin-like gene wzy2 and its functional analysis in *Pichia pastoris*. *African Journal of Biotechnology* 11, 40: 9549-9558.

Simova-Stoilova L, Vaseva I, Grigorova B, Demirevska K, Feller U (2010) Proteolytic activity and cysteine protease expression in wheat leaves under severe soil drought and recovery. *Plant Physiol Biochem* 48: 200–206.

1058. Budič, M, Sabotić J, Meglič V, Kos J, Kidrič M. 2012. Characterization of two novel subtilases from common bean (*Phaseolus vulgaris* L.) and their responses to drought. *Plant Physiology and Biochemistry* 62: 79-87.
1059. Gholami M, Rahemi M, Kholdebarin B, Rastegar S. 2012. Biochemical responses in leaves of four fig cultivars subjected to water stress and recovery. *Scientia Horticulturae* 148: 109-117.
1060. Kohli A, Narciso JO, Miro B, Raorane M. 2012. Root proteases: Reinforced links between nitrogen uptake and mobilization and drought tolerance. *Physiologia Plantarum* 145, 1: 165-179.
1061. Pyngrope S, Bhoomika K, Dubey RS. 2012. Oxidative stress, protein carbonylation, proteolysis and antioxidative defense system as a model for depicting water deficit tolerance in Indica rice seedlings. *Plant Growth Regul* DOI 10.1007/s10725-012-9758-3
1062. Szawłowska U, Grabowska A, Zdunek-Zastocka E, Bielawski W. 2012. TsPAP1 encodes a novel plant prolyl aminopeptidase whose expression is induced in response to suboptimal growth conditions. *Biochemical and Biophysical Research Communications* 419, 1: 104-109.
1063. Yousuf PY, Hakeem KUR, Chandna R, Ahmad P. 2012. Role of glutathione reductase in plant abiotic stress in: book abiotic stress responses in plants. In: Subtitle Metabolism, Productivity and Sustainability pp. 149-158. Springer New York. DOI 10.1007/978-1-4614-0634-1_8

Melnikova NV, Ganeva GD, Popova ZG, Landjeva SP, Kudryavtsev AM (2010) Gliadins of Bulgarian durum wheat (*Triticum durum* Desf.) landraces: genetic diversity and geographical distribution. *Genet Res Crop Evol* 57:587–595

1064. Nazco R, Villegas D, Ammar K, Peña R,J, Moragues M, Royo C. 2012. Can Mediterranean durum wheat landraces contribute to grain quality attributes in modern cultivars? *Euphytica* 185:1-17
1065. Ruiz M, Giraldo P, Royo C, Villegas D, Jose Aranzana M, Carrillo JM. 2012. Diversity and genetic structure of a collection of spanish durum wheat landraces. *Crop Sci* 52(5): 2262-2275

Geneva M, Hristozkova M, Yonova P, Boychinova M, Stancheva I (2010) Effect of endomycorrhizal colonization with *Glomus intraradices* on growth and antioxidant capacity of *Sideritis scardica* Griseb. *Gen Appl Plant Physiol* 36(1-2), 47–54. p-ISSN 1312-8183 e-ISSN 1312-8221

1066. Baslam, M., R Esteban, J. I. García-Plazaola, N. Goicoechea. 2012. Effectiveness of arbuscular mycorrhizal fungi (AMF) for inducing the accumulation of major carotenoids, chlorophylls and tocopherol in green and red leaf lettuces. *Applied Microbiology and Biotechnology*, on-line e-ISSN: 1432-0614
1067. Ardebili Z.O., A. R. L. Moghadam, N. O. Ardebili, A. R.Pashaie. 2012. The induced physiological changes by foliar application of amino acids in Aloe vera L. plants. *POJ* 5(3), 279-284. ISSN:1836-3644

Bozhanov SS, Angelova SG, Krasteva ME, Markov TL, Christova SL, Gavrilov IG, Georgieva EI (2010) Alterations in p53, BRCA1, ATM, PIK3CA, and HER2 genes and their effect in modifying clinicopathological characteristics and overall survival of Bulgarian patients with breast cancer. JCRCO 136, 11: 1657-1666.

1068. Khani H, Hosseinpourefeizi M, Pouladi N, Chaparzadeh N, Montazeri V, Azarfam . 2012. Detection of p53 gene exons 5 and 6 mutations among East Azerbaijani women with breast cancer. Journal of Zanjan University of Medical Sciences and Health Services. 36-46
1069. Tikoo A, Roh V, Montgomery KG, Ivetac I, Waring P, Pelzer R, Hare L, Shackleton M, Humbert P, Phillips WA. 2012. Physiological Levels of Pik3ca(H1047R) Mutation in the Mouse Mammary Gland Results in Ductal Hyperplasia and Formation of ER α -Positive Tumors. PLoS One; 7(5):e36924.
1070. Troxell, Megan L. 2012. Phosphatidylinositol-3-kinase pathway mutations are common in breast columnar cell lesions. Modern Pathology 25: 930-937. doi:10.1038/modpathol.2012.55
1071. Troxell M. 2012. PIK3CA/AKT1 mutations in breast carcinoma: a comprehensive review of experimental and clinical studies. J Clinic Experiment Pathol 2012, S1 <http://dx.doi.org/10.4172/2161-0681.S1-002>.
1072. Bhattacharya N, Mukherjee N, Singh RK, Sinha S, Alam N, Roy A, Roychoudhury S, Panda CK. 2012. Frequent Alterations of MCPH1 and ATM are Associated with Primary Breast Carcinoma: Clinical and Prognostic Implications. Ann Surg Oncol. DOI 10.1245/s10434-012-2715-6
1073. Breast cancer: new insight for the healthcare professional/ 2011 Edition: A Scholarly Editions TM eBook. (2012) ISBN: 978-1-464-90001-3.

Kolev S, Ganeva G, Christov N, Belchev I, Kostov K, Tsenov N, Rachovska G, Landjeva S., Ivanov M, Abu-Mhadi N, Todorovska E (2010) Allele variation in loci for adaptive response and plant height and its effect on grain yield in wheat. BIOTECHNOLOGY & BIOTECHNOLOGICAL EQUIPMENT 24 (2): 1807-1813

1074. Vinod Sharma JB, Tomar RS, Singh B, Tomar SMS. 2012. Breeding for earliness and thermo-tolerance in wheat suited to early, late and very late sowing in northwestern India. Indian Journal of Genetics and Plant Breeding 72 (1): 15-24

Landjeva, S., Lohwasser, U. and Börner, A. (2010). Genetic mapping within the wheat D genome reveals QTL for germination, seed vigour and longevity, and early seedling growth. EUPHYTICA 171 (1): 129-143

1075. Wang Q, Cui J, Wang X, Zhang T, Zhou H, Hu T, Han J. 2012. Algorithmic models of seed yield and its components in smooth bromegrass (*Bromus inermis* L.) via large sample size under field conditions. Euphytica 185: 363-375
1076. Kazmi RH, Khan N, Willems LAJ, van Heusden AW, Ligterink W, Hilhorst HWM. 2012. Complex genetics controls natural variation among seed quality phenotypes in a recombinant inbred population of an interspecific cross between *Solanum lycopersicum* \times *Solanum pimpinellifolium*. Plant, Cell & Environment 35(5): 929-951
1077. Paliwal R, Röder MS, Kumar U, Srivastava JP, Joshi AK. 2012. QTL mapping of terminal heat tolerance in hexaploid wheat (*T. aestivum* L.). Theor Appl Genet 125:561-575
1078. Nguyen Th-P, Keizer P, van Eeuwijk F, Smeekens S, Bentsink L. 2012. Natural variation for seed longevity and seed dormancy are negatively correlated in

- Arabidopsis. *Plant Physiology* 160: 2083–2092
1079. Kumar A, Simons K, Iqbal MJ, Jiménez MM, Bassi FM et al. 2012. Physical mapping resources for large plant genomes: radiation hybrids for wheat D-genome progenitor *Aegilops tauschii*. *BMC Genomics*, 13:597 doi:10.1186/1471-2164-13-597
- Demirevska K, Simova-Stoilova L, Fedina I, Georgieva K, Kunert K (2010) Response of oryzacystatin I transformed tobacco plants to drought, heat and light stress. *J. Agron. Crop Sci.* 196: 90–99.**
1080. Patel PK, Hemantaranjan A. 2012. Salicylic acid induced alteration in dry matter partitioning, antioxidant defence system and yield in chickpea (*Cicer arietinum* L.) under drought stress. *Asian Journal of Crop Science* 4, 3: 86-102.
1081. P Pillay, T Kibido, M du Plessis, C van der Vyver, G Beyene, B J Vorster, K J Kunert, U Schlueter. 2012. Use of Transgenic Oryzacystatin-I-Expressing Plants Enhances Recombinant Protein Production. *Applied Biochemistry and Biotechnology*, 168(6), 1608-1620
- Ivanova K, Georgieva K, Boteva R, Minkova K, Gigova L (2010) The biliprotein C-phycocyanin modulates the early radiation response: a pilot study. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 695, 40-45**
1082. Cheng Chao, Xue Feng, Wang Xing-ping, Pan Siyi. 2012. Research progress in extraction, purification and physiological activity of phycobiliprotein. *Food Science*, Vol. 33, No. 09, 251-259.
- Jansen L, De Rybel B, Vassileva V, Beeckman T (2010) Root development, In: Eng-Chong Pua & Michael Davey (Eds), *Plant developmental biology – Biotechnological perspectives: Vol.1, Springer, Heidelberg*, pp. 71-90.**
1083. Плошинская Мария Евгеньевна. 2012. Периодизация и регуляция морфогенеза боковых корней *Linum usitatissimum* L. Московский государственный университет имени М.В.Ломоносова, Биологический факультет, Москва, Россия.
- De Smet I, Lau S, Voss U, Vanneste S, Benjamins R, Rademacher E, Schlereth A, De Rybel B, Vassileva V, Grunewald W, Naudts M, Levesque M, Ehrismann J, Inzé D, Luschnig C, Benfey P, Weijers D, van Montagu M, Bennett M, Jürgens G, Beeckman T (2010) Bimodular auxin response controls organogenesis in *Arabidopsis*. *PNAS* 107, 6: 2705-2710.**
1084. Qi YH, Wang SK, Shen CJ, Zhang SN, Chen Y, Xu YX, Liu Y, Wu YR, Jiang DA. 2012. OsARF12, a transcription activator on auxin response gene, regulates root elongation and affects iron accumulation in rice (*Oryza sativa*). *New Phytol.* 193, 1: 109-120.
1085. Kyndt T, Denil S, Haegeman A, Trooskens G, De Meyer T, Van Criekinge W, Gheysen G. 2012. Transcriptome analysis of rice mature root tissue and root tips in early development by massive parallel sequencing. *J. Exp. Bot.* 63, 5: 2141-2157.
1086. Rosquete MR, Barbez E, Kleine-Vehn J. 2012. Cellular auxin homeostasis: Gatekeeping is housekeeping. *Molecular Plant* 5, 4: 772-786.
1087. Goh T, Joi S, Mimura T, Fukaki H. 2012. The establishment of asymmetry in *Arabidopsis* lateral root founder cells is regulated by LBD16/ASL18 and related LBD/ASL proteins. *Development* 139: 883-893.

1088. Feng Z, Sun X, Wang G, Liu H, Zhu J. 2012. LBD29 regulates the cell cycle progression in response to auxin during lateral root formation in *Arabidopsis thaliana*. *Ann Bot*. 110, 1-10.
1089. Dhonukshe P, Weits DA, Cruz-Ramirez A, Deinum EE, Tindemans SH, Kakar K, et al. 2012. A PLETHORA-auxin transcription module controls cell division plane rotation through MAP65 and CLASP. *Cell* 149, 2: 383-396.
1090. Bielach A, Duclercq J, Marhav P, Benková E. 2012. Genetic approach towards the identification of auxin - cytokinin crosstalk components involved in root development. *Philosophical Transactions of the Royal Society B: Biological Sciences* 367, 1595: 1469-1478.
1091. Goh T, Kasahara H, Mimura T, Kamiya Y, Fukaki H. 2012. Multiple AUX/IAA-ARF modules regulate lateral root formation: The role of *Arabidopsis* SHY2/IAA3-mediated auxin signaling. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 367, 1595: 1461-1468.
1092. Wu S, Baskin TI, Kimberly L Gallagher KL. 2012. Mechanical fixation techniques for processing and orienting delicate samples, such as the root of *Arabidopsis thaliana*, for light or electron microscopy. *Nature Protocols* 7: 1113–1124.
1093. Ruts T, Matsubara S, Wiese-Klinkenberg A, Walter A. 2012. Aberrant temporal growth pattern and morphology of root and shoot caused by a defective circadian clock in *Arabidopsis thaliana*. *Plant J*. 72: 154-161.
1094. Feng Z, Zhu J, Du X, Cui X. 2012. Effects of three auxin-inducible LBD members on lateral root formation in *Arabidopsis thaliana*. *Planta* 236, 4: 1227-37.
1095. Dubrovsky JG, Rost TL. 2012. Pericycle. In: eLS. John Wiley & Sons, Ltd: Chichester.
1096. Lee HW, Kim M-J, Kim NY, Lee SH, Kim J. 2012. LBD18 acts as a transcriptional activator that directly binds to the *EXPANSIN14* promoter in promoting lateral root emergence of *Arabidopsis*. *Plant J*, doi: 10.1111/tpj.12013.
1097. Kyndt T, Denil S, Haegeman A, Trooskens G, Bauters L, Van Criekinge W, De Meyer T, Godelieve Gheysen G. 2012. Transcriptional reprogramming by root knot and migratory nematode infection in rice. *New Phytologist* 196, 3: 887-900.
1098. Finet C, Berne-Dedieu A, Scutt CP, Marlétaz F. 2012. Evolution of the ARF gene family in land plants: Old domains, new tricks. *Mol Biol Evol* 30, 1: 45-56.
1099. Bielach A, Podlesáková K, Marhavy P, Duclercq J, Cuesta C, Müller B, Grunewald W, Tarkowski P, Benková E. 2012. Spatiotemporal regulation of lateral root organogenesis in *Arabidopsis* by cytokinin. *Plant Cell* 24, 10: 3967-81.
1100. Müller K, Linkies A, Leubner-Metzger G, Kermode AR. 2012. Role of a respiratory burst oxidase of *Lepidium sativum* (cress) seedlings in root development and auxin signalling. *Journal of Experimental Botany*, 18: 6325-6334.
1101. Middleton AM, Farcot E, Owen MR, Vernoux T. 2012. Modeling regulatory networks to understand plant development: small is beautiful. *Plant Cell* 24, 10: 3876-3891.
1102. Stefan Schilderink. 2012. Epigenetic control of root and nodule development. PhD thesis, Wageningen University, Wageningen, The Netherlands.
1103. Ильина Елена Леонидовна. 2012. Клеточные и физиологические механизмы инициации боковых корней у кабачка. PhD thesis, Ботанический институт Российской Академии Наук, Санкт-Петербург.

Ganeva G, Korzun V, Landjeva S, Popova, Z. and Hristov, N. (2010). Genetic diversity assessment of Bulgarian durum wheat (*Triticum durum* Desf.) landraces and modern

cultivars using microsatellite markers. GENETIC RESOURCES & CROP EVOLUTION 57: 273-285

1104. Haile JK, Hammer K, Badebo A, Nachit MM, Röder MS. 2012. Genetic diversity assessment of Ethiopian tetraploid wheat landraces and improved durum wheat varieties using microsatellites and markers linked with stem rust resistance. *Genet Resour Crop Evol DOI 10.1007/s10722-012-9855-1*
1105. 137. Tsegaye D, Dessalegn T, Dessalegn Y, Share G. 2012. Genetic variability, correlation and path analysis in durum wheat germplasm (*Triticum durum* Desf). *Agricultural Research and Reviews* 1(4): 107 – 112
1106. 138. Tsegaye D, Dessalegn T, Dessalegn Y, Share G. 2012. Analysis of genetic diversity in some durum wheat (*Triticum durum* Desf) genotypes grown in Ethiopia. *African Journal of Biotechnology* 11(40): 9606-9611

Geneva M., Stancheva I., Boychinova M., Mincheva N., Yonova P (2010) Effects of foliar fertilization and arbuscular mycorrhizal colonization on *Salvia officinalis* L growth, antioxidant capacity, and essential oil composition, Journal of the Science of Food and Agriculture, 90, 4, 696-702. , ISSN: 0022-5142;

1107. Karagiannidis N, Thomidis, T, Panou-Filotheou E, Karagiannidou Ch. 2012. Response of three mint and two oregano species to *Glomus etunicatum* inoculation. *Australian Journal of Crop Science* 6(1): 164 – 169.
1108. Karagiannidis N, Thomidis, T, Panou-Filotheou, E. 2012. Effects of *Glomus lamellosum* on growth, essential oil production and nutrients uptake in selected medicinal plants. *Journal of Agricultural Science* 4(3), Online Published: December 29, 2011; DOI: 10.5539/jas.v4n3p137.
1109. M. Baslam, R Esteban, J. I. García-Plazaola, N. Goicoechea. 2012. Arbuscular mycorrhizal fungi (AMF) improved growth and nutritional quality of greenhouse-grown Lettuce. *Applied Microbiology and Biotechnology*, on-line 2012. e-ISSN: 1432-0614
1110. Zhang, X., Breksa III, A.P., Mishchuk, D.O., Fake, C.E., O'Mahony, M.A., Slupsky, C.M. 2012. Fertilisation and pesticides affect mandarin orange nutrient composition. *Food Chemistry* 134 (2), 2012, 1020-1024. ISSN: 0308-8146
1111. Monte Júnior, I.P., Maia, L.C., Silva, F.S.B., Cavalcante, U.M.T. Use of plant residues on growth of mycorrhizal seedlings of neem (*Azadirachta indica* A. Juss.). *Journal of the Science of Food and Agriculture* 92 (3), 2012, 654-659. e-ISSN: 1097-0010

Petkov G (2010) Could microalgae enhance the germination of *Tribulus terrestris* L. seeds? Biotechnol. & Biotechnol. Eq. 24, 53-55

1112. Sharifi S, Sattari TN, Zebarjadi A, Majd A, Ghasempour HR. 2012. Enhanced callus induction and high-efficiency plant regeneration in *Tribulus terrestris* L., an important medicinal plant. *Journal of Medicinal Plants Research Vol. 6(27)*, pp. 4401-4408

De Rybel B, Vassileva V, Parizot B, Demeulenaere M, Grunewald W, Audenaert D, Van Campenhout J, Overvoorde P, Jansen L, Vanneste S, Möller B, Wilson M, Holman T, Van Isterdaele G, Brunoud G, Vuylsteke M, Vernoux T, De Veylder L, Inzé D, Weijers D, Bennett M, Beeckman T (2010) A novel Aux/IAA28 signalling cascade activates GATA23-dependent specification of lateral root founder cell identity. *Current Biology* 20, 19: 1697-1706.

1113. Sanchez P, Nehlin L, Greb T. 2012. From thin to thick: major transitions during stem development. *Trends in Plant Science* 17, 2: 113-121.
1114. Sanz L, James A. H. Murray JAH, Walter Dewitte W. 2012. To divide and to rule; Regulating cell division in roots during post-embryonic growth. *Progress in Botany* 73, Part 2: 57-80.
1115. Dubrovsky JG, Forde BG. 2012. Quantitative analysis of lateral root development: pitfalls and how to avoid them. *Plant Cell* 24, 1: 4-14.
1116. Goh T, Joi S, Mimura T, Fukaki H. 2012. The establishment of asymmetry in *Arabidopsis* lateral root founder cells is regulated by LBD16/ASL18 and related LBD/ASL proteins. *Development* 139: 883-893.
1117. Plaza S, Payre F. 2012. *Transcriptional Switches During Development*. Elsevier Inc.
1118. Feng Z, Sun X, Wang G, Liu H, Zhu J. 2012. LBD29 regulates the cell cycle progression in response to auxin during lateral root formation in *Arabidopsis thaliana*. *Ann Bot* 110, 1: 1-10.
1119. Fernandes AN, Chen X, Scotchford CA, Walker J, Wells DM, Roberts CJ, Everitt NM. 2012. Mechanical properties of epidermal cells of whole living roots of *Arabidopsis thaliana*: An atomic force microscopy study. *Phys. Rev. E* 85, 021916.
1120. Guilfoyle TJ, Hagen G. 2012. Domain III/IV responsible for auxin response factor-IAA protein interactions. *Plant Science* 190: 82-88.
1121. Bielach A, Duclercq J, Marhavý P, Benková E. 2012. Genetic approach towards the identification of auxin - cytokinin crosstalk components involved in root development. *Philosophical Transactions of the Royal Society B: Biological Sciences* 367, 1595: 1469-1478.
1122. Goh T, Kasahara H, Mimura T, Kamiya Y, Fukaki H. 2012. Multiple AUX/IAA-ARF modules regulate lateral root formation: The role of *Arabidopsis* SHY2/IAA3-mediated auxin signaling. *Philosophical Transactions of the Royal Society B: Biological Sciences* 367, 1595: 1461-1468.
1123. Chapman EJ, Greenham K, Castillejo C, Sartor R, Bialy A, et al. 2012. Hypocotyl transcriptome reveals auxin regulation of growth-promoting genes through GA-dependent and -independent pathways. *PLoS ONE* 7(5): e36210. doi:10.1371/journal.pone.0036210
1124. Peter Marhavý. 2012. Auxin – Cytokinin interactions during plant developmental processes. PhD thesis, Gent University, Faculty of Sciences, Department of Plant Biotechnology and Genetics, Belgium.
1125. Dubrovsky JG, Rost TL. 2012. Pericycle. In: eLS. John Wiley & Sons, Ltd: Chichester.
1126. Notaguchi M, Wolf S, William J. Lucas WJ. 2012. Phloem-mobile Aux/IAA transcripts target to the root tip and modify root architecture. *Journal of Integrative Plant Biology* 54, 10: 760-772.
1127. Huang C-Y, Shih H-W, Lin L-Y, Tien Y-W, Rachel Cheng T-J, Cheng W-C, Wong C-H, Ma C. 2012. Crystal structure of *Staphylococcus aureus* transglycosylase

- in complex with a lipid II analog and elucidation of peptidoglycan synthesis mechanism. PNAS 109: 6496-6501.
1128. Lee HW, Kim M-J, Kim NY, Lee SH, Kim J. 2012. LBD18 acts as a transcriptional activator that directly binds to the *EXPANSIN14* promoter in promoting lateral root emergence of *Arabidopsis*. *Plant J* doi: 10.1111/tpj.12013
 1129. Finet C, Berne-Dedieu A, Scutt CP, Marlétaz F. 2012. Evolution of the ARF gene family in land plants: old domains, new tricks. *Mol Biol Evol* 30, 1: 45-56.
 1130. Bielach A, Podlesáková K, Marhavy P, Duclercq J, Cuesta C, Müller B, Grunewald W, Tarkowski P, Benková E. 2012. Spatiotemporal regulation of lateral root organogenesis in *Arabidopsis* by cytokinin. *Plant Cell* 367, 1595, 1469-1478.
 1131. Williams EL, De Smet. 2012. Genomics of auxin actions in roots. In: Ed. Crespi M. Root Genomics and Soil Interactions.
 1132. Bassel GW, Gaudinier A, Brady SM, Hennig L, Rhee SY, De Smet I. 2012. Systems analysis of plant functional, transcriptional, physical interaction, and metabolic networks. *Plant Cell* 24, 10: 3859-3875.
 1133. Singh S, Singh A, Roy S, Sarkar A K. 2012. SWP1 negatively regulates lateral root initiation and elongation in arabidopsis. *Plant Signaling and Behavior* 7, 12.

Stancheva I, M Geneva, M Hristozkova, Y Markovska, I Salamon (2010) Antioxidant capacity of sage Grown on Heavy Metals Polluted Soil, Russ. J. Plant Physiol, 57, 7, 799-805. ISSN 1021-4437

1134. D. I. Bashmakov, N A Pynenkova, K A Sazanova and A S Lukatkin. 2012. Effect of the synthetic growth regulator Cytodef and heavy metals on oxidative status in cucumber plants, Russian Journal of Plant Physiology, Volume 59, Number 1, 59-64, DOI: 10.1134/S1021443712010049.
1135. Noushina Iqbal, Nafees A Khan, Md Iqbal, R Khan, Rahat Nazar, Asim Masood and Shabina Syeed. 2012. Sulfur in the Alleviation of Cadmium-Induced Oxidative Stress in Plants, Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change, 2012, 429-446, DOI: 10.1007/978-1-4614-0815-4_20
1136. D I Bashmakov, N A Pynenkova, K A Sazanova, A S Lukatkin. 2012. Vliyanie sinteticheskogo regulyatora rosta tsitodef i tyazhelykh metallov na okislitel'nyi status rastenii ogurtsa, Fiziologiya rastenii, tom 59, 1, 67-73

Stephanie A Fischinger, Marieta Hristozkova, Zaman-Allah Mainassara and Joachim Schulze (2010) Elevated CO₂ concentration around alfalfa nodules increases N₂ fixation. Journal of Experimental Botany 61(1):121-130

1137. García-Calderón M, Chiurazzi M, Rosario Espuny M, and Márquez A J. 2012. Photorespiratory Metabolism and Nodule Function: Behavior of *Lotus japonicus* Mutants Deficient in Plastid Glutamine Synthetase, Molecular Plant-Microbe Interactions, 25, 2, 211-219, DOI:10.1094/MPMI-07-11-0200
1138. Betti, M.; García-Calderón, M.; Pérez-Delgado, C.M.; Credali, A.; Estivill, G.; Galván, F.; Vega, J.M.; Márquez, A.J. 2012. Glutamine Synthetase in Legumes: Recent Advances in Enzyme Structure and Functional Genomics. Int. J. Mol. Sci, 13, 7994-8024.
1139. Jin J, Watt M, Mathesius U. 2012. The Autoregulation Gene SUNN Mediates Changes in Root Organ Formation in Response to Nitrogen through Alteration of Shoot-to-Root Auxin Transport, Plant Physiology, 159 (1): 489-500.

Georgieva K, E Sarvari, A Keresztes (2010) Protection of thylakoids against combined light and drought by a luminal substance in the resurrection plant *Haberlea rhodopensis*. *Annals of Botany*, 105, 117-126,

1140. Dinakar C, Djilianov D, Bartels D. 2012. Photosynthesis in desiccation tolerant plants: Energy metabolism and antioxidative stress defense. *Plant Science*, 182 (1), 29-41
1141. Dell'Acqua G, Schweikert K. 2012. Skin benefits of a myconoside-rich extract from resurrection plant *Haberlea rhodopensis* *International Journal of Cosmetic Science*, 34(2), 132-139
1142. Lazova G, Igantova L, Bayanova V. 2012. Drought and salinity stress: changes in hydratase and dehydratase activities of thylakoid-associated carbonic anhydrase in pea seedlings. *International Journal of Plant Sciences*, 173 (1), 7-15
1143. Dinakar C, Bartels D. 2012. Light response, oxidative stress management and nucleic acid stability in closely related Linderniaceae species differing in desiccation tolerance. *Planta*, 236 (2), 541-555
1144. Martim S, Façanha A, R Bressan-Smith. 2012. Developing Crop-Specific Irrigation Management Strategies Considering Effects of Drought on Carbon Metabolism in Plants In: Water Quality, Soil and Managing Irrigation of Crops, Dr Teang Shui Lee (Ed), ISBN: 978-953-51-0426-1
1145. Михайлова Г (2012) Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими Дисертация, София, БАН-ИФРГ

Fedina I, J Hidema, M Velitchkova, K Georgieva, D Nedeva (2010) UV-B induced stress responses in three rice cultivars *Biologia Plantarum*, 54 (3), 571-574,

1146. Klem K, Ac A, Holub P, Kovac D, Spunda V, Robson M. 2012. Interactive effects of PAR and UV radiation on the physiology, morphology and leaf optical properties of two barley varieties. *Environmental and Experimental Botany*, 75, 52-64,
1147. Zlatko S Zlatev, Fernando J C Lidon, M Kaimakanova. 2012. Plant physiological responses to UV-B radiation Emirates. *Journal of Food and Agriculture*, 24 (6), 481-501
1148. Anderson, C R. 2012. The effects of ultraviolet-B deficient conditions on antioxidant metabolism and polyamine accumulation in lettuce (*Lactuca sativa* L) (Thesis, Master of Science) University of Otago Retrieved from <http://hdl.handle.net/10523/2376>
1149. HE Yongmei, ZHAN Fangdong, GAO Zhaohua, ZU Yanqun, LI Yuan. 2012. Differences of UV-B radiation sensitivity of rice. *Ecology and Environmental Sciences*, 21(3), 489-495

Georgieva K, A Ivanova, S Doncheva, S Petkova, D Stefanov, E Péli, Z Tuba (2011) Fatty acid content during reconstitution of photosynthetic apparatus of poikilochlorophyllous and air dried *Xerophyta scabrida* leaves following rehydration. *Biologia Plantarum*, 55(3), 581-585

1150. Михайлова Г (2012) Засушаване на възкръсващото растение *Haberlea rhodopensis* в условия на висока температура и различни светлинни режими Дисертация, София, БАН-ИФРГ

Mihailova G, S Petkova, C Büchel, K Georgieva (2011) Desiccation of the resurrection plant *Haberlea rhodopensis* at high temperature. *Photosynth Res* 108, 5-13,

1151. García-Plazaola JI, Esteban R, Fernández-Marín B, Kranner I, Porcar-Castell A. 2012. Thermal energy dissipation and xanthophyll cycles beyond the Arabidopsis model, *Photosynthesis Research*, 113 (1-3) , 89-103

Stancheva I., Geneva M., Yonova P., Markovska Y (2011) Advances in Environmental Biology, 5 (2) SPEC. ISSUE, 300-306. ISSN: 1995-0756.

1152. Abbas, S.M., Akladious, S.A. 2012. Physiological and biochemical attributes of lettuce (*Lactuca Sativa L.*) treated with lead in the presence or absence of ginger powder. *Fresenius Environmental Bulletin* 21 (3), 563-577. ISSN: 1018-4619.

Berckmans B, Vassileva V, Schmid S, Maes S, Parizot B, Naramoto S, Magyar Z, Kamei CLA, Koncz C, Persia G, De Jaeger G, Bogre L, Friml J, Simon R, Beeckman T, De Veylder L (2011) Auxin-dependent cell cycle reactivation through transcriptional control of E2Fa by LATERAL ORGAN BOUNDARY proteins. *Plant Cell* 23, 10: 3671-3683.

1153. Goh T, Joi S, Mimura T, Fukaki H. 2012. The establishment of asymmetry in *Arabidopsis* lateral root founder cells is regulated by LBD16/ASL18 and related LBD/ASL proteins. *Development* 139: 883-893.
1154. Komaki S, Sugimoto K. 2012. Control of plant cell cycle by developmental and environmental cues. *Plant Cell Physiol* 53, 6: 953-964.
1155. Taneda H, Terashima I. 2012. Co-ordinated development of the leaf midrib xylem with the lamina in *Nicotiana tabacum*. *Ann Bot* 110:35-45.
1156. Roman Skokan. 2012. The evolution of auxin transport mechanisms. Bachelor Thesis, Charles University in Prague, Faculty of Science, Department of Experimental Plant Biology.
1157. Feng Z, Zhu J, Du X, Cui X. 2012. Effects of three auxin-inducible LBD members on lateral root formation in *Arabidopsis thaliana*. *Planta* 235, 4: 1227-1237.
1158. Claeys H, Skirycz A, Maleux K, Inzé D. 2012. DELLA signaling mediates stress-induced cell differentiation in arabidopsis leaves through modulation of APC/C activity. *Plant Physiology* 159, 2: 739–747.
1159. Dubrovsý JG, Rost TL. 2012. Pericycle. In: eLS. John Wiley & Sons, Ltd: Chichester
1160. He C, Chen X, Huang H, Xu L. 2012. Reprogramming of H3K27me3 is critical for acquisition of pluripotency from cultured *Arabidopsis* tissues. *PLoS Genet* 8, 8: e1002911.
1161. Lee HW, Kim M-J, Kim NY, Lee SH, Kim J. 2012. *LBD18 acts as a transcriptional activator that directly binds to the EXPANSIN14 promoter in promoting lateral root emergence of Arabidopsis*. *Plant J* doi: 10.1111/tpj.12013
1162. Peter Marhavý. 2012. Auxin – Cytokinin interactions during plant developmental processes. PhD thesis, Gent University, Faculty of Sciences, Department of Plant Biotechnology and Genetics, Belgium.
1163. Magyar Z, Ito M, Binarová P, Mohamed B, Bogre L. 2012. *Cell cycle modules in plants for entry into proliferation and for mitosis*. *Plant Genome Diversity* 2: 77-97.
1164. Terecskei K, Tóth R, Gyula P, Kevei É, Coupland G, Bindics J, Nagy F, Kozma-Bognár L. 2012. Circadian clock-associated small GTPase LIGHT INSENSITIVE period1 suppresses light-controlled endoreplication and affects tolerance to salt stress in Arabidopsis. *Plant Physiol.* doi: http://dx.doi.org/10.1104/pp.112.203356
1165. Mangeon A, Lin W-C, Springer PS. 2012. Functional divergence in the arabidopsis LOB-domain gene family. *Plant Signaling and Behavior* 7, 12.

Djilianov D, Ivanov S, Moyankova D, Miteva L, Kirova E, Alexieva V, Joudi M, Peshev D, Van Den Ende W (2011) Sugar ratios, glutathione redox status and phenols in the resurrection species *Haberlea rhodopensis* and the closely related non-resurrection species *Chirita eberhardtii*. *Plant Biology* 13, 4: 767-776.

1166. Dinakar C, Bartels D. 2012. Light response, oxidative stress management and nucleic acid stability in closely related *Linderniaceae* species differing in desiccation tolerance. *Planta* 236, 2: 541-555.
1167. Gechev Ts, Dinakar C, Benina M, Toneva V, Bartels D. 2012. Molecular mechanisms of desiccation tolerance in resurrection plants. *Cellular and Molecular Life Sciences* 69, 19: 3175-3186.
1168. Gechev Ts, Benina M, Obata T, Tohge T, Sujeeth N, Minkov I, Hille J, Temanni M-R, Marriott A, Bergström E, Thomas-Oates J, Antonio C, Mueller-Roeber B, Schippers J, Fernie A, Toneva V. 2012. Molecular mechanisms of desiccation tolerance in the resurrection glacial relic *Haberlea rhodopensis*. *Cellular and Molecular Life Sciences* 1- 21.

Evidente, A., R. Rodeva, A. Andolfi, Z. Stoyanova, C. Perrone, A. Motta (2011) Phytotoxic polyketides produced by *Phomopsis foeniculi*, a strain isolated from diseased Bulgarian fennel. *Eur. J. Plant Pathol.*, 130, 173-182.

1169. Klaiklay, S., V. Rukachaisirikul, S. Phongpaichit, C. Pakawatchai, S. Saithong, J. Buatong, S. Preedanon, J. Sakayaroj. 2012. Anthraquinone derivatives from the mangrove-derived fungus *Phomopsis* sp. PSU-MA214. *Phytochemistry Letters*, 5, 4, 738-742.

Georgieva M., L. Stoilov, E. Rancheva, E. Todorovska, D. Vassilev (2011) Comparative Analysis of Data Distribution Patterns in Plant Comet Assay. *Biotechnol. & Biotechnol. Eq.* 24, 2142-2148.

1170. Petriccione M., Ciniglia C. 2012. Comet Assay to Assess the Genotoxicity of Persian Walnut (*Juglans regia* L.) Husks with Statistical Evaluation. *Bull Environ Contam. Toxicol.* 89:166-171.

Grigorova B, Vaseva I, Demirevska K, Feller U (2011) Expression of selected heat shock proteins after individually applied and combined drought and heat stress. *Acta Physiologiae Plantarum* 33, 5: 2041-2049.

1171. Pinho dos Reis S, Lima AM, Batista de Souza CR. 2012. Recent molecular advances on downstream plant responses to abiotic stress. *Int. J. Mol. Sci* 13, 7: 8628-8647.
1172. Ye SF. 2012. Expression profile analysis of 9 heat shock protein genes throughout the life cycle and under abiotic stress in rice. *Chinese Science Bulletin* 57, 4: 336-343.

Grigorova B, Vaseva I, Demirevska K, Feller U (2011) Combined drought and heat stress in wheat: changes in some heat shock proteins. *Biologia Plantarum* 55, 1: 105-111.

1173. Gong H, Chen G, Li F, Wang X, Hu Y, Bi Y. 2012. Involvement of G6PDH in heat stress tolerance in the calli from *Przewalskia tangutica* and *Nicotiana tabacum*. *Biologia Plantarum* 56, 3.
1174. Tao P, Liu L, Wang GB. 2012. Characterization of eight cytosolic sHSP genes and their expression in *Capsella bursa-pastoris*. *Biologia Plantarum* 56, 4: 648-656.
1175. Atkinson NJ, Urwin PE. 2012. The interaction of plant biotic and abiotic stresses: from genes to the field. *Journal of Experimental Botany* 63, 10:3523-3543.

1176. Song HM, Wang HZ, Xu XB. 2012. Overexpression of *AtHsp90.3* in *Arabidopsis thaliana* impairs plant tolerance to heavy metal stress. *Biologia Plantarum* 56, 1:197-199.
1177. Ye SF. 2012. Expression profile analysis of 9 heat shock protein genes throughout the life cycle and under abiotic stress in rice. *Chinese Science Bulletin* 57, 4: 336-343.
1178. Mirzaei M, Soltani N, Sarhadi E, Pascovici D, Keighley T, Atwell BG. 2012. Shorgun proteomic analysis of long-distance drought signalling in rice roots. *Journal of Proteome Research* 11, 1: 348-358.
1179. Kamal AHM, Cho K, Choi J-S, Jin Y, Park C-S, Lee JS, Woo SH. 2012. Patterns of protein expression in water-stressed wheat chloroplasts. *Biologia Plantarum (in press)*
1180. Leung Ka Ying. 2012. The impact of high temperature and drought on rice grain yield and quality. Proceedings of Agronomy and Ecology Congress of South China Agricultural University, pp 172-179 (*in Chinese*).
1181. Xu Z-S, Li Z-Y, Chen Y, Chen M, Li L-C, Ma Y-Z. 2012. Heat shock protein 90 in plants: molecular mechanisms and roles in stress responses. *Int. J. Mol. Sci.* 13, 15706-15723

Ishihara H, Koriyama H, Osawa A, Zehirov G, Yamaura M, Kucho K, Abe M, Higashi S, Kondorosi E, Mergaert P, Uchiumi T (2011) Characteristics of bacteroids in indeterminate nodules of the leguminous tree *Leucaena glauca*. *Microbes and Environments* 26, 2: 156-159.

1182. Okubo T, Tsukui T, Maita H, Okamoto S, Oshima K, Fujisawa T, Saito A, Futamata H, Hattori R, Shimomura Y, Haruta S, Morimoto S, Wang Y, Sakai Y, Hattori M, Aizawa S-I, Nagashima KVP, Masuda S, Hattori T, Yamashita A, Bao Z, Hayatsu M, Kajiya-Kanegae H, Yoshinaga I, Sakamoto K, Toyota K, Nakao M, Kohara M, Anda M, Niwa R, Jung-Hwan P, Sameshima-Saito R, Tokuda S-I, Yamamoto S, Yamamoto S, Yokoyama T, Akutsu T, Nakamura Y, Nakahira-Yanaka Y, Hoshino YT, Hirakawa H, Mitsui H, Terasawa K, Itakura M, Sato S, Ikeda-Ohtsubo W, Sakakura N, Kaminuma E, Minamisawa K. 2012. Complete genome sequence of *Bradyrhizobium* sp. S23321: insights into symbiosis evolution in soil oligotrophs. *Microbes and Environments* 27, 3: 306-315.
1183. Ovchinnikova Evgenia. 2012. Genetic analysis of symbiosome formation. PhD thesis, Wageningen University, Wageningen, NL.

Velikova V, Tsonev T, Loreto F, Centritto M (2011) Changes in photosynthesis, mesophyll conductance to CO₂, and isoprenoid emissions in *Populus nigra* plants exposed to excess nickel *Environ Pollut* 159, 1058–1066

1184. Flexas J, Barbour MM, Brendel O, Cabrera HM, Carriquí M, Diaz-Espejo A, Douthe C, Dreyer E, Ferrio JP, Gago J, Galle A, Galmés J, Kodama N, Medrano H, Niinemets Ü, Peguero-Pina J, Pou A, Ribas-Carbo M, Tomas M, Tosens T, Warren CR. 2012. Mesophyll diffusion conductance to CO₂: An unappreciated central player in photosynthesis (Review). *Plant Sci* 193-194, 70-84
1185. Lakhdar A, Slatni T, Iannelli MA, Debez A, Pietrini F, Jedidi N, Massacci A, Abdelly C. 2012. Risk of municipal solid waste compost and sewage sludge use on photosynthetic performance in common crop (*Triticum durum*). *Acta Physiol Plant*, 34 (3), 1017-1026
1186. Le Guedard M, Faure O, Bessoule JJ. 2012. Early changes in the fatty acid composition of photosynthetic membrane lipids from *Populus nigra* grown on a

- metallurgical landfill. *Chemosphere*, 88 (6), 693-698
1187. Li Y, Zhang X, Yang Y, Duan B. 2012. Soil cadmium toxicity and nitrogen deposition differently affect growth and physiology in *Toxicodendron vernicifluum* seedlings. *Acta Physiol Plant*, (in press) DOI 101007/s11738-012-1094-8
- Iliev I, Petkov G, Lukavsky J, Furnadzhieva S, Andreeva R (2011) Do cyanobacterial lipids contain fatty acids longer than 18 carbon atoms? Z. Naturforsch. C 66, 267-276 (ISSN 0939-5075)**
1188. Kumari P, Bijo AJ, Mantri VA, Reddy CRK, Jha B. 2012. Fatty acid profiling of tropical marine macroalgae: An analysis from chemotaxonomic and nutritional perspectives. *Phytochemistry* <http://dx.doi.org/10.1016/j.phytochem.2012.10.015>
- Minkova KM, Toshkova RA, Gardeva EG, Tchorbadjieva MI, Ivanova NJ, Yossifova LS, Gigova LG (2011) Antitumor activity of B-phycoerythrin from *Porphyridium cruentum*. Journal of Pharmacy Research 4(5), 1480-1482**
1189. Kalpa Samarakoon, You-Jin Jeon. 2012. Bio-functionalities of proteins derived from marine algae - A review. *Food Research International*, 48, 948-960.
1190. Fang Yong, Yang Fang-mei, Zhao Dian-feng, Yang Wen-jian, Zhao Li-yan, Xin Zhi-hong, Ma Ning, Shi Ying, Hu Qiu-hui. 2012. Preparation of enzymatic hydrolysate of R-phycoerythrin from *Porphyra yezoensis* and its antioxidant and tumor cell proliferation inhibiting activities. *Scientia Agricultura Sinica*, 45(15):3222-3230.
- Petrova M, Zayova E, Yankova E, Baldzhiev G (2011) Plant regeneration from callus culture of *Arnica montana*. Romanian Biotechnological Letters 16 (1), 2011, 92-97.**
1191. Arda Acemi, Fazil Ozen, Ruhiye Kiran. 2012. Development of an efficient callus production protocol for *Amsonia orientalis*: A critically endangered medicinal plant, *Eurasia J Biosci* 6, 2012, 105-112. DOI:10.5053/ejobios..6.0.13
1192. Agnieszka Surmacz-Magdziak, Danuta Sugier. 2012. *In vitro* PROPAGATION OF *Arnica montana* L.: AN ENDANGERED HERBAL SPECIES OF GREAT IMPORTANCE TO MEDICINE, *Acta Sci. Pol., Hortorum Cultus* 11 (2), 127-140.
1193. B Jhansi Lakshmi and K Jaganmohan Reddy. 2012. Callus induction and Organogenesis in an Indian Box-wood (*Gardenia latifolia* Ait.), *Science Research Reporter* 2 (1), 07-12.
- Landjeva S., Karceva T., Korzun V., Ganeva G. (2011) Seedling growth under osmotic stress and agronomic traits in Bulgarian semi-dwarf wheat – comparison of genotypes with Rht8 and/or Rht-B1 genes. Crop and Pasture Science, 62(12): 1017-1025**
1194. Divashuk MG, Bespalova LA, Vasiliyev AV, Fesenko IA, Puzyrnaya OYu, Karlov GI. 2012. Reduced height genes and their importance in winter wheat cultivars grown in southern Russia. *Euphytica* 10.1007/s10681-012-0789-7
1195. Чеботар Г.О. 2012. Алелі генів короткостебловості Rht8, Rht-B1, Rht-D1, нечутливості до фотoperіоду Ppd-D1 м'якої пшениці та їх ефекти на агрономічні ознаки // Дисертація на здобуття наукового ступеня канд. біол. наук. – Одеса – 185 с
- Vassileva V, Signarbieux C, Anders I, Feller U (2011) Genotypic variation in drought stress response and subsequent recovery of wheat (*Triticum aestivum* L.). J. Plant Research 124, 1: 147-154.**
1196. Shan C-J, Tang J-X, Yang W-P, Zhao X-L, Ren X-J, Li Y-Z. 2012. Comparison of photosynthetic characteristics of four wheat (*Triticum aestivum* L.) genotypes

- during jointing stage under drought stress. *African Journal of Agricultural Research* 7, 8: 1289-1295.
1197. Григорова БС. 2012. Биохимични, физиологични и морфологични промени при пшенични растения под влияние на засушаване, висока температура и тяхната комбинация. Докторска дисертация, София.

Vaseva I, Akiscan Y, Demirevska K, Anders I, Feller U (2011) Drought stress tolerance of red and white clover – comparative analysis of some chaperonins and dehydrins. *Scientia Horticulturae* 130: 653–659.

1198. Haider A. 2012. Characterization and expression of dehydrins in wild Egyptian pea (*Pisum sativum* L.) *African Journal of Biotechnology* 11, 55: 11789-11796.
1199. Soraya Abdel-Wahab. 2012. Bachelor's Thesis, Bern University.
1200. Li Z, Peng Y, Ma X. 2012. Different response on drought tolerance and post-drought recovery between the small-leaved and the large-leaved white clover (*Trifolium repens* L.) associated with antioxidative enzyme protection and lignin metabolism. *Acta Physiologiae Plantarum* DOI: 10.1007/s11738-012-1066-z
1201. Zadražník T, Hollung K, Egge-Jacobsen W, Meglič V, Šuštar-Vozlič J. 2012. Differential proteomic analysis of drought stress response in leaves of common bean (*Phaseolus vulgaris* L.). *Journal of Proteomics* DOI: 10.1016/j.jprot.2012.09.021
1202. Ferreira TH, Gentile A, Vilela RD, Costa GGL, Dias LI, Endres L, Menossi M. 2012. microRNAs associated with drought response in the bioenergy crop sugarcane (*Saccharum* spp.). *PLoS ONE* 7(10): e46703.

Velikova V, Várkonyi Z, Szabó M, Maslenkova L, Nogues I, Kovács L, Peeva V, Busheva M, Garab G, Sharkey TD, Loreto F (2011) Increased thermostability of thylakoid membranes in isoprene-emitting leaves probed with three biophysical techniques. *Plant Physiology* 157(2): 905-916

1203. Ge X, D' Avignon DA, Ackerman JJH, Sammons RD. 2012. Observation and identification of 2-C-methyl-d-erythritol-2,4-cyclopyrophosphate in horseweed and ryegrass treated with glyphosate. *Pesticide Biochemistry and Physiology* 104(3): 187-191
1204. Yeh C-H, Kaplinsky NJ, Hu C, Charng Y-Y. 2012. Some like it hot, some like it warm: Phenotyping to explore thermotolerance diversity. *Plant Science* 195: 10-23
1205. Welter S, Branco-Nunes A, Mir C, Zimmer I, Kesselmeier J, Lumaret R, Schnitzler J-P, Standt M. 2012. The diversification of terpene emissions in Mediterranean oaks: Lessons from a study of *Quercus suber*, *Quercus canariensis* and its hybrid *Quercus ilex*. *Tree Physiology* 32(9): 1082-1091
1206. Way DA, Pearcy RW. 2012. Sunflecks in trees and forests: From photosynthetic physiology to global change biology. *Tree Physiology* 32(9): 1066-1081

Landjeva S., Karceva T., Korzun V., Ganeva G (2012) Seedling growth under osmotic stress and agronomic traits in Bulgarian semi-dwarf wheat – comparison of genotypes with Rht8 and/or Rht-B1 genes. *CROP AND PASTURE SCIENCE*, 62 (12), 1017-1025.

1207. M. G. Divashuk, L. A. Bespalova, A. V. Vasilyev, I. A. Fesenko, O. Yu. Puzyrnaya, G. I. Karlov. 2012. Reduced height genes and their importance in winter wheat cultivars grown in southern Russia. *Euphytica*, 2012, 1-8. DOI 10.1007/s10681-012-0789-7 (IF 2011 1.554).

Gigova L, Ivanova N, Gacheva G, Andreeva R. & Furnadzhieva S (2012) Response of *Trachydiscus minutus* (Xanthophyceae) to temperature and light. *Journal of Phycology* 48(1): 85-93

1208. Kouřil J. 2012. Utilization of laser spectrometry for investigation of biological samples: combination of raman spectroscopy and laser-induced breakdown spectroscopy (LIBS) Brno. http://www.vutbr.cz/www_base/zav_prace_soubor_verejne.php?file_id=55803
1209. Guiry W. In: Guiry, M.D. & Guiry, G.M. (2012). *AlgaeBase*. World-wide electronic publication, National University of Ireland, Galway. <http://www.algaebase.org>; searched on 11 October 2012.
1210. Lukavský J. 2012. *Trachydiscus Minutus*: A New Algal EPA Producer (pp. 77-104) In: Algae: Ecology, Economic Uses and Environmental Impact Chapter 4 Editors: Dagmar Krueger and Helga Meyer

Irani NG, Di Rubbo S, Mylle E, Van den Begin J, Schneider-Pizoń J, Hniliková J, Šíša M, Buyst D, Buyst D, Vilarrasa-Blasi J, Szatmári AM, Van Damme D, Mishev K, Codreanu MC, Kohout L, Strnad M, Caño-Delgado AI, Friml J, Madder A, Russinova E (2012) Fluorescent castasterone reveals BRI1 signaling from the plasma membrane. *Nature Chemical Biology* 8, 6: 583-589.

1211. Rasmussen A, Heugebaert T, Matthys C, Van Deun R, Boyer F-D, Goormachtig S, Stevens C, Geelen D. 2012. A fluorescent alternative to the strigolactone GR24. *Molecular Plant* DOI: 10.1093/mp/sss110.
1212. Samajova O, Takac T, Von Wangenheim D, Stelzer E, Samaj J. 2012. Update on methods and techniques to study endocytosis in plants. *Endocytosis in plants*, pp 1-36.
1213. Beck M, Zhou J, Faulkner C, MacLean D, Robatzek S. 2012. Spatio-temporal cellular dynamics of the arabidopsis flagellin receptor reveal activation status-dependent endosomal sorting. *Plant Cell* 24: 4205-4219.

Petkov G, Ivanova A, Iliev I, Vaseva I (2012) A critical look at the microalgae biodiesel. European J. of Lipid Science and Technology 114, 103-111

1214. Hindersin S, Leupold M, Kerne M, Hanelt D. 2012. Irradiance optimization of outdoor microalgal cultures using solar tracked photobioreactors Bioprocess and Biosystems Engineering, DOI: 10.1007/s00449-012-0790-5 IF: 1.809
1215. Nascimento MD, Ortiz-Marquez JCF, Sanchez-Rizza L, Echarte MM, Curatti L. 2012. Bioprospecting for fast growing and biomass characterization of oleaginous microalgae from south-eastern Buenos Aires, Argentina. *Bioresource Technology* 125, 283-290. <http://dx.doi.org/10.1016/j.biortech.2012.08.057> IF: 4.980
1216. Nurachman Z, Brataningtyas DS, Hartati, Panggabean LMG. 2012. Oil from the Tropical Marine Benthic-Diatom *Navicula* sp. Applied Biochemistry and Biotechnology 2012, DOI: 10.1007/s12010-012-9841-2 IF: 1.943
1217. Lukavsky J. 2012. Trachydiscus minutus: A new algal EPA producer. In: Algae: ecology, economic uses and environment impact. Dagmar Krueger & Helga Meyer (Eds.). Nova Sci. Publ. New York, pp. 77-104. (ISBN: 978-1-62081-280-8)
1218. Syed Ghulam Musharraf, Muhammad Arif Ahmed, Noureen Zehra, Nurul Kabir, M Iqbal Choudhary, Atta-ur Rahman. 2012. Biodiesel production from microalgal isolates of southern Pakistan and quantification of FAMEs by GC-MS/MS analysis. *Chemistry Central Journal* 6:149 doi:10.1186/1752-153X-6-149
1219. Gordon R. & Seckbach J. 2012, The science of algal fuels. Springer, Heidelberg. ISBN 978-94-007-5109-5

Vandenbussche F, Vaseva I, Vissenberg K, Van Der Straeten D (2012) Ethylene in vegetative development: a tale with a riddle. *New Phytologist* 194: 895-909

1220. Ruduś I, Sasiak M, Kępczyński J. 2012. Regulation of ethylene biosynthesis at the level of 1-aminocyclopropane-1-carboxylate oxidase (ACO) gene. *Acta Physiologiae Plantarum*, doi: 10.1007/s11738-012-1096-6
1221. Schaffer RJ, Ireland HS, Ross JJ, Ling TJ, David KM. 2012. *SEPALLATA1/2*-suppressed mature apples have low ethylene, high auxin and reduced transcription of ripening-related genes. *AoB Plants Advance Access published December 13, 2012*
1222. Lin Y, Chen D, Paul M, Zu Y, Tang Z. 2012. Loss-of-function mutation of EIN2 in *Arabidopsis* exaggerates oxidative stress induced by salinity. *Acta Physiologiae Plantarum*, DOI 10.1007/s11738-012-1172-y.

Vaseva I, Akiscan Y, Simova-Stoilova L, Kostadinova A, Nenkova R, Anders I, Feller U, Demirevska K (2012) Antioxidant response to drought in red and white clover. *Acta Physiologiae Plantarum* 34, 5: 1689-1699.

1223. Rong Z-Y, Zhang X-H, Yang S-L. 2012. Involvement of antioxidant defense system in enhancement of drought resistance in tobacco (*Nicotiana tabacum* L.) plants through circular drought-hardening Zhiwu Shengli Xuebao/*Plant Physiology Journal* 48, 7: 705-715.
1224. Wu GQ, Zhang LN, Wang YY. 2012. Response of growth and antioxidant enzymes to osmotic stress in two different wheat (*Triticum aestivum* L.) cultivars seedlings. *Plant, Soil and Environment* 58, 12: 534-539.

Vassileva V, Demirevska K, Simova-Stoilova L, Petrova T, Tsenov N, Feller U (2012) Long-term field drought affects leaf protein pattern and chloroplast ultrastructure of winter wheat in a cultivar-specific manner. *J Agron Crop Sci* 198, 2: 104-117.

1225. Sarunyaporn M, Roytrakul S, Supaibulwatana K. 2012. Physiological and comparative proteomic analyses of Thai jasmine rice and two check cultivars in response to drought stress. *Journal of Plant Interactions* 1-13.
1226. Григорова БС. 2012. Биохимични, физиологични и морфологични промени при пшенични растения под влияние на засушаване, висока температура и тяхната комбинация. Докторска дисертация, София

Peeva V, Toth Sz, Cornic G, Ducruet J-M (2012) Thermoluminescence and P700 redox kinetics as complementary tools to investigate the cyclic/chlororespiratory electron pathways in stress conditions in barley leaves. *Physiologia plantarum* 144(1): 83-97

1227. Karamoko M, Cline S, Redding K. 2012. Lumen thiol oxidoreductase 1, a disulfide bond-forming catalyst, is required for the assembly of photosystem II in *Arabidopsis*. *Plant Cell*, 23(12):4462-4475
1228. Cline SG. 2012. The biogenesis of photosynthetic complexes PSII and b6f *Doctoral dissertation* The Ohio State University