

**ЦИТАТИ И/ИЛИ ОТЗИВИ, ПУБЛИКУВАНИ ПРЕЗ 2013 ГОДИНА С
ИЗКЛЮЧЕНИ САМОЦИТАТИ НА ИФРГ-БАН.**

1988

Popova L, Tsonev T, Vaklinova S. Changes in some photosynthetic and photorespiratory properties in barley leaves after treatment with jasmonic acid. J. Plant Physiol. 1988. 132, 257-261. ISSN: 0176-1617.

1. Bideshki A, Arvin MJ. Interactive effects of methyl jasmonate (MJ) and indole-3 butyric acid (IBA) on growth and bio chemical parameters, bulb and allicin yield of garlic (*Allium sativum* L.) under drought stress in Iran. International Journal of Agriculture: Research and Review. 2013. 3 (2), 349-360.

2. Kobayakawa H, Imai K. Relation between O₃-inhibition of photosynthesis and salicylic acid in paddy rice grown with different CO₂ concentrations. Environ. Control Biol. 2013. 51 (3), 139-147.

1991

Lopez-Rodas G, Georgieva, E, Sendra R, Loidl P. Histone acetylation in *Zea mays* I: Activities of histone acetyl-transferases and histone deacetylases. The Journal of Biological Chemistry. 1991. 266, 18745-18750. ISSN: 0021-9258

3. Ma X, Lv S, Zhang C, Yang C. Histone deacetylases and their functions in plants. Plant Cell Reports. 2013. 32(4), 465-78. ISSN: 0721-7714

1992

Maslenkova L, Miteva T, L Popova. Changes in the Polypeptide Patterns of Barley Seedlings Exposed to Jasmonic Acid and Salinity. Plant Physiology. 1992. 98(2), 700-707. ISSN: 0032-0889

4. Lu Y, Lam H, Pi E, Zhan Q, Tsai S, Wang C, Kwan Y, Ngai S. Comparative Metabolomics in Glycine max and Glycine soja under Salt Stress To Reveal the Phenotypes of Their Offspring Journal of agricultural and food chemistry. 2013. 61 (36), 8711-8721.

5. Song S, Qi T, Fan M, Zhang X, Gao H, Huang H, Wu D, Guo H, Xie D. The bHLH Subgroup IIId Factors Negatively Regulate Jasmonate-Mediated Plant Defense and Development. PLoS Genetics. 2013. 9(7)

6. Saeid Zare Dehabadi, Abdolhamid Shoushtari, Zahra Asrar. Modulation of arsenic toxicity-induced oxidative damage by coronatine pretreatment in sweet basil (*Ocimum basilicum*) seedlings. Botany, 2013, 91(7), 442-448. 10.1139/cjb-2012-0296.

7. Noge K, Tamogami S. Herbivore-induced phenylacetonitrile is biosynthesized from de novo-synthesized L-phenylalanine in the giant knotweed, *Fallopia sachalinensis*. FEBS Letters. 2013. 587(12), 1811–1817.

Brosch G, Georgieva EI, Lopez-Rodas G, Lindner H, Loidl P. Specificity of *Zea mays* histone deacetylase is regulated by phosphorylation. The Journal of Biological Chemistry. 1992. 267, 20561-20564. ISSN: 0021-9258

8. Ma X, Lv S, Zhang C, Yang C. Histone deacetylases and their functions in plants. Plant Cell Reports. 2013. 32(4), 465-78. ISSN: 0721-7714

Stancheva I, Dimitrov I, Kaloyanova N, Dimitrova A, Angelov M. Effects of inoculation with *Azospirillum brasilense* on photosynthetic enzyme activities and grain yield in maize. Agronomie. 1992. 12 (4), 319-324 ISSN: 0249-5627

9. Naseri R, Azadi S, Rahi MJ, Maleki A, Mirzaei A. Effects of Inoculation with Azotobacter Chroococcum and Pseudomonas Putid a on yield and some of the important agronomic traits in barley (*Hordeum vulgare* L). Int. J. Agr. Plant Prod. 2013. 4 (7), 1602 -1610. ISSN 2051-1914

10. Soleymanifard A, Piri I, Naseri R. The effect of plant growth promoting bacteria on physiological and phenological traits of maize (*Zea mays* L.) at different levels of nitrogen fertilizer. Bull. Env. Pharmacol. Life Sci., 2013. 2 (9) , 55-64, ISSN 2277-1808

Stancheva I, Dinev N. Effects of inoculation of maize and species of tribe Triticeae with *Azospirillum brasilense*, J. Plant Physiol., 1992. 140, 550-552. ISSN: 0176-1617

11. Trujillo-Roldan MA, Valdez-Cruz NA, Gonzales-Mondevideo CF. Acevedo-Sanchez EV et al Scale-up from shake flasks to pilot-scale production on the plantgrowth-promoting bacterium *Azospirillum brasilense* for preparing a liquid inoculant formulation. Appl. Microbiol. Biotechnol. 2013. 97(22), 9665-9674, ISSN: 0175-7598

12. Rojas A, Castellanos T, Díaz De León JL. Genetic variation in wheat for *Azospirillum brasilense* to adhere to the seedling root. Ceral Res. Com. 2013. 41(2). DOI 10.1556/CRC.2013.0008.

1993

Maslenkova L, Zanev Y, Popova L. Adaptation to Salinity as Monitored by PSII Oxygen Evolving Reactions in Barley Thylakoids. J. Plant Physiol. 1993. 142(5), 629–634. ISSN: 0176-1617

13. Lu Y, Lam H, Pi E, Zhan Q, Tsai S, Wang C, Kwan Y, Ngai S. Comparative Metabolomics in Glycine max and Glycine soja under Salt Stress To Reveal the Phenotypes of Their Offspring Journal of agricultural and food chemistry. 2013. 61 (36), 8711–8721.

Angelov M, Tsonev T, Uzunova A, Gaidardjieva K. Cu²⁺ effect upon photosynthesis, chloroplast structure, RNA and protein synthesis of pea plants. Photosynthetica. 1993. 28, 341-350. ISSN: 0300-3604.

14. Bosiacki M, Kleiber T, Markiewicz B. Wpływ metali ciężkich na indeks zieloności liści *Misanthus x giganteus* Greef i Deu. Aparatura Badawcza i Dydaktyczna. 2013. 18 (1), 77-86.

15. Cuypers A, Remans T, Weyens N, Colpaert J, Vassilev A, Vangronsveld J. Soil-Plant Relationships of Heavy Metals and Metalloids, In: Heavy Metals in Soils (Ed. Brian J. Alloway), Environmental Pollution. Vol. 22, 2013, pp 161-193, Springer.

Georgieva K, Yordanov I. Temperature dependence of chlorophyll fluorescence parameters of pea seedlings. J. Plant Physiol. 1993. 142, 151-155. ISSN: 0176-1617.

16. Baier M, Foerster J, Schnabel U, Knorr D, Ehlbeck J, Herppich WB, Schlüter O. Direct non-thermal plasma treatment for the sanitation of fresh corn salad leaves: Evaluation of physical and physiological effects and antimicrobial efficacy. Postharvest

Biology and Technology. 2013.84, 81-87.

17. Chow W, Peng C. Differential responses of photosystem II activity to photooxidation in red and green tissues of *Amaranthus tricolor* leaves. Pak. J. Bot. 2013. 45(6), 1905-1912.

Fedina IS, Tsonev T, Guleva EI. The effect of pre-treatment with proline on the responses of *Pisum sativum* to salt stress. Photosynthetica. 1993. 29 (4), 521-527. ISSN: 0300-3604.

18. Sadder MT, Anwar F, Al-Doss AA. Gene expression and physiological analysis of *Atriplex halimus* (L.) under salt stress. Austr. J. Crop Sci. 2013. 7(1), 112-118.

Lopez-Rodas G, Brosch G, Georgieva EI, Sendra R, Franco L, Loidl P. Histone deacetylase: A key enzyme for binding of regulatory proteins to chromatin. (Hypothesis) FEBS Lett., 1993. 317, 175-180. ISSN: 0014-5793.

19. Van Beneden K, Mannaerts I, Pauwels M, Van den Branden C, van Grunsven L A. HDAC inhibitors in experimental liver and kidney fibrosis. Fibrogenesis & Tissue Repair. 2013. 6:1; biomedcentral.com, ISSN: 1755-1536. Review

20. Reeves M, Sinclair J. Regulation of human cytomegalovirus transcription in latency: beyond the major immediate-early promoter. Viruses. 2013. 5(6), 1395-1413; ISSN: 1999-4915. mdpi.com.

21. Deschatrettes E, Romieu P, Zwiller J. Cocaine self-administration by rats is inhibited by cyclic GMP-elevating agents: involvement of epigenetic markers. The International Journal of Neuropsychopharmacology. 2013. 16(7), 1587-1597; ISSN: 1461-1457. Cambridge Univ Press.

22. Tampe B, Zeisberg M. Evidence for the involvement of epigenetics in the progression of renal fibrogenesis. Nephrology Dialysis Transplantation. 2013. ERA-EDTA, DOI 10.1093/ndt/gft361. ISSN 0931-0509

23. Reeves M, Sinclair J. Epigenetic Regulation of Human Cytomegalovirus Gene Expression: Impact on Latency and Reactivation. 2013. In: Reddehase M, (ed.) Cytomegalovirus: From Molecular Pathogenesis to Intervention; ISBN-10: 1908230185; ISBN-13: 978-1908230188. books.google.com.

24. Hampel M, Bron JE, Taggart JB, Leaver MJ. The antidepressant drug Carbamazepine induces differential transcriptome expression in the brain of Atlantic salmon, *Salmo salar*. Aquatic Toxicology. 2013. In Press, Accepted Manuscript, Available online 23 December 2013. ISSN: 0166-445X

Zheleva D, Alexieva V, Karanov E. Influence of atrazine on free and bound polyamine levels in pea leaves. J Plant Physiol 1993. 141, 281-285. ISSN: 0176-1617.

25. Horbowicz M, Sempruch C, Kossion R, Koczkodaj D, Walas D. Effect of fluazifop-p-butyl treatment on pigments and polyamines level within tissues of non-target maize plants. Pestic. Biochem. Physiol. 2013. 107(1), 78-85. doi: 10.1016/j.pestbp.2013.05.008. ISSN: 0048-3575.

Nenova V, Stoyanov I. Physiological and biochemical changes in young maize plants under iron deficiency I.Growth and photosynthesis. J. Plant Nutr. 1993. 16, 835-849. ISSN 0190-4167 (Print), 1532-4087 (Online)

26. Höhner R, Barth J, Magneschi L, Jaeger D, Niehues A, Bald T, Grossman A, Fufezan F, Hippler M. The metabolic status drives acclimation of iron deficiency responses in chlamydomonas reinhardtii as revealed by proteomics based hierarchical clustering and reverse genetics. Mol. Cell. Prot. 2013, 12(11), 2774-2790. ISSN (Print) 1535-9476; ISSN (Online) 1535-9484.

Georgiev GI, Atkins CA. Effects of salinity on N₂ fixation, nitrogen metabolism and export and diffusive conductance of cowpea root nodules. Symbiosis. 1993. 15, 3 239-255. ISSN 0334-5114.

27. Aria D, Ali D, Sanavy MM, Ghanati F, Gresshoff PM. Agrobacterium rhizogenes transformed soybean roots differ in their nodulation and nitrogen fixation response to genistein and salt stress. World J. Microbiol. Biotech. 2013, 1-13. DOI 10.1007/s11274-013-1296-2

28. Dessislava T, Katerova Z, Sergiev I, Alexieva V. Role of polyamines in alleviating salt stress." in ecophysiology and responses of plants under salt stress, 355-379. Springer New York, 2013. DOI 10.1007/978-1-4614-4747-4_13. ISBN 978-1-4614-4746-7.

29. Faghire, Mustapha, Farissi Mohamed, Khadijattou Taoufiq, Rachid Fghire, Adnane Bargaz, Btissam Mandri, Khalid Oufdou, Amenc Laury, Jean-Jacques Drevon, and Cherki Ghoulam. "Genotypic variation of nodules' enzymatic activities in symbiotic nitrogen fixation among common bean (*Phaseolus vulgaris* L.) genotypes grown under salinity constraint." Symbiosis 60, no. 3 (2013): 115-122. DOI 10.1007/s13199-013-0247-x , Print ISSN 0334-5114.

30. Khodarahmpour Z, Soltani A. Technical Journal of Engineering and Applied Sciences. 2013. 3, 2, 139-144. ISSN 2051-0853.

31. Omid Y, Moradi A, Namdari A. Influence of arbuscular mycorrhiza on osmotic adjustment compounds and antioxidant enzyme activity in nodules of salt-stressed soybean (*Glycine max*). Acta agriculturae Slovenica. 2013. 101, 2, 219-230. DOI 10.2478/acas-2013-0018

32. Francisco Palma, Noel A. Tejera, Carmen Lluch Nodule carbohydrate metabolism and polyols involvement in the response of *Medicago sativa* to salt stress, Environmental and Experimental Botany, 85, 2013, 43–49

1994

Fedina IS, Tsonev TD, Guleva EI. ABA as a modulator of the response of *Pisum sativum* to salt stress. J Plant Physiol 1994. 143(2), 245-249. ISSN: 0176-1617.

33. Ceylan HA, Türkan I, Sekmen AH. Effect of coronatine on antioxidant enzyme response of chickpea roots to combination of PEG-induced osmotic stress and heat stress. Journal of Plant Growth Regulation. 2013. 32 (1), 72-82.

34. Daneshbakhsh B, Khoshgoftarmanesh AH, Shariatmadari H, Cakmak I. Effect of zinc nutrition on salinity-induced oxidative damages in wheat genotypes differing in zinc deficiency tolerance. Acta Physiol Plant. 2013. 35 (3), 881-889.

35. Gill SS, Tajrishi M, Madan M, Tuteja N. A DESD-box helicase functions in salinity stress tolerance by improving photosynthesis and antioxidant machinery in rice (*Oryza sativa* L. cv. PB1). Plant Molecular Biology. 2013. 82 (2-1), 1-22.

36. Sripinyowanich S, Klomsakul P, Boonburapong B, Bangyekhun T, Asami T, Gu

H, Buaboocha T, Chadchawan S. Exogenous ABA induces salt tolerance in indica rice (*Oryza sativa* L.): The role of OsP5CS1 and OsP5CR gene expression during salt stress. *Environmental and Experimental Botany*. 2013. 86, 94-105.

37. Su YH, Su YX, Liu YG, Zhang XS. Abscisic acid is required for somatic embryo initiation through mediating spatial auxin response in *Arabidopsis*. *Plant Growth Regulation*. 2013. 69 (2), 167-176.

Markovska YK, Tsonev TD, Kimenov GP, Tutekova AA. Physiological changes in higher poikilohydric plants - *Haberlea rhodopensis* Friv and *Ramonda serbica* Panc during drought and rewatering at different light regimes. *Journal of Plant Physiology*. 1994. 144(1), 100-108. ISSN: 0176-1617.

38. Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. *Physiol Mol Biol Plants*. 2013. 19 (3), 333-341.

39. Georgieva S, Popov B, Bonev G. Radioprotective effect of *Haberlea rhodopensis* (Friv.) leaf extract on γ -radiation-induced DNA damage, lipid peroxidation and antioxidant levels in rabbit blood. *Ind J Exp Biol* 2013. 51, 29-36.

40. Popov B, Georgieva S, Oblakova M, Bonev G. Effects of *Haberlea rhodopensis* extract on antioxidation and lipid peroxidation in rabbits after exposure to ^{60}Co - γ -rays. *Arch. Biol. Sci.. Belgrade*. 2013. 65 (1), 91-97.

41. Xu D-H, Wang J-P, Zang R-Y, Ren Z-W, Wang G, Wang C-Y. Changes of ultrastructure in leaf and stem of desert plant *Reaumuria soogorica* during drought stress and rehydration. *Journal of Lanzhou University (Natural Sciences)*. 2013. 49 (1), 70-75.

Kicheva M, Tsonev T, Popova L. Stomatal and nonstomatal limitations to photosynthesis in two wheat cultivars subjected to water stress of different intensity. *Photosynthetica*. 1994. 30 (1), 107-116. ISSN: 0300-3604.

42. Jeyaramraja PR, Thushara SS. Sequence of physiological responses in groundnut (*Arachis hypogaea* L.) subjected to soil moisture deficit. *Photosynthetica* 2013. 51 (3), 395-403.

43. Marcińska I., Czyczyło-Mysza I, Skrzypek E, Filek M, Grzesiak S, Grzesiak MT, Janowiak F, Hura T, Dziurka M, Dziurka K, Nowakowska A, Quarrie SA. Impact of osmotic stress on physiological and biochemical characteristics in drought-susceptible and drought-resistant wheat genotypes. *Acta Physiologiae Plantarum*. 2013. 35 (2), 451-461.

Georgieva EI, Lopez-Rodas G, Loidl P. Maize embryo germination: II. Nuclear proto-oncogene and tumor suppressor gene homologues. *Planta*. 1994. 192, 125-129. ISSN: 0032-0935

44. Huart AS, Hupp TR. Evolution of Conformational Disorder & Diversity of the P53 Interactome. *BioDiscovery*. 2013. Issue 8, 5; omicsonline.com, DOI 10.7750/BioDiscovery.2013.8.5. ISSN: 2050-2958. Review.

45. Godínez-Palma SK, García E, Sánchez MP, Rosas F, Jorge M. Vázquez-Ramos. Complexes of D-type cyclins with CDKs during maize germination. *Journal of*

Experimental Botany. 2013. doi:10.1093/jxb/ert340; Soc Experiment Biol. ISSN: 0022-0957

Grabner A, Brosch G, Sendra R, Lechner T, Eberharter A, Georgieva EI, Lopez-Rodas G, Franco L, Dietrich H, Loidl P. Subcellular location of enzymes involved in core histone acetylation. Biochemistry. 1994. 33, 14887-14895. ISSN: 0006-2960.

46. Ma X, Lv S, Zhang C, Yang C. Histone deacetylases and their functions in plants. Plant Cell Reports. 2013. 32(4), 465-78. ISSN: 0721-7714

47. Bougdour A, I Tardieu, MA Hakimi. Toxoplasma exports dense granule proteins beyond the vacuole to the host cell nucleus and rewrites the host genome expression. Cellular Microbiology, 2013. Dec 24. doi: 10.1111/cmi.12255. ISSN: 1462-5822

Zheleva D, Tsonev T, Sergiev I, Karanov E. Protective effect of exogenous polyamines against atrazine in pea plants. J. Plant Growth Regul. 1994. 13, 203-211. ISSN: 0721-7595.

48. Lutts S, Hausman J-F, Quinet M, Lefèvre I. Chapter 12: Polyamines and Their Roles in the Alleviation of Ion Toxicities in Plants. In: Ecophysiology and Responses of Plants under Salt Stress. Springer, 2013. 315-353 (Book). ISBN 978-1-4614-4747-4.

49. Qian H, Han X, Zhang Q, Sun Z, Sun L, Fu Z. Imazethapyr enantioselectively affects chlorophyll synthesis and photosynthesis in *Arabidopsis thaliana*. J. Agric. Food Chem. 2013. 61(6), 1172-1178. ISSN: 0021-8561.

1995

Popova L, Stoinova Z, Maslenkova L. Involvement of abscisic acid in photosynthetic process in *Hordeum vulgare* L. during salinity stress. J. Plant Growth Reg. 1995. 14(4), 211-218. ISSN: 0721-7595.

50. Monreal JA., Arias-Baldrich C, Pérez-Montaño F, Gandullo J, Echevarría C, García-Mauriño S. Factors involved in the rise of phosphoenolpyruvate carboxylase-kinase activity caused by salinity in sorghum leaves. Planta. 2013. 237(5), 1401-1413.

51. Puthura JT., Shackiraa AM, Pardha Saradhib P, Bartels D. Chlороembryos: A unique photosynthesis system. Journal of Plant Physiology. 2013. 170, (13), 1131–1138.

52. Lu Y, Lam H, Pi E, Zhan Q, Tsai S, Wang C, Kwan Y, Ngai S. Comparative Metabolomics in Glycine max and Glycine soja under Salt Stress To Reveal the Phenotypes of Their OffspringJ. Agric. Food Chem. 2013. 61 (36), 8711–8721.

53. Mohsen, Awatif1; Dowidar, Samha2; Abo-Hamad, Shaimaa3; Khalaf, Basma4 Role of cyanobacteria in amelioration of toxic effects of copper in 'Trigonella foenum gracum' Australian Journal of Crop Science. 2013.7(10), 1488-14937.

54. Olaiya CO, Gabriel O. Anyanwu. Antistressful Action of Two Auxin Analogues on Antioxidant Enzymes and Minerals in Tomato (*Solanum lycopersicon*) International Journals of Biotechnology and Biochemistry. 2013. 9(1), 145-156.

55. Chinsamy M, Kulkarni MG, Van Staden J. Garden-waste-vermicompost leachate alleviates salinity stress in tomato seedlings by mobilizing salt tolerance mechanisms. Plant Growth Regulation. 2013. 71(1), 41-47.

Maslenkova L, Gambarova N, Zeinalov Y. NaCl-induced changes in oxygen evolving activity and thylakoid membrane patterns of barley plants. adaptation to salinity. Bulg. J. Plant Physiol. 1995. 21(1), 29–35. ISSN: 1310-4586.

56. Mostafa MG, Liu C, Pan X, Yoshioka T, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG. Photosynthesis in Nature: A New Look. Photobiogeochemistry of Organic Matter. Environmental Science and Engineering. 2013. 561-686

Avramova Z, Sanmiguel P, Georgieva E, Bennetzen J. Matrix attachment regions and transcribed sequences within a long chromosomal continuum containing maize *Adh1*. Plant Cell. 1995. 7(10), 1667-1680. ISSN: 1040-4651

57. Ji L, Xu R, Lu L, Zhang J, Yang G, Huang J, Wu C, Zheng C. TM6, a novel nuclear matrix attachment region, enhances its flanking gene expression through influencing their chromatin structure. Molecules and Cell. 2013. 36 127-137. ISSN: 1016-8478

Somleva MM, Kapchina V, Alexieva V, Golovinsky E. Anticytokinin effects on in vitro responses of embryogenic and nonembryogenic genotypes of *Dactylis glomerata* L. Plant Growth Regulation. 1995. 16(2), 109-112. doi: 10.1007/BF00029530. ISSN: 1573-5087.

58. Mocilac P, Gallagher JF. The first phenyl-N-pyridinylcarbamate structures: structural and conformational analysis of nine methoxyphenyl-N-pyridinylcarbamates. Crystal Growth Design. 2013. 13(12), 5295-5304. doi: 10.1021/cg4010888. ISSN: 1528-7483.

Alexieva V, Karanov E, Nikolova R, Bojilova A. Plant growth regulating activity of some phosphorus derivatives of coumarin. Bulg. J. of Plant Physiol. 1995. 1, XXI, 45-51. ISSN: 1310-4586.

59. Fereshteh Imanparast, Ahmad Tobeh, Abdolghayyoum Gholipouri, Davoud Hassanpanah, Leila Imanparast. Coumarin and jasmonic acid interaction and main effects on two potato mini-tubers cultivars yield, and yield components gradation. 2013. Intl J. Agri. Crop Sci., 5(16), 1800-1812. ISSN: 2227-670X.

Stoimenova E. Investigation on the strain variability of Tobamovirus and Cucumovirus groups isolated in Bulgaria. J. Culture Collections. 1995. 1, 46-52. ISSN: 1310-8360.

60. Йончев Й, Дюлгерски Й. Мониторинг на вирусни болести с причинители TMV и PVY при тютюни от сортова група Бърлей, Раст. науки. 2013. L (6), 58-61.

Nenova V, Stoyanov I. Physiological and biochemical changes in young maize plants under iron deficiency II. Catalase, peroxidase and nitrate reductase activities in leaves. J. Plant Nutr. 1995. 18, 2081-2091. ISSN 0190-4167 (Print), 1532-4087 (Online)

61. Ventura Y, Myrzabayeva M, Alikulov Z, Cohen S, Shemer Z, Sagi M. The importance of iron supply during repetitive harvesting of *Aster tripolium*. Funct. Plant Biol. 2013. 40, 968-976.

Edreva A, Yordanov I, Kardjieva R, Hadjiiska E, Gesheva E. Expression of phenylamides in abiotic stress conditions. Bulg. J. Plant Physiol. 1995. 21 (2-3), 15-23 ISSN: 1310-4586

62. Hye Lin Park, Sang-Won, LeeKi-Hong, JungTae-Ryong, HahnMan-Ho Cho Transcriptomic analysis of UV-treated rice leaves reveals UV-induced phytoalexin biosynthetic pathways and their regulatory networks in rice Phytochemistry 2013. 96, 57–71. ISSN: 0031-9422

63. Ullmann-Zeunert L. Trade-offs of induced herbivore defense in *Nicotiana attenuata*: the role of early signaling and defense metabolite biosynthesis (Doctoral dissertation, 2013. Jena, Friedrich-Schiller-Universität Jena, Diss., 2013.

Fournadzhieva S, P Kassabov, R Andreeva, G Petkov, F Dittrt (1995) Influence of the herbicide Simazine on *Chlorella*, *Scenedesmus* and *Arthospira*. Arch. Hydrobiol. 106 (Algological Studies 76), 97-109

64. El-Salam Issa AA, Adam MS, Fawzy MA. 2013. Alterations in some metabolic activities of *Scenedesmus quadricauda* and *Merismopedia glauca* in response to glyphosate herbicide. J Biol Earth Sci 3(1), <http://journals.tmkarpinski.com/index.php/jbes/article/view/33/0>

1996

Metodiev M, Tsonev T, Popova L. Effect of Jasmonic Acid on the stomatal and nonstomatal limitation of leaf photosynthesis in barley leaves. J Plant Growth Regul. 1996. 15(2), 75-80. ISSN: 0721-7595.

65. Fan H, Cheng RR, Wu HD, Cheng S, Yan J, Ding TL, Wang BS. Planting sweet sorghum in yellow river delta: Agronomy characters of different varieties and the effects of sowing time on the yield and other biological traits. Adv Mat Res 2013. 726-731, 3-8.

66. Cao Y, Bai S, Dai H. Cloning and expression analysis of allene oxide cyclase gene *MdAOC1* from *Malus domestica*. Scientia Silvae Sinicae. 2013. 49 (12), 73-80

Popova L, Tsonev T, Lazova G, Stoinova Z. Drought- and ABA-induced changes in photosynthesis of barley plants. Physiol. Plantarum. 1996. 96, 623-629. ISSN: 1399-3054.

67. Zhang G, Yu J, Feng Z, Ma Y, Lü J. Physiological and biochemical mechanisms of nitric oxide and abscisic acid on alleviation to autotoxicity in pepper seedlings. Acta Horticulturae Sinica. 2013. 40 (3), 458–466.

Zeinalov Yu, Maslenkova L. A computerised equipment for thermoluminescence investigations. Bulg. J. Plant Physiol. 1996. 22(3-4), 88–94. ISSN:1310-4586.

68. Misra, AN. thermoluminescence in plants: concept and application. Int. J. LifeSc. Bt & Pharm. Res. 2013. 2(3), 10-17.

Atanassova L, Pissarska M, Stoyanov I. Cytokinins and growth responses of maize and pea plants to salt stress. Bulg. J. Plant Physiol. 1996. 22, 22-31. ISSN: 1312-8183.

69. Sabat S, Shantha SL, Murthy KV. Study of microbial cytokinin production under various enriched conditions and its effect on plant growth. *Int. J. Fundamental Applied Sci.* 2013. 12-15. ISSN: 2278-1404.

70. Шевякова Н, Мусатенко Л, Стеценко Л, Ракитин В, Веденичева Н, Кузнецов Вл В. Влияние АБК на содержание пролина, полиаминов и цитокининов в растениях хрустальной травки при солевом стрессе. *Физиология растений.* 2013. 60, 784-792.

Yakimova E, Kapchina-Toteva V, Alexieva V, Sergiev I, Karanov E. Effect of chlorsulfuron (GLEAN-75) and sucrose on some post-harvest physiological events in cut flowers. *Bulg. J. Plant Physiol.* 1996. 22(3-4), 74-87. ISSN: 1310-4586

71. Carrillo-López LM, Trejo-Téllez LI, Alcántar-González G, Arévalo-Galarza L, Gaytán-Acuña EA, Choon SY, Ding P. Sucrose affects postharvest characteristics of torch ginger (*Etingera elatior*) inflorescence. *Acta Horticulturae (ISHS).* 2013. 1012, 581-587. ISSN: 0567-7572.

Vassileva V, Ignatov G. Effect of high nitrate concentration on dicarboxylate transport across the peribacteroid membrane of soybean root nodules. *J. Plant Physiol.* 1996. 149, 1-2, 222-224.

72. Inam A, Sahay S. Re-use of two by-products, wastewater and flyash with low dose of inorganic fertilizers for the cultivation of fenugreek (*Trigonella foenum-graecum* Linn.). *International Journal of Agricultural Science and Research (IJASR).* 2013. 3, 5, 39-44.

1997

Zeinalov Yu, Maslenkova L. Mechanisms of photosynthetic oxygen evolution. In: *Handbook of Photosynthesis.* Pessarakli M (Ed.). Marcel Dekker, New York. 1997. pp. 129-150. ISBN: 0-8247-9708-6.

73. Velitchkova M, Lazarova D, Dolchinkova V, Mihailova G, Doncheva S, Georgieva K. Effect of high temperature on dehydration-induced alterations in photosynthetic characteristics of the resurrection plant *Haberlea rhodopensis.* *Photosynthetica.* 2013. 5(4), 630-640.

Vassileva V, Milanov G, Ignatov G, Nikolov B. Effect of low pH on nitrogen fixation of common bean grown at various calcium and nitrate levels. *J. Plant Nutr.* 1997/98. 20, 279-294.

74. Ferguson BJ, Lin MH, Gresshoff PM. Regulation of legume nodulation by acidic growth conditions. *Plant Signal. Behav.* 2013. 8, 3: e23426.

75. Miransari M, Riahi H, Eftekhar F, Minaie A, Smith DL. Improving soybean (*Glycine max* L.) N₂ fixation under stress. *J. Plant Growth Regul.* 2013. 32, 4, 909-921. ISSN: 0167-6903

76. Miransari M. Handling soybean (*Glycine max* L.) under stress. *Crop Improvement: New Approaches and Modern Techniques.* 2013. 421.

77. Thilakarathna RMMS. Genotypic variability among diverse red clover cultivars for nitrogen fixation and transfer. 2013. PhD thesis, Faculty of Graduate Studies, Dalhousie University.

Vassilev A, Yordanov I, Tsonev T. Effects of Cd²⁺ on the physiological state and photosynthetic activity of young barley plants. Photosynthetica. 1997. 34 (2), 293-302. ISSN: 0300-3604.

78. Eullaffroy P. Phytotoxicology: Contaminant Effects on Markers of Photosynthesis. In: Encyclopedia of Aquatic Ecotoxicology (Editors: Jean-François Férand, Christian Blaise). 2013. pp 855-864. Springer.

79. Farid M, Shakoor MB, Ehsan S, Ali S, Zubair M, Hanif MA. Morphological, physiological and biochemical responses of different plant species to Cd stress. International Journal of Chemical and Biochemical Sciences. 2013. 3, 53-60.

80. González Á, Lobo MC. Growth of four varieties of barley (*Hordeum vulgare* L.) in soils contaminated with heavy metals and their effects on some physiological traits. American Journal of Plant Sciences. 2013. 4, 1799-1810.

Metwally A, Tsonev T, Zeinalov Y. Effect of cytokinins on the photosynthetic apparatus in water-stressed and rehydrated bean plants. Photosynthetica. 1997. 34 (4), 563-567. ISSN: 0300-3604.

81. Gemrotová M, Kulkarni MG, Stirk WA, Strnad M, Van Staden J, Spíchal L. Seedlings of medicinal plants treated with either a cytokinin antagonist (PI-55) or an inhibitor of cytokinin degradation (INCYDE) are protected against the negative effects of cadmium. Plant Growth Regulation. 2013. 71 (2), 137-145.

82. Hu L., Wang Z., Huang B. - Effects of cytokinin and potassium on stomatal and photosynthetic recovery of kentucky bluegrass from drought stress. *Crop Science*. 53 (1), 2013. 221-231.

83. Yewalkar SN, Dhumal KN, Sainis JK. Effect of chromate on photosynthesis in Cr(VI)-resistant Chlorella. Photosynthetica. 2013. 51 (4), 565-573.

Fedina IS, Tsonev T. Effect of pretreatment with methyl jasmonate on the response of *Pisum sativum* to salt stress. J. Plant Physiol. 1997. 151, 735-740. ISSN: 0176-1617.

84. Hasanuzzaman M, Kamrun N, Masayuki F. Ch.2: Plant response to salt stress and role of exogenous protectants to mitigate salt-induced damages. In: Ahmad Parvaiz, Azooz M.M., Prasad M.N.V. (Eds.) Ecophysiology and Responses of Plants under Salt Stress. Springer New York. 2013. pp 25-87.

85. Wargent JJ, Pickup DA, Paul ND, Roberts MR. Reduction of photosynthetic sensitivity in response to abiotic stress in tomato is mediated by a new generation plant activator. BMC Plant Biology. 2013. 13, Article Number: 108.

Stoyanova D, Velikova V. Effects of simulated acid rain on chloroplast ultrastructure of primary leaves of *Phaseolus vulgaris*. Biologia Plantarum. 1997. 40 (4), 589-595. ISSN: 0006-3134.

86. Dolatabadian A, Sanavy SAMM, Gholamhoseini M, Joghān AK, Majdi M, Kashkooli AB. The role of calcium in improving photosynthesis and related

physiological and biochemical attributes of spring wheat subjected to simulated acid rain. *Physiology and Molecular Biology of Plants*. 2013. 19 (2), 189-198

Yordanov I, Tsonev T, Goltsev V, Kruleva L, Velikova V. Interactive effect of water deficit and high temperature on photosynthesis in sunflower and maize plants. 1. Changes in parameters of chlorophyll fluorescence induction kinetics and fluorescence quenching. Photosynthetica. 1997. 33 (3-4), 391-402. ISSN: 0300-3604.

87. Abdrabbo MA, Hashem FA, Elsayed ML, Farag AA, Abul-Soud MA, Hamada MM, Refaie KM. Evaluation of CSM-Ceres-Maize model for simulating maize production in Northern Delta of Egypt. *Life Science Journal*. 2013. 10 (4), 3179-3192.

88. Mostofa KMG, Liu C, Pan X, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG. Photosynthesis in Nature: A New Look. In: Environmental Science and Engineering, Photobiogeochemistry of Organic Matter - Principles and Practices in Water Environments (Editors: Khan M.G. Mostofa, Takahito Yoshioka, Abdul Mottaleb, Davide Vione), 2013. pp 561-686.

Vassilev GN, Yonova PA, Bohland H, Vassilev NG, Yordanov B. 1997. Dokl. Bulg. Akad. Nauk., 50, 59-62.

89. Gong H, Yang Y, Wang Z, Kuang C. An easy direct arylation of 5-pyrazolones. *Beilstein J. Org. Chem.* 2013, 9, 2033-2039.

Atanassova B, Shtereva L, Molle E. Effect of three anthocyaninless genes on germination in tomato (*Lycopersicon esculentum* Mill.) II. Seed germination under stress conditions. *Euphytica*. 1997. 97, 31-38. ISSN: 1573-5060.

90. Kozik E.U., Nowakowska M., Staniaszek M., Dyki B., Stępowska A., Nowicki M. More than meets the eye: A multi-year expressivity analysis of tomato sterility in ps and ps-2 lines. *Aust J Crop Sci.* 2013. 7(13), 2154-2161. ISSN:1835-2707

Doncheva S Ultrastructural localization of Ag-NOR proteins in root plant meristem cells after copper treatment. *J. Plant Physiol.* 1997. 151, 242-245. ISSN: 0176-1617

91. Ann Cuypers, Tony Remans, Nele Weyens, Jan Colpaert, Andon Vassilev, Jaco Vangronsveld. 2013. Soil-Plant Relationships of Heavy Metals and Metalloids. Heavy Metals in Soils. *Environmental Pollution* 22, 161-193. ISSN 1566-0745

Doncheva S, Stoyanova Z. Plant response to copper and zinc hydroxidesulphate and hydroxidecarbonate used as alternative copper and zinc sources in mineral nutrition. *Romanian Agr. Res.* 1997. 7-8, 15-20. ISSN 1222 - 4227

92. Waterlot C, Bidar G, Pelfrène A, Roussel H, Fourrier H, Douay F. Contamination, fractionation and availability of metals in urban soils in the vicinity of former lead and zinc smelters. *France Pedosphere*. 2013. 23 (2), 143-159. ISSN 1002-0160

Pouneva I (1997) Evaluation of algal culture viability and physiological state by fluorescent microscopic methods. *Bulg. J. Phlant. Physiol.* 23. 67-76

93. Imase M, Ohko Y, Takeushi M, Hanada S. 2013. Estimating the viability of *Chlorella* exposed to oxidative stresses based around photocatalysis. *International Biodeterioration & Biodegradation* 78, 2013, 1-6.

1998

Tsonev T, Lazova G, Stoinova Z, Popova L. A possible role for jasmonic acid in adaptation of barley seedlings to salinity stress. J. of Plant Growth Regul. 1998. 17 (3), 153-159. ISSN: 0721-7595.

94. Abass M, Morris PC. The *Hordeum vulgare* signalling protein MAP kinase 4 is a regulator of biotic and abiotic stress responses. *Journal of Plant Physiology*. 2013. 170 (15), 1353-1359.

95. Akter N, Okuma E, Sobahan MA, Uraji M, Munemasa S, Nakamura Y, Mori IC, Murata Y. Negative regulation of methyl jasmonate-induced stomatal closure by glutathione in *Arabidopsis*. *J. Plant Growth Regul.* 2013. 32 (1), 208-215.

96. Daszkowska-Golec A, Szarejko I. Ch. 4. The Molecular Basis of ABA-Mediated Plant Response to Drought, In: (Eds. K. Vahdati and C. Leslie) *Abiotic Stress - Plant Responses and Applications in Agriculture*. InTech. 2013. 103-133.

97. Habora MEE, Eltayeb AE, Oka M, Tsujimoto H, Tanaka K. Cloning of allene oxide cyclase gene from *Leymus mollis* and analysis of its expression in wheat–*Leymus* chromosome addition lines. *Breeding Science* 2013. 63, 68–76.

98. Iqbal N, Umar S, Khan NA, Khan MIR. A new perspective of phytohormones in salinity tolerance: Regulation of proline metabolism. *Environmental and Experimental Botany*. 2013 (*in press*), <http://dx.doi.org/10.1016/j.envexpbot.2013.12.006>.

99. Ozhan N, Zarghami R, Hajibabaei M. Effect of hormone and salt stress on yield and yield components of three cultivars of spring wheat in hydroponic condition. *International journal of Agronomy and Plant Production*. 2013. 4 (2), 249-253.

100. Ozhan N, Zarghami R, Hajibabaei M. Effects of gibberlic acid and polyamines on germination of some cultivars of wheat under salt stress. *International Journal of Agriculture: Research and Review*. 2013. 3 (3), 635-641.

101. Ozhan N, Hajibabaei M. Studies on effectiveness of plant phytohormones in reduction of salinity effects on germination of some cultivar of spring wheat. *International Journal of Agronomy and Plant Production*. 2013. 4 (8), 1863-1874.

102. Ozhan N, Zarghami R, Hajibabaei M. Effect of salinity and gibberlic acid on morphological and physiological characterizations of three cultivars of spring wheat. *Intl J Agri Crop Sci.* 2013. 5 (5), 507-512.

103. Singh A, Srivastava AK, Singh AK. Exogenous application of salicylic acid to alleviate the toxic effects of insecticides in *Vicia faba L*. *Environmental Toxicology*. 2013. 28 (12), 666-672.

104. Wargent JJ, Pickup DA, Paul ND, Roberts MR. Reduction of photosynthetic sensitivity in response to abiotic stress in tomato is mediated by a new generation plant activator. *BMC Plant Biology*. 2013. 13, Article Number: 108.

105. Wang J, Li M, Ding B, Xie X. Signal transduction mechanism of stomatal closure stimulated by methyl jasmonate in guard cells. *Chinese Journal of Cell Biology*. 2013. 35 (2), 224-228.

106. Yokotani N, Ichikawa T, Kondou Y, Iwabuchi M, Matsui M, Hirochika H, Oda K. Role of the rice transcription factor JAmyb in abiotic stress response. *Journal of Plant Research*. 2013. 126 (1), 131-139.

107. Cao Y, Bai S, Dai H. Cloning and expression analysis of allene oxide cyclase gene *MdAOC1* from *Malus domestica*. *Scientia Silvae Sinicae*. 2013. 49 (12), 73-80.

Vassilev A, Tsonev T, Yordanov I. Physiological response of barley plants (*Hordeum vulgare* L.) to cadmium contamination in soil during ontogenesis. Environmental Pollution. 1998. 103 (2-3), 287-293. ISSN: 0269-7491.

108.Bai YC, Gu CH, Tao TY, Chen GH, Shan YH. Straw incorporation increases solubility and uptake of cadmium by rice plants. Acta Agriculturae Scandinavica Section B-Soil and Plant Science. 2013. 63 (3), 193-199.

109.Gill SS, Anjum NA, Gill R, Hasanuzzaman M, Sharma P, Tuteja N. Mechanism of cadmium toxicity and tolerance in crop plants. In: *Crop Improvement Under Adverse Conditions* (Editors: Narendra Tuteja. Sarvajeet Singh Gill). 2013. pp 361-385. Springer.

110.Hassan IA, Basahi JM, Ismail IM. Gas exchange, chlorophyll fluorescence and antioxidants as bioindicators of airborne heavy metal pollution in Jeddah, Saudi Arabia, Current World Environment. 2013. 8 (2), 203-213.

111.Marmiroli M, Imperiale D, Maestri E, Marmiroli N. The response of *Populus* spp. to cadmium stress: Chemical, morphological and proteomics study. Chemosphere. 2013. 93 (7), 1333-1344.

112.Казнина НМ, Титов АФ, Лайдинен ГФ, Батова ЮВ. Влияние возраста листа на устойчивость фотосинтетического аппарата растений к кадмию. Труды Карельского научного центра РАН. 2013. 3, 112–118.

113.Khan MD, Mei L, Ali B, Chen Y, Cheng X, Zhu SJ. Cadmium-induced upregulation of lipid peroxidation and reactive oxygen species caused physiological, biochemical, and ultrastructural changes in upland cotton seedlings. BioMed Research International. 2013. Vol. 2013, Article ID 374063, 10 pages. <http://dx.doi.org/10.1155/2013/374063>

114.Pedro CA, Santos MSS, Ferreira SMF, Gonçalves SC. The influence of cadmium contamination and salinity on the survival, growth and phytoremediation capacity of the saltmarsh plant *salicornia ramosissima*. Marine Environmental Research. 2013. 92, 197-205.

115.Rani A, Souche Y, Goel R. Comparative in situ remediation potential of *Pseudomonas putida* 710A and *Comamonas aquatica* 710B using plant (*Vigna radiata* (L.) wilczek) assay. Ann Microbiol. 2013. 63 (3), 923-928.

Velikova VB, Yordanov IT, Georgieva KM, Tsonev TD, Goltsev V. Effects of exogenous polyamines applied separately and in combination with simulated acid rain on functional activity of photosynthetic apparatus. J. Plant Physiol. 1998. 153 (3-4), 299-307. ISSN: 0176-1617.

116.Hanafy Ahmed AH, Darwish E, Hamoda SAF, Alobaify MG. Effect of putrescine and humic acid on growth, yield and chemical composition of cotton plants grown under saline soil conditions. American-Eurasian J. Agric. & Environ. Sci. 2013. 13 (4), 479-497.

117.Lutts S, Hausman J-F, Muriel Q, Lefèvre I. Ch.12: Polyamines and their roles in the alleviation of ion toxicities in plants. In: (Eds. Ahmad Parvaiz, Azooz M.M. and Prasad, M.N.V.) Ecophysiology and Responses of Plants under Salt Stress. 2013. pp 315-353, Springer New York.

118.Todorova D, Katerova Z, Shopova E, Nikolova A, Georgieva N, Sergiev I, Mapelli S. Polyamine spermine protects young pea plants against ultraviolet-C radiation.

Biotechnology and Biotechnological Equipment. 2013. 27 (3), 3798-3802

Maslenkova L, Toncheva S. Salicylic acid induced changes in photosystem II reactions in barley plants. Compt Rend Acad Bulg Sci. 1998. 51, 101-104. ISSN: 0861-1459.

119. Vranova V, Rejsek K, Skene KR, Janous D, Formanek P. Methods of collection of plant root exudates in relation to plant metabolism and purpose: A review. Z. Pflanzenernähr. Bodenkd., 2013. 176, 175–199. doi: 10.1002/jpln.201000360.

120. Irfan M, Hayat Sh, Wani A, Ahmad A. Overlapping Horizons of Salicylic Acid under Different Stresses. Crop Improvement Under Adverse Conditions. 2013. 137-152.

121. Krasavina MS, Burmistrova NA. Impact of Salicylic Acid on the Transport and Distribution of Sugars in Plants. Salicylic Acid. 2013. 83-117.

Todorov D, Alexieva V, Karanov E. Effect of putrescine, 4-PU-30 and ABA on maize plants grown under normal, drought and rewatering conditions. J. Plant Growth Regul. 1998. 17(4), 197-203. doi: 10.1007/PL00007035. ISSN: 1435-8107.

122. Fazeli Rostampour M, Yarnia M, Rahimzadeh Khoe F, Seghatoleslami MJ, Moosavi GR. Physiological response of forage sorghum to polymer under water deficit conditions. Agronomy Journal. 2013. 105(4), 951-959. Online ISSN: 1435-0645.

123. Geißler T. PhD Thesis. Entwicklung von Assays zur Untersuchung Chemisch-Induzierter Trockenstress toleranz. 2013. Naturwissenschaftlichen Fakultät II der Martin-Luther Universität Halle-Wittenberg, Germany.

124. Hassanein RA, El-Khawas SA, Ibrahim SK, El-Bassiouny HM, Mostafa, HA, El-Monem AAA. Improving the thermo tolerance of wheat plant by foliar application of arginine or putrescine. Pak. J. Bot. 2013. 45(1), 111-118. ISSN: 0556-3321.

125. Kotakis C, Theodoropoulou E, Tassis K, Oustamanolakis C, Ioannidis N E, Kotzabasis K. Putrescine, a fast-acting switch for tolerance against osmotic stress. J. Plant Physiol. 2013. 171(2), 48-51. ISSN: 0176-1617.

126. Rostampour MF, Yarnia M, Khoe FR. Physiological response of Forage sorghum to polymer under water deficit conditions. Agronomy Journal. 2013. 105(4), 951-959. Online ISSN 1435-0645.

Shtereva LA, Zagorska NA, Dimitrov BD, Kruleva MM, Oanh HK. Induced androgenesis in tomato (*Lycopersicon esculentum* Mill). II. Factors affecting induction of androgenesis, Plant Cell Reports. 1998. 18 (3-4): 312-317. ISSN: 0721-7714.

127. Michelangeli CC, Artioli PI, Medina AM. Embriogenesis somatica en onoto (*Bixa orellana* L.). Agronomía Tropical. 2013. 52(4), 523-541. ISSN: 0002-192X.

128. Plamenov D, Belchev I, Daskalova N, Spetsov P. and Moraliyski T. Application of a low dose of gamma rays in wheat androgenesis. Arch. Biol. Sci. Belgrade. 2013. 65 (1), 291-296. DOI: 10.2298/ABS1301291P.

Doncheva S. Copper-Induced alterations in structure and proliferation of maize root meristem cells. J of Plant Physiol. 1998. 153, 482-487. ISSN: 0176-1617

129. Zambrosi FCB, Mesquita GL, Tanaka FAO, Quaggio JA, Mattos Jr D. Environ. Exp. Bot. 2013. 95, 25-33. ISSN 0098-8472

130.Soudek P, Petrová Š, Vaňková R, Song J, Vaněk T. Accumulation of heavy metals using *Sorghum* sp. Chemosphere. Chemosphere. 2013. <http://dx.doi.org/10.1016/J.chemosphere.2013.09.079>. ISSN 0045-6535

Moreno, P., G. Petkov, Z. Ramazanov, G. Garsia. 1998. Lipids, fatty acids and sterols of *Cystoseira abies-marina*. Botanica Marina 41, 375-378

131.Herrero M, Mendiola JA, Plaza M. Ibañez E. 2013. Screening for bioactive compounds from algae. Advanced Biofuels and Bioproducts 2013, 7, 833-872.

1999

Georgieva K, Lichtenthaler H. Photosynthetic activity and acclimation ability of pea plants to low and high temperature treatment as studied by means of chlorophyll fluorescence. J. Plant Physiol. 1999. 155, 416-423. ISSN: 0176-1617.

132.Brestic M, Zivcak M. PSII Fluorescence Techniques for Measurement of Drought and High Temperature Stress Signal in Crop Plants: Protocols and Applications. In: Molecular Stress Physiology of Plants. 87-131. Springer India. Gyana Ranjan Rout, Anath Bandhu Das (Eds.). 2013.

133.Carrión-Tacuri J, Rubio-Casal AE, de Cires A, Figueroa ME, Castillo JM. Effect of low and high temperatures on the photosynthetic performance of *Lantana camara* L. Leaves in darkness. Russian Journal of Plant Physiology. 2013. 60(3), 322-329.

Velikova V, Tsonev T, Yordanov I. Light- and CO₂-responses of photosynthesis and chlorophyll fluorescence characteristics in bean plants after simulated acid rain. Physiol. Plantarum. 1999. 107, 77-83. ISSN: 1399-3054.

134.Singh M, Kumari A, Verma KK. Physiological, growth, and biomass attributes in *populus deltoides* l. (clones G-48 and Kranti) influenced by water stress. Arboriculture and Urban Forestry. 2013. 39 (5), 226-230.

135.Zlatev ZS. Drought-induced changes and recovery of photosynthesis in two bean cultivars (*Phaseolus vulgaris* L.), Emirates Journal of Food and Agriculture. 2013. 25 (12), 1014-1023.

Georgieva K. Some mechanisms of damage and acclimation of the photosynthetic apparatus to high temperature. Bulgarian Journal of Plant Physiology. 1999. 25 (3-4), 89-99. ISSN: 1310-4586.

136.Morales D. Efecto de altas temperaturas en algunas variables del crecimiento y el intercambio gaseoso en plantas de tomate (*Lycopersicon esculentum* Mill. CV. AMALIA). Instituto Nacional de Ciencias Agrícolas. 2013. 27(1), 45-48.

137.Sadat S, Saeid KA, Bihamta MR, Torabi S, Salekdeh SGH, Ayeneh GAL. Marker Assisted Selection for Heat Tolerance in Bread Wheat. World Applied Sciences Journal. 2013. 21(8), 1181-1189.

138.Kipp E, Boyle M. The Effects of Heat Stress on Reactive Oxygen Species Production and Chlorophyll Concentration in *Arabidopsis italiana*. Nature. 2013. 1(2), 20-23.

139.Me Chen, Tang Y-L. Chlorophyll fluorescence characteristics of □*Amaranthus tricolor*□ L. under high temperature stress. Chinese Journal of Ecology. 2013. 32(7), 1813-1818.

Yordanov I, Velikova V, Tsonev T. - Influence of drought, high temperature, and carbamide cytokinin 4-PU-30 on photosynthetic activity of bean plants. 1. Changes in chlorophyll fluorescence quenching. Photosynthetica. 1999. 37, 447-457. ISSN: 0300-3604.

140.Ahmadizadeh M. Physiological and agro-morphological response to drought stress. Middle East Journal of Scientific Research. 2013. 13 (8), 998-1009.

141.Mostofa KMG, Liu C, Pan X, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG. Photosynthesis in Nature: A New Look. In: Environmental Science and Engineering, Photobiogeochemistry of Organic Matter - Principles and Practices in Water Environments (Editors: Khan M.G. Mostofa, Takahito Yoshioka, Abdul Mottaleb, Davide Vione). 2013. pp 561-686.

142.Way DA, Crawley C, Sage RF. A hot and dry future: warming effects on boreal tree drought tolerance. Tree Physiology. 2013. 33 (10), 1003-1005.

Zeinalov Yu, Maslenkova L. Estimation of the quantum efficiency of photosynthesis. i. Theoretical ground and experimental approaches. Bulg. J. Plant Physiol. 1999. 25(1-2), 26-38. ISSN: 1310-4586.

143.de Jesús O. Comportamiento ecofisiológico de variedades de higuerilla (*Ricinus communis* L.) para la producción sostenible de aceite y biodiesel en diferentes agroecosistemas colombianos Córdoba Gaona. 2013. Doctorado thesis, Universidad Nacional de Colombia,Sede Medellín. PhD Thesis

Penkov L, Platonov E. The effect of fibroblast growth factors (FGF-2, FGF-4) on the development of parthenogenetic mouse embryos. Ontogenez. 1999. 30, 448-452. PMID: 10624717

144.Tingting W, Liyun X, Chang G. Progress in antiulcer effects of aFGF in diabetes. Journal of Wenzhou Medical Colledge. 2013. 43, 488-491. ISSN: 1000-2138

Stoynova EZ, Karanov EN, Alexieva V. Subcellular aspects of the protective effect of spermine against atrazine in pea plants. Plant Growth Regulation. 1999. 29(3), 175-180. doi: 10.1023/A:1006249514986. ISSN: 1573-5087.

145.Todorova D, Katerova Z, Shopova E, Nikolova A, Georgieva N, Sergiev, I, Mapelli S. Polyamine spermine protects young pea plants against ultraviolet-C radiation. Biotechnol. & Biotechnol. Eq. 2013. 27(3), 3798-3802. ISSN: 1310-2818.

Georgieva ID, Edreva A, Rodeva RM. Peroxidase response of ovaries and seeds in two host-parasite systems *Triticum aestivum-Septoria nodorum* and *Lilium regale-Botrytis cinerea*. Plant Peroxidase Newsletter. 1999. 13, 3-11. ISSN: 1422-3473.

146.Kapadia CV, Mahatma MK, Shrivastava V, Ahmad T, Desai RT. Defense response of resistant and susceptible genotypes of castor (*Ricinus communis* L.) to wilt disease. Archives of Phytopathology and Plant Protection. 2013. 46(2), 180-192. ISSN: 1477-2906.

Ivanova AP, Robaina RR, Martin J, Stefanov KL. Effect of glycerol on the lipids in the red alga *Gratelupia doryphora*. *Grasas y Aceites*. 1999. 50, 469-471. ISSN: 0017-3495.

147. El-Sheekh M, Abomohra AE-F, Hanelt D. Optimization of biomass and fatty acid productivity of *Scenedesmus obliquus* as a promising microalga for biodiesel production. *World J. Microbiol. Biotech.* 2013. 29 (5), 915-922. ISSN: 0959-3993.

Ananieva KI, Ananiev ED. Effect of methyl ester of jasmonic acid and benzylaminopurine on growth and protein profile of excised cotyledons of *Cucurbita pepo* (zucchini). *Biologia Plantarum*. 1999. 42, 549–557. ISSN: 0006-3134.

148. Abdin MZ, Khan MA, Ali A, Alam P, Ahmad A, Sarwat M. Signal transduction and regulatory networks in plant-pathogen interaction: A proteomics perspective. In: (Editors: Maryam Sarwat, Altaf Ahmad, MZ Abdin) Stress Signaling in Plants: Genomics and Proteomics Perspective. Vol. 1 2013. pp 69-90.

Vassileva V, Ignatov G. Effect of polyamines on dicarboxylate and oxygen uptake by symbiosomes and free bacteroids from *Galega orientalis* nodules. *Symbiosis*. 1999. 27, 59-72.

149. Tomar PC, Lakra N, Mishra SN. Cadaverine: A lysine catabolite involved in plant growth and development. *Plant Signal. Behav.* 2013. 8, 10, e25850.

Vassileva V, Ignatov G. Polyamine-induced changes in symbiotic parameters of the *Galega orientalis* – *Rhizobium galegae* nitrogen-fixing system. *Plant Soil*. 1999. 210, 83-91.

150. López-Gómez M, Hidalgo-Castellanos J, Iribarne C, Lluch C. Proline accumulation has prevalence over polyamines in nodules of *Medicago sativa* in symbiosis with *Sinorhizobium meliloti* during the initial response to salinity. *Plant Soil*. 2013. 374, 149-159.

2000

Ananieva K, Ananiev ED. Interaction between methyl ester of jasmonic acid and benzyladenine during the growth of excised greening cotyledons of *Cucurbita pepo* L. (zucchini). *Bulg. J. Plant Physiol.* 2000. 26, 48–57. ISSN: 1310-4586.

151. Horbowicz M, Kosson R, Saniewski M, Mitrus J, Koczkodaj D. Effects of simultaneous use of methyl jasmonate with other plant hormones on the level of anthocyanins and biogenic amines in seedlings of common buckwheat (*Fagopyrum esculentum* Moench). *Acta Agrobotanica*. 2013. 66 (1), 17-26.

Carballeira, NM, Pagan M, Shalabi F, Nechev J, Lachchev K, Ivanova A, Sefanov K. Two novel Iso-branched octadecenoic acids from a *Micrococcus* species. *J. Nat. Prod.* 2000. 63, 1573-1575. ISSN: 0163-3864.

152. Hawas UW, El-Halawany AM, Ahmed EF. Hepatitis C Virus NS3-NS4A protease inhibitors from the endophytic *Penicillium chrysogenum* isolated from the red alga *Liagora viscosa*. *Zeitschrift fur Naturforschung - Section C Journal of Biosciences*. 2013. 68 C (9-10), 355-366.

Cseh Z, Rajagopal S, Tsonev T, Busheva M, Papp E, Garab G. Thermooptic effect in chloroplast thylakoid membranes. Thermal and light stability of pigment arrays with different levels of structural complexity. Biochemistry. 2000. 39, 15250-15257. ISSN: 0006-2960.

153. Kochubey CM, Shevchenko VV, Kazantsev TA. Изменения антенны Фотосистемы I, индуцируемые кратковременным прогревом. Биологические мембранны. 2013. 30 (1), 69-80. (Kochubey SM, Shevchenko VV, Kazantsev TA. Changes of the antenna of photosystem I induced by short-term heating. Biochemistry (Moscow) Supplement Series A: Membrane and Cell Biology. 2013. 7 (1), 67-77).

154. Janik E, Bednarska J, Zubik M, Puzio M, Luchowski R, Grudzinski W, Mazur R, Garstka M, Maksymiec W, Kulik A, Dietler G, Gruszecki WI. Molecular architecture of plant thylakoids under physiological and light stress conditions: A study of lipid-light-harvesting complex II model membranes. The Plant Cell. 2013. 25 (6), 2155-2170.

155. Nellaepalli S, Kodru S, Malavath T, Subramanyam R Change in fast Chl *a* fluorescence transients and pigment protein interactions in state transitions from *Arabidopsis thaliana*, Journal of Photochemistry and Photobiology B: Biology. 2013. 128, 27-34.

156. Pilát Z, Ježek J, Šerý M, Trtílek M, Nedbal L, Zemánek P. Optical trapping of microalgae at 735-1064 nm: Photodamage assessment. Journal of Photochemistry and Photobiology B: Biology. 2013. 121, 27-31.

Dekov I, Tsonev T, Yordanov I. Effects of water stress and high-temperature stress on the structure and activity of photosynthetic apparatus of *Zea mays* and *Helianthus annuus*. Photosynthetica. 2000. 38 (3), 361-366. ISSN: 0300-3604.

157. Kalyar T, Rauf S, Da Silva JAT, Shahzad M. Handling sunflower (*Helianthus annuus* L.) populations under heat stress. Archives of Agronomy and Soil Science. 2013. (in press). DOI:10.1080/03650340.2013.799276

158. Karimi N, Siyahat Shayesteh L, Ghasmpour H, Alavi M. Effects of arsenic on growth, photosynthetic activity, and accumulation in two new hyperaccumulating populations of *Isatis cappadocica* Desv. Journal of Plant Growth Regulation. 2013. 32 (4), 823-830.

159. Kalyar T, Rauf S, Teixeira Da Silva JA, Haidar S, Iqbal Z. Utilization of leaf temperature for the selection of leaf gas-exchange traits to induce heat resistance in sunflower (*Helianthus annuus* L.). Photosynthetica 2013. 51 (3), 419-428.

160. Kesici M, Gulen H, Ergin S, Turhan E, Ipek A, Koksal N. Heat-stress tolerance of some strawberry (*Fragaria × ananassa*) cultivars. Notulae Botanicae Horti Agrobotanici. 2013. 41(1), 244-249.

161. Krishna Surendar K, Durga Devi D, Ravi I, Krishnakumar S, Ramesh Kumar S, Velayudham K. Water stress in banana - A Review. Bull. Env. Pharmacol. Life Sci. 2013. 2 (6), 01-18.

162. Men X, Sun T, Dong K, Yang Y. Or mutation leads to photo-oxidative stress responses in cauliflower (*Brassica oleracea*) seedlings during de-etiolation. Journal of Plant Research. 2013. 126 (6), 823-832.

163. Naeem M, Khan MN, Khan MMA, Moinuddin. Adverse effects of abiotic stresses on medicinal and aromatic plants and their alleviation by calcium. In: Plant Acclimation to Environmental Stress (Editors: Narendra Tuteja, Sarvajeet Singh Gill) 2013. pp 101-

- 146, Springer.
- 164.Ribera AE, Reyes-Díaz MM, Alberdi MR, Alvarez-Cortez DA, Rengel Z, Mora ML. Photosynthetic impairment caused by manganese toxicity and associated antioxidative responses in perennial ryegrass. *Crop and Pasture Science*. 2013. 64 (7), 696-707.
- Velikova V, Yordanov I, Edreva A. Oxidative stress and some antioxidant systems in acid rain-treated bean plants. Protective role of exogenous polyamines. *Plant Sci.* 2000. **151**, 59-66. ISSN: 0168-9452.**
- 165.Antoniou C, Filippou P, Mylona P, Fasoula D, Ioannides I, Polidoros A, Fotopoulos V. Developmental stage- and concentration-specific sodium nitroprusside I.application results in nitrate reductase regulation and the modification of nitrate metabolism in leaves of *Medicago truncatula* plants. *Plant Signaling & Behavior*. 8 2013. (9), e25479.
- 166.Ara N, Nakkanong K, Lv W, Yang J, Hu Z, Zhang M. Antioxidant enzymatic activities and gene expression associated with heat tolerance in the stems and roots of two cucurbit species (“*Cucurbita maxima*” and “*Cucurbita moschata*”) and their interspecific inbred line “*Maxchata*”. *International Journal of Molecular Sciences*. 2013. 14 (12), 24008-24028.
- 167.Aumonde TZ, Martinazzo EG, Pedó T, Borella J, do Amarante L, Villela FA, de Moraes DM. Respostas fisiológicas de sementes e plântulas de alface submetidas ao extrato de *Philodendron bipinnatifidum*. *Semina: Ciências Agrárias*, Londrina. 2013. 34 (6) supl 1, 3181-3192.
- 168.Bargaz A, Faghire M, Farissi M, Drevon JJ, Ghoulam C. Oxidative stress in the root nodules of *Phaseolus vulgaris* is induced under conditions of phosphorus deficiency. *Acta Physiol. Plant.* 2013. 35 (5), 1633-1644.
- 169.Bargaz A, Lazali M, Amenc L, Abadie J, Ghoulam C, Farissi M, Faghire M, Drevon JJ. Differential expression of trehalose 6-P phosphatase and ascorbate peroxidase transcripts in nodule cortex of *Phaseolus vulgaris* and regulation of nodule O₂ permeability. *Planta*. 2013. 238(1), 107-119.
- 170.Chai T-T, Ooh K-F, Ooi P-W, Chue P-S, Wong F-C. Leucaena leucocephala leachate compromised membrane integrity, respiration and antioxidative defence of water hyacinth leaf tissues. *Botanical Studies*. 2013. 54 (8). (*in press*) DOI 10.1186/1999-3110-54-8
- 171.Chai T-T, Ngoi J-C, Wong F-C. Herbicidal potential of *Eichhornia crassipes* leaf extract against *Mimosa pigra* and *Vigna radiata*. *International Journal of Agriculture & Biology*. 2013. 15, 835-842.
- 172.Chakraborty S, Mukherjee A, Das TK. Biochemical characterization of a lead-tolerant strain of *Aspergillus foetidus*: An implication of bioremediation of lead from liquid media. *International Biodeterioration & Biodegradation*. 2013. 84, SI, 134-142.
- 173.Coppola V, Coppola M, Rocco M, Digilio MC, D'Ambrosio C, Renzone G, Martinelli R, Scaloni A, Pennacchio F, Rao R, Corrado G. Transcriptomic and proteomic analysis of a compatible tomato-aphid interaction reveals a predominant salicylic acid-dependent plant response. *BMC Genomics*. 2103. 14, Article Number: 515.
- 174.Debska K, Krasuska U, Budnicka K, Bogatek R, Gniazdowska A. Dormancy removal of apple seeds by cold stratification is associated with fluctuation in H₂O₂, NO

- production and protein carbonylation level. *J. Plant Physiol.* 2013. 170 (5), 480-488.
175. Dehabadi SZ, Shoushtari A, Asrar Z. Modulation of arsenic toxicity-induced oxidative damage by coronatine pretreatment in sweet basil (*Ocimum basilicum*) seedlings. *Botany-Botanique*. 2013. 91(7), 442-448.
176. Dehghan G, Amjad L, Nosrati. Enzymatic and non-enzymatic antioxidant responses of alfalfa leaves and roots under different salinity levels. *Acta Biol. Hungarica*. 2013. 64 (2), 207-217.
177. Demiralay M, Sağlam A, Kadioğlu A. Salicylic acid delays leaf rolling by inducing antioxidant enzymes and modulating osmoprotectant content in *Ctenanthe setosa* under osmotic stress. 2013. 37, 49-59.
178. Evelin H, Kapoor R. Arbuscular mycorrhizal symbiosis modulates antioxidant response in salt-stressed *Trigonella foenum-graecum* plants. *Mycorrhiza*. 2013 (*in press*). DOI 10.1007/s00572-013-0529-4
179. Fariduddin Q, Mir BA, Yusuf M, Ahmad A. Comparative roles of brassinosteroids and polyamines in salt stress tolerance. *Acta Physiol. Plant.* 2013. 35, 2037-2053.
180. Filippou P, Tanou G, Molassiotis A, Fotopoulos V. Plant acclimation to environmental stress using priming agents. In: (Editors: Narendra Tuteja, Sarvajeet Singh Gill) *Plant Acclimation to Environmental Stress*. 2013, pp 1-27. Springer.
181. Fu YQ, Yang XJ, Shen H. The physiological mechanism of enhanced oxidizing capacity of rice (*Oryza sativa* L.) roots induced by phosphorus deficiency. *Acta Physiologiae Plantarum*. 2013 (*in press*). DOI 10.1007/s11738-013-1398-3
182. Garg N, Kaur H. Response of antioxidant enzymes, phytochelatins and glutathione production towards Cd and Zn stresses in *Cajanus cajan* (L.) Millsp genotypes colonized by Arbuscular Mycorrhizal Fungi. *J. Agronomy Crop Sci.* 2013. 199 (2), 118-133.
183. Genisel M, Turk H, Erdal S. Exogenous progesterone application protects chickpea seedlings against chilling-induced oxidative stress. *Acta Physiol. Plant.* 2013. 35(1), 241-251.
184. Gharechahi J, Khalili M, Hasanloo T, Salekdeh GH. An integrated proteomic approach to decipher the effect of methyl jasmonate elicitation on the proteome of *Silybum marianum* L. hairy roots. *Plant Physiol. Biochem.* 2013. 70, 115-122.
185. Gholami M, Ghanati F, Fakhari AR, Borojeni LY, Safari M. Differential effects of ornithine enantiomers on the activity of anti-oxidant enzymes, polyamines content, and growth of tobacco cells under osmotic stresses. *Chirality*. 2013, 25(10), 583-588.
186. Gomes MP, Carvalho M, Carvalho GS, Marques TCLLSM, Garcia QS, Guilherme LRG, Soares AM. Phosphorus improves arsenic phytoremediation by *Anadenanthera peregrina* by alleviating induced oxidative stress. *International J. Phytoremediation*. 2013. 15 (7), 633-646.
187. Gomes MP, Duarte DM, Carneiro MMLC, Barreto LC, Carvalho M, Soares AM, Guilherme LRG, Garcia QS. Zinc tolerance modulation in *Myracrodruon urundeuva* plants. *Plant Physiol. Biochem.* 2013. 67, 1-6.
188. Guo Q, Meng L, Mao PC, Jia YQ, Shi YJ. Role of exogenous salicylic acid in alleviating cadmium-induced toxicity in Kentucky bluegrass. *Biochem. System. Ecol.* 2013. 50, 269-276.
189. Gupta K, Dey A, Gupta B. Plant polyamines in abiotic stress responses. *Acta*

Physiol. Plant. 2013. 35(7), 2015-2036.

- 190.Guzel S, Terzi R. Exogenous hydrogen peroxide increases dry matter production, mineral content and level of osmotic solutes in young maize leaves and alleviates deleterious effects of copper stress. Botanical Studies. 2013. 54 (26), (in press) DOI 10.1186/1999-3110-54-26
- 191.Hasanuzzaman M, Nahar K, Fujita M. Plant response to salt stress and role of exogenous protectants to mitigate salt-induced damages. In: *Ecophysiology and Responses of Plants under Salt Stress* – Springer. 2013. pp: 25-87.
- 192.Hegab MM, Abdelgawad H, Abdelhamed MS, Hammouda O, Pandey R, Kumar V, Zinta G. Effects of tricin isolated from jungle rice (*Echinochloa colona* L.) on amylase activity and oxidative stress in wild oat (*Avena fatua* L.). Allelopathy Journal. 2013. 31 (2), 345-354.
- 193.Hussain I, Akhtar S, Ashraf MA, Rasheed R, Siddiqi EH, Ibrahim M. Response of maize seedlings to cadmium application after different time intervals. ISRN Agronomy. 2013. Article ID 169610. <http://dx.doi.org/10.1155/2013/169610>
- 194.Iti S. Arsenic-induced oxidative stress and antioxidant defense system of *pisum sativum* and *pennisetum typhoides*: a comparative study. Research J. Biotech. 2013. 8 (4): 48-56.
- 195.Kamiab F, Talaie A, Khezri M, Javanshah A. Exogenous application of free polyamines enhance salt tolerance of pistachio (*Pistacia vera* L.) seedlings. Plant Growth Regulation. 2013. (in press). DOI 10.1007/s10725-013-9857-9
- 196.Keyster M, Klein A, Du Plessis M, Jacobs A, Kappo A, Kocsy G, Galiba G, Ludidi N. Capacity to control oxidative stress-induced caspase-like activity determines the level of tolerance to salt stress in two contrasting maize genotypes. Acta Physiol. Plant. 2013. 35(1), 31-40.
- 197.Koç E, Üstün AS, Çelik N. Effect of exogenously applied salicylic acid on cadmium chloride-induced oxidative stress and nitrogen metabolism in tomato (*Lycopersicon esculentum* L.). Turkish Journal of Biology. 2013. 37, 361-369.
- 198.Kumar A, Prasad MNV, Achary VMM, Panda BB. Elucidation of lead-induced oxidative stress in *Talinum triangulare* roots by analysis of antioxidant responses and DNA damage at cellular level. Environ. Sci. Pollution Research. 2013. 20(7), 4551-4561.
- 199.Kumar N, Mallick S, Yadava RN, Singh AP, Sinha S. Co-application of selenite and phosphate reduces arsenite uptake in hydroponically grown rice seedlings: Toxicity and defence mechanism. Ecotoxicol. Environ. Safety. 2013. 91, 171-179.
- 200.Kundu S, Chakraborty D, Kundu A, Pal A. Proteomics approach combined with biochemical attributes to elucidate compatible and incompatible plant-virus interactions between *Vigna mungo* and Mungbean Yellow Mosaic India Virus. Proteome Sci. 2013. 11, Article Number: 15.
- 201.Lechaudel M, Lopez-Lauri F, Vidal V, Sallanon H, Joas J. Response of the physiological parameters of mango fruit (transpiration, water relations and antioxidant system) to its light and temperature environment. J. Plant Physiol. 2013. 170 (6), 567-576.
- 202.Liang CJ, Wang WM. Antioxidant response of soybean seedlings to joint stress of lanthanum and acid rain. Environ. Sci. Pollution Research. 2013. 20(11), 8182-8191.
- 203.Ma C, Wang ZQ, Kong BB, Lin TB. Exogenous trehalose differentially modulate antioxidant defense system in wheat callus during water deficit and subsequent recovery.

- Plant Growth Regul. 2013. 70(3), 275-285.
- 204.Mallick S, Kumar N, Singh AP, Sinam G, Yadav RN, Sinha S. Role of sulfate in detoxification of arsenate-induced toxicity in *Zea mays* L. (SRHM 445): nutrient status and antioxidants. J. Plant Interac. 2013, 8 (2), 140-154.
- 205.Meratan AA, Ghaffari SM, Niknam V, Salami M. Antioxidative responses in calli of two populations of *Acanthophyllum laxiusculum* with and without B-chromosomes under salt stress. Pakistan Journal of Biological Sciences 2013. 16 (1), 1-11.
- 206.Myrene RD, Devaraj VR. Induction of thermotolerance through heat acclimation in lablab bean (*Dolichos lablab*). African Journal of Biotechnology. 2013. 12(38), 5695-5704.
- 207.Myrene RD, Devaraj VR. Oxidative stress biomarkers and metabolic changes associated with cadmium stress in hyacinth bean (*Lablab Purpureus*). African Journal of Biotechnology. 2013. 12(29), 4670-4682.
- 208.Myrene RD, Devaraj VR. Role of calcium inincreasing tolerance of Hyacinth beanto salinity. Journal of Applied Biology & Biotechnology. 2013. 1 (03), 011-020. DOI: 10.7324/JABB.2013.1302
- 209.Myrene RD, Devaraj VR. Mercury-induced changes in growth and oxidative metabolism of Field bean (*Dolichos lablab*). Research J. Chem. Environ. 2013. 17(9), 86-93.
- 210.Namdjoyan S, Kermanian H. Exogenous nitric oxide (as sodium nitroprusside) ameliorates arsenic-induced oxidative stress in watercress (*Nasturtium officinale* R. Br.) plants. Scientia Horticulturae. 2013. 161, 350-356.
- 211.Nasibi F, Heidari T, Asrar Z, Mansoori H. Effect of arginine pre-treatment on nickel accumulation and alleviation of the oxidative stress in *Hyoscyamus niger*. Journal of soil science and plant nutrition. 2013. 13 (3), Epub 27-Ago-2013. <http://dx.doi.org/10.4067/S0718-95162013005000054>
- 212.Qian P, Sun R, Ali B, Gill RA, Xu L, Zhou W. Effects of hydrogen sulfide on growth, antioxidative capacity, and ultrastructural changes in oilseed rape seedlings under aluminum toxicity. Journal of Plant Growth Regulation. 2013 (in press). DOI 10.1007/s00344-013-9402-0
- 213.Rezaei A, Ghanati F, Behmanesh M, Safari M, Sharafi Y. Synergistic Accumulative Effect of salicylic acid and dibutyl phthalate on paclitaxel production in *Corylus avellana* cell culture. Journal of Stress Physiology & Biochemistry. 2013. 9 (1), 157-168.
- 214.Sayed S, Gadallah MAA. Gibberellic acid ameliorates the adverse effects of acid mist and improved antioxidant defense, water status and growth of acid misted sunflower plants. Journal of Biology and Earth Sciences. 2013. 3 (2), B275-B285.
- 215.Saeidi-Sar S, Abbaspour H, Afshari H, Yaghoobi SR. Effects of ascorbic acid and gibberellin A(3) on alleviation of salt stress in common bean (*Phaseolus vulgaris* L.) seedlings. Acta Physiol. Plant. 2013. 35(3), 667-677.
- 216.Safari M, Ghanati F, Behmanesh M, Hajnorouzi A, Nahidian B, Mina G. Enhancement of antioxidant enzymes activity and expression of CAT and PAL genes in hazel (*Corylus avellana* L.) cells in response to low-intensity ultrasound. Acta Physiol. Plant. 2013. 35(9), 2847-2855.
- 217.Sengupta D, Guha A, Reddy AR. Interdependence of plant water status with photosynthetic performance and root defense responses in *Vigna radiata* (L.) Wilczek

under progressive drought stress and recovery. *J. Photochem. Photobiol. B: Biology.* 2013. 127, 170–181.

218.Siddiqui MH, Al-Whaibi MH, Sakran AM, Ali HM, Basalah MO, Faisal M, Alatar A, Al-Amri AA. Calcium-induced amelioration of boron toxicity in radish. *J. Plant Growth Regul.* 2013, 32(1), 61-71.

219.Singh VP, Srivastava PK, Prasad SM. Nitric oxide alleviates arsenic-induced toxic effects in ridged Luffa seedlings. *Plant Physiol. Biochem.* 2013. 71, 155-163.

220.Torres TM, da Silva IB, de Castro ÉCP, dos Santos EA, da Cunha RMS, Lima JPMS. Catalase inhibition affects glyoxylate cycle enzyme expression and cellular redox control during the functional transition of sunflower and safflower seedlings. *Journal of Plant Growth Regulation.* 2013. (*in press*). DOI 10.1007/s00344-013-9369-x

221.Ali B, Tao Q, Zhou Y, Gill RA, Ali S, Rafiq MT, Xu L, Zhou W. 5-Aminolevulinic acid mitigates the cadmium-induced changes in *Brassica napus* as revealed by the biochemical and ultra-structural evaluation of roots. *Ecotoxicology and Environmental Safety.* 2013. 92, 271-280.

222.Ashraf MA, Rasool M, Ali Q, Haider MZ, Noman A, Azeem M. Salt-induced perturbation in growth, physiological attributes, activities of antioxidant enzymes and organic solutes in mungbean (*Vigna radiata* L.) cultivars differing in salinity tolerance. *Archives of Agronomy and Soil Science.* 2013. 59 (12), 1695-1712.

223.Azar LM, Aghdam EM, Karimi F, Haghshenas B, Barzegari A, Yaghmaei P, Hejazi MS. Influence of foreign DNA introduction and periplasmic expression of recombinant human interleukin-2 on hydrogen peroxide quantity and catalase activity in *Escherichia coli*. *Advanced Pharmaceutical Bulletin.* 2013. 3 (2), 395-402.

224.Egbichi I, Keyster M, Ludidi N. Effect of exogenous application of nitric oxide on salt stress responses of soybean. *South African Journal of Botany.* 2014. 90, 131-136.

225.Egbichi I, Keyster M, Jacobs A, Klein A, Ludidi N. Modulation of antioxidant enzyme activities and metabolites ratios by nitric oxide in short-term salt stressed soybean root nodules. *South African Journal of Botany.* 2013. 88, 26-333.

226.Fathurrahman L, Hajar AHS, Sakmah DWN, Nurhazwani Z, Ahmad J. Flashing light as growth stimulant in cultivation of green microalgae, *Chlorella* sp. utilizing airlift photobioreactor. *Pakistan Journal of Biological Sciences.* 2013. 16 (22), 1517-1523.

227.Jain A, Singh A, Singh S, Singh HB. Microbial consortium-induced changes in oxidative stress markers in pea plants challenged with *Sclerotinia sclerotiorum*. *Journal of Plant Growth Regulation.* 2013. 32 (2), 388-398.

228.Kacharava N, Chkhubianishvili E, Badridze G, Chanishvili S, Mazanishvili L. Antioxidant response of some georgian wheat species to simulated acid rain. *Australian Journal of Crop Science.* 2013. 7 (6), 770-776.

229.Poiroux-Gonord F, Santini J, Fanciullino A-L, Lopez-Lauri F, Giannettini J, Sallanon H, Berti L, Urban L. Metabolism in orange fruits is driven by photooxidative stress in the leaves. *Physiologia Plantarum.* 2013. 149 (2), 175-187.

230.Setha S, Kongsuwan A, Srilaong V. Reduced internal browning in pineapple fruit by 1-MCP pretreatment and the antioxidant response. *Acta Horticulturae.* 2013. 1012, 573-580.

231.Soltys D, Gniazdowska A, Bogatek R. Inhibition of tomato (*Solanum lycopersicum* L.) root growth by cyanamide is not always accompanied with enhancement of ROS production. *Plant Signaling and Behavior.* 2013. 8 (5), e23994.1-

e23994.3.

232.Turan M, Gülliice M, Çakmak R, Şahin F. Effect of plant growth-promoting rhizobacteria strain on freezing injury and antioxidant enzyme activity of wheat and barley. *Journal of Plant Nutrition*. 2013. 36 (5), 731-748.

Yordanov I, Velikova V, Tsonev T. Plant responses to drought, acclimation, and stress tolerance (review). *Photosynthetica*. 2000. 38 (1), 171-186. ISSN: 0300-3604.

233.Al-Jbawi E, Abbas F. The effect of length during drought stress on sugar beet (*Beta vulgaris* L.) yield and quality. *Persian Gulf Crop Protection*. 2013. 2 (1), 35-43.

234.Anderson VM. *Calendula officinalis* growth and production of secondary compounds in greenhouse and soil-based herbal organic production systems. *Theses and Dissertations - Plant and Soil Sciences*. Paper 26, 2013. UKnowledge, University of Kentucky.

235.Ashraf M, Ali Q, Ashraf MA. Assessment of variation in drought tolerance using some key physiological criteria in potential wheat (*Triticum aestivum* L.) cultivars of different geographic origins. *Archives of Agronomy and Soil Science*. 2013. 59 (11), 1503-1516.

236.Bano Q, Ilyas N, Bano A, Zafar N, Akram A, Ul Hassan F. Effect of azospirillum inoculation on maize (*Zea mays* L.) under drought stress. *Pak. J. Bot.* 2013. 45(S1), 13-20.

237.Bhaskaran J, Panneerselvam R. Accelerated reactive oxygen scavenging system and membrane integrity of two panicum species varying in salt tolerance. *Cell Biochemistry and Biophysics*. 2013. 67 (3), 885-892.

238.Bhatt RM, Rao NKS, Harish DM, Srilakshmi. Significance of grafting in improving tolerance to abiotic stresses in vegetable crops under climate change scenario. In: *Climate-Resilient Horticulture: Adaptation and Mitigation, Strategies* (Editors: Harish Chandra Prasad Singh, Nadipynayakanahally Krishnamurthy Sriniv Rao, Kodthalu Seetharamaiah Shivashankar). 2013. pp 159-175. Springer.

239.Chaturvedi RK, Raghubanshi AS, Singh JS. Relative effects of different leaf attributes on sapling growth in tropical dry forest. *Journal of Plant Ecology*. 2013. (in press) doi: 10.1093/jpe/rtt053

240.Fani E. Effect of drought stress on leaf minerals in alfalfa in climatic conditions of the South West Iran. *International Journal of Agriculture: Research and Review*. 2013. 3 (3), 608-609.

241.Fischer S, Wilckens R, Jara J, Aranda M. Variation in antioxidant capacity of quinoa (*Chenopodium quinoa* Will) subjected to drought stress. *Industrial Crops and Products*. 2013. 46, 341-349.

242.Fischer S, Wilckens R, Jara J, Aranda M. Controlled water stress to improve functional and nutritional quality in quinoa seed. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas* 2013. 12 (5), 457-468.

243.Fu QS, Yang RC, Wang HS, Zhao B, Zhou CL, Ren SX, Guo YD. Leaf morphological and ultrastructural performance of eggplant (*Solanum melongena* L.) in response to water stress. *Photosynthetica*. 2013. 51 (1), 109-114.

244.Ghasemi S, Ramezani M, Mirmiran SM. The effect of various water application Strategies on cladode development of *Opuntia ficus-indica*, *J. Agric. Food. Tech.* 2013. 3(7), 1-4.

- 245.Ghasemi-Golezani K, Jabbarpour-Bonyadi Z, Shafagh-Kolvanagh J, Nikpour-Rashidabad N. Effects of Water Stress and hydro-priming duration on field performance of lentil. International Journal of Farming and Allied Sciences. 2013. 2 (21), 922-925.
- 246.Guha A, Sengupta D, Reddy AR. Polyphasic chlorophyll a fluorescence kinetics and leaf protein analyses to track dynamics of photosynthetic performance in mulberry during progressive drought, Journal of Photochemistry and Photobiology B: Biology. 2013. 119, 71-83.
- 247.Hu L, Wang Z, Huang B. Effects of cytokinin and potassium on stomatal and photosynthetic recovery of Kentucky bluegrass from drought stress. Crop Science. 2013. 53 (1), 221-231.
- 248.Hu W, Yan X, Xiao Y, Zeng J, Qi H, Ogweno JO. 24-Epibrassinosteroid alleviate drought-induced inhibition of photosynthesis in *Capsicum annuum*. Scientia Horticulturae. 2013.150, 232–237.
- 249.Huang C, Zhao S, Wang L, Anjum SA, Chen M, Zhou H, Zou C. Alteration in chlorophyll fluorescence, lipid peroxidation and antioxidant enzymes activities in hybrid ramie (*Boehmeria nivea* L.) under drought stress. Australian Journal of Crop Science. 2013. 7 (5), 594-599.
- 250.Jeyaramraja PR, Thushara SS. Sequence of physiological responses in groundnut (*Arachis hypogaea* L.) subjected to soil moisture deficit. Photosynthetica. 2013. 51 (3), 395-403.
- 251.Kausar R, Arshad M, Shahzad A, Komatsu S. Proteomics analysis of sensitive and tolerant barley genotypes under drought stress. Amino Acids. 2013. 44(2), 345-359.
- 252.Khoshro HH, Taleei A, Bihamta MR, Shahbazi M, Abbasi A. Expression analysis of the genes involved in osmotic adjustment in bread wheat (*Triticum aestivum* L.) cultivars under terminal drought stress conditions, Journal of Crop Science and Biotechnology. 2013. 16 (3), 173-181.
- 253.Kumar S, Sairam RK, Prabhu KV. Physiological traits for high temperature stress tolerance in *Brassica juncea*. Indian Journal of Plant Physiology. 2013. 18 (1), 89-93.
- 254.Luo Y, Zhao X, Qu H, Zuo X, Wang S, Huang W, Luo Y, Chen M. Photosynthetic performance and growth traits in *Pennisetum centrasiacicum* exposed to drought and rewatering under different soil nutrient regimes. Acta Physiologiae Plantarum. 2013 (*in press*). DOI: 10.1007/s11738-013-1419-2
- 255.Martinkova J, Hejnák V, Hnilicka F. Effect of water deficit on sink strength of spring barley (*Hordeum vulgare* L.) ears. Research on Crops. 2013. 14 (1), 62-71.
- 256.Masood A, Iqbal N, Mohd A, Khan MIR, Fatma M, Khan NA. Variation in carbohydrate accumulation in two cultivars of mustard and its association with salt tolerance. Journal of Functional And Environmental Botany. 2013. 3 (2), 94-102.
- 257.Morsy AS, Mohamed NE. Using silicon to ameliorate the deleterious effects of drought on wheat (*Triticum aestivum* L.). 2013. Stem Cell. 4 (2), 1-8.
- 258.Mostofa KMG, Liu C, Pan X, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG. Photosynthesis in Nature: A New Look. In: Environmental Science and Engineering, Photobiogeochemistry of Organic Matter - Principles and Practices in Water Environments (Editors: Khan M.G. Mostofa, Takahito Yoshioka, Abdul Mottaleb, Davide Vione), 2013. pp 561-686. Springer.
- 259.Mwendia SW, Yunusa IAM, Whalley RDB, Sindel BM, Kenney D, Kariuki IW. Use of plant water relations to assess forage quality and growth for two cultivars of

Napier grass (*Pennisetum purpureum*) subjected to different levels of soil water supply and temperature regimes. *Crop and Pasture Science* 64, 2013. 1008–1019.

260.Nezhadahmadi A, Prodhan ZH, Faruq G. Drought tolerance in wheat (Review). *The Scientific World Journal*. 2013. vol. 2013, Article number 610721.

261.Novo LAB, González L. The effects of variable soil moisture on the phytoextraction of Cd and Zn by *Brassica juncea*. *Fresenius Environmental Bulletin*. 2013. 22 (1a), 299-304.

262.Olaiya CO, Gbadegesin MA, Nwauzoma AB. Bioregulators as tools for plant growth, development, defence and improvement (Review). *African Journal of Biotechnology*. 2013. 12(32), 4987-4999.

263.Oliveira LM, da Silva JN, Coelho CCR, Neves MG, da Silva RTL, Neto CFO. Pigmentos fotossintetizantes, aminoácidos e proteínas em plantas jovens de graviola submetida ao déficit hídrico. *Agroecossistemas*. 2013. 5 (1), 39-44.

264.Osório ML, Gonçalves S, Coelho N, Romano A, Osório J. How to monitor the acclimatization of micropropagated plants - From *in vitro* to the field? *Acta Horticulturae*. 2013. 988, 65-70.

265.Pál M, Szalai G, Kovács V, Gondor OK, Janda T. Ch.10. Salicylic acid-mediated abiotic stress tolerance. In: Salicylic Acid. Plant Growth and Development (eds. Shamsul Hayat, Aqil Ahmad, Mohammed Nasser Alyemeni). 2013. 183-247. Springer.

266.de Paula MT, dos Santos Filho BG, Cordeiro YEM, Conde RA, Gomes das Neves PAPF. Ecofisiologia do mogno Brasileiro (*Swietenia macrophylla* King) em sistemas agroflorestais no município de Santa Bárba Ra-Pa, Enciclopédia Biosfera. Centro Científico Conhecer - Goiânia. 2013. 9 (16), 813.

267.Seghatoleslami MJ, Mousavi SG, Barzgaran T. Effect of irrigation and planting date on morpho-physiological traits and yield of roselle (*Hibiscus sabdariffa*). *The Journal of Animal & Plant Sciences*. 2013. 23 (1), 256-260.

268.Sengupta D, Guha A, Reddy AR. Interdependence of plant water status with photosynthetic performance and root defense responses in *Vigna radiata* (L.) Wilczek under progressive drought stress and recovery. *Journal of Photochemistry and Photobiology B: Biology*. 2013. 127, 170–181.

269.Silva MA, Jifon JL, dos Santos CM, Jadoski CJ, da Silva JAG. Photosynthetic capacity and water use efficiency in sugarcane genotypes subject to water deficit during early growth phase. *Braz. arch. biol. technol.* 2013. 56 (5), 735-748.

270.Sun JM, Meyer W, Cross J, Huang BR. Growth and physiological traits of canopy and root systems associated with drought resistance in tall fescue. *Crop Science*. 2013. 53 (2), 575-584.

271.Sun XP, Yan HL, Kang XY, Ma FW. Growth, gas exchange, and water-use efficiency response of two young apple cultivars to drought stress in two scion-one rootstock grafting system. *Photosynthetica*. 2013. 51 (3), 404-410.

272.Wójcik M., Dresler S., Jawor E., Kowalczyk K., Tukiendorf A. - Morphological, physiological, and genetic variation between metallicolous and nonmetallicolous populations of *Dianthus carthusianorum*. *Chemosphere*. 90 (3), 2013. 1249-1257.

273.Xu L, Yu J, Han L, Huang B. Photosynthetic enzyme activities and gene expression associated with drought tolerance and post-drought recovery in Kentucky bluegrass. *Environmental and Experimental Botany*. 2013. 89, 28-35.

274.Wang W, Zeng W, Chen W, Yang Y, Zeng H. Effects of forest age on soil

autotrophic and heterotrophic respiration differ between evergreen and deciduous forests. PLoS ONE. 2013. 8 (11), e80937.

275.Zhu C, Chen Y, Li W, Ma J, Ma X. Effects of groundwater depth on photochemical performance of *populus euphratica* in arid regions of china. Pak. J. Bot. 45(6), 2013. 1849-1855.

276.Zlatev ZS. Drought-induced changes and recovery of photosynthesis in two bean cultivars (*Phaseolus vulgaris* L.), Emirates Journal of Food and Agriculture. 2013. 25 (12), 1014-1023.

277.Maraghni M, Gorai M, Neffati M, Van Labeke MC. Differential responses to drought stress in leaves and roots of wild jujube, *Ziziphus lotus*. Acta Physiologiae Plantarum. 2013. (in press). DOI: 10.1007/s11738-013-1473-9

Yordanov I, Velikova V - Photoinhibition of photosystem I (review). Bul. J. Plant Physiol. 2000. 26 (1-2), 70-92. ISSN: 1310-4586.

278.Jiang YP, Huang LF, Cheng F, Zhou YH, Xia XJ, Mao WH, Shi K, Yu JQ. Brassinosteroids accelerate recovery of photosynthetic apparatus from cold stress by balancing the electron partitioning, carboxylation and redox homeostasis in cucumber. Physiol. Plant. 2013. 148 (1), 133-145.

Georgieva K, Tsonev T, Velikova V, Yordanov I. Photosynthetic activity during high temperature treatment of pea plants. J. Plant Physiol. 2000. 157 (2), 169-176. ISSN: 0176-1617.

279.Gotame TP, Andersen L, Petersen KK, Pedersen HL, Ottosen C-O, Graham J. Chlorophyll fluorescence and flowering behaviour of annual-fruited raspberry cultivars under elevated temperature regimes. European Journal of Horticultural Science. 2013. 78 (5), 193-202.

280.Janka E, Körner O, Rosenqvist E, Ottosen C-O. High temperature stress monitoring and detection using chlorophyll a fluorescence and infrared thermography in chrysanthemum (*Dendranthema grandiflora*). Plant Physiology and Biochemistry. 2013. 67, 87-94.

281.Janka E. On the Understanding of Climate Tolerance and Early Plant Stress Detection in Greenhouse Cultivation, Ph.D. Thesis. Aarhus University, Department of Food Science, Faculty of Science and Technology. 2013.

282.Mathur S, Mehta P, Jajoo A. Effects of dual stress (high salt and high temperature) on the photochemical efficiency of wheat leaves (*Triticum aestivum*). Physiology and Molecular Biology of Plants. 2013. 19 (2), 179-188.

283.Camejo D. Changes in the chlorophyll fluorescence parameters and superoxide dismutase activity during heat shock treatment and the recovery period in tomato plants. Instituto Nacional de Ciencias Agrícolas. 2013. 26(4), 53-59.

Pavlova D., Manova V. Pollen morphology of the genera *Onobrycis* and *Hedysarum* (*Hedysarae*, Fabaceae) in Bulgaria. Ann. Bot. Fennici. 2000. 37, 207-217. ISSN: 0003-3847

284.Bandara N., Papini A., Mosti S., Brown T., Smith L. A phylogenetic analysis of genus *Onobrychis* and its relationships within the tribe *Hedysarae* (Fabaceae) (2013), Turk. J. Bot., 37, 891-992. ISSN: 1300-008X

285. Avci S, Sancak C, Can A, Acar A, PINAR N. Pollen morphology of the genus Onobrychis (Fabaceae) in Turkey. *Turkish Journal of Botany*. 2013. 37, 4. ISSN: 1300-008X

286. Carbonero CH, Carbonero F, Smith LM, Brown TA. Cytological characterisation of the underutilized forage crop Onobrychis viciifolia Scop. and other members of the Onobrychis genus. *Genetic Resources and Crop Evolution*. 2013. 60 (7), 1987-1996. ISSN: 0925-9864

287. Samir, D. Caracterización agronómica, genética y composición química de una colección de variedades de esparceta. Doctoral thesis. Universitat de Lleida. Departament de Producció Vegetal i Ciència Forestal. URI: <http://hdl.handle.net/10803/124106>. Depósito Legal: L.1322-2013.

Venkov P, Topashka-Ancheva M, Georgieva M, Karanov E, Alexieva V. Genotoxic effect of substituted phenoxyacetic acids. Arch. Toxicol. 2000. 74(9), 560-566. doi: 10.1007/s002040000147. ISSN: 1432-0738. [IF=1.601].

288. Bokána K, Syberga K, Jensen K, Ranka J. Genotoxic potential of two herbicides and their active ingredients assessed with comet assay on a fish cell line, *Epithelioma papillosum cyprini* (EPC). *Journal of Toxicology and Environmental Health, Part A: Current Issues*. 2013. 76(20), 1129-1137. doi: 10.1080/15287394.2013.843068. ISSN: 1528-7394.

289. Kalipci E, Ozdemir C, Oztas H. Assessing eco-toxicological effects of industrial 2,4-D acid iso-octylester herbicide on rat pancreas and liver. *Biotech. Histochem.* 2013. 88(3-4), 202-207. ISSN: 1052-0295.

290. Thiruvengadam M, Jeyakumar JJ, Kamaraj M, Lee YJ, Chung IM. Plant regeneration through somatic embryogenesis from suspension cultures of gherkin (*Cucumis anguria* L.). *Aust. J. Crop Sci.* 2013. 7(7), 969-977. ISSN: 1835-2693.

Atanassova L, Vassilev A, Pissarska M, Yordanov I. Cadmium-induced changes of root cytokinins from two barley cultivars. Compt. Rend. Acad. Bulg. Sci. 2000. 53, 91-94. ISSN: 0861-1459.

291. Verbruggen N, Hermans C. Root responses to trace metallic elements. *Plant Roots: The Hidden Half*. Fourth Edition. 2013. CRC Press, 34-1–34-30.

Nenova V, Stoyanov I. Effects of some growth regulators on young iron deficient maize plants. Biologia Plantarum. 2000. 43, 35-39. ISSN 0006-3134 (Print); 1573-8264 (Online).

292. Muccilli V, Licciardello C, Fontanini D, Consolo V, Capocchi A, Saletti R, Torrisi B, Foti S. Root protein profiles of two citrus rootstocks grown under iron sufficiency/deficiency conditions, *Eur. J. Mass Spectrom.* 2013. 19, 305-324. ISSN (printed) 1469-0667; ISSN (electronic) 1356-1049.

2001

Alexieva V, Sergiev I, Mapelli S, Karanov E. The effect of drought and ultraviolet radiation on growth and stress markers in pea and wheat. Plant Cell Environ. 2001. 24, 1337-1344. ISSN: 1365-3040.

293. Abbasi S, Zahedi H, Sadeghipour O, Akbari R. Effect of plant growth promoting rhizobacteria (PGPR) on physiological parameters and nitrogen content of soybean grown under different irrigation regimes. *Research on Crops*. 2013. 14(3), 798-803. ISSN: 09723226.
294. Ahire ML, Walunj PR, Kishor PBK, Nikam TD. Effect of sodium chloride-induced stress on growth, proline, glycine betaine accumulation, antioxidative defence and bacoside A content in in vitro regenerated shoots of *Bacopa monnieri* (L.) Pennell. *Acta Physiol. Plant.* 2013. 35(6), 1943-1953. ISSN: 0137-5881.
295. Akbari GA, Amirinejad M, Baghizadeh A, Allahdadi I, Shahbaz M. Effect of Zn and Fe foliar application on yield, yield components and some physiological traits of Cumin (*Cuminum cyminum*) in dry farming. *IJAPP*. 2013. 4(12), 3231-3237. ISSN: 2051-1914.
296. Alamgir Hossain M, Ismail MR, Uddin MK, Islam MZ, Ashrafuzzaman M. Efficacy of ascorbate-glutathione cycle for scavenging H₂O₂ in two contrasting rice genotypes during salinity stress. *Aust. J. Crop Sci.* 2013. 7(12), 1801-1808. ISSN: 1835-2693.
297. Arruda SCC, Barbosa HS, Azevedo RA, Arruda MAZ. Comparative studies focusing on transgenic through cp4EPSPS gene and non-transgenic soybean plants: An analysis of protein species and enzymes. *J. Proteomics*. 2013. 93, 107-116. ISSN: 1874-3919.
298. Bandurska H, Cieślak M. The interactive effect of water deficit and UV-B radiation on salicylic acid accumulation in barley roots and leaves. *Environ. Exp. Bot.* 2013. 94, 9-18. ISSN: 0098-8472.
299. Bandurska H, Niedziela J, Chadzinikolau T. Separate and combined responses to water deficit and UV-B radiation. *Plant Sci.* 2013. 213, 98-105. ISSN: 0168-9452.
300. Baque MdA, Shiragi MdHK, Moh S-H, Lee E-J, Paek K-Y. Production of biomass and bioactive compounds by adventitious root suspension cultures of *Morinda citrifolia* (L.) in a liquid-phase airlift balloon-type bioreactor. *In Vitro Cellular & Developmental Biology – Plant*. 2013. doi: 10.1007/s11627-013-9555-3. ISSN: 1054-5476.
301. Berli FJ, Alonso R, Bressan-Smith R, Bottini R. UV-B impairs growth and gas exchange in grapevines grown in high altitude. *Physiol. Plant.* 2013. 149(1), 127-140. Online ISSN: 1399-3054.
302. Berli FJ, Bottini R. UV-B and abscisic acid effects on grape berry maturation and quality. *J. Berry Res.* 2013. 3(1), 1-14. ISSN: 1878-5093.
303. Bhattacharya R, Koramutla MK, Negi M, Pearce G, Ryan CA. Hydroxyproline-rich glycopeptide signals in potato elicit signalling associated with defense against insects and pathogens. *Plant Sci.* 2013. 207, 88-97. ISSN: 0168-9452
304. Bianucci E, Furlan A, Rivadeneira J, Sobrino-Plata J, Carpena-Ruiz RO, Tordable MDC, Fabra A, Hernández LE, Castro S. Influence of cadmium on the symbiotic interaction established between peanut (*Arachis hypogaea* L.) and sensitive or tolerant bradyrhizobial strains. *J. Environ. Manage.* 2013. 130, 126-134. ISSN: 0301-4797.
305. Boaretto LF, Carvalho G, Borgo L, Creste S, Landell MGA, Mazzafara P, Azevedo RA. Water stress reveals differential antioxidant responses of tolerant and non-tolerant sugarcane genotypes. *Plant Physiol. Biochem.* 2013. 74, 165–175. ISSN: 0981-9428.

- 306.Caetano AC, da Veiga LF, Capaldi FR, de Alencar SM, Azevedo RA, Bezerra RMN. The antioxidant response of the liver of male Swiss mice raised on a AIN 93 or commercial diet. *BMC Physiology*. 2013. 13:3. doi: 10.1186/1472-6793-13-3.
- 307.Carvalho RF, Monteiro CC, Caetano AC, Dourado MN, Gratão PL, Haddad CRB, Peres LEP, Azevedo RA. Leaf senescence in tomato mutants as affected by irradiance and phytohormones. *Biol. Plant.* 2013. 57(4), 749-757. ISSN: 0006-3134.
- 308.Chen J, Wang W-H, Liu T-W, Wu F-H, Zheng, H-L. Photosynthetic and antioxidant responses of Liquidambar formosana and Schima superba seedlings to sulfuric-rich and nitric-rich simulated acid rain. *Plant Physiol. Bioch.* 2013. 64, 41-51. ISSN: 0981-9428.
- 309.Chen J, Wang W-H, Wu F-H, You C-Y, Liu T-W, Dong X-J, He J-X, Zheng H-L. Hydrogen sulfide alleviates aluminum toxicity in barley seedlings. *Plant and Soil.* 2013. 362(1-2), 301-318. ISSN: 0032-079X.
- 310.Choudhary KK, Agrawal SB. Cultivar specificity of tropical mung bean (*Vigna radiata* L.) to elevated ultraviolet-B: Changes in antioxidative defense system, nitrogen metabolism and accumulation of jasmonic and salicylic acids. *Environ. Exp. Bot.* 2013. 99, 122-132. ISSN: 0098-8472.
- 311.Choudhary KK, Agrawal SB. Ultraviolet-B induced changes in morphological, physiological and biochemical parameters of two cultivars of pea (*Pisum sativum* L.). *Ecotox. Environ. Safe.* 2013. doi: 10.1016/j.ecoenv.2013.10.032. ISSN: 0147-6513.
- 312.Comont D, Winters A, Gomez LD, McQueen-Mason SJ, Gwynn-Jones D. Latitudinal variation in ambient UV-B radiation is an important determinant of Lolium perenne forage production, quality, and digestibility. *J. Exp. Bot.* 2013. 64(8), 2193-2204. ISSN: 0022-0957.
- 313.De Souza TC, Souza EDS, Dousseau S, de Castro EM, Magalhães PC. Seedlings of *Garcinia brasiliensis* (Clusiaceae) subjected to root flooding: Physiological, morphoanatomical, and antioxidant responses to the stress. *Aquat. Bot.* 2013. 111, 43-49. ISSN: 0304-3770.
- 314.Dourado MN, Martins PF, Quecine MC, Piotto FA, Souza LA, Franco MR, Tezotto T, Azevedo RA. Burkholderia sp. SCMS54 reduces cadmium toxicity and promotes growth in tomato. *Ann. App. Biol.* 2013. 163(3), 494-507. ISSN: 1744-7348.
- 315.Farissi M, Bouizgaren A, Faghire M, Bargaz A, Ghoulam C. Agrophysiological and biochemical properties associated with adaptation of *Medicago sativa* populations to water deficit. *Turkish Journal of Botany*. 2013. 37(6), 1166-1175.
- 316.Farshadfar E, Shahandi MA, Romena MH, Hasanalideh AH. Screening of drought tolerance in landraces of bread wheat using agronomic, physiologic and metabolic indicators. *Advanced Crop Science.* 2013. 3(5), 334–349. ISSN: 2322-4282.
- 317.Furlan A, Llanes A, Luna V, Castro S. Abscisic acid mediates hydrogen peroxide production in peanut induced by water stress. *Biol. Plant.* 2013. 57(3), 555-558. ISSN: 0006-3134.
- 318.Giannakoula AE, Ilias IF. The effect of water stress and salinity on growth and physiology of tomato (*Lycopersicon esculentum* mill). *Archives of Biological Sciences.* 2013. 65(2), 611-620. ISSN: 0354-4664.
- 319.Hao W, Zhao J, Cai C, Sun J, Wang L, Yang D. Dynamic response of antioxidant enzymes and osmotic adjustment substances to drought and enhanced UV-B radiation in

three Lespedezas. *Huanjing Kexue Xuebao/Acta Scientiae Circumstantiae*. 2013. 33(8), 2349-2358.

320.Hassan NM, El-Bastawisy ZM, El-Sayed AK, Ebeed HT, Nemat Alla MM. Roles of dehydrin genes in wheat tolerance to drought stress. *J.Adv. Res.* 2013. doi: 10.1016/j.jare.2013.11.004.

321.Hossain MA, Ismail MR, Uddin Md K, Islam MZ, Ashrafuzzaman M. Efficacy of ascorbate-glutathione cycle for scavenging H₂O₂ in two contrasting rice genotypes during salinity stress. *Aust. J. Crop Sci.* 2013. 7(12), 1801-1808. ISSN: 1835-2707.

322.Ibrahim MM, Alsahli AA, Al-Ghamdi AA. Cumulative abiotic stresses and their effect on the antioxidant defense system in two species of wheat, *Triticum durum* desf and *Triticum aestivum* L. *Archives of Biological Sciences*. 2013. 65(4), 1423-1433. ISSN: 0354-4664.

323.Kocheva KV, Petrov PI, Georgiev GI. Physiological and anatomical responses of wheat to induced dehydration and rehydration. *Cent. Eur. J. Biol.* 2013. 8(5), 499-503. ISSN: 1895-104X.

324.Li C-H, Wang T-Z, Li Y, Zheng Y-H, Jiang G-M. Flixweed Is More Competitive than Winter Wheat under Ozone Pollution: Evidences from Membrane Lipid Peroxidation, Antioxidant Enzymes and Biomass. *PLoS ONE*. 2013. 8(3), art. no. e60109. eISSN-1932-6203.

325.Liu Q-L, Xu K-D, Zhong M, Pan Y-Z, Jiang B-B, Liu G-L, Jia Y, Zhang H-Q. Overexpression of a novel chrysanthemum Cys2/His2-type zinc finger protein gene DgZFP3 confers drought tolerance in tobacco. *Biotechnol. Lett.* 2013. 35(11), 1953-1959. ISSN: 0141-5492.

326.Liu Q-L, Xu K-D, Pan Y-Zh, Jiang B-B, Liu G-L, Jia Y, Zhang H-Q. Functional analysis of a novel Chrysanthemum WRKY transcription factor gene involved in salt tolerance. *J. Plant Mol. Biol. Report*. 2013. doi: 10.1007/s11105-013-0639-3. ISSN: 1572-9818

327.Liu Q-L, Zhong M, Li S, Pan Y-Z, Jiang B-B, Jia Y, Zhang H-Q. Overexpression of a chrysanthemum transcription factor gene, DgWRKY3, in tobacco enhances tolerance to salt stress. *Plant Physiol. Biochem.* 2013. 69, 27-33. ISSN: 0981-9428.

328.Ma Zh-Q, Li X-X, Sun G-J, Ren H-X. Effects of salicylic acid on induction of chilling tolerance in tomato seedlings. *Journal of Lanzhou University (Natural Sciences)*. 2013. 49(4), 515-524. ISSN: 0455-2059.

329.Mathioudakis MM, Veiga RSL, Canto T, Medina V, Mossialos D, Makris AM, Livieratos I. Pepino mosaic virus triple gene block protein 1 (TGBp1) interacts with and increases tomato catalase 1 activity to enhance virus accumulation. *Mol. Plant Pathol.* 2013. 14(6), 589-601. Online ISSN 1364-3703.

330.Medeiros CD, Ferreira Neto JRC, Oliveira MT, Rivas R, Pandolfi V, Kido ÉA, Baldani JI, Santos MG. Photosynthesis, antioxidant activities and transcriptional responses in two sugarcane (*Saccharum officinarum* L.) cultivars under salt stress. *Acta Physiol. Plant.* 2013. 1-13. doi: 10.1007/s11738-013-1425-4. ISSN: 1861-1664.

331.Minh LN, Kim G-B, Hyun S-H, Lee S-Y, Lee C-Y, Choi H-K, Choi H-K, Nam Y-W. Physiological and metabolomic analysis of a knockout mutant suggests a critical role of MtP5CS3 gene in osmotic stress tolerance of *Medicago truncatula*. *Euphytica*. 2013. 193(1), 101-120. ISSN: 0014-2336.

- 332.Mishra AK, Rai R, Agrawal SB. Individual and interactive effects of elevated carbon dioxide and ozone on tropical wheat (*Triticum aestivum* L.) cultivars with special emphasis on ROS generation and activation of antioxidant defence system. Indian J. Biochem. Biophys. 2013. 50(2), 139-149.
- 333.Mohammed AR, Tarpley L. Effects of Enhanced Ultraviolet-B (UV-B) Radiation and Antioxidative-type Plant Growth Regulators on Rice (*Oryza sativa* L.) Leaf Photosynthetic Rate, Photochemistry and Physiology. J. Agric. Sci. 2013. 5(5), 115-128.
- 334.Nasibi F, Heidari T, Asrar Z, Mansoori H. Effect of arginine pre-treatment on nickel accumulation and alleviation of the oxidative stress in *Hyoscyamus niger*. JPNSS. 2013. 13(3), 680-689.
- 335.Nguyen ML, Kim G-B, Hyun S-H, Lee S-Y, Lee C-Y, Choi H-K, Choi H-K, Nam Y-W. Physiological and metabolomic analysis of a knockout mutant suggests a critical role of MtP5CS3 gene in osmotic stress tolerance of *Medicago truncatula*. Euphytica. 2013. 193(1), 101-120. ISSN: 0014-2336.
- 336.Novák J, Pavlů J, Novák O, Nožková-Hlaváčková V, Špundová M, Hlavinka J, Koukalová Š, Skalák J, Černý M, Brzobohatý B. High cytokinin levels induce a hypersensitive-like response in tobacco. Ann. Bot. 2013. doi: 10.1093/aob/mct092.Online ISSN 1095-8290.
- 337.Novo LAB, Covelo EF, González L. The use of waste-derived amendments to promote the growth of Indian mustard in copper mine tailings. Minerals Engineering. 2013. 53, 24-30. ISSN: 0892-6875.
- 338.Novo LAB, González L. The effects of variable soil moisture on the phytoextraction of CD and ZN by brassica Juncea. Fresenius Environmental Bulletin. 2013. 22(1A), 299-304. ISSN: 1018-4619.
- 339.Novo LAB, González L. Germination and early growth of Brassica juncea in copper mine tailings amended with technosol and compost. The Scientific World Journal. 2013. doi:10.1155/8086. ISSN: 1537-744X.
- 340.PadmaVathi TAV, Rao DM. Differential accumulation of osmolytes in 4 cultivars of peanut (*Arachis hypogaea* L.) under drought stress. J. Crop Sci. Biotech. 2013. 16(2), 151-159. ISSN: 1975-9479.
- 341.Palma F, López-Gómez M, Tejera NA, Lluch C. Salicylic acid improves the salinity tolerance of *Medicago sativa* in symbiosis with *Sinorhizobium meliloti* by preventing nitrogen fixation inhibition. Plant Sci. 2013. 208, 75-82. ISSN: 0168-9452.
- 342.Perveen S, Anis M, Aref IM. Lipid peroxidation, H₂O₂ content, and antioxidants during acclimatization of *Abrus precatorius* to ex vitro conditions. Biol. Plant. 2013. 57(3), 417-424. ISSN: 0006-3134.
- 343.Qiu Z, Li J, Zhang M, Bi Z, Li Z. He-Ne laser pretreatment protects wheat seedlings against cadmium-induced oxidative stress. Ecotox. Environ. Safe. 2013. 88, 135-141. ISSN: 0147-6513.
- 344.Rai GK, Rai NP, Rathaur S, Kumar S, Singh M. Expression of rd29A: AtDREB1A/CBF3 in tomato alleviates drought-induced oxidative stress by regulating key enzymatic and non-enzymatic antioxidants. Plant Physiol. Biochem. 2013. 69, 90-100. ISSN: 0981-9428.
- 345.Rawat L, Singh Y, Shukla N, Kumar J. Salinity tolerant *Trichoderma harzianum* reinforces NaCl tolerance and reduces population dynamics of *Fusarium oxysporum* f.sp.

ciceri in chickpea (*Cicer arietinum* L.) under salt stress conditions. Arch. Phytopathology Plant Protect. 2013. 46(12), 1442-1467. ISSN: 0323-5408.

346.Rendón MY, Gratão PL, Salva TJG, Azevedo RA, Bragagnolo N. Antioxidant enzyme activity and hydrogen peroxide content during the drying of Arabica coffee beans. Eur. Food Res. Technol. 2013. 236(5), 753-758. ISSN: 1438-2377.

347.Rivas R, Oliveira MT, Santos MG. Three cycles of water deficit from seed to young plants of *Moringa oleifera* woody species improves stress tolerance. Plant Physiol. Biochem. 2013. 63, 200-208. ISSN: 0981-9428.

348.Saxena SC, Salvi P, Kaur H, Verma P, Petla BP, Rao V, Kamble N, Majee M. Differentially expressed myo-inositol monophosphatase gene (CaIMP) in chickpea (*Cicer arietinum* L.) encodes a lithium-sensitive phosphatase enzyme with broad substrate specificity and improves seed germination and seedling growth under abiotic stresses. J. Exp. Bot. 2013. doi: 10.1093/jxb/ert336. Online ISSN 1460-2431.

349.Schoedl K, Schuhmacher R, Forneck A. Correlating physiological parameters with biomarkers for UV-B stress indicators in leaves of grapevine cultivars Pinot noir and Riesling. J.Agr. Sci. 2013. 151(2), 189-200. ISSN: 1916-9752.

350.Shen J, Xing T, Yuan H, Liu Z, Jin Z, Zhang L, Pei Y. Hydrogen Sulfide Improves Drought Tolerance in *Arabidopsis thaliana* by MicroRNA Expressions. PLoS ONE. 2013. 8(10), art. no. e77047. eISSN-1932-6203.

351.Srivastava S, Srivastava AK, Suprasanna P, D'Souza SF. Quantitative real-time expression profiling of aquaporins-isoforms and growth response of *Brassica juncea* under arsenite stress. Mol. Biol. Rep. 2013. 40(4), 2879-2886.

352.Tian F, Zhao J, Cai C-H, Wang L-F, Hao W-F. Response of UV-absorbing compounds and osmotic adjustment substances of three *Lespedeza* species to drought and enhanced UV-B radiation. Acta Agrestia Sinica. 2013. 21(3) 517-525.

353.Tripathi R, Agrawal SB. Evaluation of changes in lipid peroxidation, ROS production, surface structures, secondary metabolites and yield of linseed (*Linum usitatissimum* L.) under individual and combined stress of ultraviolet-B and ozone using open top chambers. Indian J. Biochem. Biophys. 2013. 50(4), 318-325.

354.Veselá B, Novotná K, Rajšnerová P, Klem K. Effects of UV radiation and drought on the accumulation of UV-screening compounds and photosynthetic parameters in selected herbs and grasses of the mountain grass-land ecosystem. Mendelnet2013. 2013, 391-396.

355.Vinutha M, TharaSaraswathi KJ, Jayalakshmi NR. Effect of sUV-B on essential oil from aerial and sub-aerial parts of *Cymbopogonflexuosus* (Nees ex Steud) Wats. International Journal of Advanced Research. 2013. 1(7), 263-271.

356.Wang T-Z, Xia X-Z, Zhao M-G, Tian Q-Y, Zhang W-H. Expression of a *Medicago falcata* small GTPase gene, MfARL1 enhanced tolerance to salt stress in *Arabidopsis thaliana*. Plant Physiol. Biochem. 2013. 63, 227-235. ISSN: 0981-9428.

357.Wang T-Z, Zhang J-L, Tian Q-Y, Zhao M-G, Zhang W-H. A *Medicago truncatula* EF-Hand Family Gene, MtCaMP1, Is Involved in Drought and Salt Stress Tolerance. PLoS ONE. 2013. 8(4), art. no. e58952. eISSN-1932-6203.

358.Wei J, Li C, Li Y, Jiang G, Cheng G, Zheng Y. Effects of External Potassium (K) Supply on Drought Tolerances of Two Contrasting Winter Wheat Cultivars. PLoS ONE. 2013. 8(7), art. no. e69737. eISSN-1932-6203.

359.Yang P, Zhang P, Li B, Hu T. Effect of nodules on dehydration response in alfalfa (*Medicago sativa* L.). *Environ. Exp. Bot.* 2013. 86, 29-34.

360.Zanetti, LV. Effects of leaf spray with silicon in tolerance *Theobroma cacao* L. (Malvaceae) to wa-ter deficit. PhD Thesys. Universidade Federal do Espírito Santo. 2013. Centro de Ciências Humanas e Naturais, Brasil.

361.Zhang HJ, Li J. Photosynthetic performance of potato (*Solanum tuberosum*) subject to water deficit regulated with mulched drip irrigation. *Applied Mechanics and Materials.* 2013. 405-408, 2130-2133. ISSN: 1662-7482.

362.Zhang Y, Wang L, Du N, Ma G, Yang A, Zhang H, Wang Z, Song Q. Effects of diethylphthalate and di-(2-ethyl)hexylphthalate on the physiology and ultrastructure of cucumber seedlings. *Environ. Sci. Pollut. R.* 2013. doi: 10.1007/s11356-013-1884-6. ISSN: 1614-7499.

363.Zhang Y, Zhu Q-Z, Zhang R. Effect of CS on physiological and biochemical indexes of maize under the drought stress. *Resource Development & Market.* 2013. 29(8), 56-71.

364.Zhao H, Zhang W, Wang J, Li F, Cui F, Ji J, Wang D, Li J. Comparative study on drought tolerance of wheat and wheat-Aegilops biuncialis 6Ub addition lines. *J. Food Agr. Environ.* 2013. 11(3-4), 1046-1052. ISSN: 1459-0255.

365.Zhao J, Du R-F, Wang L-F, Wang Y-Y, Hao W-F. Dynamic responses of antioxidative defense system of *Lespedeza davurica* to drought and enhanced UV-B radiation. *Acta Agrestia Sinica.* 2013. 21(2), 308-315. ISSN: 1007-0435.

Atanassova B, S. Daskalov, L. Shtereva, E. Balacheva. Anthocyanin mutations improving tomato and pepper tolerance to adverse climatic conditions. *Euphytica.* 2001. 120, 357-365. ISSN: 1573-5060.

366.Cericola, Fabio, et al. "The Population Structure and Diversity of Eggplant from Asia and the Mediterranean Basin." 2013. *PloS one* 8.9, e73702. ISSN: 1932-6203.

Doncheva S, Vassileva V, Ignatov G, Pandev S, Dris R, Niskanen R. Influence of nitrogen deficiency on photosynthesis and chloroplast ultrastructure of pepper plants. *Agricult Food Sci Finland.* 2001. 10, 59-64. ISSN 1795-1895

367.Khavari-Nejad RA, Najafi F, Tofighthe C. The effects of nitrate and phosphate deficiencies on certain biochemical metabolites in tomato (*Lycopersicon esculentum* Mill. C. v. Urbana V.F.). *J. Stress Physiol. Biochem.* 2013. 9 (2), 64-73. ISSN 1997-0838

368.Li Y, Ren B, Ding L, Shen Q, Peng S, et al. Does chloroplast size influence photosynthetic nitrogen use efficiency? *Plos ONE* 2013. 8 (4), e62036. Doi:10.1371/journal.pone.0062036. eISSN-1932-6203

369.Ogedegbe, A. Uwaila, Ikhajiagbe, B. And Anoliefo, G. O. Growth response of *Alternanthera brasiliiana* (L.) kuntze in a waste engine oil-polluted soil. *J. Emerg. Trends Engin. Appl. Sci.* 2013.4(2), 322-327. ISSN 2141-7016

Doncheva S, Stoyanova Z, Velikova V. The influence of succinate on Zinc toxicity of pea plants. *Journal of Plant Nutrition.* 2001. 24 (6), 789-806. ISSN 0190-4167

370.Ogedegbe, A. Uwaila, Ikhajiagbe, B. and Anoliefo, G. O. Growth response of *Alternanthera brasiliiana* (L.) kuntze in a waste engine oil-polluted soil. *J. Emerg. Trends Engin. Appl. Sci.* 2013. 4(2), 322-327. ISSN 2141-7016

371.Ali S, Farooq MA, Yasmeen T, Hussain S, Arif MS, Abbas F, Bharwana SA, Zhang G. The influence of silicon on barley growth, photosynthesis and ultra-structure under chromium stress. Ecotoxicol. Environ. Safety. 2013. 89, 66-72. ISSN 0147-6513

Ananieva K, Ananiev ED. Effect of phenylmethylsulfonyl fluoride-an inhibitor of proteases, on the growth and polypeptide profile of excised cotyledons of *Cucurbita pepo* L. (Zucchini) after treatment with bezaldenine. Bulg. J. Plant Physiol. 2001. 27 (3-4), 76-84. ISSN: 1310-4586.

372.Dong Z, Zhang J, Lee BH, Li H, Du G, Chen J. Secretory expression and characterization of a bile salt hydrolase from *Lactobacillus plantarum* in *Escherichia coli*. Journal of Molecular Catalysis B: Enzymatic. 2013. 93, 57-64.

Loreto F, Velikova V, Di Marco G. Respiration in the light measured by ¹²CO₂ emission in ¹³CO₂ atmosphere in maize leaves. Austr. J. Plant Physiol. 2001. 28 (11), 1103-1108. ISSN: 1445-4408.

373.Atkin OK, Turnbull MH, Zaragoza-Castells J, Fyllas NM, Lloyd J, Meir P, Griffin KL. Light inhibition of leaf respiration as soil fertility declines along a post-glacial chronosequence in New Zealand: an analysis using the Kok method. Plant Soil. 2013. 367(1-2), 163-182.

374.Busch FA, Sage TL, Cousins AB, Sage RF. C3 plants enhance rates of photosynthesis by reassimilating photorespired and respired CO₂. Plant Cell Environ. 2013. 36 (1), 200-212.

375.Heskel MA, Atkin OK, Turnbull MH, Grifin KL. Bringing the Kok effect to light: A review on the integration of daytime respiration and net ecosystem exchange. Ecosphere. 2013. 4 (8), Article 98. <http://dx.doi.org/10.1890/ES13-00120.1>

376.Walker BJ, Cousins AB. Influence of temperature on measurements of the CO₂ compensation point: differences between the Laisk and O₂-exchange methods. Journal of Experimental Botany. 64 (7), 1893-1905.

Loreto F, Velikova V. Isoprene produced by leaves protects the photosynthetic apparatus against ozone damage, quenches ozone products, and reduces lipid peroxidation of cellular membranes. Plant Physiol. 2001. 127, 1781-1787. ISSN: 0032-0889.

377.Maroua Akacha, Néziha Ghanem Boughanmi, Rabiaa Haouala. Effects of *Melia azedarach* leaves extracts on radish growth and oxidative status. International Journal of Botany and Research. 2013. 3 (2), 29-42.

378.Behnke K, Ghirardo A, Janz D, Kanawati B, Esperschutz J, Zimmer I, Schmitt-Kopplin P, Niinemets U, Polle A, Schnitzler JP, Rosenkranz M. Isoprene function in two contrasting poplars under salt and sunflecks. Tree Physiol. 2013. 33(6), 562-578.

379.Bryan AM, Steiner AL. Canopy controls on the forest-atmosphere exchange of biogenic ozone and aerosol precursors. Michigan Journal of Sustainability. 2013. 1, (*in press*). DOI: <http://dx.doi.org/10.3998/mjs.12333712.0001.005>

380.Christou A, Manganaris GA, Papadopoulos I, Fotopoulos V. Hydrogen sulfide induces systemic tolerance to salinity and non-ionic osmotic stress in strawberry plants through modification of reactive species biosynthesis and transcriptional regulation of multiple defence pathways J. Exp. Bot. 2013. 64 (7), 1953-1966.

- 381.Eccher G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A. Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. *Plant Physiol.* 2013. 161 (4), 1952-1969.
- 382.Exton DA, Suggett DJ, McGenity TJ, Steinke M. Chlorophyll-normalized isoprene production in laboratory cultures of marine microalgae and implications for global models. *Limnology and Oceanography*. 2013. 58 (4), 1301-1311.
- 383.Girotto E, Ceretta CA, Rossato LV, Farias JG, Tiecher TL, De Conti L, Schmatz R, Brunetto G, Schetinger MRC, Nicoloso FT. Triggered antioxidant defense mechanism in maize grown in soil with accumulation of Cu and Zn due to intensive application of pig slurry. *Ecotoxicol. Environ. Safety*. 2013. 93, 145-155.
- 384.Hess BM, Xue JF, Markillie LM, Taylor RC, Wiley HS, Ahring BK, Linggi B. Coregulation of terpenoid pathway genes and prediction of isoprene production in *bacillus subtilis* using transcriptomics. *Plos One*. 2013 8(6), Article Number: e66104.
- 385.Jardine KJ, Meyers K, Abrell L, Alves EG, Serrano AM, Kesselmeier J, Karl T, Guenther A, Chambers JQ, Vickers C. Emissions of putative isoprene oxidation products from mango branches under abiotic stress. *J. Exp. Bot.* 2013. 64(12), 3697-3709.
- 386.Khan A, Staimer N, Tjoa T, Galassetti P, Blake DR, Delfino RJ. Relations between isoprene and nitric oxide in exhaled breath and the potential influence of outdoor ozone: a pilot study. *J. Breath Res.* 2013. 7(3), Article Number: 036007. DOI: 10.1088/1752-7155/7/3/036007.
- 387.Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA*. 2013. 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>
- 388.Kovač-Andrić E, Gvoždić V, Muhařemović H. Assessment of variations of O₃ concentrations in Kopački Rit Nature Park, Eastern Croatia. *Croat. Chem. Acta*. 86 (1), 2013. 109-115.
- 389.Koyro H-W, Hussain T, Huchzermeyer B, Khan MA. Photosynthetic and growth responses of a perennial halophytic grass *Panicum turgidum* to increasing NaCl concentrations. *Environ. Exp. Bot.* 2013. 91, 22-29.
- 390.Kumar RR, Goswami S, Sharma SK, Singh K, Gadpayle KA, Singh SD, Pathak H, Rai RD. Differential expression of heat shock protein and alteration in osmolyte accumulation under heat stress in wheat. *J. Plant Biochem. Biotech.* 2013. 22 (1), 16-26.
- 391.Kumar RR, Goswami S, Gadpayle KA, Singh K, Sharma SK, Singh GP, Pathak H, Rai RD. Ascorbic acid at pre-anthesis modulates the thermotolerance level of wheat (*Triticum aestivum*) pollen under heat stress. *Journal of Plant Biochemistry and Biotechnology*. 2013. (in press). DOI 10.1007/s13562-013-0214-x
- 392.Kumari S, Priya P, Misra G, Yadav G. Structural and biochemical perspectives in plant isoprenoid biosynthesis. *Phytochem. Reviews*. 2013. 12(2), 255-291.
- 393.Llusia J, Sardans J, Niinemets Ü, Owen SM, Peñuelas J. A screening study of leaf terpene emissions of 43 rainforest species in Danum Valley Conservation Area (Borneo) and their relationships with chemical and morphological leaf traits. *Plant Biosystems*. 2013. DOI:10.1080/11263504.2013.770803.
- 394.Lu XG, Liu XH, Zhao B. Relationship of superficial scald in 'fuji' apples to changes of reactive oxygen species metabolism in response to ventilation treatment. *Asian J. Chem.* 2013. 25(1), 32-36.
- 395.Mandal C, Ghosh N, Adak MK, Dey N. Interaction of polyamine on oxidative

stress induced by exogenously applied hydrogen peroxide in *Salvinia natans* Linn. Theoretical and Experimental Plant Physiology. 2013. 25(3), 203-212.

396.Martins N, Osorio ML, Goncalves S, Osorio J, Romano A. Differences in Al tolerance between *Plantago algarbiensis* and *P. almogravensis* reflect their ability to respond to oxidative stress. Biometals. 2013. 26(3), 427-437.

397.Martins N, Gonçalves S, Romano A. Aluminum inhibits root growth and induces hydrogen peroxide accumulation in *Plantago algarbiensis* and *P. almogravensis* seedlings. Protoplasma. 2013. 250 (6), 1295-1302.

398.Mehr ZS, Bahabadi SE. Physiological and antioxidant responses of coriander (*Coriandrum sativum* L.) to salinity. International Journal of Agriculture and Crop Sciences. 2013. 5 (4), 344-348.

399.Miresmailli S, Zeri M, Zangerl AR, Bernacchi CJ, Berenbaum MR, DeLucia EH. Impacts of herbaceous bioenergy crops on atmospheric volatile organic composition and potential consequences for global climate change. Global Change Biol. Bioenergy. 2013. 5(4), 375-383.

400.Nieuwenhuizen NJ, Green SA, Chen XY, Bailleul EJD, Matich AJ, Wang MY, Atkinson RG. Functional genomics reveals that a compact terpene synthase gene family can account for terpene volatile production in apple. Plant Physiol. 2013. 161(2), 787-804.

401.Osorio ML, Goncalves S, Coelho N, Osorio J, Romano A. Morphological, physiological and oxidative stress markers during acclimatization and field transfer of micropropagated *Tuberaria major* plants. Plant Cell Tissue and Organ Culture. 2013. 115(1), 85-97.

402.Owen SM, Peñuelas J. Volatile isoprenoid emission potentials are correlated with essential isoprenoid concentrations in five plant species. Acta Physiol. Plant. 2013. 35(11), 3109-3125.

403.Patnaik AR, Achary VMM, Panda BB. Chromium (VI)-induced hormesis and genotoxicity are mediated through oxidative stress in root cells of *Allium cepa* L. Plant Growth Regul. 2013. 71(2), 157-170.

404.Rozenkranz M, Schnitzler J-P. Genetic engineering of BVOC emissions from trees. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions, eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5. Science+Business Media Dordrecht, CHAPTER 4. 2013. pp. 95-118. (book)

405.Sharkey TD, Gray DW, Pell HK, Breneman SR, Topper L - Isoprene synthase genes form a monophyletic clade of acyclic terpene synthases in the tps-b terpene synthase family. Evolution. 2013. 67 (4), 1026-1040.

406.Sun Z. Isoprene emission from aspen (*Populus sp.*) in relation to environmental drives. Estonian University of Life Science. 2013. (PhD Thesis)

407.Sun Z, Niinemets Ü, Hüve K, Rasulov B, Noe SM. Elevated atmospheric CO₂ concentration leads to increased whole-plant isoprene emission in hybrid aspen (*Populus tremula* × *Populus tremuloides*). New Phytol. 2013. 198, 788-800.

408.Xu XZ, Guo RR, Cheng CX, Zhang HJ, Zhang YC, Wang XP. Overexpression of ALDH2B8, an aldehyde dehydrogenase gene from grapevine, sustains *Arabidopsis* growth upon salt stress and protects plants against oxidative stress. Plant Cell Tissue and Organ Culture. 2013. 114(2), 187-196.

409.Kivimäenpää M, Riikonen J, Ahonen V, Tervahauta A, Holopainen T. Sensitivity

of Norway spruce physiology and terpenoid emission dynamics to elevated ozone and elevated temperature under open-field exposure. Environmental and Experimental Botany. 2013. 90, 32-42.

410.Rady MM, Seif El-Yazal MA. Response of "Anna" apple dormant buds and carbohydrate metabolism during floral bud break to onion extract. Scientia Horticulturae. 2013. 155, 78-54.

Yordanov I, Tsonev T, Velikova V, Georgieva K, Ivanov P, Tsenov N, Petrova T. Changes in CO₂ assimilation, transpiration and stomatal resistance of different wheat cultivars experiencing drought under field conditions. Bulg. J. Plant Physiol. 2001. 27 (3-4), 20-33. ISSN: 1310-4586.

411.Allahmoradi P, Mansourifar C, Saidi M, Honarmand SJ. Water deficiency and its effects on grain yield and some physiological traits during different growth stages in lentil (*Lens culinaris* L.) cultivars, Annals of Biological Research. 2013. 4 (5), 139-145.

412.Hunja M. Mass propagation of bamboo and its adaptability to waste water gardens. 2013. (Doctoral dissertation).

Yordanova R, Popova L. Photosynthetic response of barley plants to soil flooding. Photosynthetica. 2001. 39 (4), 515-520. ISSN: 0300-3604.

413.Insausti P, Gorjón S. Floods affect physiological and growth variables of peach trees (*Prunus persica* (L.) Batsch), as well as the postharvest behavior of fruits. Scientia Horticulturae . 2013. 152, 56-60.

Carballeira NM, Miranda C, Lozano CM, Nechev JT, Ivanova A, Ilieva M, Zvetkova I, Stefanov K. Characterization of novel methyl-branched chain fatty acids from a halophytic *Bacillus* species. J. Nat. Prod. 2001. 64, 256-259. ISSN: 0163-3864.

414.Mondol MAM, Shin HJ, Islam MT. Diversity of secondary metabolites from marine bacillus species: Chemistry and biological activity. Marine Drugs. 2013. 11(8), 2846-2872. ISBN 978-1-4665-1351-8

415.Francioso O, Rodriguez-Estrada MT, Savioli S, Salomoni C, Capito A, Bonoli M, Palenzova D. Characterization of long-chain fatty acids from urban wastewater sludge in two-phase anaerobic digestion for biogas production. Agrochimica. 2013. 57(2), 135-148. ISBN: 978-84-8363-302-1

2002

Fedina I, Georgieva K, Grigorova I. Light-dark changes of proline content in barley leaves under salt stress. Biologia Plantarum. 2002. 45, 59-63. ISSN: 0006-3134.

416.Feng D-W, Ang H-X, Liu G-Y, Jin Z-M, Liu S-Y, Yi Y-T. Responses of Different Varieties of *Helianthus tuberosus* to Salt Stress in Yellow River Delta. Journal of Nuclear Agricultural Sciences. 2013. 27(11), 1771-1776.

Velikova V, Tsonev T, Edreva A, Gürel A, Hakerlerler H. Effects of reddening of cotton (*Gossypium hirsutum* L.) leaves on functional activity of photosynthetic apparatus. Photosynthetica. 2002. 40 (3), 449-452. ISSN: 0300-3604.

417.Luo H, Zhang H, Tao X, Zhang Y, Zhang W. Effect of irrigation and nitrogen application regimes on senescent characters of roots and leaves in cotton with under-mulch-drip irrigation. *Scientia Agricultura Sinica* 2013. 46 (10), 2142-2150.

Ananieva E, Alexieva V, Popova L. Treatment with salicylic acid decreases the effects of parquat on photosynthesis. J. Plant Physiol. 2002. 159, 685-693. ISSN: 0176-1617.

418.Esim N, Atici O. Nitric oxide improves chilling tolerance of maize by affecting apoplastic antioxidative enzymes in leaves. *Plant Growth Regul.* 2013. 1-10. doi: 10.1007/s10725-013-9833-4. ISSN: 0167-6903.

419.Ghasemzadeh A, Jaafar HZE. Interactive effect of salicylic acid on some physiological features and antioxidant enzymes activity in ginger (*Zingiber officinale* Roscoe). *Molecules*. 2013. 18(5), 5965-5979. ISSN: 1420-3049.

420.Kadioğlu A, Sağlam A. Salicylic Acid Signaling. In: *Plant signaling: Understanding the molecular crosstalk* (Eds Hakeem, K. R., Rehman, R., Tahir, I), Springer India. 2013. Ch. 16, 291-301. doi: 10.1007/978-81-322-1542-4_16; SN 978-81-322-1541-7.

421.Mutlu S, Karadağoglu Ö, Atıcı Ö, Taşgin E, Nalbantoğlu B. Time-dependent effect of salicylic acid on alleviating cold damage in two barley cultivars differing at cold tolerance. *Turkish Journal of Botany*. 2013. 37(2), 343-349. ISSN: 1300-008X.

422.Sharma P. Salicylic acid: a novel plant growth regulator – role in physiological processes and abiotic stresses under changing environments, In: *Climate Change and Plant Abiotic Stress Tolerance* (Eds N. Tuteja and S.S. Gill). 2013. Ch. 36, Wiley-VCH Verlag GmbH&Co. KGaA, Weinheim, Germany; Publ online: 8 Nov 2013. doi: 10.1002/9783527675265.ch36.

Stoyanova Z, Doncheva S. The effect of zinc supply and succinate treatment on plant growth and Mineral Uptake in pea plant. Braz. J. Plant Physiol. 2002. 14, 111-116. ISSN 1677-0420

423.Ashoori M, Lolaei A, Zamani S, Mobasher S. Effects of N and Zn on quantity and quality characters of grape vine (*Vitis Vinifera*). *International Journal of Agriculture and Crop science*. 2013. ijacs/2013/5-3/207-211. ISSN 2227-670X

424.Bielen A, Remans T, Vangronsveld J, Cuypers A. The influence of metal stress on the availability and redox state of ascorbate, and possible interference withits cellular functions. *Int. J. Mol. Sci.* 2013. 14 (3), 6382-6413. doi:10.3390/ijms14036382. ISSN 1661-6596.

425.Ashoori M, Lolaei A, Ershadi A, Kolhar M, Amin. Effects of N, Fe and Zn nutrition on vegetative and reproductive growth and fruit quality of grapevine (*Vitis vinifereal.*). *J. Ornam. Hortic. Plants*, 2013. 3 (1), 49-58. ISSN 2251-6433

426.Khan S, Naz A, Asim M, Ahmad SS, Yousaf S, Muhammad S. Toxicity and bioaccumulation of heavy metals in spinach seedlings grown on freshly contaminated soil. *Pak. J. Bot.* 2013. 45(S1), 501-508. ISSN 0556-3321

427.Hosseini Z, Poorakbar L. Zinc toxicity on antioxidative response in (*Zea mays L.*) at two different ph. *J. Stress Physiol. Biochem.* 2013. 9, 66-73. ISSN 1997-0838

428.Thamayanthi D, Sharavanan PS, Jayaprasad B. Phytoremediating capability biochemical changes and nutrient status of marigold (*Tagetes erecta* L.), plant under cadmium stress. Int. J. Res. Plant Sci. 2013. 3(4), 57-63. ISSN 2249 – 9717

429.Da□han H, Uygur V, Köleli N, Arslan M, Eren A. The effect of heavy metal treatments on uptake of nitrogen, phosphorus and potassium in transgenic and non-transgenic tobacco plants. Tarim Bilimleri Dergisi. 2013.19 (2), 129-139. ISSN 1300-7580

430.Bielen A, Remans T, Vangronsveld J, Cuypers A. The influence of metal stress on the availability and redox state of ascorbate, and possible interference with its cellular functions. Int. J. Mol. Sci. 2013. 14 (3), 6382-6413. ISSN 1661-6596.

431.Khan S, Naz A, Asim M, Ahmad S, Yousaf S, Muhammad S. Toxicity and bioaccumulation of heavy metals in spinach seedlings grown on freshly contaminated soil. Pak. J. Bot. 2013. 45 (SPL.ISS), 501-508. ISSN 0556-3321

432.Naz A, Khan S, Qasim M, Khalid S, Muhammad S, Tariq M Metals toxicity and its bioaccumulation in purslane seedlings grown in controlled environment. Natural Science. 2013. 5 (5), 573-579. ISSN 2150-4091

433.Kais Zribi, Issam Nouairi, Ines Slama, Ons Talbi-Zribi' Haythem Mhadhbi (2013). *Medicago sativa* - *Sinorhizobium meliloti* symbiosis promotes the bioaccumulation of Zinc in nodulated roots. International Journal of Phytoremediation Published online: 12 Aug 2013 DOI: 10.1080/15226514.2013.828017. ISSN 1549-7879

Stancheva I, Mitova I. Effects of different sources and fertilizer rates on the lettuce yield and quality under controlled conditions. Bulg. J. Agric. Sci. 2002. 8, 157-160. ISSN 1310-0351

434.Saberi A. Biochemical composition of forage sorghum (*Sorghum bicolor* L.) varieties under influenced of salinity and irrigation frequency Int. J. Trad. Herbal Med. 2013. Vol., 1 (2), 28-37. ISSN 2345-3249

Stoynova E, Petrov P, Tsukaya H. Cell division and cell enlargement in isolated Cucurbita cotyledons grown in darkness and in light. J. Plant Res. 2002. 115(5), 375-380. ISSN 0918-9440.

435.Le Ny F, Leblanc A, Beauclair P, Deleu C, Le Deunff E. In low transpiring conditions, nitrate and water fluxes for growth of *B. napus* plantlets correlate with changes in BnNrt2.1 and BnNrt1.1 transporter expression. Plant Sign. Beh. 2013. 8(2), e22902. ISSN 1559-2316.

Stoyanova Z, Simova-Stoilova L, Demirevska-Kepova K, Smilova E. Effect of Cu and Mn toxicity on growth parameters and photosynthetic pigments of young barley plants. Compt. Rend. Acad. Bulg. Sci. 2002. 55, 83-88.

436. Cuypers A, Remans T, Weyens N, Colpaert J, Vassilev A, Vangronsveld J. Soil-Plant Relationships of Heavy Metals and Metalloids. Chapter 6 in Heavy Metals in Soils, Environmental Pollution. 2013. 22, 161-193.

Popova L, Ananieva E, Hristova V, Christov K, Georgieva K, Alexieva V, Stoinova Zh. Salicylic acid- and methyl jasmonate-induced protection on photosynthesis to paraquat oxidative stress. Bulg. J. Plant Physiol., issue – Proceedings of the European Workshop on Environmental Stress and Sustainable

Agriculture. 2003. 7–12 September, 2002, Varna, Bulgaria, Alexieva V, Sergiev I, Karanov E, Hall M. (Eds.), 133-152. ISSN: 1310-4586.

437.Jezierska-Tys S, Rutkowska A. Soil response to chemicals used in a field experiment. International Agrophysics. 2013. 27(2), 151-158. doi: 10.2478/v10247-012-0080-0. ISSN: 0236-8722.

438.Razavizadeh R, Rostami F (2013) Changes in growth and antioxidant capacity of canola by salinity and salicylic acid under in vitro. Intern Research Journal of Applied and Basic Sciences, 5(2), 192-200. ISSN: 2251-838X.

439.Tirani MM, Nasibi F, Kalantari Kh M. Interaction of salicylic acid and ethylene and their effects on some physiological and biochemical parameters in canola plants (*Brassica napus* L.). Photosynthetica. 2013. 51(3), 411-418. doi: 10.1007/s11099-013-0041-2. ISSN: 0300-3604.

Manova VI, Stoilov LM Induction and recovery of double-strand breaks in barley ribosomal DNA. DNA Repair. 2003. 2, 983–990. ISSN: 1568-7864

440.Rabey H.E. Comparison of the internal transcribed spacer region (ITS) of the ribosomal RNA genes in wild and cultivated two and six-rowed barleys (*Hordeum vulgare* L.) Molecular Biology Reports 2013. ISSN: 0301-4851

Dimitrov B, Tasheva K, Zagorska N, Evstatieva L. In vitro cultivation of Rhodiola rosea L. Genetics&Breeding. 2003. 32, 3-6.

441.Varshney A, Anis M, Aref IM, Potential role of cytokinin–auxin synergism, antioxidant enzymes activities and appraisal of genetic stability in *Dianthus caryophyllus* L. - an important cut flower crop. In Vitro Cellular & Development Biology – Plant. 2013. 49(2), 166–174. ISSN: 1054-5476.

442.Perveen S, Anis M, Aref IM. Lipid peroxidation, H₂O₂ content, and antioxidants during acclimatization of *Abrus precatorius* to ex vitro conditions. Biol. Plant. 2013. 57(3), 417-424. ISSN: 0006-3134.

Atanasova L, Stefanov D, Yordanov I, Kornova K, Kavardzikov L. Comparative characteristics of growth and photosynthesis of sun and shade leaves from normal and pendulum walnut (*Juglans regia* L.) trees. Photosynthetica. 2003. 41, 289-292. ISSN: 0300-3604.

443.Liu S, Ma M, Pan Y, Wei L, He C, Yang K. Effects of light regime on the growth and photosynthetic characteristics of *Alnus formosana* and *A. cremastogyne* seedlings. Chin. J. Appl. Ecology. 2013. 24, 351-358. ISSN: 0256-307X.

444.Du Y, Ji X, Zhang J, Li J, Sun H, Zhao Q. Research progress on the impacts of low light intensity on rice growth and development. Chin. J. Eco-Agriculture. 2013. 21, 1307-1317. ISSN: 0256-307X.

445.Zheng Y, Hu H, Wu R, Xu W, Sun J, Li J. Combined effects of elevated O₃ and shading on leaf photosynthetic system of field-grown winter wheat. Chin. J. Agrometeorology. 2013. 34, 410-418. ISSN: 1000-6362.

446.Xie Y, Liao X, Zhang D, Liu J, Zhao X, Wen P. Effect of shading treatments on growth and physiological characteristics of *Drepanostachyum luodianense*. 2013. Guangdong Agricult. Sci. 40, 12.

Alexieva V, Ivanov S, Sergiev I, Karanov E. Interaction between stresses (Mini Review). Bulg. J. Plant Physiol., Special issue (Proceedings of the European Workshop on Environmental Stress and Sustainable Agriculture). 2003. 1-17. ISSN: 1310-4586.

447.Bandurska H, Niedziela J, Chadzinikolau T. Separate and combined responses to water deficit and UV-B radiation. *Plant Sci.* 2013. 213, 98-105 (Review). ISSN: 0168-9452.

448.Drus G, Tamarix A. Case Study of Ecological Change in the American West, Chapter 14: Fire Ecology of Tamarix, Oxford University Press. ISBN 978-0-19-989820-6. 2013. 240-255 (Book).

449.Giannakoula AE, Ilias IF. The effect of water stress and salinity on growth and physiology of tomato (*Lycopersicon esculentum* Mill.). *Arch. Biol. Sci., Belgrade.* 2013. 65(2), 611-620. ISSN: 0354-4664.

450.Januškaitienė I. Low UV-B radiation and substrate acidity impact on photosynthetic parameters of *Brassica napus*. *Biologija.* 2013. 59(2), 219-230. ISSN: 1392-0146.

451.Juknys R, Augustaitis A, Venclovienė J, Kliučius A, Vitas A, Bartkevičius E, Jurkonis N. Dynamic response of tree growth to changing environmental pollution. *Eur. J. Forest Res.* 2013. doi: 10.1007/s10342-013-0712-3. ISSN: 1612-4677.

452.Nenova V, Bogoeva I. Separate and combined effects of excess copper and *Fusarium culmorum* infection on growth and antioxidative enzymes in wheat (*Triticum aestivum* L.) plants. *Journal of Plant Interactions.* 2013. doi: 0.1080/17429145.2013.820359. ISSN: 1742-9153.

453.Rakić T, Ilijević K, Lazarević M, Gržetić I, Stevanović V, Stevanović B. The resurrection flowering plant *Ramonda nathaliae* on serpentine soil – coping with extreme mineral element stress. *Flora - Morphology, Distribution, Functional Ecology of Plants.* 2013. 208(10-12), 618–625.

454.Sakalauskienė S, Sakalauskaitė J, Lazauskas S, Povilaitis V, Auškalnienė O, Pšibišauskienė G, Samuoliūnė G, Brazaitytė A, Duchovskis P. Interactive effects of elevated CO₂, temperature and water stress on *Apera spicacea* L. *J. Food Agr. Environ.* 2013. 11(1), 1121-1124. ISSN: 1459-0255.

Atanassova B, Shtereva L, Georgieva Y, Balacheva E. Study on seed coat morphology and histochemistry in three anthocyaninless mutants in tomato (*Lycopersicon esculentum* Mill) in relation to their enhanced germination. Seed Science and Technology (SST). 2003. 32, 79-90. ISSN: 0251-0952.

455.Ochuodho JO, Modi AT. Association of seed coat colour with germination of three wild mustard species with agronomic potential. *African Journal of Agricultural Research.* 2013. 8(32), 4354-4359. ISSN: 1991-637X.

Landjeva S, Merakchijska-Nikolova M, Ganeva G. Copper toxicity tolerance in *Aegilops* and *Haynaldia* seedlings. Biol Plant. 2003. 46, 479-480. ISSN: 0006-3134.

456.Stoyanov H. Characteristics of second generation hybrids between wheat species (*Triticum* sp.) and *Aegilops cylindrica* Host. *Publications of the University of Agronomic Sciences and Veterinary Medicine of Bucharest: Scientific Papers. Series A. Agronomy.* 2013. Vol. LVI, pp. 357-362. ISSN 2285-5785.

457.Stoyanov H. Characteristics of natural hybrids between *Aegilops cylindrica* HOST. and common winter wheat (*Triticum aestivum* L.). AgroLife Scientific Journal. 2013. 2(1), 66-71. ISSN 2285-5718.

458.Stoyanov H. Status of remote hybrids in the *Poaceae*: problems and prospects. Agric. Sci. Technol., 2013.5(1), 3 – 12. ISSN: 1314-412X.

Ganeva G, Landjeva S, Merakchijska M. Effects of chromosome substitutions on copper toxicity tolerance in wheat seedlings. Biol Plant. 2003/2004. 47, 621-623. ISSN: 0006-3134.

459.Mehes-Smith M, Nkongolo K, Cholewa E. Coping Mechanisms of Plants to Metal Contaminated Soil. Environmental Change and Sustainability, Chapter 3. pp 53-90. 2013. InTech, doi: 10.5772/55124. Available from: <http://www.intechopen.com/books/environmental-change-and-sustainability/coping-mechanisms-of-plants-to-metal-contaminated-soil>. ISBN: 978-953-51-1094-1.

Kocheva K, Georgiev G. Evaluation of the reaction of two contrasting barley (*Hordeum vulgare* L.) cultivars in response to osmotic stress with PEG 6000. Bulg. J. Plant Physiol. 2003. Special Issue, 290–294. ISSN 1310-4586.

460.Radaei Alamoli Z, Akbari G, Abdollahian-Noghabi M. Effect of drought stress in the field and the relationship between an *in vitro* method (Polyethylene glycol 6000) for screening sugar beet genetic resources. Int J Agric Sci 2013. 3, 838-850. ISSN: 2167-0447.

461.Farshadfar E, Elyasi P, Hasheminasab H. Incorporation of agronomic and physiological indicators of drought tolerance in a single integrated selection index for screening drought tolerant landraces of bread wheat genotypes. *International Journal of Agr. Plant Prod.* 2013. 4, 3314-3325. ISSN 2051-1914.

462.George S, Jatoi SA, Siddiqui SU. Genotypic differences against PEG simulated drought stress in tomato. Pak. J. Bot. 2013. 45, 1551-1556. ISSN 0556-3321 (Print), 2070-3368 (Online).

463.Amini H, Arzani A, Bahrami F. Seed yield and some physiological traits of sunflower as affected by water deficit stress. Int. J. Plant Prod. 2013. 7 (3): 597-614. ISSN 1735-6814 (Print). 1735-8043 (Online).

Tsvetkova GE, Georgiev GI. "Effect of phosphorus nutrition on the nodulation, nitrogen fixation and nutrient use efficiency of *Bradyrhizobium japonicum*-soybean (*Glycine max* L. Merr.) symbiosis." Bulg. J. Plant Physiol. Special. 2003, 331-335 ISSN 1310-4586.

464.Chen I-D, Wang H-Y, Zhou JM , Xing L, Bay, Zhao YC, Chen XQ. Minimum data set for assessing soil quality in farmland of northeast china, Pedosphere, vol. 23, issue 5, 564–576, 2013, ISSN 1002-0160/CN 32-1315/P

465.Lazali M, Bargaz A, Carlsson G, Ounane SM, Drevon JJ. Discrimination againstN among recombinant inbred lines of *Phaseolus vulgaris* L. contrasting in phosphorus use efficiency for nitrogen fixation. 2013. J. Plant Physiol. <http://dx.doi.org/10.1016/j.jplph.2013.07.009>

466.Njira KOW. et al. An assessment for the need of soybean inoculation with *Bradyrhizobium japonicum* in some sites of Kasungu district, Central Malawi." Int. J. Curr. Microbiol. App. Sci 2.8 (2013): 60-72. ISSN: 2319 – 7706V

467.Islam M, Mohsan S, Ali S. Interactive effect of sulfur and phosphorus on nodulation, nitrogen fixation, and nutrient uptake by chickpea grown on calcareous soils in pakistan J. Plant Nutr. 36, 11, 2013, DOI:10.1080/01904167.2013.805220

468.Muhammad I, Mohsan S, Ali S. Interactive effect of sulfur and phosphorus on nodulation, nitrogen fixation, and nutrient uptake by chickpea grown on calcareous soils in Pakistan. J. Plant Nutr. (2013). ISSN 2227-670X©2013 IJACS

469.Riyuan C, Song S, Li X, Liu H, Huang D. Phosphorus deficiency restricts plant growth but induces pigment formation in the flower stalk of Chinese kale. Hort. Env. Biotech. 2013. 54, 3, 243-248. ISSN 2211-3452.

Tsonev T, Velikova V, Georgieva K, Hyde PF, Jones HG. Low temperature enhances photosynthetic down-regulation in French bean (*Phaseolus vulgaris* L.) plants. Annals of Botany. 2003. 91, 343-352. ISSN: 0305-7364.

470.Rojas-Lillo Y, Alberdi M, Acevedo P, Inostroza-Blancheteau C, Rengel Z, Mora ML, Reyes-Díaz M. Manganese toxicity and UV-B radiation differentially influence the physiology and biochemistry of highbush blueberry (*Vaccinium corymbosum*) cultivars. Functional Plant Biology. 2013 (*in press*) <http://dx.doi.org/10.1071/FP12393>.

471.Weng J-H, Wong S-L, Lin R-J, Jhaung L-H. Quantitative effects of temperature and light intensity on PSII efficiency of mango leaves under artificial and natural conditions. J. For. Res. 2013. 18 (4), 371-378.

Tsonev T, Hikosaka K. Contribution of photosynthetic electron transport, heat dissipation, and recovery of photoinactivated Photosystem II to photoprotection at different temperatures in *Chenopodium album* leaves. Plant Cell Physiol. 2003. 44(8), 828–835. ISSN: 0032-0781.

472.Tyystjärvi E. Photoinhibition of Photosystem II. International Review of Cell and Molecular Biology. 2013. 300, 243-303.

Georgieva K, Fedina I, Maslenkova L, Peeva V. Response of chlorina barley mutants to heat stress under low and high light. Functional Plant Biology. 2003. 30, 515-524. ISSN: 1445-4408.

473.Feng B, Liu P, Li G, Dong ST, Wang FH, Kong LA, Zhang JW. Effect of Heat Stress on the Photosynthetic Characteristics in Flag Leaves at the Grain-Filling Stage of Different Heat-Resistant Winter Wheat Varieties. Journal of Agronomy and Crop Science. 2013. doi: 10.1111/jac.12045

Fedina I, Grigorova I, Georgieva K. Response of barley seedlings to UV-B radiation as affected by NaCl. Journal of Plant Physiology. 2003. 160, 205-208. ISSN: 0176-1617.

474.Lattanzio V. Phenolic Compounds: Introduction. In: Natural Products. Ed. Kishan Gopal Ramawat, Jean-Michel Mérimont. 2013. 1543-1580. 10.1007/978-3-642-22144-6_57

475.Li JY, Zhao CY, Li J, Yan YY, Yu B, Han M. Growth and leaf gas exchange in

Populus euphratica across soil water and salinity gradients. *Photosynthetica*. 2013. 51(3), 321-329.

Yordanov I, Velikova V, Tsonev T. Plant responses to drought and stress tolerance. Bulg J. Plant Physiol. 2003. Spec. Issue, 187-206. ISSN: 1310-4586.

476.Ali HM, Siddiqui MH, Al-Whaibi MH, Basalah MO, Sakran AM, El-Zaidy M. Effect of proline and abscisic acid on the growth and physiological performance of faba bean under water stress. *Pak. J. Bot.* 2013. 45(3), 933-940.

477.Brestic M, Zivcak M. Ch.4: PSII fluorescence techniques for measurement of drought and high temperature stress signal in crop plants: Protocols and Applications, In: (Eds. G.R. Rout, A.B. Das) Molecular Stress Physiology of Plants. 87-131. 2013. Springer.

478.Chakovari SZ, Gasimov N. The effect of drought stress on nutrition elements like nitrogen, phosphor, sulfur, potassium and growth of *Borage officinalis* L. at hydroponic conditions. *International Journal of Agronomy and Plant Production*. 2013. 4 (9), 2141-2146.

479.de Almeida CMA, Silva TD, Malafaia CB, do Amaral DOJ, de Souza Arruda IR, de Brito GG, Donato VMTS, da Silva MV, dos Santos Correia MT. Proteomic and physiological analysis of response to water deficit in sugarcane. *Wudpecker Journal of Agricultural Research*. 2013. 2(1), 001-007.

480.Ghanbari Zarmehri S, Moosavi SG, Zabihi HR, Seghateslami MJ. The effect of plant growth promoting rhizobacteria (PGPR) and zinc fertilizer on forage yield of maize under water deficit stress conditions. *Technical Journal of Engineering and Applied Sciences*. 2013. 3 (23), 3281-3290.

481.Grzesiak S, Grzesiak MT, Hura T, Marcinska I, Rzepka A. Changes in root system structure, leaf water potential and gas exchange of maize and triticale seedlings affected by soil compaction. *Environmental and Experimental Botany*. 2013. 88, Special Issue, 2-10.

482.Habibi G, Hajiboland R. Alleviation of drought stress by silicon supplementation in pistachio (*Pistacia vera* L.) plants. *Folia Horticulturae* 2013. 25 (1), 21-29.

483.Khan SM, Ahmad SS, Erum S, Wahid A, Nawaz M. An assessment of vegetation dominance against moisture stress in changa manga forest. *Pak. J. Bot.* 2013. 45(6), 1939-1944.

484.Leufen G, Noga G, Hunsche M. Physiological response of sugar beet (*Beta vulgaris*) genotypes to a temporary water deficit, as evaluated with a multiparameter fluorescence sensor. *Acta Physiologiae Plantarum*. 2013. 35 (6), 1763-1774.

485.Maleki A, Naderi A, Naseri R, Fathi A, Bahamin S, Maleki R. Physiological performance of soybean cultivars under drought stress. *Bull. Env. Pharmacol. Life Sci.* 2013. 2 (6), 38-44.

486.Mostofa KMG, Liu C, Pan X, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG. Photosynthesis in Nature: A New Look. In: Environmental Science and Engineering, Photobiogeochemistry of Organic Matter - Principles and Practices in Water Environments (Editors: Khan MG Mostofa, Takahito Yoshioka, Abdul Mottaleb, Davide Vione). 2013. pp 561-686. Springer.

487.Munawarti A., Taryono, Semiarti E., Holford P., Sismindari - Tolerance of accessions of glagah (*Saccharum spontaneum*) to drought stress and their accumulation

- of proline. *American Journal of Agricultural and Biological Sciences*. 8 (1), 2013. 1-11.
- 488.Nezhadahmadi A, Prodhan Z, Faruq G. Drought tolerance in wheat. *The Scientific World Journal*. 2013. 1-17, Article ID 610721. <http://dx.doi.org/10.1155/2013/610721>
- 489.Nguyen TX, Nguyen T, Alameldin H, Goheen B, Loescher W, Sticklen M. Transgene pyramiding of the HVA1 and mtlD in T3 maize (*Zea mays L.*) plants confers drought and salt tolerance, along with an increase in crop biomass. *International Journal of Agronomy*. 2013. Article ID 598163, 10 pages, <http://dx.doi.org/10.1155/2013/598163>.
- 490.Riaz A, Younis A, Taj AR, Karim A, Tariq U, Munir S, Riaz S. Effect of drought stress on growth and flowering of marigold (*Tagetes erecta L.*). *Pak. J. Bot.* 2013. 45(S1), 123-131.
- 491.Ribeiro RV, Machado RS, Machado EC, Machado DFSP, Magalhães Filho JR, Landell MGA. Revealing drought-resistance and productive patterns in sugarcane genotypes by evaluating both physiological responses and stalk yield. *Expl Agric.* 2013. 49 (2), 212-224.
- 492.Shaddad MAK, Abd El-Samad HM, Mostafa D. Role of gibberellic acid (GA3) in improving salt stress tolerance of two wheat cultivars. *International Journal of Plant Physiology and Biochemistry*. 2013. 5(4), 50-57.
- 493.Signorelli S, Corpas FJ, Borsani O, Barroso JB, Monza J. Water stress induces a differential and spatially distributed nitro-oxidative stress response in roots and leaves of *Lotus japonicus*. *Plant Sci.* 2013. 201, 137-146.
- 494.Tripathi P, Rabara RC, Rushton PJ. A systems biology perspective on the role of WRKY transcription factors in drought responses in plants. *Planta*. 2013 (*in press*). DOI 10.1007/s00425-013-1985-y
- 495.Verlinden M, Van Kerkhove A, Nijs I. Effects of experimental climate warming and associated soil drought on the competition between three highly invasive West European alien plant species and native counterparts. *Plant Ecology*. 2013. 214 (2), 243-254.
- 496.Zlatev ZS. Drought-induced changes and recovery of photosynthesis in two bean cultivars (*Phaseolus vulgaris L.*), *Emirates Journal of Food and Agriculture*. 2013. 25 (12), 1014-1023.

Yordanova R, Alexieva V, Popova L. Influence of Root Oxygen Deficiency on Photosynthesis and Antioxidant Status in Barley Plants. Russ. J. Plant Physiol. 2003. 50 (2), 163-167. ISSN: 1021-4437.

497.Wei W, Li D, Wang L, Ding X, Zhang Y, Gao Y, Zhang X. Morpho-anatomical and physiological responses to waterlogging of sesame (*Sesamum indicum L.*). *Plant Science*. 2013. 208, 102-111.

Ivanova A, Khozin-Goldberg I, Kamenarska Z, Nechev J, Cohen Z, Popov S, Stefanov K, Lipophylic compounds from *Euphorbia peplis L.* – a halophytic plants from the Bulgarian Black Sea Coast, Z. Naturforsch. 2003. 58c, 783-788. ISSN: 0939-5075.

498.Khazir J, Mir BA, Mir SA. Natural products as lead compounds in drug discovery. *Journal of Asian Natural Products Research*. 2013. 15 (7), 764-788. DOI: 10.1080/10286020.2013.798314

499. Ali AA, Sayed HM, Ibrahim SRM, Zaher AM. Chemical constituents, antimicrobial, analgesic, antipyretic, and anti-inflammatory activities of *Euphorbia peplus* L. *Phytopharmacology*. 2013. 4, 69-80. ISBN 0-415-28033-8

2004

Demirevska-Kepova K, Simova-Stoilova L, Stoyanova Z, Holzer R, Feller U. Biochemical changes in barley plants after excessive supply of copper and manganese. *Environ. Exp. Bot.* 2004. 52, 253-266.

500. Adams A, Raman A, Hodgkins D. How do the plants used in phytoremediation in constructed wetlands, a sustainable remediation strategy, perform in heavy-metal-contaminated mine sites? *Water and Environment Journal*. 2013. 27, 373-386. ISSN: 1747-6593

501. Arunakumara KKIU, Walpola BC, Yoon M-H. Alleviation of phyto-toxicity of copper on agricultural plants. *Journal of the Korean Society for Applied Biological Chemistry*. 2013. 56, 505-517. ISSN: 1738-2203

502. Bahmanzari H, Khoshgoftarmanesh A, Sanaei OA, Shirvani M, Haghghi M. Effect of different levels of nickel in nutrient solution containing NH_4NO_3 on lipid peroxidation and activity of some antioxidant enzymes in cucumber leaves. *J Sci Technol of greenhouse culture*. 2013. 3, 91-103. ISSN 2008-9082

503. Barbosa RH, Tabaldi LA, Miyazaki FR, Pilecco M, Kassab SO, Bigaton D. Absorção foliar de cobre por plantas de milho: Efeitos no crescimento e rendimento | [Foliar copper uptake by maize plants: Effects on growth and yield] *Ciencia Rural*. 2013. 43, 1561-1568. ISSN 0103-8478

504. Bielen A, Remans T, Vangronsveld J, Cuypers A. The influence of metal stress on the availability and redox state of ascorbate, and possible interference with its cellular functions. *Internat. J. Molec. Sci.* 2013. 14, 6382-6413. ISSN 1422-0067

505. Cuypers A, Remans T, Weyens N, Colpaert J, Vassilev A, Vangronsveld J. Soil-Plant Relationships of Heavy Metals and Metalloids. Chapter 6 in *Heavy Metals in Soils, Environmental Pollution*. 2013. 22, 161-193.

506. Djingova R, Mihaylova V, Lyubomirova V, Tsalev DL. Multielement analytical spectroscopy in plant ionomics research. *Appl. Spectrosc. Rev.* 2013. 48, 384-424. ISSN: 0021-9037

507. Han Y-L, Huang S-Z, Yuan H-Y, Gu J-G, Zhao J-Z, Wu X, Si W-J. Effect of Pb and Zn combined stress on the growth and elements accumulation of two different ecotype species of *Iris* L. in artificial contaminated soils. *Fresenius Environmental Bulletin*. 2013. 22, 1548-1555. ISSN 1018-4619

508. Kalai T, Khamassi K, Teixeira da Silva JA, Gouia H, Ben-Kaab LB. Cadmium and copper stress affect seedling growth and enzymatic activities in germinating barley seeds. *Arch.Agron. Soil Sci.* 2013 DOI: 10.1080/03650340.2013.838001 ISSN 0365-0340

509. Kandziora-Ciupa M, Ciepal R, Nadgórska-Socha A, Barczyk G. A comparative study of heavy metal accumulation and antioxidant responses in *Vaccinium myrtillus* L. leaves in polluted and non-polluted areas. *Environ.Sci. Pollution Research*. 2013. 20, 4920-4932. ISSN: 0944-1344

510. Keser G. Effects of irrigation with wastewater on the physiological properties and heavy metal content in *Lepidium sativum* L. and *Eruca sativa* (Mill.). *Environmental Monitoring and Assessment*. 2013. 185, 6209-6217. ISSN: 0167-6369

511. Kováčik J, Babula P, Hedbavny J, Švec P. Manganese-induced oxidative stress in two ontogenetic stages of chamomile and amelioration by nitric oxide. *Plant Science*. 2013. 215-216, 1-10. ISSN: 0168-9452
512. Manceau A, Simionovic A, Lanson M, Perrin J Tucoulou R, Bohic S, Fakra SC, Marcus MA, Bedelle J-P, Nagyf KL. *Thlaspi arvense* binds Cu(II) as a bis-(L-histidinato) complex on root cell walls in an urban ecosystem. *Metalomics*. 2013. 1674-1684.
513. Millaleo R, Reyes-Díaz M, Alberdi M, Ivanov AG, Krol M, Hüner NPA. Excess manganese differentially inhibits photosystem i versus II in *Arabidopsis thaliana*. *J.Exp. Bot.* 2013. 64, 343-354.
ISSN 0022-0957
514. Mohsen A, Dowidar S, Abo-hamad S, Khalaf B. Role of cyanobacteria in amelioration of toxic effects of copper in *Trigonella foenum gracum*. *Aust. J. Crop Science*. 2013. 7, 1488-1493. ISSN 1835-2707
515. Paoli L, Fiorini E, Munzi S, Sorbo S, Basile A, Loppi S. Antimony toxicity in the lichen *Xanthoria parietina* (L.) Th. Fr. *Chemosphere* 2013. 93, 2269-2275. ISSN: 0045-6535
516. Pavel VL, Sobariu DL, Diaconu M, Stătescu F, Gavrilescu M. Effects of heavy metals on *Lepidium sativum* germination and growth. *Environ. Engin. Manag. J.* 2013. 12, 727-733. ISSN: 1582-9596
517. Ribera-Fonseca A, Inostroza-Blancheteau C, Cartes P, Rengel Z, Mora ML. Early induction of Fe-SOD gene expression is involved in tolerance to Mn toxicity in perennial ryegrass. *Plant Physiol. Biochem.* 2013. 73, 77-82. ISSN: 0981-9428
518. Ribera AE, Reyes-Díaz MM, Alberdi MR, Alvarez-Cortez DA, Rengel Z, Mora MDLL. Photosynthetic impairment caused by manganese toxicity and associated antioxidative responses in perennial ryegrass. *Crop Pasture Sci.* 2013. 64, 696-707. ISSN 1836-0947
519. Shavakh S, Ghalandari Kavkani S, Nouri J. Accumulation of copper, lead in selected medicinal plants. *Asian Journal of Chemistry*. 2013. 25, 2977-2980.
520. Smith CL, Stauber JL, Wilson MR, Jolley DF. The use of immobilised metal affinity chromatography (IMAC) to compare expression of copper-binding proteins in control and copper-exposed marine microalgae. *Analyt. Bioanalyt. Chem.* 2013. 406(1), 305-15. ISSN: 1618-2642
521. Thounaojam TC, Panda P, Choudhury S, Patra HK, Panda SK. Zinc ameliorates copper-induced oxidative stress in developing rice (*Oryza sativa* L.) seedlings. *Protoplasma*. 2013 (in press). ISSN: 0033-183X
522. Verma K, Mehta SK, Shekhawat GS. Nitric oxide (NO) counteracts cadmium induced cytotoxic processes mediated by reactive oxygen species in *Brassica juncea*: Cross-talk between ROS, NO and antioxidant responses. *BioMetals*. 2013. 26, 255-269. ISSN: 0966-0844
523. Wang H. Cu and Cd induced cytotoxicity involving lipid peroxidation and sulfhydryl compounds in the hyperaccumulator and nonaccumulator varieties of *Commelinia Communis*. *Internat. J. Environ. Sci. Develop.* 2013. 4, 331-335. ISSN: 2010-0264
524. Wang H, Xu R, You L, Zhong G. Characterization of Cu-tolerant bacteria and definition of their role in promotion of growth, Cu accumulation and reduction of Cu

toxicity in *Triticum aestivum* L, Ecotoxicol. Environ. Safety. 2013. 94, 1-7. ISSN: 0147-6513

525. Wang H, Wang T, You L, Zhong G, Shi G. Effects of vanadate supply on plant growth, Cu accumulation, and antioxidant capacities in *Triticum aestivum* L. Environ. Geochem. Health. 2013. 35, 585-592. ISSN: 0269-4042

526. Yuan H-M, Xu H-H, Liu W-C, Lu Y-T. Copper regulates primary root elongation through PIN1-mediated auxin redistribution. Plant Cell Physiol. 2013. 54, 766-778. ISSN 0032-0781

527. Zappala MN, Ellzey JT, Bader J, Peralta-Videa JR, Gardea-Torresdey J. *Prosopis pubescens* (screw bean mesquite) seedlings are hyperaccumulators of copper. Arch. Environ. Contamin. Toxicol. 2013. 65, 212-223. ISSN: 0090-4341

528. Zhou C-P, Qi Y-P, You X, Yang L-T, Guo P, Ye X, Zhou X-X, Ke F-J, Chen L-S. Leaf cDNA-AFLP analysis of two citrus species differing in manganese tolerance in response to long-term manganese-toxicity. BMC Genomics 14, 621. ISSN: 1471-2164

Velikova V, Edreva A, Loreto F. Endogenous isoprene protects *Phragmites australis* leaves against singlet oxygen. Physiol. Plant. 2004. 122, 219-225. ISSN: 1399-3054.

529. Bartwal A, Mall R, Lohani P, Guru SK, Arora S. Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses. J. Plant Growth Regul. 2013. 32(1), 216-232.

530. Eccher G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A. Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. Plant Physiol. 2013. 161 (4), 1952-1969.

531. Jardine KJ, Meyers K, Abrell L, Alves EG, Serrano AM, Kesselmeier J, Karl T, Guenther A, Chambers JQ, Vickers C. Emissions of putative isoprene oxidation products from mango branches under abiotic stress. J. Exp. Bot. 2013. 64(12), 3697-3709.

532. Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. Scientific Bulletin of ESCORENA. 2013. 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>

533. Kumar D, Yusuf MA, Singh P, Sardar M, Sarin NB - Modulation of antioxidant machinery in alpha-tocopherol-enriched transgenic *Brassica juncea* plants tolerant to abiotic stress conditions. Protoplasma. 2013. 250(5), 1079-1089.

534. Ryan AC, Hewitt CN, Possell M, Vickers CE, Purnell A, Mullineaux PM, Davies WJ, Dodd IC. Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. New Phytologist. 2013. (in press). doi: 10.1111/nph.12477

535. Sun Z. Isoprene emission from aspen (*Populus sp.*) in relation to environmental drives. Estonian University of Life Science, 2013. (PhD Thesis)

Fedina I, Georgieva K, Grigorova I. Response of barley seedlings to UV-B radiation as affected by proline and NaCl. Biologia Plantarum. 2004. 47 (4), 549-554. ISSN: 0006-3134.

536. Choudhary KK, Agrawal SB. Cultivar specificity of tropical mung bean (*Vigna radiata* L.) to elevated ultraviolet-B: Changes in antioxidative defense system, nitrogen metabolism and accumulation of jasmonic and salicylic acids. Environmental and

Experimental Botany. 2013. ISSN 0098-8472,
<http://dx.doi.org/10.1016/j.envexpbot.2013.11.006>.

Doltchinkova V, Georgieva K, Traytcheva N, Slavov Ch, Mishev K. Melittin-induced changes in thylakoid membranes: particle electrophoresis and light scattering study. Biophysical Chemistry. 2004. 109 (3), 387-397. ISSN: 0301-4622.

537.Lee J. Designer Transgenic Algae for Photobiological Production of Hydrogen from Water. Advanced Biofuels and Bioproducts. 2013. 371-404.

Peeva V, Maslenkova L. Thermoluminescence study of photosystem II activity in Haberlea rhodopensis and spinach leaves during desiccation. Plant Biol. 2004. 6(3), 319-324. ISSN: 1435-8603.

538.Hasni I, Hamdani S, Carpentier R. Destabilization of the oxygen evolving complex of photosystem II by Al³⁺. Photochemistry and Photobiology. 2013. 89(5), 1135-1142.

Yonova P, Stoilkova G. Synthesis and biological activity of urea and thiourea derivatives from 2-aminoheterocyclic compounds. J. Plant Growth Regul. 2004. 23, 280-291. ISSN: 0721-7595.

539.Rauf M, Talib A, Badshah A, Zaib S, Shoaib K, Shahid M, Flörke U, Iqbal J. Solution-phase microwave assisted parallel synthesis of N,N'-disubstituted thioureas derived from benzoic acid: Biological evaluation and molecular docking studies. Eur J Med Chem. 2013. 70, 487-496.

540.Singh D, Gangwar M, Kumar D, Nath G, Pratap S. Synthesis, spectroscopic characterization, crystal structure, antimicrobial and in vitro hemolytic studies of some novel substituted thiourea derivatives. J Chem Crystallography. 2013. 43, 610-621.

541.Singh D, Pratap S, Gupta K, Butcher R. Structural and spectral speciation on methyl 2-(3-(furan-2-carbonyl) thioureido)benzoate: A comparative experimental and theoretical study. J Mol Structure. 2013. 1048, 500-509.

542.Wang W, Zhong H, Guo D, Liu G. Synthesis and bioactivity of poly N-phenylene-N'-aryloylthiourea. Appl Mech Mater. 2013. 341, 351-354

543.Saeed A, Zaib S, Pervez A, Mumtaz A, Shahid M, Iqbal J. Synthesis, molecular docking studies, and in vitro screening of sulfanilamide-thiourea hybrids as antimicrobial and urease inhibitors. Med Chem Res. 2013. 22, 3653-3662.

544.Tang X, Xue F, Ma H, Cao X, Chen C, Li X. Synthesis and antifungal activity of d-glucopyranosyl ureas and d-glucofuran-imidazolidine-2-ones. Res Chem Intermediates. 2013. 39, 805-820.

545.Wang W, Zhong H, Deng X, Liu G. Synthesis and bioactivities of poly N-Arenely-N'-(1,4-butenyldioxycarbonyl)thioureas. Adv Mater Res. 2013. 610-613, 177-180.

546.Motte H, Werbrouck S, Geelen D. In Vitro Propagation. Plant Chem Biol, 2013. Wiley Online Library.

Yordanova R, Kolev K, Stoinova Zh, Popova L. Changes in the leaf polypeptide patterns of barley plants exposed to soil flooding. Biologia Plantarum. 2004. 48 (2), 301-304. ISSN: 0006-3134.

547.Bhatti K, Shah A, Hussain K, Siddiqi E, Nawaz K, Jiahe A. Transgenic tobacco with rice FAE gene shows enhanced resistance to drought stress. Pakistan Journal of Botany. 2013. 45, 321-326.

Yordanova R, Christov K, Popova L. Antioxidative enzymes in barley plants subjected to soil flooding. Environ. Exp. Bot. 2004. 51 (2), 93-101. ISSN: 0098-8472.

548.Xu H.-C, Yin Y.-P, Cai T, Ni, Y.-L, Yang W.-B, Peng D.-L, Yang D.-Q, Wang Z.-L. Responses of winter wheat tillers at different positions to low temperature stress at stem elongation stage and their freezing resistance evaluation. Chinese J. Appl. Ecology. 2013. 24 (8), 2197-2204.

549.Poobathy R, Sinniah U, Xavier R, Subramaniam S. Catalase and superoxide dismutase activities and the total protein content of protocorm-like bodies of *Dendrobium Sonia*-28 subjected to Vitrification. Appl.Biochem. Biotech. 2013. 170 (5), 1066-1079.

550.Pociecha E. Different physiological reactions at vegetative and generative stage of development of field bean plants exposed to flooding and undergoing recovery. Journal of Agronomy and Crop Science. 2013. 199 (3), 195-199.

551.Turkan I, Demiral T, Sekmen A. The regulation of antioxidant enzymes in two *Plantago* species differing in salinity tolerance under combination of waterlogging and salinity. Functional Plant Biology. 2013. 40 (5), 484-493.

552.Wei W, Li D, Wang L, Ding X, Zhang Y, Gao Y, Zhang,X. Morpho-anatomical and physiological responses to waterlogging of sesame (*Sesamum indicum* L.). Plant Sci. 2013. 208, 102-111.

Ananieva K, Malbeck J, Kaminek M, van Staden J. Changes in endogenous cytokinin levels in cotyledons of *Cucurbita pepo* (zucchini) during natural and dark-induced senescence. Physiol. Plant, 2004. 122, 133–142. ISSN: 1399-3054.

553. Chen J, Funnell KA, Lewis DH, Eason JR, Woolley DJ. Cytokinin and gibberellin delay regreening of spathe tissue of *Zantedeschia* ‘Best Gold. Postharvest Biology and Technology. 2013. 84, 61–65.

Ananieva K, Malbeck J, Kaminek M, Van Staden J. Methyl jasmonate down-regulates endogenous cytokinin levels in cotyledons of *Cucurbita pepo* (zucchini) seedlings Physiologia Plantarum. 2004. 122 (4), 496-503. ISSN: 1399-3054.

554.Demmig-Adams B, Cohu CM, Amiard V, van Zadelhoff G, Veldink GA, Muller O, Adams WW. Emerging trade-offs - impact of photoprotectants (PsbS, xanthophylls, and vitamin E) on oxylipins as regulators of development and defense. New Phytologist. 2013. 197 (3), 720-729.

Ananiev ED, Ananieva K, Todorov I. Effect of methyl ester of jasmonic acid, abscisic acid and benzyladenine on chlorophyll synthesis in excised cotyledons of *Cucurbita pepo* (Zucchini). Bulg. J. Plant Physiol. 2004. 30, 51-63. ISSN: 1310-4586.

555.Kaur H, Sharma P, Sirhindhi G. Sugar accumulation and its regulation by jasmonic acid in *Brassica napus* L. under salt stress. Journal of Stress Physiology & Biochemistry. 2013 9 (4), 53-64.

556.Sharma P, Kaur H, Sirhindhi G. Effect of jasmonic acid on photosynthetic

pigments and stress markers in *Cajanus cajan* (L.) Millsp. seedlings under copper stress. American Journal of Plant Sciences. 2013. 4, 817-823.

Alexieva V, Sergiev I, Todorova D, Karanov E, Smith A, Hall M. Effect of ethylene and its antagonist 1-MCP on the senescence of detached leaves of *Arabidopsis thaliana* (L.) Heynh. Biol. Plant. 2004. 48(4), 593-595. ISSN: 0006-3134.

557.Mansouri H, Salari F, Asrar Z. Ethephon application stimulates cannabinoids and plastidic terpenoids production in Cannabis sativa at flowering stage. Industrial Crops and Products. 2013. 46, 269-273. ISSN: 0926-6690.

Bogoeva V, Radeva M, Atanasova L, Stoitsova S, Boteva R. Fluorescence analysis of hormone binding activities of wheat germ agglutinin. Biochim. Biophys. Acta. 2004. 1698, 213-218. ISSN: 1388-1981.

558.Amin F, Bano B. Studies on interaction of buffalo brain cystatin with Donepezil: an Alzheimer's drug. Inter. J. Alzheimer's Disease. 2013. Article number 842689, <http://downloads.hindawi.com/journals/ijad/aip/842689.pdf>.

559.Nevmerzhitskaya YY, Timofeeva OA, Mikhaylov AL, Strobykina AS, Strobykina IY, Mironov VF. Stevioside increases the resistance of winter wheat to low temperatures and heavy metals. Dokl. Biol. Sci. 2013. 452(3), 287-290. ISSN: 0012-4966.

Parvanova D, Ivanov S, Konstantinova T, Karanov E, Atanassov A, Tsvetkov T, Alexieva V, Djilianov D. Transgenic tobacco plants accumulating osmolytes show reduced oxidative damage under freezing stress. Plant Physiol. Biochem. 2004. 42, 57-63. ISSN: 0981-9428.

560.Bhattacharya A, Saini U, Joshi R, Kaur D, Pal AK, Kumar N, Gulati A, Mohanpuria P, Yadav SK, Kumar S, Ahuja PS (Aug) Osmotin-expressing transgenic tea plants have improved stress tolerance and are of higher quality. Transgenic Research. 2013. doi: 10.1007/s11248-013-9740-5. ISSN: 0962-8819.

561.Fraire-Velázquez S, Emmanuel Balderas-Hernández V. Abiotic stress in plants and metabolic responses. In: Abiotic Stress - Plant Responses and Applications in Agriculture. Intechopen. 2013. <http://dx.doi.org/10.5772/54859>.

562.Megha S, Basu U, Kav Nat NV. Metabolic engineering of cold tolerance in plants, Biocatalysis and Agricultural Biotechnology. 2013. ISSN 1878-8181, <http://dx.doi.org/10.1016/j.bcab.2013.11.007>.(<http://www.sciencedirect.com/science/article/pii/S1878818113001400>)

563.Moieni-Korbekandi Z, Karimzadeh G, Sharifi M. Evaluation of total soluble protein and antioxidant activities in two spring cultivars of canola (*Brassica napus* L.) in response to low temperature. 2013. Intl. J. Agri. Crop Sci. Vol. 2013. 5(4), 401-409. ISSN: 2227-670X.

564.Ningthoujam M, Habib K, Bano F, Zutshi S, Fatma T. Exogenous osmolytes suppresses the toxic effects of malathion on *Anabaena variabilis*. Ecotoxicology and Environmental Safety. 2013. 94, 21-27. ISSN: 0147-6513.

565.Pfeiffer T, Štolfa I, Žanić M, Pavičić N, Cesar V, Lepeduš H. Oxidative stress in leaves of two olive cultivars under freezing conditions. Acta Biologica Hungarica. 2013. 64(3), 341-351. ISSN: 0236-5383.

- 566.Pirzad A, Shokrani F, Najafi S Effect of different concentrations of magnetic saline water (Urmia lake water) on germination and seedling growth of *Lathyrus* Sp. Journal of Applied Biological Sciences. 2013. 7(3), 1-7. ISSN: 1307-1130.
- 567.Shin S-Y, Kim I-S, Kim Y-S, Lee H, Yoon H.-S. () Ectopic expression of *Brassica rapa* L. MDHAR increased tolerance to freezing stress by enhancing antioxidant systems of host plants. South African Journal of Botany. 2013. 88, 388-400. ISSN: 0254-6299.
- 568.Sun Y-G, Wang B, Jin S-H, Qu X-X, Li Y-J, B-K Hou. Ectopic expression of *Arabidopsis Glycosyltransferase UGT85A5* enhances salt stress tolerance in tobacco. PLoS ONE. 2013. 8(3): e59924. doi:10.1371/journal.pone.0059924. eISSN 1932-6203.
- 569.Surekha Ch, Kumari KN, Aruna LV, Suneetha G, Arundhati A, Kavi Kishor PB. Expression of the *Vigna aconitifolia* P5CSF129A gene in transgenic pigeonpea enhances proline accumulation and salt tolerance. Plant Cell, Tissue and Organ Culture. 2013. 1-10, doi: 10.1007/s11240-013-0378-z. ISSN: 0167-6857.
- 570.Todorova D, Katerova Z, Shopova E, Nikolova A, Georgieva N, Sergiev I, Mapelli S. Polyamine spermine protects young pea plants against ultraviolet-C radiation. Biotechnology and Biotechnological Equipment. 2013. 27(3), 3798-3802. ISSN: 1310-2818.
- 571.Xu H-H, Kang J, Liang M-X (Apr) Progress on the metabolism of fructan in plant stress resistance 2013. Science paper online; <http://www.paper.edu.cn/releasepaper/content/201304-505>.
- 572.Xu J, Xue C, Xue D, Zhao J, Gai J, Guo N, Xing H. Overexpression of GmHsp90s, a heat shock protein 90 (Hsp90) gene family cloning from soybean, decrease damage of abiotic stresses in *Arabidopsis thaliana*. PLoS ONE. 2013. 8(7), art. no. e69810. ISSN:-1932-6203.
- Atanasova L, Pissarska M, Popov G, Georgiev G. Growth, and endogeneous cytokinins of juniper shoots as affected by high metal concentrations. Biol. Plant. 2004. 48, 157-159. ISSN: 0006-3134.**
- 573.Javadmanesh S, Rahmani F, Pourakbar L. Effect of abiotic stresses on histidine kinases gene expression in *Zea mays* L. cv. SC. 704. J. Stress Physiol. Biochem. 2013. 9, 124-135. ISSN: 1997-0838.
- 574.Hayward AR, Coates KE, Galer AL, Hutchinson TC, Emery RJN. Chelator profiling in *Deschampsia cespitosa* (L.) Beauv. reveals Ni reaction which is distinct from ABA and cytokinin associated response to Cd. Plant Physiol. Biochem. 2013. 64, 84-91. ISSN: 0981-9428.
- Zagorska N, Shtereva L, Dimitrov B, Kruleva M, Sotirova V. and Baralieva D. Induced androgenesis in tomatoes (*Lycopersicon esculentum* Mill.) III. Characteristic of the regenerants. Plant Cell Reports. 2004. 22(7), 449-456. ISSN: 0721-7714.**
- 575.In-Seon Jeong, Ung-Han Yoon, Gang-Seob Lee, Hyeon-So Ji, Hyun-Ju Lee, Chang-Deok Han, Jang-Ho Hahn, Gynheung An and Tae-Ho Kim. SNP-based analysis of genetic diversity in anther-derived rice by whole genome sequencing. Rice. 2013. 6, 6. doi:10.1186/1939-8433-6-6.

Rodeva R, Gabler J. First report of *Phomopsis diachenii* in Bulgaria. Mycologia Balcanica. 2004. 1(2-3), 153-157. ISSN: 1312-3300.

576.Zalewska ED, Machowicz-Stefaniak Z, Król ED, Zimowska B. Diseases of herbs from Apiaceae family. Modern Phytomorphology. 2013. 4, 105-107. ISSN: 2226-3063.

577.Zalewska E, Machowicz-Stefaniak Z, Król E. Harmfulness of *Phomopsis diachenii* Sacc to herbs from Apiaceae family and preparations limiting the growth of this fungus. Acta Scientiarum Polonorum, Hortorum Cultus. 2013. 12(5), 69-83. ISSN: 1644-0692.

Kocheva K, Lambrev P, Georgiev G, Goltsev V, Karabaliev M. Evaluation of chlorophyll fluorescence and membrane injury in the leaves of barley cultivars under osmotic stress. Bioelectrochemistry. 2004. 63, 121-124. ISSN: 1567-5394

578.de Faria AP, Lemos-Filho J, Modolo LV, França MGC. Electrolyte leakage and chlorophyll *a* fluorescence among castor bean cultivars under induced water deficit. Acta Physiol. Plant. 2013. 35, 119-128. ISSN: 0137-5881, ISSN: 1861-1664.

579.Ahmadizadeh M. Physiological and agro-morphological response to drought stress. Mid. East J. Sci. Res. 2013. 13, 998-1009. ISSN : 1990-9233

580.Brestic M, Zivcak M. PSII Fluorescence Techniques for Measurement of Drought and High Temperature Stress Signal in Crop Plants: Protocols and Applications, In: Molecular stress physiology of plants. Eds. G.R. Rout & A.B. Das, Springer, India, 2013. 87-131. ISBN 978-81-322-0806-8. ISBN 978-81-322-0807-5 (eBook).

581.Daszkowska-Golec A, Szarejko I. The molecular basis of ABA-mediated plant response to drought. In: Abiotic Stress – Plant Responses and Applications in Agriculture, pp. 103-133. K. Vahdati and C. Leslies (Eds.). 2013. ISBN 978-953-51-1024-8.

582.Roohi E, Tahmasebi-Sarvestani Z, Modarres-Sanavy SAM, Siosemardeh A. Comparative study on the effect of soil water stress on photosynthetic function of triticale, bread wheat, and barley. *J Agric Sci Tech.* 2013. 15, 215-228. A ISSN 2161-6256; B ISSN 2161-6264.

583.Shirbani S, Haghini JAP, Jafari M, Davarynejad GH. Physiological and biochemical responses of four edible fig cultivars to water stress condition. *Scholarly Journal of Agricultural Science.* 2013. 3, 473-479. e-ISSN 2276-7118.

584.Farshadfar E, Elyasi P, Hasheminasab H. Incorporation of agronomic and physiological indicators of drought tolerance in a single integrated selection index for screening drought tolerant landraces of bread wheat genotypes. *International Journal of Agronomy and Plant Production.* 2013. 4, 3314-3325. ISSN 2051-1914.

585.Hu Y, Zgang Y, Yi X, Zhan D, Luo H, Chow WS, Zhang W. The relative contribution of non-foliar organs of cottonto yield and related physiological characteristics under water deficit. *Journal of Integrative Agriculture.* 2013. doi: 10.1016/S2095-3119(13)60568-7 (in press). ISSN: 2095-3119.

2005

Miteva L, Tsoneva J, Ivanov S, Alexieva V. Alteration of the content of hydrogen peroxide and malondialdehyde and activity of some antioxidant enzymes in the roots and leaves of Pea and Wheat plants exposed to glyphosate. Compt. rend. Acad. Bulg. Sci. 2005. 58(6), 723-728. ISSN: 1310-1331.

586.Rossikhina-Galycha A. Components prooxidant-antioxidant system in vegetative organs of corn plants as an indicator of their response to the effects of the herbicide. Visnyk of the Lviv University, Series Biology. 2013. 62, 315-324. ISSN: 0206-5657.

Atanasova L, Dobrev P, Pissarska M, Malbeck J, Pulcheva D, Iliev L. Effect of Atrazine on Major Endogenous Cytokinin Types in Maize Plants. Compt. Rend. Acad. Bulg. Sci. 2005. 58, 1225-1229. ISSN: 1310-1331.

587.Javadmanesh S, Rahmani F, Pourakbar L. Effect of abiotic stresses on histidine kinases gene expression in *Zea mays* L. cv. SC. 704. J. Stress Physiol. Biochem. 2013. 9, 124-135. ISSN: 19970838.

Doncheva S, Amenos M, Poschenrieder C, Barcelo J Root cell patterning: a primary target for aluminium toxicity in maize. J. Exp. Bot. 2005. 56 (414): 1213-1220. ISSN: 0098-8472

588.Mohan V, Achary M, Parinandi NL, Panda BB. Calcium channel blockers protect against aluminium-induced DNA damage and block adaptive response to genotoxic stress in plant cells. Mutation Research/Genetic Toxicology and Environmental Mutagenesis. 2013. 751 (2), 130-138. ISSN 1383-5718

589.Gordin CRB, Marques RF, Rosa RJM, dos Santos AM, Scalon SDPQ. Emergência de plântulas e crescimento inicial do pinhão manso exposto a alumínio. Semina: Ciências Agrárias. 2013. 34(1), 147-156. ISSN: 1676-546X

590.Ruiz-Herrera LF, López-Bucio J. Aluminum induces low phosphate adaptive responses and modulates primary and lateral root growth by differentially affecting auxin signaling in *Arabidopsis* seedlings. Plant and Soil 2013. 371, (1-2), 593-609. ISSN: 0032-079X

591.Arroyave C, Tolrà R, Thuy T, Barceló J, Poschenrieder C. Differential aluminum resistance in *Brachiaria* species. Env. Exp. Bot. 2013. 89, 11-1. ISSN: 0098-8472

592.Kankanage K, Arunakumara IU, Walpola BC, Yoon MA. Aluminum toxicity and tolerance mechanism in cereals and legumes. A review. Journal of the Korean Society for Applied Biological Chemistry. 2013. 56, 1-9. ISSN: 1738-2203

593.Bhoomika K, Pyngrope S, Dubey RS. Differential responses of antioxidant enzymes to aluminum toxicity in two rice (*Oryza sativa* L.) cultivars with marked presence and elevated activity of Fe SOD and enhanced activities of Mn SOD and catalase in aluminum tolerant cultivar. Plant Growth Regulation, 2013. 71 (3), 235-252. ISSN: 0167-6903

594.Fang ZX, Lei GJ, Wang ZW, Shi YZ, Braam J, Li GX, Zheng SJ. Coordination between apoplastic and symplastic detoxification confers plant Al resistance. Plant Physiology 2013. 162 (4), 1947-1955. doi: 10.1104/pp.113.219147. ISSN 0032-0889

595.Baluška F, Mancuso S. Root apex transition zone as oscillatory zone. Front Plant Sci. 2013.4: 354. doi: 10.3389/fpls.2013.00354, ISSN: 1664-462X

596.Plant Roots: The Hidden Half, Fourth Edition, (eds. Amram Eshel, Tom Beeckman) CRC Press, Apr 17, 2013. ISBN 13: 978-1-4398-4609-0

597.Ezaki B, Jayaram K, Higashi A, Takahashi K. A combination of five mechanisms confers a high tolerance for aluminum to a wild species of Poaceae, *Andropogon virginicus* L. Env. Exp. Bot. 2013. 93, 35-44. ISSN 0098-8472

598.Hajiboland R, Barceló J, Poschenrieder C, Tolrà R. Amelioration of iron toxicity: A mechanism for aluminum-induced growth stimulation in tea plants. *Journal of Inorganic Biochemistry* 2013. 128, 183-187. ISSN 1099-0682

599.Gordin CRB; Marques RF, Juliana R, Rosa M, Marques dos Santos A, Scalon S. Seedling emergence and early growth of jatropha plants exposed to aluminum. *Semina Ciências Agrárias*, Londrina. 2013. 34 (1), 147-156. ISSN 1676-546X

600.Martínez-Trujillo M, Solís-Guzmán G, Jiménez-Saragoz JC, Hernández DL, Carreón-Abud Y, Ríos-Chávez P. Morphogenic responses of the roots of *Arabidopsis thaliana* (Magnoliophyta: Brassicales) to Cr(VI) stress. *Rev. chil. hist. nat.* 2013. 86 (2), Santiago. jun. 2013. <http://dx.doi.org/10.4067/S0716-078X201300020000>. ISSN 0716-078X

601. Carreño A, Chaparro-Giraldo A. Aluminum tolerance: mechanisms and genes. *Univ. Sci.* (2013). 18 (3), 283-310. doi: 10.11144/Javeriana.SC18-3.taev.

Kocheva KV, Busheva MC, Georgiev GI, Lambrev PH, Goltsev VN. Influence of short-term osmotic stress on the photosynthetic activity of barley seedlings. Biologia Plantarum. 2005. 49, 145-148. ISSN: 0006-3134 (Print), 1573-8264 (Online).

602.Kavas M, Baloglu MC, Akça O, Köse FS, Gökçay D. Effect of drought stress on oxidative damage and antioxidant enzyme activity in melon seedlings. *Turk J Biol.* 2013.37, 491-498. ISSN 1300-0152 (Print), 1303-6092 (Online).

603.Haile EH. The effect of natural variation at *Ppd-H1* and *HvELF3* on responses to osmotic stress in barley (*Hordeum vulgare*). PhD Thesis, Köln.

Kocheva KV, Georgiev GI, Kochev VK. A diffusion approach to the electrolyte leakage from plant tissues. Physiologia Plantarum. 2005. 125, 1-9. Online ISSN: 1399-3054.

604.Jiang J, Su M, Chen Y, Gao N, Jiao C, Sun Z, Li F, Wang C. Correlation of drought resistance in grass pea (*Lathyrus sativus*) with reactive oxygen species scavenging and osmotic adjustment. *Biologia.* 2013.68, 231-240. ISSN 0006-3088 (Print), 1336-9563 (Online).

605.Sun Z. Isoprene emission from aspen (*Populus sp.*) in relation to environmental drivers. PhD Thesis, Estonian University of Life Sciences, Tartu, 2013.

606.Sun Z, Huve K, Vislap V, Niinemets U. Elevated growth [CO₂] enhances isoprene emissions under high temperatures and improves thermal resistance in hybrid aspen. *J Exp Bot* doi: 10.1093/jxb/ert318. Online: October 23, 2013. ISSN 1460-2431 (Online), ISSN 0022-0957 (Print).

607.Hassan NM, El-Bastawisy ZM, El-Sayed AK, Ebeed HT. Roles of dehydrin genes in wheat tolerance to drought stress. *Journal of Advanced Research.* (in press). Online: November 21, 2013. ISSN: 2090-1232.

Ganeva G, Korzun V, Landjeva S, Tsenov N, Atanasova M. Identification, distribution and effects on agronomical traits of the semi-dwarfing *Rht* alleles in Bulgarian bread wheat varieties. Euphytica. 2005. 145 (3), 307-317. ISSN: 0014-2336

608.Divashuk M, Bespalova L, Vasilyev A, Fesenko I, Puzyrnaya O, Karlov G. Reduced height genes and their importance in winter wheat cultivars grown in southern

- Russia. *Euphytica*. 2013. 190, 137-144. ISSN: 0014-2336.
609. Чеботар Г, Чеботар С, Моцний І, Сиволап Ю. Уточнення ступеню зчеплення генів *Rht8* та *Ppd-D1* на 2D хромосомі озимої м'якої пшениці. Цитологія та генетика. 2013. 2, 12-17. ISSN: 0564-3783.
610. Zhao C, Cui F, Fan Zh, Li J, Ding A, Wang H. Genetic analysis of important loci in the winter wheat backbone parent Aimengniu-V. *Austr. J. Crop Sci.* 2013. 7(2), 182-188. ISSN 1835-2693.
611. Chebotar G, Chebotar S, Motsnyy I, Sivolap Y. Clarification of the *Rht8-Ppd-D1* gene linkage on the 2D chromosome of winter bread wheat. *Cytol. Genet.* 2013. 47, 70-74. ISSN: 0095-4527
612. Zhang J, Dell B, Biddulph B, Drake-Brockman F, Walker E, Khan N, Wong D, Hayden M, Appels R. Wild-type alleles of *Rht-B1* and *Rht-D1* as independent determinants of thousand-grain weight and kernel number per spike in wheat. *Mol. Breed.* 2013. doi 10.1007/s11032-013-9905-1. ISSN: 1380-3743
- Miteva E, Christova D, Nenova V, Maneva S. Arsenic as a factor affecting virus infection in tomato plants. Changes in plant growth, peroxidase activity and chloroplasts pigments. *Sci Hortic - Amsterdam*. 2005. 105, 343-358. ISSN 0304-4238.**
613. Hue NV. Arsenic chemistry and remediation in Hawaiian soils. *International Journal of Phytoremediation*. 2013. 15, 105-116. ISSN 1522-6514 (Print), 1549-7879 (Online).
614. Li H-B, Yang L-F, Li Y-D. 土壤砷对大豆主要性状及叶绿素含量的影响 [Effects of Soil Arsenic on Soybean Main Traits and Chlorophyll Content at Different Growing Stage] (на китайски). *Acta agronomica sinica*. 2013. 39, 1303-1308. ISSN 0496-3490.
615. Gusman G, Oliveira J, Farnese F, Cambraia J. Mineral nutrition and enzymatic adaptation induced by arsenate and arsenite exposure in lettuce plants. *Plant Physiology and Biochemistry*. 2013. 71, 307 - 314. ISSN: 0981-9428.
- Vaseva-Gemisheva I, Lee D, Karanov E. Response of *Pisum sativum* cytokinin oxidase/dehydrogenase expression and specific activity to drought stress and herbicide treatments. *Plant Growth Regul.* 2005. 46, 199-208. ISSN: 0167-6903**
616. Trifunović M, Cingel A, Simonović A, Jevremović S, Petrić M, Dragićević IĆ, Motyka V, Dobrev PI, Zahajská L, Subotić A. Overexpression of *Arabidopsis* cytokinin oxidase/dehydrogenase genes AtCKX1 and AtCKX2 in transgenic *Centaurium erythraea* Rafn. *Plant Cell, Tissue Org.Cult. (PCTOC)*. 2013. DOI:10.1007/s11240-013-0347-6
- Vassileva VN, Kouchi H, Ridge RW. Microtubule dynamics in living root hairs: transient slowing by lipochitin oligosaccharide nodulation signals. *Plant Cell*. 2005. 17, 1777-1787. ISSN 1040-4651**

617.Hardham AR. Microtubules and biotic interactions. *Plant J.* 2013. 75, 2, 278-289.
ISSN: 1365-313X

618. Xiu C, Ren-Xue X, De-Jian Z, Bo S. Effects of nutrients on the seedlings root hair development and root growth of *Poncirus trifoliata* under hydroponics condition. *Chinese J. Appl. Ecol.* 2013. 24, 6, 1525-1530.

Vassileva VN, Fujii Y, Ridge RW. Microtubule dynamics in plants. Plant Biotechnol. 2005. 22, 171-178.

619.Mitra Shojania F, Jimmy B, Carly W. Analysis of a single soybean microtubule's persistence length. *Adv. Biosci. Biotechnol.* 2013. 4, 930-936.

Dimitrov I, Stancheva I, Mitova I, Atanasova E. Quality and yield of lettuce in dependence on different fertilizer sources. Bulg. J. Agr. Sci. 2005. 5, 589-594. ISSN 1310-0351

620.Haytova D., (2013). A Review of Foliar Fertilization of Some Vegetables Crops. Annual Review & Research in Biology. Science Domain International, 3(4); 455- 465.

Georgieva K, Maslenkova L, Peeva V, Markovska Y, Stefanov D, Tuba Z. Comparative study on the changes in photosynthetic activity of the homoiochlorophyllous desiccation-tolerant *Haberlea rhodopensis* and spinach leaves during desiccation and rehydration. Photosynthesis Research. 2005. 85, 191-203. ISSN: 0166-8595.

621.Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. *Physiology and Molecular Biology of Plants.* 2013. 19(3), 333-341.

622.Zeng X-Q, Hou Y-J, Yang Z-C, Peli E, Nie L, Peng C-L. Chlorophyll fluorescence of desiccation-tolerant cyanobacterial crusts of sub-tropical inselberg rocks in southern China: 1. Drought stress responses. *Nova Hedwigia.* 2013. 96(3-4), 501-510.

Peli E, Peeva V, Georgieva K, Tuba Z. Investigation of the homoiochlorophyllous desiccation-tolerant dicot *Haberlea rhodopensis* Friv. during dessication and rehydration. Acta Biologica Szegediensis. 2005. 49(1-2), 173-174. ISSN: 1588-4082.

623.Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. *Physiology and Molecular Biology of Plants.* 2013. 19(3), 333-341.

Velikova V, Loreto F. On the relationship between isoprene emission and thermotolerance in *Phragmites australis* leaves exposed to high temperatures and during the recovery from a heat stress. Plant Cell Environ. 2005. 28, 318-327. ISSN: 1365-3040.

624.Awang Y, Shafieizargar A, Juraimi AS, Othman R. Comparative studies between diploid and tetraploid dez orange [*Citrus sinensis* (L.) Osb.] under salinity stress. *Australian Journal of Crop Science.* 2013. 7 (10), 1436-1441.

625.Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a

signal of plant stress. Scientific Bulletin of ESCORENA. 2013. 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>

626.Khairudin K, Sukiran NA, Goh H-H, Baharum SN, Noor NM. Direct discrimination of different plant populations and study on temperature effects by Fourier transform infrared spectroscopy. Metabolomics. 2013. (*in press*). DOI 10.1007/s11306-013-0570-5

627.Kumari S, Priya P, Misra G, Yadav G. Structural and biochemical perspectives in plant isoprenoid biosynthesis. Phytochem. Reviews. 2013. 12(2), 255-291.

628.Rozenkranz M, Schnitzler J-P. Genetic engineering of BVOC emissions from trees. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions, eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 4. 2013. pp. 95-118. (book)

629.Sun Z. Isoprene emission from aspen (*Populus sp.*) in relation to environmental drives. Estonian University of Life Science, 2013. (PhD Thesis)

Velikova V, Pinelli P, Loreto F. Consequences of inhibition of isoprene synthesis in Phragmites australis leaves exposed to elevated temperatures. Agriculture, Ecosystems & Environment. 2005. 106 (2-3), 209-217. ISSN: 0167-8809.

630.Behnke K, Ghirardo A, Janz D, Kanawati B, Esperschutz J, Zimmer I, Schmitt-Kopplin P, Niinemets U, Polle A, Schnitzler JP, Rosenkranz M. Isoprene function in two contrasting poplars under salt and sunflecks. Tree Physiol. 2013. 33(6), 562-578.

631.Ryan AC, Hewitt CN, Possell M, Vickers CE, Purnell A, Mullineaux PM, Davies WJ, Dodd IC. Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. New Phytologist. 2013. (*in press*). doi: 10.1111/nph.12477

Kirova E, Nedeva D, Nikolova A, Ignatov G. Changes in the biomass production and total soluble protein spectra of nitrate-fed and nitrogen-fixing soybeans subjected to gradual water stress. Plant Soil Environ. 2005. 51, (5)237–242.

632.Kiong A, Chian Y, Hussei S, Rahim A, Tanaka A, Yoshihiro H. Morphological and biochemical responses of *Oryza sativa* L. (cultivar MR219) to ion beam irradiation. Ling et al. / J Zhejiang Univ-Sci B (Biomed & Biotechnol). 2013. 14(12), 1132-1143.

Velikova V, Pinelli P, Pasqualini S, Reale L, Ferranti F, Loreto F. Isoprene decreases the concentration of nitric oxide in leaves exposed to elevated ozone. New Phytol. 2005. 166, 419-426. ISSN: 1469-8137.

633.Bita CE, Gerats T. Plant tolerance to high temperature in a changing environment: scientific fundamentals and production of heat stress-tolerant crops. Frontiers in Plant Science. 2013. 4, 273. doi: 10.3389/fpls.2013.00273

634.Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. Scientific Bulletin of ESCORENA. 2013. 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>

635.Khan A, Staimer N, Tjoa T, Galassetti P, Blake DR, Delfino RJ. Relations between isoprene and nitric oxide in exhaled breath and the potential influence of outdoor ozone: a pilot study. J. Breath Res. 2013, 7(3), Article Number: 036007, DOI:

10.1088/1752-7155/7/3/036007.

636.Peñuelas J, Guenther A, Rapparini F, Llusia J, Filella I, Seco R, Estiarte M, Mejia-Chang M, Ogaya R, Ibañez J, Sardans J, Castaño LM, Turnipseed A, Duhl T, Harley P, Vila J, Estavillo JM, Menéndez S, Facini O, Baraldi R, Geron C, Mak J, Patton EG, Jiang X, Greenberg J. Intensive measurements of gas, water, and energy exchange between vegetation and troposphere during the MONTES campaign in a vegetation gradient from short semi-desertic shrublands to tall wet temperate forests in the NW Mediterranean Basin. *Atmos. Environ.* 2013. 75, 348 – 364.

637.Seco R, Penuelas J, Filella I, Llusia J, Schallhart S, Metzger A, Muller M, Hanse A. Volatile organic compounds in the western Mediterranean basin: urban and rural winter measurements during the DAURE campaign. *Atmos. Chem. Phys.* 2013. 13, 4291-4306.

638.Souza SR, Blande JD, Holopainen JK. Pre-exposure to nitric oxide modulates the effect of ozone on oxidative defenses and volatile emissions in lima bean. *Environ. Pollution* 2013. 179, 111-119.

Velikova V, Tsonev T, Pinelli P, Alessio GA, Loreto F. Localized ozone fumigation system for studying ozone effect on photosynthesis, respiration, electron transport rate and isoprene emission in field-grown Mediterranean oak species. *Tree Physiology*. 2005. 25, 1523-1532. ISSN: 0829-318X.

639.Al Sahli AA, Al-Muwayhi MA, Doagey AR, Basalah MO, Ali HM, El-Zaidy M, Sakran AM. Effect of ozone and ascorbic acid on the anatomical, physiological and biochemical parameters of pepper (*Capsicum frutescens* L.). *Journal of Pure and Applied Microbiology*. 2013. 7, 159-168.

640.Flexas J, Díaz-Espejo A, Gago J, Gallé A, Galmés J, Gulías J, Medrano H. Photosynthetic limitations in mediterranean plants: A review. *Environmental and Experimental Botany*. 2013. (in press). <http://dx.doi.org/doi:10.1016/j.envexpbot.2013.09.002>

641.Guidi L, Calatayud A. Non-invasive tools to estimate stress-induced changes in photosynthetic performance in plants inhabiting Mediterranean areas. *Environmental and Experimental Botany*. 2013 (in press). <http://dx.doi.org/10.1016/j.envexpbot.2013.12.007>

642.Hoshika Y, Omasa K, Paoletti E. Both ozone exposure and soil water stress are able to induce stomatal sluggishness. *Environmental and Experimental Botany*. 2013. 88, 19-23.

643.Niinemets Ü, Monson RK. Ch.18. State-of-the-art of BVOC research: What do we have and what have we missed? A synthesis. In: Ü. Niinemets and R.K. Monson (eds.). *Biology. Controls and Models of Tree Volatile Organic Compound Emissions*. *Tree Physiology* 5, 2013. 509-528.

644.Thwe AA, Vercambre G, Gautier H, Pagès L, Jourdan C, Gay F, Kasemsap P. Dynamic shoot and root growth at different developmental stages of tomato (*Solanum lycopersicum* Mill.) under acute ozone stress. *Scientia Horticulturae*. 2013. 150, 4, 317-325.

Lambreva M, Stoyanova-Koleva D, Baldjiev G, Tsonev T. Early acclimation changes in the photosynthetic apparatus of bean plants during short-term exposure to elevated CO₂ concentration under high temperature and light intensity.

Agriculture, Ecosystems and Environment. 2005. 106 (2-3), 219-232. ISSN: 0167-8809.

645.da Silva JBL, Ferreira PA, Pires LC, Pereira EG, Carneiro JES. Influences of two CO₂ concentrations and water availability on bean crop. Eng. Agríc. 2013. 33 (4), 730-738.

646.Zhang SY, Zhang GC, Liu X, Xia JB. The responses of photosynthetic rate and stomatal conductance of *Fraxinus rhynchophylla* to differences in CO₂ concentration and soil moisture. Photosynthetica. 2013. 51 (3), 359-369.

Demirevska-Kepova K, Holzer R, Simova-Stoilova L, Feller U. Heat stress effects on ribulose-1,5-bisphosphate carboxylase/oxygenase, Rubisco binding protein and Rubisco activase in wheat leaves. Biol. Plant. 2005. 49, 521-525. ISSN: 0006-3134

647.Evlard A. Le potentiel du saule pour la hytostabilisation des sols pollués par les éléments-traces métalliques. Dissertation présentée en vue de l'obtention du grade de Docteur en Sciences 28 mai 2013. Thesis Univ Liege.

648. Hasanuzzaman M, Nahar K, Alam MM, Roychowdhury R, Fujita M. Physiological, biochemical, and molecular mechanisms of heat stress tolerance in plants. Internat. J. Molec. Sci. 2013. 14, 9643-9684. ISSN 1422-0067

649. Kumar S, Singh R, Nayyar H. α -tocopherol application modulates the response of wheat (*Triticum aestivum* L.) seedlings to elevated temperatures by mitigation of stress injury and enhancement of antioxidants. J. Plant Growth Regul. 2013. 32, 307-314. ISSN: 0167-6903

650. Kumar S, Thakur P, Kaushal N, Malik JA, Gaur P, Nayyar H. Effect of varying high temperatures during reproductive growth on reproductive function, oxidative stress and seed yield in chickpea genotypes differing in heat sensitivity. Arch. Agron. Soil Sci. 2013. 59, 823-843. ISSN 0365-0340

651. Liu H, Shen G, Fang X, Fu Q, Huang K, Chen Y, Yu H, Ruan S. Heat stress-induced response of the proteomes of leaves from *Salvia splendens* Vista and King. Proteome Science 2013. 11, art. no. 25. ISSN: 1477-5956

652. Mitra J, Sahia AN, Paula PK. Phyloplane microfungal metabolite influences activity of RuBisCO. Arch. Phytopathol. Plant Protection. 2013. DOI:10.1080/03235408.2013. 814827 ISSN 0323-5408

653. Mitra S, Baldwin IT. RuBPCCase activase (RCA) mediates growth–defense trade-offs: silencing RCA redirects jasmonic acid (JA) flux from JA-isoleucine to methyl jasmonate (MeJA) to attenuate induced defense responses in *Nicotiana attenuata*. New Phytol. 2013. DOI: 10.1111/nph.12591 ISSN: 1469-8137

654. Ushakova SA, Tikhomirov AA, Shikhov VN, Gros J-B, Golovko TK, Dal'Ke IV, Zakhozhii IG. Tolerance of wheat and lettuce plants grown on human mineralized waste to high temperature stress. Advances in Space Research. 2013. 51, 2075-2083. ISSN: 0273-1177

Yordanova R, Uzunova A, Popova L. Effects of short-term soil flooding on stomata behaviour and leaf gas exchange in barley plants. Biol. Plantarum. 2005. 49 (2), 317-319. ISSN: 0006-3134.

655.Emengini E, Blackburn G, Theobald J. Discrimination of plant stress caused by oil pollution and waterlogging using hyperspectral and thermal remote sensing. J.

- Applied Remote Sensing. 2013. 7 (1), 073476.
656. Emengini E, Blackburn G, Theobald J. Detection and Discrimination of Stress in Bean (*Phaseolus vulgaris* Tendergreen) Caused by Oil Pollution and Waterlogging Using Combined Spectral and Thermal Remote Sensing Research. J. Appl. Sci.. 2013. 8 (6), 302-312.
657. Mishra M, Kumar U, Prakash V. Influence of salicylic acid pre-treatment on water stress and its relationship with antioxidant status in *Glycine Max*. Intern. J. Pharma Bio Sci. 2013. 4 (4), B81-B97.
658. Abbruzzese G, Kuzminsky E, Jaoudé R, Angelaccio C, Eshel A, Scoppola A, Valentini R. Leaf epidermis morphological differentiation between *Tamarix africana* Poir. and *Tamarix gallica* L. (Tamaricaceae) with ecological remarks. Plant Biosystems. 2013. 147 (3), 573-582.
659. Shao G, Lan J, Yu S, Liu N, Guo R, She D. Photosynthesis and growth of winter wheat in response to waterlogging at different growth stages. Photosynthetica. 2013. 51 (3), 429-437.
660. Polacik K, Maricle B. Effects of flooding on photosynthesis and root respiration in saltcedar (*Tamarix ramosissima*), an invasive riparian shrub. Environ. Exp. Bot. 2013. 89, 19-27.
661. Kumar P, Pal M, Joshi R, Sairam R. Yield, growth and physiological responses of mung bean [*Vigna radiata* (L.) Wilczek] genotypes to waterlogging at vegetative stage. Physiol. Molec. Biol. Plants. 2013. 19 (2), 209-220.

2006

Lambreva M, Christov K, Tsonev T. Short-term effect of elevated CO₂ concentration and high irradiance on the antioxidant enzymes in bean plants. Biol. Plant. 2006. 50 (4), 617-623. ISSN: 0006-3134.

662. Ibrahim MH, Jaafar HZE, Karimi E, Ghasemzadeh A. Allocation of secondary metabolites, photosynthetic capacity and antioxidant activity of Kacip Fatimah (*Labisia Pumila* Benth) in response to CO₂ and light intensity. The Scientific World Journal. 2013 (*in press*) <http://www.hindawi.com/journals/tswj/aip/360290/>

663. Li D, Liu H, Qiao Y, Wang Y, Dong B, Cai Z, Shi C, Liu Y, Li X, Liu M. Physiological regulation of soybean (*Glycine max* L. Merr.) growth in response to drought under elevated CO₂. Journal of Food, Agriculture and Environment. 2013. 11 (2), 649-654.

Velikova V, Loreto F, Tsonev T, Brilli F, Edreva A. Isoprene prevents the negative consequences of high temperature stress in *Platanus orientalis* leaves. 2006. Funct. Plant Biol. 33, 931-940. ISSN: 1445-4408.

664. Exton DA, Suggett DJ, McGinity TJ, Steinke M. Chlorophyll-normalized isoprene production in laboratory cultures of marine microalgae and implications for global models. Limnology and Oceanography. 2013. 58 (4), 1301-1311.

Fedina I, Georgieva K, Velitchkova M, Grigorova I. Effect of pre-treatment of barley seedlings with different salts on the level of UV-B induced and UV-B absorbing compounds. Environmental and Experimental Botany. 2006. 56 (3), 225-230. ISSN: 0098-8472.

665.Koga R, Meng T, Nakamura E, Miura C, Irino N, Yahara S, Kondo R. Model examination for the effect of treading stress on young green barley (*Hordeum vulgare*). American Journal of Plant Sciences. 2013. 4, 174-181. doi:10.4236/ajps.2013.41023

Georgieva K, Lichtenthaler HK. Photosynthetic response of different pea cultivars to a low and high temperature treatment. Photosynthetica. 2006. 44(4), 569-578. ISSN: 0300-3604.

666.Brestic M, Zivcak M. PSII fluorescence techniques for measurement of drought and high temperature stress signal in crop plants: Protocols and Applications. In: Molecular Stress Physiology of Plants. Rout, Gyana Ranjan; Das, Anath Bandhu (Eds.). 2013, 87-131.

Ivanova A, Nechev J, Stefanov K. Effect of soil salinity on the lipid composition of halophyte plants from the sand bar of Pomorie. J. General and Applied Plant Physiology (Bulg.). Special Issue. 2006. 125-130. ISSN: 1312-8183.

667.V. N. Nesterov, O. A. Rozentsvet, E. S. Bogdanova . Influence of abiotic factors on the content of fatty acids of *Ulva Intestinalis*. Contemporary Problems of Ecology. 2013. 6(4), 441-447. ISSN: 1995-4263

Kamenarska Z, Ivanova A, Stancheva R, Stoyneva M, Stefanov K, Dimitrova-Konaklieva St, Popov S. Volatile compounds from some Black Sea red algae and their chemotaxonomic application. Botanica Marina. 2006. 49, 47-56. ISSN: 0006-8055.

668.Ferraces-Casais P, Lage-Yusty MA, Rodríguez-Bernaldo De Quirós A, López-Hernández J. Rapid identification of volatile compounds in fresh seaweed. Talanta. 2013. 115, 798-800. ISSN. 0039-9140.

Manova V, Gecheff K, Stoilov L. Efficient repair of bleomycin-induced double-strand breaks in barley ribosomal genes. Mutation Research. 2006. 601, 179-190. ISSN: 0027-5107

669.Hong Z, Kase Y, Moritake T, Gerelchuluun A, Sun L, Suzuki K, Terunuma T, Yasuoka K, Kumada H, Anzai K, Sakurai H, Sakae T, Tsuboi K. Lineal energy-based evaluation of oxidative DNA damage induced by proton beams and X-rays. Int. J. Radiat. Biol. 2013. 89 (1), 36-43. ISSN: 0955-3002

670.Rabey H.E. Comparison of the internal transcribed spacer region (ITS) of the ribosomal RNA genes in wild and cultivated two and six-rowed barleys (*Hordeum vulgare* L.) Molecular Biology Reports 2013. ISSN: 0301-4851

Sergiev I, Alexieva V, Ivanov S, Moskova I, Karanov E. The phenylurea cytokinin 4PU-30 protects maize plants against glyphosate action. Pestic. Biochem. Physiol. 2006. 85, 139-146. ISSN: 0048-3575

671.Badr A, Zaki H, Germoush MO, Tawfeek AQ, El-Tayeb MA. Cytophysiological impacts of Metosulam herbicide on *Vicia faba* plants. Acta Physiol. Plant. 2013. 35(6), 1933-1941. ISSN: 0137-5881.

672.Bajpai J, Srivastava A. Evaluation of germination and seedling tolerance index of black gram genotypes in response to herbicide glyphosate. Annals of Plant Sciences. 2013. 2(9), 351-357.

673.Lu W, Li L, Chen M, Zhou Z, Zhang W, Ping S, Yan Y, Wang J, Lin M. Genome-wide transcriptional responses of *Escherichia coli* to glyphosate, a potent inhibitor of the shikimate pathway enzyme 5-enolpyruvylshikimate-3- phosphate synthase. Mol. BioSyst. 2013. 9(3), 522-530.

674.Pérez DJ, Lukaszewicz G, Menone ML, Amé MV, Camadro EL. Genetic and biochemical biomarkers in the macrophyte *Bidens laevis* L. Exposed to a commercial formulation of endosulfan. Environmental Toxicology. 2013. ISSN 1522-7278. doi: 10.1002/tox.21836. ISSN: 1522-7278.

Simova-Stoilova L, Vassileva V, Petrova T, Tsenov N, Demirevska K, Feller U. Proteolytic activity in wheat leaves during drought stress and recovery. Gen. Appl. Plant Physiol. Special issue. 2006. 32, 91–100.

675.Khoudi H, Maatar Y, Brini F, Fourati A, Ammar N, Masmoudi K. Phytoremediation potential of *Arabidopsis thaliana*, expressing ectopically a vacuolar proton pump, for the industrial waste phosphogypsum. Environ. Sci. Pollution Res. 2013. 20, 1, 270-280.

Hristozkova M, Geneva M, Stancheva I. Response of pea plants (*Pisum sativum* L.) to reduced supply with molybdenum and copper. 2006. Int. J. Agric. Biol., 8: 218–200. ISSN: 1560-8530

676.Gad N, Kandil H. Evaluate the effect of molybdenum and different nitrogen levels on cowpea (*Vigna angularata*). J. Appl. Sci. Res. 2013. 9(3): 1490 – 1497, ISSN 1819-544X

677.Gad N, Abd MR, El-Moez. Influenced of Molybdenum on nodulation, Nitrogen fixation and yield of Cowpea. J. App. Sci. Res. 2013. 9(3): 1498-1504. ISSN: 1819-544X

Hristozkova M, Stancheva I, Geneva M, Georgiev G. Response of inoculated pea plants (*Pisum sativum* L.) to root and foliar fertilizer application with reduced molybdenum concentration in nutrient solution. General Appl. Plant Physiol., special issue, 2006. 73-79. ISSN: Print version: 1312-8183 Electronic version: 1312-8221

da Silva Lobato AK, da Silveira JAG., da Costa RCL, de Oliveira NC. Tolerance to drought in leguminous plants mediated by *Rhizobium* and *Bradyrhizobium*. 2013.

<http://dx.doi.org/10.5772/54094> Agricultural and Biological Sciences » "Responses of Organisms to Water Stress", book edited by Sener Akinci, ISBN 978-953-51-0933-4,

Geneva M, Zehirov G, Djonova E, Kaloyanova N, Georgiev G, Stancheva I. The effect of inoculation of pea plants with mycorrhizal fungi and Rhizobium on nitrogen and phosphorus assimilation. Plant Soil Environ. 2006. 52, 435–440. ISSN 1214-1178

678.Hajong S, Kumaria S, Tandon T. Comparative study of key phosphorus and nitrogen metabolizing enzymes in mycorrhizal and non-mycorrhizal plants of

Dendrobium chrysanthum Wall. ex Lindl. Acta Physiol. Plant. 2013, 1-12, ISSN: 0137-5881

679. Tagore GS, Namdeo SL, Sharma SK, Kumar N. Effect of rhizobium and phosphate solubilizing bacterial inoculants on symbiotic traits, nodule leghemoglobin, and yield of chickpea genotypes, Int. J. Agron. 2013. Article ID 581627, <http://dx.doi.org/10.1155/2013/581627>, ISSN: 1125-4718

680. Hajong S, Kumaria S, Tandon P. Comparative study of key phosphorus and nitrogen metabolizing enzymes in mycorrhizal and non-mycorrhizal plants of *Dendrobium chrysanthum* Wall. ex Lindl. Acta Physiol. Plant. 2013, 35(7), 2311-2322. ISSN 0137-5881

681. Kadian N, Yadav K, Aggarwal A. Significance of bioinoculants in promoting growth, nutrient uptake and yield of *Cyamopsis tetragonoloba* (L.) "Taub. European J Soil Biol. 2013. 58, 66-72. ISSN: 1164-5563

682. Afkhami MEJA, Stachowicz RJJ. Multiple Mutualist effects: conflict and synergy in multispecies mutualisms. Ecology. 2013. <http://dx.doi.org/10.1890/13-1010.1>, ISSN 0012-9658

683. Tanwar A, Yadav K, Prasad K. Biological amendments on growth, nutritional quality, and yield of celery. Int. J. Veg. Sci. 2013. 19 (3). DOI: 10.1080/19315260.2012.715122. ISSN 1931-5260

**Stancheva I, Geneva M, Zehirov G, Tsvetkova G, Hristozkova M, Georgiev G
Effects of combined inoculation of pea plants with arbuscular mycorrhizal fungi and Rhizobium on nodule formation and nitrogen fixing activity. Gen. Appl. Plant Physiol. 2006. special issue, 61-66. ISSN 1310-4586**

684. Jannoura R, Bruns C, Joergensen RG. Organic fertilizer effects on pea yield, nutrient uptake, microbial root colonization and soil microbial biomass indices in organic farming systems. Europ. J. Agron. 2013, 49, 32-41, ISSN: 1161-0301

685. Kadian N, Yadav K, Aggarwal A. Significance of bioinoculants in promoting growth, nutrient uptake and yield of *Cyamopsis tetragonoloba* (L.) "Taub.". Europ. J. Soil Biol. 2013, 58, 66-72, ISSN: 1164-5563

686. Abbasi A, Jafari D, Sharifi RS. Nitrogen rates effects and seed inoculation with Rhizobium leguminosarum and plant growth promoting rhizobacteria (PGPR) on yield and total dry matter of Chickpea (*Cicer arietinum*L.). Techn. J. Engin. Appl. Sci. 2013. 3 (23), 3275-3280. ISSN 2051-0853

687. Nimnoi P, Pongsilp N, Lumyong S. Co-Inoculation of Soybean (*Glycine max*) with Actinomycetes and Bradyrhizobium japonicum Enhances Plant Growth, Nitrogenase Activity and Plant Nutrition. J. Plant Nutr. 2013. DOI: 10.1080/01904167.2013.864308. ISSN 0190-4167

Nenova V. Effect of iron supply on growth and photosystem II efficiency of pea plants. General and Applied Plant Physiology. 2006. 32, 81-90. ISSN 1312-8183.

688. Ozores-Hampton M. Effective strategies to correct iron deficiency in Florida vegetable crops. HortTechnology. 2013. 23, 548-552. ISSN 1063-0198 (Print); 1943-7714 (Online).

689. Carvalho P.G.S. Anatomia e teores nutricionais do xilema secundário de *Citharexylum Myrianthum* Cham (Verbenaceae) em duas condições de solo.

2013.Dissertação apresentada ao no Programa de Pós-Graduação Botânica, Setor de Ciências Biológicas, Universidade Federal Do Paraná, como requisito parcial à obtenção do título de Mestre em Botânica, Curitiba, Brazil.
<http://dspace.c3sl.ufpr.br/dspace/bitstream/handle/1884/32978/>

Landjeva S, Korzun V, Ganeva G. Evaluation of genetic diversity among Bulgarian winter wheat (*Triticum aestivum* L.) varieties during the period 1925-2003 using microsatellites. Genet. Resour. Crop Evol. 2006. 53, 1605-1614. ISSN: 0925-9864.

690.Haile JK, Hammer K, Badebo A, Nachit MM, Röder MS. Genetic diversity assessment of Ethiopian tetraploid wheat landraces and improved durum wheat varieties using microsatellites and markers linked with stem rust resistance. Genet. Resour. Crop Evol. 2013. 60, 513-527. ISSN: 0925-9864.

691.Wang Y, Wang Ch, Zhang H, Yue Zh, Liu X, Ji W. Genetic analysis of wheat (*Triticum aestivum* L.) and related species with SSR markers. Genet. Resour. Crop Evol. 2013. 60, 1105-1117. ISSN: 0925-9864.

692.Senturk Akfirat F, Uncuoglu AA. Genetic diversity of winter wheat (*Triticum aestivum* L.) revealed by SSR markers. Biochem. Genet. 2013. 51, 223-229. ISSN: 0006-2928.

693.Drikvand R, Bihamta MR, Najafian G& Ebrahimi A. Investigation of genetic diversity among bread wheat cultivars (*Triticum aestivum* L.) using SSR markers. J. Agric. Sci. 2013. 5(1), 122-129. ISSN 1916-9752.

694.del Pozo A, Matus I, Serret MD, Araus JL. Agronomic and physiological traits associated with breeding advances of wheat under high-productive Mediterranean conditions. The case of Chile. Environ. Exp. Bot. 2013. <http://dx.doi.org/10.1016/j.envexpbot.2013.09.016>. ISSN: 0098-8472.

Landjeva S, Korzun V, Tsanев V, Vladova R, Ganeva G. Distribution of the wheat-rye translocation 1RS.1BL among bread wheat varieties of Bulgaria. Plant Breed. 2006. 125, 102-104. ISSN: 1439-0523.

695.Tabibzadeh N, Karimzadeh G, Naghavi M. Distribution of 1AL.1RS and 1BL.1RS wheat-rye translocations in Iranian wheat, using PCR based markers and SDS-PAGE. Cereal Res. Comm. 2013. 41(3), 458-467. ISSN: 0133-3720.

696.Zhou J, Han C, Cao H, Zhen S , Yu Z, Li X, Ma W, Yan Y. Fast identification of wheat 1BL.1RS translocation by reversed-phase ultra-performance liquid chromatography (RP-UPLC). Crop Past. Sci. 2013. 64(9), 865-873. ISSN: 1836-0947.

Landjeva S, Ganeva G. Changes in the seedling growth parameters in three common wheat (*Triticum aestivum* L.) cultivars subjected to drought stress and subsequent re-hydration. Field Crop Studies. 2006. 3, 185-190. ISSN: 1312-3882.

697.Radaei Alamoli Z, Akbari Gh, Abdollahian-Noghabi M. Effect of drought stress in the field and the relationship between an in vitro method (Polyethylene glycol 6000) for screening sugar beet genetic resources. Int. J. AgriSci. 2013. 3(11), 838-850. ISSN: 2228-6322.

Stoynova E, Petrov P. Control by cytokinins of the cellular behavior in the plate meristem of zucchini cotyledons. *Planta*. 2006. 223(6), 1256-1262. ISSN 0032-0935.

698. Le Ny F, Leblanc A, Beauclair P, Deleu C, Le Deunff E. In low transpiring conditions, nitrate and water fluxes for growth of *B. napus* plantlets correlate with changes in BnNrt2.1 and BnNrt1.1 transporter expression. *Plant Sign. Beh.* 2013. 8(2), e22902. ISSN 1559-2316.

Demirevska-Kepova K, Simova-Stoilova L, Stoyanova Z, Feller U. Cadmium stress in barley: Growth, leaf pigment, and protein composition and detoxification of reactive oxygen species. *J. Plant Nutrition* 2006. 29, 451-468. ISSN 0190-4167

699. Copaciu F, Opriș O, Coman V, Ristoiu D, Niinemets U, Copolovici L. Diffuse water pollution by anthraquinone and azo dyes in environment importantly alters foliage volatiles, carotenoids and physiology in wheat (*Triticum aestivum*) *Water, Air, and Soil Pollution*. 2013. 224, art. no. 1478. ISSN: 0049-6979

700. Cuypers A, Remans T, Weyens N, Colpaert J, Vassilev A, Vangronsveld J. Soil-Plant Relationships of Heavy Metals and Metalloids. Chapter 6 in Heavy Metals in Soils, Environmental Pollution. 2013. 22, 161-193.

701. Gill SS, Anjum NA, Gill R, Hasanuzzaman M, Sharma P, Tuteja N. Chapter 17. Mechanism of Cadmium Toxicity and Tolerance in Crop Plants. In: Crop Improvement Under Adverse Conditions. Eds Tuteja N, Gill SS. Springer New York Heidelberg Dordrecht London. 2013. pp. 361-385.

702. Irfan M, Hayat S, Ahmad A, Alyemeni MN. Soil cadmium enrichment: Allocation and plant physiological manifestations. *Saudi J. Biol. Sci.* 2013. 20, 1-10. ISSN: 1319-562X

703. Keunen E, Peshev D, Vangronsveld J, Van Den Ende W, Cuypers A. Plant sugars are crucial players in the oxidative challenge during abiotic stress: Extending the traditional concept. *Plant Cell Environ.* 2013. 36, 1242-1255. ISSN: 1365-3040

704. Khanna-Chopra R, Nutan KK, Pareek A. Chapter 17. Regulation of leaf senescence: role of reactive oxygen species. In: Plastid development in leaves during growth and senescence. Advances in Photosynthesis and Respiration. 2013. 36, 393-416.

705. Li Y, Zhang S, Jiang W, Liu D. Cadmium accumulation, activities of antioxidant enzymes, and malondialdehyde (MDA) content in *Pistia stratiotes* L. *Environ. Sci. Pollution Res.* 2013. 20, 1117-1123. ISSN: 0944-1344

706. Zengin F. Physiological behavior of bean (*Phaseolus vulgaris* L.) seedlings under metal stress. *Biological Research* 2013. 46, 79-85. ISSN 0716-9760

2007

Rodríguez JL, Boukaba A, Sandoval J, Georgieva EI, Latasa M., García-Trevijano ER, Serviddio G, Nakamura T, Ávila MA, Sastre J, Torres L, Mato JM, López-Rodas G. Transcription of the MAT2A gene, coding for methionine adenosyltransferase, is up-regulated by E2F and Sp1 at a chromatin level during proliferation of liver cells. *The Int. J. Biochem. Cell Biol.* 2007. 39, 842-8502. ISSN: 1357-2725

707. Lo TF, Tsai WC, Chen ST. MicroRNA-21-3p, a Berberine-Induced miRNA, Directly Down-Regulates Human Methionine Adenosyltransferases 2A and 2B and

Inhibits Hepatoma Cell Growth. PloS One. 2013. 30, 8(9), 75628. doi: 10.1371/journal.pone; dx.plos.org. eISSN-1932-6203

708.Kera Y, Katoh Y, Ohta M, Matsumoto M, Yamamoto TT, Igarashi K. Methionine adenosyltransferase II-dependent histone H3K9 methylation at the COX-2 gene locus. J. Biol. Chem. 2013. 288, 13592-13601. ISSN: 0021-9258

709.Shilpa J, Pretty MA, Anitha M, Paulos CS. Gamma aminobutyric acid B and 5-hydroxy tryptamine 2A receptors functional regulation during enhanced liver cell proliferation by GABA and 5-HT chitosan nanopartical treatments. European Journal of Pharmacology. 2013. 715, 154-163. ISSN: 0014-2999

Stoilov LM, Mullenders LHF, Darroudi F, Natarajan AT. Adaptive response to DNA and chromosomal damage induced by X-rays in human blood lymphocytes Mutagenesis. 2007. 22, 117-122. ISSN: 0267-8357

710.Sun, Z., Abaziz, A., Khairuddin Md Yusof, A. Radiation-induced noncancer risks in interventional cardiology: Optimisation of procedures and staff and patient dose reduction 2013 BioMed Research International 2013 , art. no. 976962. ISSN: 2314-6133

711.Qingyong W. M. Research progress on mechanism of adaptive response induced by low dose radiation. Chinese Journal of Radiological Health, 2013, 22, (4). ISSN 1004-714X

712.Zubaidah A., Yanti Lusiyanti, Sofiati P., Dwi Ramadhani, Masnelly L., Viria AS Cytogenetic response of the residents of high natural radiation area in Kabupaten mamuju, Sulavesi. Indonesian Journal of Nuclear Science and Technology. vol. 13, No.1, 2013; 13-26 ISSN: 1411 – 3481

713.Assadi N, Zabihi E., Meysam Khosravifarsani M., Soraya Khafri S., Akhavan-Niaki H., Ali Shabestani-Monfared. Radioadaptive Response in Human Lymphocyte Cells. Int J Mol Cell Med, Winter 2014; Vol 3 No 9. ISSN: 2251-9637

Todorova D, Sergiev I, Alexieva V, Karanov E, Smith A, Hall M. Polyamine content in *Arabidopsis thaliana* (L.) Heynh during recovery after low and high temperature treatments. Plant Growth Regulation. 2007. 51, 185-191. ISSN: 0167-6903.

714.Khorshidi M. Effect of putrescine on antioxidative properties in Matricaria chamomilla. International Journal of Farming and Allied Sciences. 2013. 2(17), 612-617.

715.Mostafa MG, Yoshida N, Fujita M. Spermidine pretreatment enhances heat tolerance in rice seedlings through modulating antioxidative and glyoxalase systems. Plant Growth Regul. 2013. DOI: 10.1007/s10725-013-9865-9. ISSN: 1573-5087.

716.Yang HY, Shi GX, Li WL, Wu WL. Exogenous spermidine enhances Hydrocharis dubia cadmium tolerance. Russian J. Plant Physiol. 2013. 60(6), 770-775. ISSN: 1021-4437.

Hung SH; Wang CC, Ivanov S, Alexieva V, Yu. Chih Wen. Repetition of hydrogen peroxide treatment induces a chilling tolerance comparable to cold acclimation in mung bean, Journal of the American Society for Horticultural Science. 2007. 132, 770-776. ISSN: 0003-1062.

717. Wang Y-P, Gao H-H, Liu Y-S, Mu P, Yu X-J, An L-Z, Zhang F. () Adaptation mechanisms of alpine plants photosynthetic apparatus against adverse stress: A review. *Chinese Journal of Applied Ecology*. 2013. 24(7), 2049-2055. ISSN: 0256-307X.

718. Yang Q, Zhang Z, Rao J, Wang Y, Sun Z, Ma Q, Dong X. () Low-temperature conditioning induces chilling tolerance in 'Hayward' kiwifruit by enhancing antioxidant enzyme activity and regulating endogenous hormones levels. *Journal of the Science of Food and Agriculture*. 2013. 93(15), 3691-3699. ISSN: 1097-0010.

Bogatzevska N, Stoimenova E, Mitrev S. Bacterial and virus diseases spread in Bulgaria and Macedonia on field and greenhouse pepper. Plant Protection (Skopje). 2007. 18, 17-21.

719. Rusevski R, Bandzo K, Kuzmanovska B, Sotirovski K, Risteski M. Occurrence, distribution and dynamics of virus antigen accumulation in pepper cultivation on open fields in Republic of Macedonia during 2008-2009. *African J. Agricultural Research*. 2013. 8(28), 3836-3841. ISSN: 1991-637X.

720. Licheva T, Badalova M, Savov V, Evstatieva Y, and Nikolova D. Study of the antibacterial activity of bacterial strains from genus *Bacillus* against the phytopathogenic *Xanthomonas vesicatoria*. *Bulg.J.Agric.Sci.*, 2013. 19(2), 77-79. ISSN: 1310-0351.

Atanassova B, Stoeva-Popova P, Balacheva E. Cumulating useful traits in processing tomato. Acta Horticulturae. 2007. 758, 27-36. ISSN: 0567-7572.

721. Hdider Chafik, Riadh Ilahy, Imen Tlili, Marcello Salvatore Lenucci, Giuseppe Dalessandro. Effect of the Stage of Maturity on the Antioxidant Content and Antioxidant Activity of High-pigment Tomato Cultivars Grown in Italy. Global Science book. 2013. Food 7 (special issue 1), 1-7. ISSN: 1749-7140.

Tsvetkova G, Georgiev G. Changes in phosphate fractions extracted from different organs of phosphorus starved nitrogen fixing pea plants. J. Plant Nutr. 2007. 30, 12 2129-2140. DOI: 10.1080/01904160701700616

722. Eloise F, Yoneyama K, Hugill CJ, Quittenden LJ, Reid JB. Strigolactones and the regulation of pea symbioses in response to nitrate and phosphate deficiency. *Molecular plant*. 2013. 6, 1, 76-87. doi: 10.1093/mp/sss115

723. Eloise F, Yoneyama K, Hugill C, Quittenden LJ, Reid JB. Strigolactones: Internal and external signals in plant symbioses? *Plant signaling & behavior*. 2013. 8, 3 doi: 10.4161/psb.23168.

724. Hala K, Gad N, Abdelhamid MT. Effects of different rates of phosphorus and molybdenum application on two varieties common bean of (*Phaseolus vulgaris* L.). *Journal of Basic and Applied Scientific Research*. 2013. 3(3), 8-16. ISSN 2090-424X

725. Mohamed L, Zaman-Allah M, Amenc L, Ounane G, Abadie J, Drevon J-J. A phytase gene is overexpressed in root nodules cortex of *Phaseolus vulgaris-rhizobia* symbiosis under phosphorus deficiency. *Planta*. 2013 238:317-324. DOI 10.1007/s00425-013-1893-I.

Atanasova, E., I. Mitova, I. Dimitrov, I. Stancheva. Effect of different fertilizer sources on the quality of head cabbage. J. Appl. Hort. 2007. 9(1), 74-76. ISSN: 0972-1045

726.Haytova D., (2013). A Review of Foliar Fertilization of Some Vegetables Crops. Annual Review & Research in Biology. Science Domain International, 3(4); 455- 465.

Landjeva S, Korzun V, Börner A. Molecular markers: actual and potential contributions to wheat genome characterization and breeding. Euphytica. 2007. 156, 271–296. ISSN: 0014-2336.

727.Diederichsen A, Solberg S, Jeppson S. Morphological changes in Nordic spring wheat (*Triticum aestivum* L.) landraces and cultivars released from 1892 to 1994. Genet. Resour. Crop Evol. 2013. 60, 569-585. ISSN: 0925-9864.

728.Timonova EM, Leonova IN, Röder MS, Salina EA. Marker-assisted development and characterization of a set of *Triticum aestivum* lines carrying different introgressions from the *T. timopheevii* genome. Mol. Breed. 2013. 31(1), 123-136. ISSN: 1380-3743.

729.Goutam U, Kukreja, Tiwari, Chaudhury A, Gupta RK, Dholakia BB, Yadav R. Biotechnological approaches for grain quality improvement in wheat: Present status and future possibilities. Austr. J. Crop Sci. 2013. 7, 469-483. ISSN 1835-2693.

730.Tripathi A, Aggarwal R, Yadav A. Differential expression analysis of defense-related genes responsive to *Tilletia indica* infection in wheat. Turkish J. Biol. 2013. 37(5), 606-613. ISSN 1300-0152.

731.Lado B, Matus I, Rodriguez A, Inostroza L, Poland J, Belzile F, del Pozo A, Quincke M, von Zitzewitz J. Increased genomic prediction accuracy in wheat breeding through spatial adjustment of field trial data. Genes, Genomes, Genetics. 2013. doi:10.1534/g3.113.007807. ISSN: 2160-1836.

732.Токубаева А, Шулембаева К. Идентификация генов устойчивости к бурой ржавчине *Lr26*, *Lr28*, *Lr34*, *Lr37* с помощью STS и SCAR маркеров у мягкой пшеницы (*Triticum aestivum* L.). KazNU Bulletin. Biology series. 2013. 1 (57), 158-164. ISSN: 1563-0218.

733.Du W, Wang J, Wang L, Pang Y, Wu J, Zhao J, Yang Q, Chen X. A novel SCAR marker for detecting *Psathyrostachys huashanica* Keng chromatin introduced in wheat. Genet. Mol. Res. 2013. 12(4), 4797-4806. ISSN: 1676-5680.

734.Edwards D, Gupta PK. Sequence Based DNA Markers and Genotyping for Cereal Genomics and Breeding. In: Gupta PK, Varshney R (Eds) Cereal Genomics II. 2013. 57-76. Springer Netherlands. ISBN: 978-94-007-6400-2

Ducruet JM, Peeva V, Havaux M. Chlorophyll thermoluminescence and thermoluminescence as complementary tools for the study of temperature stress in plants. Photosynthesis Research. 2007. 93(1-3), 159-171. ISSN: 0166 – 8595.

735.Dongsansuk A, Lütz C, Neuner G. Effects of temperature and irradiance on quantum yield of PSII photochemistry and xanthophyll cycle in a tropical and a temperate species. Photosynthetica. 2013. 51(1), 13-21.

736.Tovuu A, Zulfugarov IS, Lee C-H. Correlation between the temperature dependence of chlorophyll fluorescence and the fluidity of thylakoid membranes. Physiologia Plantarum. 2013. 147(4), 409-416.

Gorinova N, Nedkovska M, Todorovska E, Simova-Stoilova L, Stoyanova Z, Georgieva K, Demirevska-Kepova K, Atanassov A, Herzig R. Improved

phytoaccumulation of cadmium by genetically modified tobacco plants (*Nicotiana tabacum* L.). Physiological and biochemical response of the transformants to cadmium toxicity. Environmental Pollution. 2007. 145, 161-179. ISSN: 0269-7491.

737.Gouveia-Neto AS, Silva Jr EA, Da Silva AJ, Do Nascimento CWA. Observation of silicon-mediated alleviation of cadmium stress in maize (*Zea mays* L.) seedlings via LED-induced chlorophyll fluorescence. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 8587, 2013, art. no. 85871Q

738.Moudouma CFM, Riou C, Gloaguen V, Saladin G. Hybrid larch (*Larix x eurolepis* Henry): a good candidate for cadmium phytoremediation? Environmental Science and Pollution Research. 2013. 20(3), 1889-1894.

739.Chen B-C, Hsiao Y-L, Yen J-H. Effect of octylphenol on physiologic features during growth in *Arabidopsis thaliana*. Chemosphere. 2013. 93(10), 2264-2268. ISSN 0045-6535, <http://dx.doi.org/10.1016/j.chemosphere.2013.08.002>.

740.Cvjetko P, Balen B, Štefanić PP, Debogović L, Pavlica M, Klobučar GIV. Dynamics of heat-shock induced DNA damage and repair in senescent tobacco plants. Biol. Plant. 2013 (in press). ISSN: 0006-3134

Georgieva K, Szigeti Z, Sarvari E, Gaspar L, Maslenkova L, Peeva V, Peli E, Tuba Z. Photosynthetic activity of homiochlorophyllous desiccation tolerant plant *Haberlea rhodopensis* during dehydration and rehydration. Planta. 2007. 225(4), 955-964. ISSN: 0032-0935.

741.Jogaiah S, Govind SR, Lam-Son Phan Tran LS. Systems biology-based approaches toward understanding drought tolerance in food crops. Critical Reviews in Biotechnology. 2013. 33(1), 23-39. doi:10.3109/07388551.2012.659174

742.Benina M, Petrov V, Toneva V, Teneva A, Gechev T. Molecular biology and physiology of the resurrection glacial relic *Haberlea rhodopensis*. In: Biotechnology of Neglected and Underutilized Crops, Ed. Shri Mohan Jain, S. Dutta Gupta, 2013. 61-70, DOI 10.1007/978-94-007-5500-0_4

743.Mladenov P, Zasheva D, Peshev D, Christov NK, Rolland N, Djilianov D, Tchorbadjieva M. Sub-cellular fractionation and gel-based proteomics of *Haberlea rhodopensis*: a promising approach to open the black box of resurrection plants. Bulgarian Journal of Agricultural Science. 2013. 19(2), 22–25.

Ananieva K, Ananiev E, Mishev K, Georgieva K, Malbeck J, Kaminek M, van Staden J. Methyl jasmonate is a more effective senescence-promoting factor in *Cucurbita pepo* (zucchini) cotyledons when compared with darkness at the early stage senescence. Journal of Plant Physiology. 2007. 164 (9), 1179-1187. ISSN: 0176-1617.

744.Sarwat M, Naqvi AR, Ahmad P, Ashraf M, Akram NA. Phytohormones and microRNAs as sensors and regulators of leaf senescence: Assigning macro roles to small molecules. Biotechnology Advances. 2013. 31(8), 1153-1171. ISSN0734-9750. <http://dx.doi.org/10.1016/j.biotechadv.2013.02.003>.

745.Yan Z, Chen J, Li X. Methyl jasmonate as modulator of Cd toxicity in *Capsicum frutescens* var. *fasciculatum* seedlings. Ecotoxicology and Environmental Safety. 2013. 98, 203-209. ISSN 0147-6513, <http://dx.doi.org/10.1016/j.ecoenv.2013.08.019>.

746.Miyamoto K, Oka M, Uheda E, Ueda J. Changes in metabolism of cell wall polysaccharides in oat leaves during senescence: relevance to the senescence-promoting effect of methyl jasmonate. *Acta Physiologiae Plantarum*. 2013. 35(9), 2675-2683.

Edreva AM, Velikova VB, Tsonev TD. Phenylamides in Plants. Russ.J.Plant Physiol. 2007. 54 (3), 287–301. ISSN: 1021-4437.

747.Bartwal A, Mall R, Lohani P, Guru SK, Arora S. Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses. *Journal of Plant Growth Regulation*. 2013. 32 (1), 216-232.

748.Blümke A. Induktion der Resistenz gegenüber dem Weizenpathogen *Fusarium graminearum* durch gezielte Zellwandveränderungen in *Brachypodium distachyon*. Dissertation Zur Erlangung der Würde des Doktors der Naturwissenschaften des Fachbereichs Biologie, der Fakultät für Mathematik, Informatik und Naturwissenschaften, der Universität Hamburg. 2013.

749.Gupta K, Dey A, Gupta B. Plant polyamines in abiotic stress responses. *Acta Physiologiae Plantarum*. 2013. 35(7), 2015-2036.

750.Fariduddin Q, Mir BA, Yusuf M, Ahmad A. Comparative roles of brassinosteroids and polyamines in salt stress tolerance. (Review), *Acta Physiologiae Plantarum*. 2013. 35, 2037-2053.

751.Menéndez AB, Rodriguez AA, Maiale SJ, Rodriguez KM, Jimenez BJF, Ruiz OA. Polyamines contribution to the improvement of crop plants tolerance to abiotic stress. In: *Crop Improvement Under Adverse Conditions* (Editors: Narendra Tuteja, Sarvajeet Singh Gill), 2013. pp 113-136. Springer.

752.Park HL, Lee S-W, Jung K-H, Hahn T-R, Cho M-H. Transcriptomic analysis of UV-treated rice leaves reveals UV-induced phytoalexin biosynthetic pathways and their regulatory networks in rice. *Phytochemistry* 2013. 96, 57-71.

753.Scoccianti V, Iacobucci M, Speranza A, Antognoni F. Over-accumulation of putrescine induced by cyclohexylamine interferes with chromium accumulation and partially restores pollen tube growth in *Actinidia deliciosa*. *Plant Physiology and Biochemistry*. 2013. 70, 424-432.

754.Scranton MA, Fowler JH, Girke T, Walling LL. Microarray analysis of tomato's early and late wound response reveals new regulatory targets for leucine aminopeptidase A, *PLOS ONE*. 2013. 8 (10), e77889.

Velikova VB, Edreva AM, Tsonev TD, Jones HG. Singlet oxygen quenching by phenylamides and their parent compounds. Z. Naturforsch. C. 2007. 62, 833-838. ISSN: 0939-5075.

755.Razzaghi-Asl N, Garrido J, Khazraei H, Borges F, Firuzi O. Antioxidant properties of hydroxycinnamic acids: A review of structure-activity relationships. *Current Medicinal Chemistry*. 2013. 20 (36), 4436-4450.

Yordanova R, Popova L. Flooding-induced changes in photosynthesis and oxidative status in maize plants. Acta Physiol. Plantarum. 2007. 29 (6), 535-541. ISSN: 0137-5881.

756.Song Z, Guo J, Zhang Z, Kou T, Deng A, Zheng, C, Ren J, Zhang W. Impacts of planting systems on soil moisture, soil temperature and corn yield in rainfed area of Northeast China. *Europ. J. Agron.*. 2013. 50, 66-74.

757.Simón I, Díaz-López L, Gimeno V, Nieves M, Pereira W, Martínez V, Lidon V, García-Sánchez F. Effects of boron excess in nutrient solution on growth, mineral nutrition, and physiological parameters of *Jatropha curcas* seedlings. *J. Plant Nutr. Soil Sci.*. 2013. 176 (2), 165-174.

758.Kumar P, Pal M, Joshi R, Sairam R. Yield, growth and physiological responses of mung bean [*Vigna radiata* (L.) Wilczek] genotypes to waterlogging at vegetative stage. *Physiol. Molec. Biol. Plants.* 2013. 19 (2), 209-220.

759.Zhai L, Liu Z, Zou X, Jiang Y, Qiu F, Zheng Y, Zhang Z. Genome-wide identification and analysis of microRNA responding to long-term waterlogging in crown roots of maize seedlings. *Physiol. Plantarum.* 2013. 147 (2), 181-193.

Janda T, Szalai G, Leskó K, Yordanova R, Apostol S, Popova, L. Factors contributing to enhanced freezing tolerance in wheat during frost hardening in the light. *Phytochemistry.* 2007. 68 (12), 1674-1682. ISSN: 0031-9422.

760.Sassaki G, Schmidt A, Ferreira M, Rangel P, Pereira-Netto A. Characterization of cold-induced changes in the fatty acids profile of rice seedlings. *Acta Physiol. Plantarum.* 2013. 35 (6), 1989-1996.

761.Maibam P, Nawkar G, Park J, Sahi V, Lee S, Kang C. The influence of light quality, circadian rhythm, and photoperiod on the CBF-mediated freezing tolerance international. *J. Molec. Sci.* 2013. 14 (6), 11527-11543.

762.Balla K, Karsai I, Bencze S, Kiss T, Veisz O. Effect of heat stress on the physiological processes of wheat. *Acta Agron. Hungarica.* 2013. 61 (1), 1-12.

2008

Velikova V, Fares S, Loreto F. Isoprene and nitric oxide reduce damages in leaves exposed to oxidative stress. *Plant Cell Environ.* 2008. 31, 1882-1894. ISSN: 1365-3040.

763.Eccher G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A. Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. *Plant Physiol.* 2013. 161 (4), 1952-1969.

764.Hess BM, Xue JF, Markillie LM, Taylor RC, Wiley HS, Ahring BK, Linggi B. Coregulation of terpenoid pathway genes and prediction of isoprene production in *bacillus subtilis* using transcriptomics. *Plos One.* 2013. 8(6), Article Number: e66104.

765.Khan A, Staimer N, Tjoa T, Galassetti P, Blake DR, Delfino RJ. Relations between isoprene and nitric oxide in exhaled breath and the potential influence of outdoor ozone: a pilot study. *J. Breath Res.* 2013. 7(3), Article Number: 036007, DOI: 10.1088/1752-7155/7/3/036007.

766.Shao R-X, Chen J-H, Miao F, Zhao G-W, Yang Q-H. Photosynthetic performance of *Triticum aestivum* L. in response to water and nitrogen deficit. *Journal of Food, Agriculture and Environment.* 2013. 11 (3-4), 1252-1256.

767.Souza SR, Blande JD, Holopainen JK. Pre-exposure to nitric oxide modulates the effect of ozone on oxidative defenses and volatile emissions in lima bean. *Environ. Pollution.* 2013. 179, 111-119.

Edreva A, Velikova V, Tsonev T, Dagnon S, Gürel A, Aktaş, Gesheva E. Stress-protective role of secondary metabolites: diversity of functions and mechanisms. General and Applied Plant Physiology. 2008. XXXIV (1-2), 67-78. ISSN: 1312-8221.

768.Baslam M, Garmendia I, Goicoechea N. Enhanced accumulation of vitamins, nutraceuticals and minerals in lettuces associated with arbuscular mycorrhizal fungi (AMF): A question of interest for both vegetables and humans. Agriculture. 2013. 3, 188-209.

769.Bartwal A, Mall R, Lohani P, Guru SK, Arora S. Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses. Journal of Plant Growth Regulation. 2013. 32 (1), 216-232.

770.Chaparro JM, Badri DV, Bakker MG, Sugiyama A, Manter DK, Vivanco JM. Root exudation of phytochemicals in *Arabidopsis* follows specific patterns that are developmentally programmed and correlate with soil microbial functions. PLoS ONE. 2013. 8(2), e55731.

771.Darmanti S, Santosa KD, Nugroho LH. Allelopathic effect of *Cyperus rotundus* L. on seed germination and initial growth of *Glycine max* L. - The Third Basic Science International Conference - April 16-17, Malang, Indonesia, 2013. PSB02 - 1-4.

772.Dhar N, Rana S, Bhat WW, Razdan S, Pandith SA, Khan S, Dutt P, Dhar RS, Vaishnavi S, Vishwakarma R, Lattoo SK. Dynamics of withanolide biosynthesis in relation to temporal expression pattern of metabolic genes in *Withania somnifera* (L.) Dunal: a comparative study in two morpho-chemovariants. Molecular Biology Reports. 2013. 40 (12), 7007-7016.

773.Fischer S, Wilckens R, Jara J, Aranda M. Controlled water stress to improve functional and nutritional quality in quinoa seed, Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas. 2013. 12 (5), 457-468.

774.Hong S-Y, Roze LV, Wee J, Linz JE. Evidence that a transcription factor regulatory network coordinates oxidative stress response and secondary metabolism in *aspergilli*. Microbiology Open. 2013. 2(1), 144-160.

775.Kumari R., Prasad M.N.V. - Medicinal plant active compounds produced by UV-B exposure, Sustainable Agriculture Reviews. 12, 2013. 225-254.

776.Magarelli G, da Silva JG, Filho IAS, Lopes Inayan SD, De Souza JR, Hoffmann LV, de Castro CSP. Development and validation of a voltammetric method for determination of total phenolic acids in cotton cultivars. Microchemical Journal. 2013. 109, 23-28.

777.Selmar D, Kleinwächter M. Influencing the product quality by deliberately applying drought stress during the cultivation of medicinal plants. Industrial Crops and Products. 2013. 42, 558-566.

778.Selmar D, Kleinwächter M. Stress enhances the synthesis of secondary plant products: the impact of the stress-related over-reduction on the accumulation of natural products. Plant and Cell Physiology. 2013 (in press). doi: 10.1093/pcp/pct054

779.Shaukat SS, Farooq MA, Siddiqui MF, Zaid S. Effect of enhanced UV-B radiation on germination, seedling growth and biochemical responses of *Vigna mungo* (L.) Hepper. Pak. J. Bot. 2013. 45(3), 779-785.

780.Simlai A, Roy A. Biological activities and chemical constituents of some mangrove species from Sundarban estuary: An overview. *Pharmacognosy Review*. 2013. 7 (14), 170-178.

781.Zhang J, Shen T, Wang Y, Yang M, Zhang J, Yang S, Yang W, Zhao Y, Zhao Z, Yang T, Jin H. Effect of cultivation condition on the active component contents in *Gentiana rigescens*, a traditional Chinese medicine. *African Journal of Pharmacy and Pharmacology*. 2013.7 (18), 1096-1102.

782.Zibbu G, Batra A. Formulation and assessment of biochemical activity of xerophytic plants: *Nerium oleander* and *Thevetia peruviana* belongs to family apocynaceae. *World Journal of Pharmacy and Pharmaceutical Sciences*. 2013. 2 (2), 650-691.

Georgieva K, Lenk S, Buschmann C. Responses of the resurrection plant *Haberlea rhodopensis* to high irradiance. *Photosynthetica*. 2008. 46, 208-215. ISSN: 0300-3604.

783.Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. *Physiology and Molecular Biology of Plants*. 2013. 19(3), 333-341.

784.Mitra J, Xu G, Wang B, Li M, Deng X. Understanding desiccation tolerance using the resurrection plant *Boea hygrometrica* as a model system. *Frontiers in Plant Science*. 2013. doi: 10.3389/fpls.2013.00446

785.Benina M, Petrov V, Toneva V, Teneva A, Gechev T. Molecular biology and physiology of the resurrection glacial relic *Haberlea rhodopensis*. In: *Biotechnology of Neglected and Underutilized Crops*, Ed. Shri Mohan Jain, S. Dutta Gupta. 2013. 61-70, DOI 10.1007/978-94-007-5500-0_4

786.Popov B, Georgieva S, Oblakova M, Bonev G. Effects of *Haberlea rhodopensis* extract on antioxidation and lipid peroxidation in rabbits after exposure to 60CO- Γ -rays. *Archives of Biological Sciences*. 2013. 65(1), 91-97.

Ananieva K, Ananiev E, Doncheva S, Georgieva K, Tzvetkova N, Kaminek M, Motyka V, Dobrev P, Gajdosova S, Malbeck J. Senescence progression in a single darkened cotyledon depends on the light status of the other cotyledon in *Cucurbita pepo* (zucchini) seedlings: potential involvement of cytokinins and cytokinin oxidase/dehydrogenase activity. *Physiologia Plantarum*. 2008. 134, 609–623. ISSN: 1399-3054.

787.Han R-M, Lefèvre I, Albacete A, Pérez-Alfocea F, Barba-Espín G, Díaz-Vivancos P, Quintet M, Ruan C-J, Hernández JA, Cantero-Navarro E, Lutts S. Antioxidant enzyme activities and hormonal status in response to Cd stress in the wetland halophyte *Kosteletzkya virginica* under saline conditions. *Physiologia Plantarum*. 2013. 147(3), 352-368.

788.Du J, Li M, Kong D, Wang L, Lv Q, Wang J, Bao F, Gong Q, Xia J, He Y. Nitric oxide induces cotyledon senescence involving co-operation of the NES1/MAD1 and EIN2-associated ORE1 signalling pathways in *Arabidopsis*. *J. Exp. Bot.* 2013. (in press). doi: 10.1093/jxb/ert429

789.Humby PL, Snyder ECR, Durnford DG. Conditional senescence in *Chlamydomonas reinhardtii* (Chlorophyceae). *Journal of Phycology*. 2013. 49 (2), 389-400.

790. Wei X-D, Shi D-W, Chen G-X. Physiological, structural, and proteomic analysis of chloroplasts during natural senescence of Ginkgo leaves. *Plant Growth Regulation*. 2013. 69(2), 191-201. DOI 10.1007/s10725-012-9761-8

791.Humby PL, Snyder ECR, Durnford DG. Conditional senescence in *Chlamydomonas reinhardtii* (Chlorophyceae). *Journal of Phycology*. 2013. 49, 389–400. doi: 10.1111/jpy.12049

792.Du J, Li M, Kong D, Wang L, Lv Q, Wang J, Bao F, Gong Q, Xia J, He Y. Nitric oxide induces cotyledon senescence involving co-operation of the NES1/MAD1 and EIN2-associated ORE1 signalling pathways in *Arabidopsis*. *J. Exp. Bot.* 2013. (in press). doi: 10.1093/jxb/ert429

Çakırlar H, Çiçek N, Fedina I, Georgieva K, Doğru A, Velitchkova M. NaCl induced cross-acclimation to UV-B radiation in four barley (*Hordeum vulgare L.*) cultivars. *Acta Physiologiae Plantarum*. 2008. 30, 561–567. ISSN: 0137-5881.

793.Pirie A, Parsons D, Renggli J, Narkowicz C, Jacobson G, Shabala S. Modulation of flavonoid and tannin production of *Carpobrotus rossii* by environmental conditions. *Environmental and Experimental Botany*. 2013. 87, 19–31. ISSN 0098-8472, <http://dx.doi.org/10.1016/j.envexpbot.2012.10.001>.

794.Koga R, Meng T, Nakamura E, Miura C, Irino N, Yahara S, Kondo R. Model examination for the effect of treading stress on young green barley (*Hordeum vulgare*). *American Journal of Plant Sciences*. 2013. 4, 174-181. doi:10.4236/ajps.2013.41023

795.Hui R, Li X, Chen C, Zhao X, Jia R, Liu L, Wei Y. Responses of photosynthetic properties and chloroplast ultrastructure of *Bryum argenteum* from a desert biological soil crust to elevated ultraviolet-B radiation. *Physiologia Plantarum*. 2013. 147(4), 489-501.

Ivanova A, Ivanova A, Seizova K, Kostova I, Evstatieva L, Stefanov K. Effect of soil salinity on the chemical composition of two populations of *Tribulus terrestris* from Bulgaria. *Compt. Rend. Acad. Bulg. Sci.* 2008. 61(2), 55-62. ISSN: 1310-1331.

796.Todorova D, Katerova Z, Sergiev I, Alexieva V. Role of Polyamines in Alleviating Salt Stress. *Ecophysiology and Responses of Plants under Salt Stress*. 2013. 355-379.

Krantev A, Yordanova R, Janda T, Szalai G, Popova L. Treatment with salicylic acid decreases the effect of cadmium on photosynthesis in maize plants. *J. Plant Physiol.* 2008. 165 (9), 920-931. ISSN: 0176-1617.

797.Çanakci S, Karaboğa Z. Some physiological and biochemical responses to cadmium in salicylic acid applied cucumber (*Cucumis sativus L.*) seedlings *Pakistan J. Bot.* 45 (6), 1963-1968.

798.Ben Rejeb K, Ghnay, T, Zaier H, Benzart, M, Baioui R, Ghabriche R, Wal, M, Abdelly C. Evaluation of the Cd²⁺ phytoextraction potential in the xerohalophyte *Salsola kali* L. and the impact of EDTA on this process. *Ecological Engineering*. 2013. 60, 309-315.

- 799.Galmés J, Aranuelo I, Medrano H, Flexas J. Variation in Rubisco content and activity under variable climatic factors. *Photosynthesis Research.* 2013. 117 (1-3), 73-90.
- 800.Zhang H, Tian Y, Wang L, Zhang L, Dai L. Ecophysiological characteristics and biogas production of cadmium-contaminated crops. *Bioresource Technology.* 2013. 146,628-636.
- 801.Guo Q, Meng L, Mao P.-C, Jia Y.-Q, Shi Y.-J. Role of exogenous salicylic acid in alleviating cadmium-induced toxicity in Kentucky bluegrass. *Biochem. Systematics and Ecology.* 2013. 50, 269-276.
- 802.Farooq M, Ali S, Hameed A, Ishaque, W, Mahmood K, Iqbal Z. Alleviation of cadmium toxicity by silicon is related to elevated photosynthesis, antioxidant enzymes; suppressed cadmium uptake and oxidative stress in cotton. *Ecotoxicol. Environ. Safety.* 2013. 96, 242-249.
- 803.Mishra M, Kumar U, Prakash V. Influence of salicylic acid pre-treatment on water stress and its relationship with antioxidant status in Glycine Max. *Intern. J. Pharma Bio Sci..* 2013. 4 (4), 81-97.
- 804.Xue Z.-C, Gao H.-Y, Zhang L.-T. Effects of cadmium on growth, photosynthetic rate and chlorophyll content in leaves of soybean seedlings. *Biol. Plantarum.* 2013. 57 (3), 587-590.
- 805.Agami R, Mohamed G. Exogenous treatment with indole-3-acetic acid and salicylic acid alleviates cadmium toxicity in wheat seedlings. *Ecotoxicol. Environ. Safety.* 2013. 94, 164-171.
- 806.Saxena I, Shekhawat G. Nitric oxide (NO) in alleviation of heavy metal induced phytotoxicity and its role in protein nitration. *Nitric Oxide - Biology and Chemistry.* 2013. 32, 13-20.
- 807.Belkadhi A, De Haro A, Soengas P, Obregon S, Cartea M, Djebali W, Chaïbi W. Salicylic acid improves root antioxidant defense system and total antioxidant capacities of flax subjected to cadmium. *OMICS A J. Integrative Biol.* 2013. 17 (7), 398-406.
- 808.Koç E, Üstün A, Çelik N. Effect of exogenously applied salicylic acid on cadmium chloride-induced oxidative stress and nitrogen metabolism in tomato (*Lycopersicon esculentum* L.). *Turk. J. Biol.* 2013. 37 (3),361-369.
- 809.Liu Z, Chen W, H, X, Jia L, Huang Y, Zhang Y, Yu S. Cadmium-Induced Physiological Response in *Lonicera japonica* Thunb. *Clean - Soil, Air, Water.* 2013. 41 (5), 478-484.
810. Wang Q, Liang X, Dong Y, Xu L, Zhang X, Hou J, Fan Z. Effects of exogenous nitric oxide on cadmium toxicity, element contents and antioxidative system in perennial ryegrass. *Plant Growth Regul..* 2013. 69 (1), 11-20.
- 811.Haq N, Raza S, Luthe D, Heckathorn S, Shakeel S. A Dual Role for the Chloroplast Small Heat Shock Protein of *Chenopodium album* including Protection from Both Heat and Metal Stress. *Plant Molec. Biol. Reporter.* 2013. 31 (2), 398-408.
- 812.Irfan M, Hayat S, Ahmad A, Alyemeni M. Soil cadmium enrichment: Allocation and plant physiological manifestations. *Saudi J. Biol. Sci.* 2013. 20 (1), 1-10.

Fares S, Brilli F, Noguès I, Velikova V, Tsonev T, Dagli S, Loreto F. Isoprene emission and primary metabolism in *Phragmites australis* grown under different phosphorus levels. *Plant Biology.* 2008. 10 (1), 38-43. ISSN: 1438-8677.

813.Llusia J, Sardans J, Niinemets Ü, Owen SM, Peñuelas J. A screening study of leaf terpene emissions of 43 rainforest species in Danum Valley Conservation Area (Borneo) and their relationships with chemical and morphological leaf traits, *Plant Biosystems*. 2013 (in press). DOI:10.1080/11263504.2013.770803

Simova-Stoilova L, Demirevska K, Petrova T, Tsenov N, Feller U. Antioxidative protection in wheat varieties under severe recoverable drought at seedling stage. *Plant Soil Environ.* 2008. **54**, 529-536.

814.Kholová J, Vadez V. Water extraction under terminal drought explains the genotypic differences in yield, not the anti-oxidant changes in leaves of pearl millet (*Pennisetum glaucum*). *Funct. Plant Biol.* 2013. 40, 44-53.

815. Miladinović DL, Ilić BS, Najman SJ, Cvetković OG, Šajnović AM, Miladinović MD, Nikolić ND. Antioxidative responses to seasonal changes and chemiluminescence assay of *Astragalus onobrychis* leaves extract. *Central Europ. J. Chem.* 2013. 11, 123-132.

816. Nasr N. The effects of different cadmium concentrations on wheat in solution culture. *Amer. J. Res. Commun.* 2013. 1, 292-314.

817. Pandey P, Srivastava RK, Dubey RS. Water deficit and aluminum tolerance are associated with a high antioxidative enzyme capacity in Indica rice seedlings. *Protoplasma* 2013. DOI 10.1007/s00709-013-0533-8. ISSN: 0033-183X

818. Pyngrope S, Bhoomika K, Dubey RS. Oxidative stress, protein carbonylation, proteolysis and antioxidative defense system as a model for depicting water deficit tolerance in Indica rice seedlings. *Plant Growth Regul.* 2013. 69, 149-165. ISSN: 0167-6903

819. Sen A, Alikamanoglu S. Characterization of drought-tolerant sugar beet mutants induced with gamma radiation using biochemical analysis and isozyme variations. *J. Sci. Food Agric.* press 2013. DOI: 10.1002/jsfa.6393.

820. Yang Y, Yang F, Li X, Shi R, Lu J. Signal regulation of proline metabolism in callus of the halophyte *Nitraria tangutorum* Bobr. grown under salinity stress. *Plant Cell, Tissue and Organ Culture* 2013. 112, 33-42.

Ananieva K, Ananiev E, Mishev K, Georgieva K, Tzvetkova N, Van Staden J. Changes in photosynthetic capacity and polypeptide patterns during natural senescence and rejuvenation of *Cucurbita pepo* L. (zucchini) cotyledons. Plant Growth Regulation. 2008. **54**, 23-29. ISSN: 0167-6903.

821.Wei X-D, Shi D-W, Chen G-X. Physiological, structural, and proteomic analysis of chloroplasts during natural senescence of Ginkgo leaves. *Plant Growth Regulation.* 2013. 69(2), 191-201. DOI 10.1007/s10725-012-9761-8

822.Humby PL, Snyder ECR, Durnford DG. Conditional senescence in *Chlamydomonas reinhardtii* (Chlorophyceae). *Journal of Phycology*. 2013. 49, 389–400. doi: 10.1111/jpy.12049

823.Du J, Li M, Kong D, Wang L, Lv Q, Wang J, Bao F, Gong Q, Xia J, He Y. Nitric oxide induces cotyledon senescence involving co-operation of the NES1/MAD1 and EIN2-associated ORE1 signalling pathways in *Arabidopsis*. *J. Exp. Bot.* 2013. (in press). doi: 10.1093/jxb/ert429

Georgieva M, Krasteva M, Angelova E, Ralchev K, Dimitrov V, Bozhimirov S, Georgieva E, Berger MR. Analysis of the K-ras/B-raf/Erk signal cascade, p53 and CMAP as markers for tumor progression in colorectal cancer patients. 2008. *Oncol. Rep.* **20**(1), 3-11. ISSN: 1021-335X

824.Su Xin, Li Jianmin, Jin Ying, SUN Rui Fang, Wang Yuehua. Clinical significance of K-ras gene mutations and VEGF expression in colorectal cancer. *Clin. Exp. Pathol.* 2013. 29(3), 330-332. ISSN: 2161-0681

Sakthivelu G, Akita Devi MK, Giridhar P, Rajasekaran T, Ravishankar G, Nikolova MT, Angelov G, Todorova R, Kosturkova G. Isoflavone composition, phenol content, and antioxidant activity of soybean seeds from India and Bulgaria. *Journal of Agricultural and Food Chemistry.* 2008. **56**(6) 2090-2095.

825.Lakshmi MC, Rao LJ, Ravi R, Raghavarao KSMS. Extraction and Concentration of Isoflavones from Soybean (*Glycine max*). *Separation Science and Technology* (Philadelphia). 2013. 48(1), 166-174. ISSN: 1520-5754.

826.Buch SM, Mir FA, Rehman S, Qurishi M A, Banday JA. Irigenin – an isoflavone: a brief study on structural and optical properties. *The European Physical Journal Applied Physics.* 2013. 6231201. doi: 10.1051/epjap/2013130052. ISSN: 1286-0042. IF=1.282

827.Malenčić D, Cvejić J, Tepavčević V, Bursać M, Kiprovska B, Rajković M. Changes in L-phenylalanine ammonia-lyase activity and isoflavone phytoalexins accumulation in soybean seedlings infected with *Sclerotinia sclerotiorum*. *Central European Journal of Biology.* 2013. 8(9), 921-929. ISSN: 1895-104X. IF=0.818

828.Žilić S, Akilliolu HG, Serpen A, Perić V, Gökmən V. Comparisons of phenolic compounds, isoflavones, antioxidant capacity and oxidative enzymes in yellow and black soybeans seed coat and dehulled bean. *European Food Research and Technology.* 2013. 237(3), 409-418. ISSN: 1438-2377. IF=1.436

829.Silva LR, Pereira MJ, Azevedo J, Mulas R, Velazquez E, Gonzalez- Andres F, Valentao P, Andrade PB. Inoculation with *Bradyrhizobium japonicum* enhances the organic and fatty acids content of soybean (*Glycine max* (L.) Merrill) seeds. *Food Chem.* 2013. 141(4), 3636-3648. ISSN: 0308-8146. IF=3.334

Stoynova E, Petrov P, Gigova L, Baskin T. Differential effects of methyl jasmonate on growth and division of etiolated zucchini cotyledons. *Plant Biol.* 2008. **10**(4), 476–484. ISSN 1435-8603.

830.O'Brien J, Benková E. Cytokinin cross-talking during biotic and abiotic stress responses. *Front. Plant Sci.* 2013. doi: 10.3389/fpls.2013.00451. Electronic ISSN 1664-462X

Landjeva S, Neumann K, Lohwasser U, Börner A. Molecular mapping of genomic regions associated with wheat seedling growth under osmotic stress. *Biol. Plant.* 2008. **52**, 259-266. ISSN: 0006-3134.

831.Liu X, Li R, Chang X, Jing R. Mapping QTLs for seedling root traits in a doubled haploid wheat population under different water regimes. *Euphytica.* 2013. 189, 55-61. ISSN: 0014-2336.

832.Xu Y, Li S, Li L, Zhang X, Xu H, An D. Mapping QTLs for salt tolerance with additive, epistatic and QTL \times treatment interaction effects at seedling stage in wheat. *Plant Breed.* 2013. 132, 276-283. ISSN: 1439-0523.

833.Jain M, Mittal M, Gadre R. Effect of PEG-6000 imposed water deficit on chlorophyll metabolism in maize leaves. *J. Stress Physiol. Biochem.* 2013. 9(3), 262-271. ISSN 1997-0838.

834.Zhang H, Cui F, Wang L, Li J, Ding A, Zhao C, Bao Y, Yang Q, Wang H. Conditional and unconditional QTL mapping of drought-tolerance-related traits of wheat seedling using two related RIL populations. *J. Genet.* 2013. 92, 213-231. ISSN: 0022-1333.

835.Khan M, Iqbal M, Akram M, Ahmad M, Hassan M, Jamil M. Recent advances in molecular tool development for drought tolerance breeding in cereal crops: a review. *Zemdirbyste-Agriculture.* 2013. 100 (3), 325-334. ISSN: 1392-3196.

836.Rebetzke G, Verbyla A, Verbyla K, Morell M, Cavanagh C. Use of a large multiparent wheat mapping population in genomic dissection of coleoptile and seedling growth. *Plant Biotechnol. J.* 2013. doi: 10.1111/pbi.12130. ISSN: 1467-7652.

837.Czyczył-Mysza I, Marcińska I, Skrzype E, Cyganek K, Juzoń K, Karbarz M. QTL mapping for germination of seeds obtained from previous wheat generation under drought. *Central Eur. J. Biol.* 2013. 10.2478/s11535-013-0273-y. ISSN: 1895-104X.

838.Suárez-González EM, López MG, Délano-Frier JP, Gómez-Leyva JF. Expression of the 1-SST and 1-FFT genes and consequent fructan accumulation in *Agave tequilana* and *A. inaequidens* is differentially induced by diverse (a)biotic-stress related elicitors. *J. Plant Physiol.* 2013, <http://dx.doi.org/10.1016/j.jplph.2013.08.002>. ISSN: 0176-1617.

Landjeva S, Korzun V, Stoimenova E, Truberg B, Ganeva G, Börner A. The contribution of the gibberellin-insensitive semi-dwarfing (Rht) genes to genetic variation in wheat seedling growth in response to osmotic stress. *J. Agric. Sci.* 2008. 146, 275-286. ISSN: 0021-8596.

839.Jiang J, Su M, Chen Y, Gao N, Jiao C, Sun Zh, Li F, Wang Ch. Correlation of drought resistance in grass pea (*Lathyrus sativus*) with reactive oxygen species scavenging and osmotic adjustment. *Biologia.* 2013. 68(2), 231-240. ISSN: 0006-3088.

Kocheva KV, Georgiev GI. Changes in foliar proline concentration of osmotically stressed barley. *Z. Naturforsch.* 2008. 63c, 101-104. ISSN 0939-5075.

840.Koga R, Meng T, Nakamura E, Minura C, Irino N, Yahara S, Kondo R. Model examination for the effect of treading stress on young green barley (*Hordeum vulgare*). *American Journal of Plant Sciences.* 2013. 4, 174-181. ISSN: 2158-2742 (Print), 2158-2750 (Online).

841.Abdel-Farid I, El-Sayed M, Mohamed E. Allelopathic potential of *Calotropis procera* and *Morettia philaeana*. *International Journal of Agriculture and Biology.* 2013. 15, 130-134. ISSN 1560-8530 (Print), 1814-9596 (Online).

842.Koga R, Meng T, Nakamura E, Minura C, Irino N, Devkota HP, Yahara S, Kondo R. The effect of photo-irradiation on the growth and ingredient composition of young green barley (*Hordeum vulgare*). *Agricultural Sciences.* 2013. 4, 185-194. ISSN: 2156-8553 (Print), 2156-8561 (Online).

843.Deng G, Liang J, Xu D, Long H, Pan Z, Yu M. The relationship between proline content, the expression level of P5CS (Δ^1 -pyrroline-5-carboxylate synthetase), and drought tolerance in Tibetan hulless barley (*Hordeum vulgare* var. *nudum*). *Russian Journal of Plant Physiology*. 2013. 60, 693-700. ISSN: 1021-4437 (Print), 1608-3407 (Online).

Nenova V. Growth and mineral concentrations of pea plants under different salinity levels and iron supply. Gen. App. Plant Physiol. 2008. 34,189-202. ISSN 1312-8183.

844.Todorova D, Katerova Z, Sergiev I, Alexieva V. Role of Polyamines in Alleviating Salt Stress. IN: Ahmad, Parvaiz; Azooz, M.M.; Prasad, M.N.V. (Eds.) Ecophysiology and Responses of Plants under Salt Stress. 2013. Springer New York, pp 355-379. ISBN 978-1-4614-4747-4.

845.Miura K. Nitrogen and Phosphorus Nutrition Under Salinity Stress. IN: Ahmad Parvaiz; Azooz M M; Prasad M N V (Eds.) Ecophysiology and Responses of Plants under Salt Stress, 2013. Springer New York, pp 425-441. ISBN 978-1-4614-4747-4.

846.Lao MT, Plaza B M, Jiménez S. Impact of Salt Stress on Micronutrients in Cordyline fruticosa var. 'Red Edge'. *J. Plant Nutr.* 2013. 36, 990-1000. ISSN 0190-4167 (Print), 1532-4087 (Online).

847.Eskandari S, Mozaffari V. Effects of salinity and Cu on total uptake of micronutrient in shoot and root of pistachio cultivars (*Pistacia vera L.*). *J. Sci. Techn. Greenhouse Cult.* 2013. 3, 29-43. ISSN 2008-9082 (Print); 2008-9953 (Online) 2008-9082 (L).

848.Kumar A, Gupta A, Azooz M M, Sharma S, Ahmad P, Dames J. Genetic Approaches to Improve Salinity Tolerance in Plants. 2013. IN: P.Ahmad , M.M. Azooz and M.N.V. Prasad (Eds.), Salt Stress in Plants, Springer New York, pp 63-78. ISBN 978-1-4614-6107-4 (Print); 978-1-4614-6108-1 (Online)

849.Javadmanesh S, Rahmani F, Pourakbar L. Soil salinity, uv-b radiation and their concurrent effects on some physiological parameters in zea mays l. cv. sc. 704. 2013. <http://www.tjprc.org/files/CallforPapers-1350066486-susan%20javadmanesh-IJASR.doc> (last vue 14.12.2013)

Stoyanova Z, Zozikova E, Poschenrieder C, Barcelo J, Doncheva S. The effect of silicon on the symptoms of manganese toxicity in maize plants, Acta Biologica Hungarica. 2008. (4) 479-487. ISSN 1588-256X

850. Ribera AE, Reyes-Díaz MM, Alberdi MR, Alvarez-Cortez DA, Rengel Z, Mora MDLL. Photosynthetic impairment caused by manganese toxicity and associated antioxidative responses in perennial ryegrass. *Crop Past. Sci.* 2013. 64 (7), 696-707. ISSN 1836-0947

Geneva M, Stancheva I, Sichanova M, Boychinova M, Georgiev G, Doležal M. Improvement of milk thistle (*Silybum marianum* L.) seed yield and quality with foliar fertilization and growth effector MD 148/II. Gen. Appl. Plant Physiol., 2008. 34, 309–318. ISSN 1312-8183

851.da Silva Messias R, Galli V, Schirmer MA, Pillon1 CN, dos Anjos e Silva SD, S CAP, Rombaldi CV. Yield and quality of maize following the foliar application of a

fertilizer based on the byproduct “shale water”. Agricultural Sciences, 2013. 4 (12A), 56-65. ISSN: 2156-8553

De Smet I, Vassileva V, De Rybel B, Levesque MP, Grunewald W, Van Damme D, Van Noorden G, Naudts M, Van Isterdael G, De Clercq R, Wang JY, Meuli N, Vanneste S, Friml J, Hilson P, Jürgens G, Ingram GC, Inzé D, Benfey PN, Beeckman T. Receptor-like kinase ACR4 restricts stem cell divisions in the *Arabidopsis* root. Science. 2008. 322, 5901, 594-597.

852. Zhang H, Zhou H, Berke L, Heck AJR, Mohammed S, Scheres B, Menke FLH. Quantitative phosphoproteomics after auxin-stimulated lateral root induction identifies a SNX1 phosphorylation site required for growth. Mol Cell Proteomics, 2013. 12, 1158-1169. ISSN: 1615-9861

853. Zhiponova MK, Vanhoutte I, Boudolf V, Betti C, Dhondt S, Coppens F, Russinova E. Brassinosteroid production and signaling differentially control cell division and expansion in the leaf. New Phytol. 2013. 197, 2, 490-502. ISSN: 1469-8137

854. Okumura KI, Goh T, Toyokura K, Kasahara H, Takebayashi Y, Mimura T, Kamiya Y, Fukaki H. GNOM/FEWER ROOTS is required for the establishment of auxin response maximum for *Arabidopsis* lateral root initiation. Plant Cell Physiol. 2013. 54, 3, 406-417. ISSN 0032-0781

855. Kong Y, Zhu Y, Gao C, She W, Lin W, Chen Y, Wang J. 2013. Tissue-specific expression of SMALL AUXIN UP RNA41 differentially regulates cell expansion and root meristem patterning in *Arabidopsis*. Plant Cell Physiol. 2013. 54, 4, 609-621. ISSN 0032-0781

856. Fonseka DLC, Yang X, Mudge A, Topping JF, Lindsey K. Embryogenesis in *Arabidopsis*: Signaling, Genes, and the Control of Identity. Seed Genomics. 2013. 21-42.

857. Miyashima S, Sebastian J, Lee J, Helariutta Y. Stem cell function during plant vascular development. EMBO J. 2013. 32, 2, 178-193. ISSN 1460-2075

858. Stahl Y, Grabowski S, Bleckmann A, Kühnemuth R, Weidtkamp-Peters S, Pinto KG, Simon R. Moderation of *Arabidopsis* root stemness by CLAVATA1 and ARABIDOPSIS CRINKLY4 receptor kinase complexes. Current Biol. 2013. 23, 5, 362-71. ISSN: 0960-9822

859. Smolarkiewicz M, Dhonukshe P. Formative cell divisions: principal determinants of plant morphogenesis. Plant Cell Physiol. 2013. 54, 3, 333-342. ISSN 0032-0781

860. Lavenus J, Lucas M, Laplaze L, Guyomarc'h S. The Dicot Root as a Model System for Studying Organogenesis. In Plant Organogenesis. 2013. pp. 45-67. Humana Press.

861. Meyer MR, Shah S, Gururaj Rao A. Insights into molecular interactions between the juxtamembrane and kinase subdomains of the *Arabidopsis* Crinkly-4 receptor-like kinase. Arch Biochem Biophys. 2013. 535, 2, 101-10. ISSN: 0003-9861

862. Depuydt S, Rodriguez-Villalon A, Santuari L, Wyser-Rmili C, Ragni L, Hardtke CS. Suppression of *Arabidopsis* protophloem differentiation and root meristem growth by CLE45 requires the receptor-like kinase BAM3. PNAS. 2013. 110, 17, 7074-7079. ISSN 1091-6490

863. Laskowski M. Lateral root initiation is a probabilistic event whose frequency is set by fluctuating levels of auxin response. J Exp Bot. 2013. 64, 9, 2609-2617. ISSN 0022-0957

864. Gacek K. Cell-cell communication in early developing seeds of *Arabidopsis thaliana*. Doctoral dissertation. 2013. University of Warwick, UK.
865. Wierzba MP, Tax FE. Notes from the underground: receptor-like kinases in *Arabidopsis* root development. *J Integr Plant Biol.* 2013. 55, 12, 1224-1237. ISSN: 1744-7909
866. Benitez-Alfonso Y, Faulkner C, Pendle A, Miyashima S, Helariutta Y, Maule A. Symplastic intercellular connectivity regulates lateral root patterning. *Developmental Cell.* 2013. 26, 2, 136-147. ISSN: 1534-5807
867. Chupeau MC, Granier F, Pichon O, Renou JP, Gaudin V, Chupeau Y. Characterization of the early events leading to totipotency in an *Arabidopsis* protoplast liquid culture by temporal transcript profiling. *Plant Cell.* 2013. 25, 7, 2444-2463. ISSN 1040-4651
868. Tian H, Wabnik K, Niu T, Li H, Yu Q, Pollmann S, Ding Z. WOX5-IAA17 feedback circuit mediated cellular auxin response is crucial for the patterning of root stem cell niches in *Arabidopsis*. *Mol Plant.* 2013. doi: 10.1093/mp/sst118. ISSN 1674-2052
869. Carter AD, Bonyadi R, Gifford ML. The use of fluorescence-activated cell sorting in studying plant development and environmental responses. *Int. J. Dev. Biol.* 2013. 57, 545-552. ISSN: 0214- 6282
870. Enugutti B, Kirchhelle C, Schneitz K. On the genetic control of planar growth during tissue morphogenesis in plants. *Protoplasma.* 2013. 250, 3, 651-661. ISSN: 0033-183X
871. Vera Maria Angenesa Jansweijer. Role of *SCHIZORIZA* in asymmetric cell division, cell fate segregation and specification in *Arabidopsis* root development. 2013. PhD thesis, Department of Biology, Utrecht University, the Netherlands.
872. Miyashima S, Sebastian S, Lee JY, Helariutta Y. Stem cell function during plant vascular development. *EMBO J.* 2013. 32, 2, 178-193. ISSN 1460-2075
873. Sozzani R, Iyer-Pascuzzi A. Postembryonic control of root meristem growth and development. *Curr. Opin. Plant Biol.* 2013. 17, 7-12. ISSN: 1369-5266
874. del Pozo JC, Manzano C. Auxin and the ubiquitin pathway. Two players—one target: the cell cycle in action. *J. Exp. Bot.* 2013. ert363. ISSN 0022-0957
875. Szymanowska-Pułka J. Form matters: morphological aspects of lateral root development. *Ann. Bot.* 2013. 112, 9, 1643-1654. ISSN 0305-7364
876. Racolta A, Bryan AC, Tax FE. The receptor-like kinases GSO1 and GSO2 together regulate root growth in *Arabidopsis* through control of cell division and cell fate specification. *Developmental Dynamics,* 2013. doi: 10.1002/dvdy.24066. ISSN: 1097-0177
877. Cruz-Ramírez A, Díaz-Triviño S, Wachsman G, Du Y, Arteaga-Vázquez M, Zhang H, Scheres B. A SCARECROW-RETINOBLASTOMA protein network controls

protective quiescence in the *Arabidopsis* root stem cell organizer. PLoS Biology. 2013. 11(11), e1001724. ISSN-1544-9173

878. Hill K, Porco S, Lobet G, Zappala S, Mooney S, Draye X, Bennett MJ. Root systems biology: Integrative modeling across scales, from gene regulatory networks to the rhizosphere. Plant Phys. 2013. 163, 4, 1487-1503. ISSN: 0032-0889

879. Motte H, Vereecke D, Geelen D, Werbrouck S. The molecular path to *in vitro* shoot regeneration. Biotechnology Advances. 2013. ISSN: 0734-9750

880. Giehl RF, Gruber BD, von Wirén N. It's time to make changes: modulation of root system architecture by nutrient signals. J. Exp Bot. 2013. ert421. ISSN 0022-0957

881. Cuesta C, Wabnik K, Benková E. Systems approaches to study root architecture dynamics. Frontiers Plant Sci, 2013. 4, 537. ISSN 1664-462X

882. Ni J, Shen Y, Zhang Y, Wu P. Definition and stabilisation of the quiescent centre in rice roots. Plant Biology. 2013. DOI: 10.1111/plb.12138 ISSN: 1438-8677

Demirevska K, Simova-Stoilova L, Vassileva V, Vaseva I, Grigoro B, Feller U. Drought induced leaf protein alterations in sensitive and tolerant wheat varieties. Gen. Appl. Plant Physiol. 2008. Special Issue 34 (1-2), 79-102.

883. Hossain A, da Silva JAT, Lozovskaya MV, Zvolinsky VP, Mukhortov VI. High temperature combined with drought affect rainfed spring wheat and barley in south-eastern Russia: Yield, relative performance and heat susceptibility index. Journal Plant Breed Crop Sci. 2013. 4, 11, 184-196. ISSN:2006-9758

884. Arumingtyas EL, Savitri ES, Purwoningrahayu RD. Protein profiles and dehydrin accumulation in some soybean varieties (*Glycine max* L. Merr) in drought stress conditions. American J Plant Sci. 2013. 4, 134-141. ISSN 2158-2742

885. Razzaq A, Ali Q, Qayyum A, Mahmood I, Ahmad M, Rasheed M. Physiological responses and drought resistance index of nine wheat (*Triticum aestivum* L.) cultivars under different moisture conditions. Pak J Bot. 2013. 45(SI), 151-155. ISSN 0556-3321

886. Hossain A, da Silva JAT. Wheat production in Bangladesh: its future in the light of global warming. AoB plants 2013. 5, pls042. DOI: 10.1093/aobpla/pls042 ISSN 2041-2851

887. Marriott J, Florentine S, Raman A. Effects of *Tetranychus lintearius* (Acari: Tetranychidae) on the structure and water potential in the foliage of the invasive *Ulex europaeus* (Fabaceae) in Australia. Internat J Acarol. 2013. 39, 4, 275-284. ISSN 0164-7954

888. Raimbault AK, Zuily-Fodil Y, Soler A, Mora P, Cruz de Carvalho MH. The expression patterns of bromelain and AcCYS1 correlate with blackheart resistance in pineapple fruits submitted to postharvest chilling stress. J Plant Physiol. 2013. 170, 16, 1442-1446. ISSN: 0176-1617

889. Jaiswal DK, Ray D, Choudhary MK, Subba P, Kumar A, Verma J, Kumar R, Datta A, Chakraborty S, Chakraborty N. Comparative proteomics of dehydration

response in the rice nucleus: new insights into the molecular basis of genotype-specific

adaptation. Proteomics. 2013. doi: 10.1002/pmic.201300284. ISSN: 1615-9861

Demirevska K, Simova-Stoilova L, Vassileva V, Feller U. Rubisco and some chaperone protein responses to water stress and rewetting at early seedling growth of drought sensitive and tolerant wheat varieties. Plant Growth Regul. 2008. 56, 2, 97-106. ISSN: 0167-6903

890. Guha A, Sengupta D, Reddy AR. Polyphasic chlorophyll *a* fluorescence kinetics and leaf protein analyses to track dynamics of photosynthetic performance in mulberry during progressive drought. J. Photochem. Photobiol. B: Biol. 2013. 119, 71-83. ISSN: 1011-1344

891. Panitlertumpai N, Nakbanpote W, Sangdee A, Thumanu K, Nakai I, Hokura A. Zinc and/or cadmium accumulation in *Gynura pseudochina* (L.) DC. studied in vitro and the effect on crude protein. J Mol Structure. 2013. 1036, 279-291. ISSN: 0167-6369

892. Kocheva KV, Petrov PI, Georgiev GI. Physiological and anatomical responses of wheat to induced dehydration and rehydration. Cent Eur J Biol. 2013. 8, 5, 499-50. ISSN 1644-3632

893. Zhao H, Cui J, Wang J, Chen J. The physiological and biochemical mechanisms of ivy (*Hedera nepalensis var. sinensis*) respond under drought stress. Chinese Agricult Sci Bulletin. 2013. 29, 7: 12-19. ISSN 1000-6850

894. Guo S-Z, Zhang M-H, Deng C-Y, Na H-Yane, Wang X-P, Ye N-X. Effect of drought stress on photosynthetic characteristics and ultrastructure of mesophyll cells in three cultivars of *Jamini sambac*. J Tropical Subtropical Bot. 2013. 21, 2, 123-129. ISSN 1005-3395

895. Zhang HM, Zhang LS, Liu L, Zhu WN, Yang WB. Changes of dehydrin profiles induced by drought in winter wheat at different developmental stages. Biol. Plantarum. 2013. 57, 4, 797-800. ISSN: 0006-3134

896. Zhang L, Zhang L, Sun J, Zhang Z, Ren H, Sui X. Rubisco gene expression and photosynthetic characteristics of cucumber seedlings in response to water deficit. Scientia Horticult. 2013. 161, 81-87. ISSN: 0304-4238

897. Jaiswal DK, Ray D, Choudhary MK, Subba P, Kumar A, Verma J, Kumar R, Datta A, Chakraborty S, Chakraborty N. Comparative proteomics of dehydration

response in the rice nucleus: new insights into the molecular basis of genotype-specific

adaptation. Proteomics. 2013. doi: 10.1002/pmic.201300284. ISSN: 1615-9861

Stancheva I, Geneva M, Djonova E, Kaloyanova N, Sichanova M, Boychinova M, Georgiev G. Response of alfalfa (*Medicago sativa* L.) growth at low accessible phosphorus source to the dual inoculation with mycorrhizal fungi and nitrogen fixing bacteria, Gen Appl. Plant Physiology, Special issue. 2008. 34 (3-4), 319-326. ISSN 1312-8183

898. Mai, Quang Ngoc. 2013. Interactions between lucerne, rhizobia and mycorrhizas under different levels of N and P in the glasshouse field. Masters Thesis, Lincoln University

Kirova E, Tzvetkova N, Vaseva I, Ignatov G. Photosynthetic Responses of Nitrate-Fed and Nitrogen-Fixing Soybeans to Progressive Water Stress. Journal of Plant Nutrition 2008, 31(3), 445-458.

899.El-Akhal MR, Rincón, A, Coba de la Peña, T, Lucas, MM, El Mourabit N, Barrial S, Pueyo JJ Effects of salt stress and rhizobial inoculation on growth and nitrogen fixation of three peanut cultivars Plant Biology. 2013. 15 (2), 415-421. ISSN: 1438-8677

900.Souza GM, Catuchi TA, Bertolli SC, Soratto RP. Soybean under water deficit: physiological and yield responses. In: A Comprehensive Survey of International Soybean Research - Genetics, Physiology, Agronomy and Nitrogen Relationships. 2013. Chapter 13, 273-298. doi: <http://dx.doi.org/10.5772/54269>.

2009

Djilianov D, Ivanov S, Georgieva T, Moyankova D, Berkov S, Petrova G, Mladenov P, Christov N, Hristozova N, Peshev D, Tchorbadjieva M, Alexieva V, Tosheva A, Nikolova M, Ionkova I, van den Ende W. A Holistic approach to resurrection plants. Haberlea rhodopensis - A case study. Biotechnol. & Biotechnol. Eq.. 2009. 23(4), 1414-1416. ISSN: 1310-2818.

901.Mihaylova D, Bahchevanska S, Toneva V. Examination of the antioxidant activity of haberlea rhodopensis leaf extracts and their phenolic constituents. J. Food Biochem. 2013. 37(3), 255-261. doi: 10.1111/j.1745-4514.2011.00609.x. ISSN: 1745-4514.

Dimitrova AD, Ananiev ED, Gecheff KI. DNase I hypersensitive sites within the intergenic spacer of ribosomal RNA genes in reconstructed barley karyotypes. Biotechnol. & Biotechnol. Eq. 2009. 23 (1), 1039-1043.

902.Lafon-Placette C, Faivre-Rampant P, Delaunay A, Street N, Brignolas F, Maury S. Methylome of DNase I sensitive chromatin in *Populus trichocarpa* shoot apical meristematic cells: a simplified approach revealing characteristics of gene-body DNA methylation in open chromatin state. New Phytol. 2013, 197 (2), 416-430. ISSN: 1469-8137

Katerova Z, Todorova D. Endogenous polyamines lessen membrane damages in pea plants provoked by enhanced ultraviolet-C radiation. Plant Growth Regul. 2009. 57(2), 145-152. ISSN: 0167-6903.

903.Fariduddin Q, Varshney P, Yusuf M, Ahmad A. Polyamines: potent modulators of plant responses to stress. J. Plant Interact. 2013. 8(1), 1-16. ISSN: 1742-9145

Kocheva KV, Kartseva T, Landjeva S, Georgiev GI. Physiological response of wheat seedlings to mild and severe osmotic stress. Cereal Research Communications. 2009. 37 (2), 199-208. ISSN: 1788-9170.

904.Jiang J, Su M, Chen Y, Gao N, Jiao C, Sun Z, Li F, Wang C. Correlation of drought resistance in grass pea (*Lathyrus sativus*) with reactive oxygen species scavenging and osmotic adjustment. Biologia. 2013. 68(2), 231-240. ISSN: 1336-9563.

905.Zhao H, Zhang W, Wang J, Li FR, Ji J, Li JM. Research progress on improving wheat drought tolerance via exotic gene introduction. Chinese Journal of Eco-Agriculture. 2013. 21, 267-273. ISSN: 1671-3990.

906.Farshadfar E, Elyasi P, Hasheminasab H. Incorporation of agronomic and physiological indicators of drought tolerance in a single integrated selection index for screening drought tolerant landraces of bread wheat genotypes. International Journal of Agronomy and Plant Production. 2013. 4, 3314-3325. ISSN: 2051-1914.

Krezhova D, Iliev I, Yanev T, Kirova E. Assessment of the effect of salinity on the early growth stage of soybean plants (*Glycine max* L.) Proceedings of 4th International Conference on Recent Advances Space Technologies. 2009. art. no. 5158233 , 397-402.

907.Gazala IFS, Sahoo RN, Pandey R, Mandal B, Gupta VK, Singh R, Sinha P. Spectral reflectance pattern in soybean for assessing yellow mosaic disease. Indian Journal of Virology. 2013. 24 (2), 242-249.

Hazra P, Ansary SH, Dutta AK, Balacheva E, Atanassova B. Breeding tomato tolerant to high temperature stress. Acta Horiculturae. 2009. 830, 241- 248. ISSN: 0567-7572.

908.Nadipynayakanahally Krishnamurthy Srinivasa Rao, Ramanna Hunashikatti Laxman. Phenotyping Horticultural Crops for Abiotic Stress Tolerance Climate-Resilient Horticulture: Adaptation and Mitigation Strategies. 2013. 147-157. ISBN: 978-81-322-0974-4.

Katerova Z, Ivanov S, Prinsen E, Van Onckelen H, Alexieva V, Azmi A. Low doses of ultraviolet-B or ultraviolet-C radiation affect phytohormones in young pea plants. Biol. Plant. 2009. 53, 365-368. ISSN: 0006-3134.

909.Singh B, Ahuja S, Singhal RK, Babu PV. Effect of gamma radiation on wheat plant growth due to impact on gas exchange characteristics and mineral nutrient uptake and utilization. Journal of Radioanalytical and Nuclear Chemistry. 2013. 298, 249-257. ISSN: 0236-5731

910.Karoliussen I, Brinckmann E, Kittang AI. Will Plants Grow on Moon or Mars? Current Biotechnology. 2013. 2, 235-243. ISSN: 2211-550

Moskova I, Todorova D, Alexieva V, Ivanov S, Sergiev I. Effect of exogenous hydrogen peroxide on enzymatic and nonenzymatic antioxidants in leaves of young pea plants treated with paraquat. Plant Growth Regulation. 2009. 57(2), 193-202. ISSN: 1522-7278.

911.Guzel S, Terzi R. Exogenous hydrogen peroxide increases dry matter production, mineral content and level of osmotic solutes in young maize leaves and alleviates deleterious effects of copper stress. Botanical Studies. 2013. 54(1). doi: 10.1186/1999-3110-54-26. ISSN: 1999-3110.

912.Jiang J, Su M, Chen Y, Gao N, Jiao C, Sun Z, Li F, Wang C. Correlation of drought resistance in grass pea (*Lathyrus sativus*) with reactive oxygen species scavenging and osmotic adjustment. Biologia (Poland). 2013. 68(2), 231-240. ISSN: 0006-3088.

913.Lin K-H, Kuo W-S, Chiang C-M, Hsiung T-C, Chiang M-C, Lo H-F. Study of sponge gourd ascorbate peroxidase and winter squash superoxide dismutase under

respective flooding and chilling stresses. *Scientia Horticulturae*. 2013. 162, 333-340. ISSN: 0304-4238.

914.Mandal C, Ghosh N, Dey N, Adak MK. Effects of putrescine on oxidative stress induced by hydrogen peroxide in *Salvinia natans* L. *J. Plant Interact.* 2013. doi: 10.1080/17429145.2013.871076. ISSN: 1742-9145.

915.Morkunas I, Mai VC, Waśkiewicz A, Formela M, Goliński P. Major Phytohormones Under Abiotic Stress. In: *Physiological Mechanisms and Adaptation Strategies in Plants Under Changing Environment*. Ahmad P, MR Wani (Eds.), Springer New York. 2013. 87-135. doi: 10.1007/978-1-4614-8600-8. ISBN 978-1-4614-8600-8.

Rodeva R, Gabler J, Stoyanova Z. First evidence of *Itersonilia perplexans* on dill (*Anethum graveolens*) in Bulgaria. Scientific Works of the Lithuanian Institute of Horticulture and Lithuanian University of Agriculture. Sodininkystė ir daržininkystė. 2009. 28 (3), 193-198. ISSN: 0236-4212.

916.Dorn-In S, Hörlzel S, Janke T, Schwaiger K, Balsliemke J, Bauer J. PCR-SSCP-based reconstruction of the original fungal flora of heat-processed meat products. *International Journal of Food Microbiology*. 2013. 162(1), 71-81. ISSN: 0168-1605.

Poschenrieder C, Amenos M, Corrales I, Doncheva S, Barcelo J. Root behavior in response to aluminum toxicity. Plant-Environment Interactions, Signaling and Communication in Plants. 2009. 21-43. ISSN 1867-9048

917.Mohan V, Acharya M, Parinandib NL, Pandaa BB. Calcium channel blockers protect against aluminium-induced DNA damage and block adaptive response to genotoxic stress in plant cells. *Mutation Research*. 2013. 751, 130-138. ISSN 1383-5742

918.Baluška F, Mancuso S. Root Apex Transition zone as oscillatory zone. *Front Plant Sci.* 2013. 4, 354. doi: 10.3389/fpls.2013.00354. ISSN 1664-462X

Stoyanova Z, Poschenrieder Ch, Tzvetkova N, Doncheva S. Characterization of the tolerance to excess manganese in four maize varieties. Soil Sci. Plant Nutr. 2009. 55 (6), 747-753. Online ISSN 1747-0765

919.Millaleo R, Reyes-DHAZ M, Alberdi M, Ivanov AG, Kroland NP, Hüner PA. Excess manganese differentially inhibits photosystem I versus II in *Arabidopsis thaliana*. *J. Exp. Bot.* 2013. 64 (1), 343-35. ISSN 1460-2431

920.Acharya VMM, Parinandib NL, Pandaa BB. Calcium channel blockers protect against aluminium-induced DNA damage and block adaptive response to genotoxic stress in plant cells. *Mutation Research*. 2013. 751, 130-138. ISSN 1383-5718

Doncheva S, Poschenrieder C, Stoyanova Z, Georgieva K, Velichkova M, Barceló J. Silicon amelioration of manganese toxicity in Mn-sensitive and Mn-tolerant maize varieties. Env. Exp. Bot. 2009. 65 (2-3), 189-197. ISSN 0098-8472

921.Millaleo R, Reyes-DHAZ M, Alberdi M, Ivanov AG, Kroland M, Hüner NPA. Excess manganese differentially inhibits photosystem I versus II in *Arabidopsis thaliana*. *J. Exp. Bot.* 2013. 64 (1), 343–354. Online ISSN 1460-2431

922.Ali S, Farooq MA, Tahirayasmeen, Sabirhussain, Saleemarif M, Abbas F, Bharwana S, Zhang G. The influence of silicon on barley growth, photosynthesis and

- ultra-structure under chromium stress. Ecotoxicology and Environmental Safety (2013). 89, 66-72. ISSN 0147-6513
923. Zambrosi FCB, Mesquita GL, Tanaka FAO, Quaggio JA, Mattos Jr M. Env. Exp. Bot. 2013. 95, 25-33. ISSN 0098-8472
924. Alejandra E. Ribera, Marjorie M. Reyes-Díaz, Miren R. Alberdi, Daniela A. Alvarez-Cortez, Zed Rengel, María de la Luz Mora. (2013). Photosynthetic impairment caused by manganese toxicity and associated antioxidative responses in perennial ryegrass. Crop and Pasture Science 64(7), 696-707. <http://dx.doi.org/10.1071/CP13161>. ISSN 1836-0947
925. Yesenia Rojas-Lillo, Miren Alberdi, Patricio Acevedo, Claudio Inostroza-Blancheteau, Zed Rengel, Maria de la Luz Mora, Marjorie Reyes-Díaz. (2013). Manganese toxicity and UV-B radiation differentially influence the physiology and biochemistry of highbush blueberry (*Vaccinium corymbosum*) cultivars. Functional Plant Biology. <http://dx.doi.org/10.1071/FP12393>. Published online: 30 September 2013. ISSN 1445-4408
926. Wu Jia-Wen, Shi Yu, Zhu Yong-Xing, Wang Yi-Chao, Gong Hai-Jun. (2013). Mechanisms of enhanced heavy metal tolerance in plants by silicon: a review Pedosphere 23(6), 815–825. ISSN 1002-0160/CN 32-1315/P
927. José Martín Soriano-Disla, Ignacio Gómez, José Navarro-Pedreño, Manuel M. Jordán. (2013). The transfer of heavy metals to barley plants from soils amended with sewage sludge with different heavy metal burdens. Journal of Soils and Sediments. DOI 10.1007/s11368-013-0773-4. Published online 27 august 2013. ISSN 1439-0108
928. Fugui Chen, Sheng Zhang, Guoping Zhu, Helena Korpelainen, Chunyang Li. (2013). *Populus cathayana* males are less affected than females by excess manganese: Comparative proteomic and physiological analyses. Proteomics 13 (16), 2424–2437. ISSN 1874-3919
929. Zahra Kiani Chalmardi, Ahmad Abdolzadeh, Ahmad Abdolzadeh (2013). Silicon nutrition potentiates the antioxidant metabolism of rice plants under iron toxicity. Acta Physiologiae Plantarum. Doi 10.1007/s11738-013-1430-7. Published online 9 november 2013. ISSN: 0137-5881
930. Ali S, Farooq MA, Yasmeen T, Hussain S, Arif MS, Abbas F, Bharwana SA, Zhang G. The influence of silicon on barley growth, photosynthesis and ultra-structure under chromium stress. Ecotoxicology and Environmental Safety. 2013. 89, 66-72. ISSN 0147-6513
931. Baluška F, Mancuso S. Root apex transition zone as oscillatory zone. Frontiers in plant science. Plant Systems Biology. 2013. 4, 354. Electronic ISSN 1664-462X
- Yildiz-Aktas L, Dagnon S, Gurel A, Gesheva E, Edreva A. Drought tolerance in cotton: involvement of non-enzymatic ROS-scavenging compounds. J. Agr. Crop Sci. 2009. 195, 4: 247-253. Online ISSN: 1439-037X**
932. Zingaretti SM, Inácio MC, Pereira LM, Paz TA, França SC. Water Stress and Agriculture. Agricultural and Biological Sciences , "Responses of Organisms to Water Stress", chapter 7. Edited by Sener Akıncı, 2013 under CC BY 3.0 license DOI: 10.5772/53877. ISBN 978-953-51-0933-4
933. Ali Q, Anwar F, Ashraf M, Saari N, Perveen R. Ameliorating effects of exogenously applied proline on seed composition, seed oil quality and oil antioxidant

activity of maize (*Zea mays* L.) under drought stress. Int. J. Mol. Sci. 2013. 14, 818-835. doi:10.3390/ijms14010818. ISSN 1422-0067

934. Parida AK, Jha B. Inductive responses of some organic metabolites for osmotic homeostasis in peanut (*Arachis hypogaea* L.) seedlings during salt stress. Acta Physiol. Plan. 2013. 35 (9), 2821-2832. ISSN: 0137-5881

935. Roussos PA. Growth and biochemical responses of jojoba (*Simmondsia chinensis* (Link) Schneid) explants cultured under mannitol-simulated drought stress in vitro, Plant Biosystems. 2013. 147 (2), 272-284. DOI:10.1080/11263504.2013.768558. ISSN 1126-3504

Nenova V, Merakchiyska M, Ganeva G, Zozikova E, Landjeva S. Physiological responses of wheat (*Triticum aestivum* L.)- *Aegilops sharonensis* introgression lines to excess copper. J. Agr. Crop Sci. 2009. 195, 197-203. ISSN: 0931-2250.

936. Dowidar SMA, Abo-Hamad SA, Mohsen AA, Khalaf BMM . Bioremediation of copper stressed *Trigonella foenum graecum*. J. Stress Physiol. Biochem. 2013. 9, 5-24. ISSN 1997-0838.

Demirevska K, Zasheva D, Dimitrov R, Simova-Stoilova L, Stamenova M, Feller U. Drought stress effects on Rubisco in wheat: Changes in the Rubisco large subunit. Acta Physiol. Plant. 2009. 31, 1129-1138. ISSN: 0137-5881

937.Bakhshy J, Ghassemi-Golezani K, Zehtab-Salmasi S, Moghaddam M. Effects of water deficit and shading on morphology and grain yield of soybean (*Glycine Max* L.). Techn. J. Engin. Appl. Sci. 2013. 3, 39-43. ISSN 2051-0853

938.Budak H, Akpinar BA, Unver T, Turkta M. Proteome changes in wild and modern wheat leaves upon drought stress by two-dimensional electrophoresis and nanoLC-ESI-MS/MS. Plant Molec. Biol. 2013. 83, 89-103. ISSN: 0167-4412

939.Kamal AHM, Cho K, Choi J-S, Jin Y, Park C-S, Lee JS, Woo SH. Patterns of protein expression in water-stressed wheat chloroplasts. Biol. Plant. 2013. 57, 305-312. ISSN: 0006-3134

940.Kamal AHM, Cho K, Choi J-S, Bae K-H, Komatsu S, Uozumi N, Woo SH. The wheat chloroplastic proteome. J.Proteomics 2013. 93, 326-342. ISSN: 1615-9861

941.Rana RM, Rehman SU, Ahmed J, Bila M. A comprehensive overview of recent advances in drought stress tolerance research in wheat (*Triticum aestivum* L.). Asian J Agric Biol. 2013. 1, 29-37. ISSN 2307-8553

942.Kapoor R, Evelin H, Mathur P, Giri B. Arbuscular mycorrhiza: approaches for abiotic stress tolerance in crop plants for sustainable agriculture. Plant Acclim. Environ. Stress. 2013. Eds Tuteja N, Gill SS. Springer. 21, 359-401. ISBN 978-1-4614-5001-6

943.Prerna AK, Sengar RS. Sengar Evaluation of heat and drought tolerance of wheat cultivars through physiological, biochemical and molecular approaches. Res. J. Agric. Sci. 2013.n4, 139-145. ISSN 0976-1675

944. Ullmann-Zeunert L. Trade-offs of induced herbivore defense in *Nicotiana attenuata*: the role of early signaling and defense metabolite biosynthesis. Dissertation zur Erlangung des akademischen Grades doctor rerum naturalium (Dr. rer. nat.) vorgelegt dem Rat der Biologisch-Pharmazeutischen Fakultät der Friedrich-Schiller-Universität Jena 7.3.2013.

945.Zamaninejad M, Khorasani SK, Moeini MJ, Heidarian AR. Effect of salicylic acid on morphological characteristics, yield and yield components of Corn (*Zea mays* L.) under drought conditions. *Europ. J. Exp. Biol.* 2013. 3, 153-161. ISSN: 2248 – 9215

946.Zhang L, Zhang L, Sun J, Zhang Z, Ren H, Sui X. Rubisco gene expression and photosynthetic characteristics of cucumber seedlings in response to water deficit. *Sci. Horticult.* 2013. 161, 81-87. ISSN: 0304-4238

Nagel M, Vogel H, Landjeva S, Buck-Sorlin G, Lohwasser U, Scholz U and Börner A. Seed conservation in ex situ genebanks—genetic studies on longevity in barley. *Euphytica.* 2009. 170 (1-2), 5-14. ISSN: 0014-2336

947.de Carvalho MAAP, Bebeli PJ, Bettencourt E, Costa G, Dias S, Dos Santos TMM and Slaski JJ. Cereal landraces genetic resources in worldwide GeneBanks. A review. *Agron. Sustain. Dev.* 2013. 33, 177-203. ISSN: 1774-0746.

948.Van Treuren R, Van Hintum T, de Groot EC. Preservation of seed viability during 25 years of storage under standard genebank conditions. *Genet. Resour. Crop Evol.* 2013. 60, 1407-1421. ISSN: 0925-9864.

949. Li G, Na Y-W, Kwon S-W, Park Y-J. Association analysis of seed longevity in rice under conventional and high-temperature germination conditions. *Plant Syst. Evol.* 2013. doi 10.1007/s00606-013-0889-4. ISSN: 0378-2697.

950.Сафина ГФ, Филипенко ГИ. Долговечность семян при хранении и ее прогнозирование методом ускоренного старения. Труды по прикладной ботанике, генетике и селекции. 2013. Т. 174. СПб.: ВИР. С. 150, 123-130. ISSN 0202-3628.

Stancheva I, Geneva M, Hristozkova M, Boychinova M, Markovska Y. Essential oil variation of *Salvia officinalis* (L.), grown on heavy metal polluted soil. *Biotech. Biotech. Equip.* 2009. Special issue, 23, 373-376. ISSN 1310-2818

951.Darwish MA, AL-Ramamneh EA-D, Salamon I, Abu-Dieyeh Z, Nawaiseh MA, Albdour T. Determination of essential oil bioactive components and rosmarinic acid of *Salvia officinalis* cultivated under different intra-row spacing. *Not Sci Biol*, 2013, 5(2): 198-203, ISSN 2067-3205;

952. Siddiqui F, Krishna SK, Tandon PK, Srivastava S. Arsenic accumulation in *Ocimum* spp. and its effect on growth and oil constituents. *Acta Physiol. Plant.* 2013. 35(4), 1071-1079, ISSN-0137-5881

953.Ducruet JM, Peeva V, Havaux M. Chlorophyll thermoluminescence and thermoluminescence as complementary tools for the study of temperature stress in plants. *Photosynthesis Research.* 2007. 93(1-3), 159-171. ISSN: 0166 – 8595.

954.Dongsansuk A, Lütz C, Neuner G. Effects of temperature and irradiance on quantum yield of PSII photochemistry and xanthophyll cycle in a tropical and a temperate species. *Photosynthetica.* 2013. 51(1), 13-21. ISSN: 0300-3604

955.Tovuu A, Zulfugarov IS, Lee C-H. Correlation between the temperature dependence of chlorophyll fluorescence and the fluidity of thylakoid membranes. *Physiologia Plantarum.* 2013. 147(4), 409-416. ISSN: 1399-3054

Vassileva V, Simova-Stoilova L, Demirevska K, Feller U. Variety-specific response of wheat (*Triticum aestivum* L.) leaf mitochondria to drought stress. *J. Plant Research.* 2009. 122, 4, 445-454.

956. Ma H, Lyu D, Liu G, Qin S. Mitochondrial response in the apical and lateral flower buds of the Hanfu apple to cold stress during the dormancy stage. *Acta Ecologica Sinica*. 2013. 33, 1, 52–58.
957. Kocheva KV, Petrov PI, Georgiev GI. Physiological and anatomical responses of wheat to induced dehydration and rehydration. *Cent. Eur. J. Biol.* 2013. 8, 5, 499-503.
958. Guo S-Z, Zhang M-H, Deng C-Y, Na H-Yane, Wang X-P, Ye N-X. Effect of drought stress on photosynthetic characteristics and ultrastructure of mesophyll cells in three cultivars of *Jaminum sambac*. *J. Trop. Subtrop. Bot.* 2013. 21, 2, 123-129.
959. Zhou S, Palmer M, Zhou J, Bhatti S, Howe KJ, Fish T, Thannhauser TW. Differential root proteome expression in tomato genotypes with contrasting drought tolerance exposed to dehydration. *J. Am. Soc. Hortic. Sci.* 2013. 138, 2, 131-141.
960. Vanlerberghe GC. Alternative oxidase: a mitochondrial respiratory pathway to maintain metabolic and signaling homeostasis during abiotic and biotic stress in plants. *Inter. J. Mol. Sci.* 2013. 14, 4, 6805-6847.
961. Wang J, Vanlerberghe GC. A lack of mitochondrial alternative oxidase compromises capacity to recover from severe drought stress. *Physiol Plantarum*. 2013. DOI: 10.1111/ppl.12059.
962. Zhang HM, Zhang LS, Liu L, Zhu WN, Yang WB. Changes of dehydrin profiles induced by drought in winter wheat at different developmental stages. *Biologia Plantarum*. 2013. 1-4.
963. Zhang P, Mu F, Song H, Qu Y, Wang P, Feng B. Anatomical structure and drought resistance in broomcorn millet leaf. *Transactions Chinese Society Agricult Machinery*. 2013. 44, 5, 119-126.
964. Wojtyla Ł, Grabsztunowicz M, Garnczarska M. Ultrastructural and antioxidative changes in lupine embryo axes in response to salt stress. *Acta Societatis Botanicorum Poloniae*. 2013. DOI: 10.5586/asbp.2013.027.
965. Joseph T, Whitehead D, Turnbull MH. Soil water availability influences the temperature response of photosynthesis and respiration in a grass and a woody shrub. 2013. *Functional Plant Biology*. <http://dx.doi.org/10.1071/FP13237> ISSN: 1445-4408
- Simova-Stoilova L, Demirevska K, Petrova T, Tsenov N, Feller U. Antioxidative protection and proteolytic activity in tolerant and sensitive wheat (*Triticum aestivum* L.) varieties subjected to long-term field drought. *Plant Growth Regul.* 2009. 58, 107-117. ISSN: 0167-6903**
966. Boaretto LF, Carvalho G, Borgo L, Creste S, Landell MGA, Mazzafera P, Azevedo RA. Water stress reveals differential antioxidant responses of tolerant and non-tolerant sugarcane genotypes. *Plant Physiol. Biochem.* 2013. 74, 165-175. ISSN: 0981-9428
967. Biswal AK, Kohli A. Cereal flag leaf adaptations for grain yield under drought: Knowledge status and gaps. *Molec. Breeding*. 2013. 31, 749-766.
968. Chugh V, Kaur N, Grewal MS, Gupta AK. Differential antioxidative response of tolerant and sensitive maize (*Zea mays* L.) genotypes to drought stress at reproductive stage. *Indian J. Biochem. Biophys.* 2013. 50, 150-158.
969. Ghorbanpour M, Hatami M, Khavazi K. Role of plant growth promoting rhizobacteria on antioxidant enzyme activities and tropane alkaloid production of *Hyoscyamus niger* under water deficit stress. *Turk. J. Biol.* 2013. 37, 350-360.

970. Hasanuzzaman M, Nahar K, Gill SS, Fujita M. Drought stress responses in plants, oxidative stress, and antioxidant defense. In: Climate change and plant abiotic stress tolerance. 2013. Eds Tuteja N, Gill SS. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany. doi: 10.1002/9783527675265.ch09.

971. Li Y, Xie S, Chen Z-L, Xu S-N, Zhang L-H. Impacts of zinc, benzo[a] pyrene, and their combination on the growth and antioxidant enzymes activities of wheat (*Triticum aestivum* L.) seedlings. Chinese J. Ecol. 2013. 32, 358-362.

972. Varga B, Bencze S, Janda T, Veisz O. Study of the effect of abiotic stress on the antioxidant enzyme activity of cereals under regulated environmental conditions. Acta Agron. Hung. 2013. 61, 175-183.

973. Wei J, Li C, Li Y, Jiang G, Cheng G, Zheng Y. Effects of external potassium (K) supply on drought tolerances of two contrasting winter wheat cultivars. PLoS ONE. 2013 8 (7), art. no. e69737. eISSN-1932-6203

Maslenkova L, Peeva V, Stojnova Zh, Popova L. Salicylic acid-induced changes in photosystem II reactions in barley plants. Biotechnology and Biotechnological Equipment. 2009. 23, 297–300. ISSN: 1310-2818.

974. Krasavina MS, Burmistrova NA. Impact of Salicylic Acid on the Transport and Distribution of Sugars in Plants. Salicylic Acid. 2013. 1, 83-117.

975. Irfan M, Hayat S, Wani AS. Overlapping Horizons of Salicylic Acid under Different Stresses. Crop Improvement Under Adverse Conditions. 2013. 1, 137-152.

Georgieva K, Roding A, Buchel C. Changes in some thylakoid membrane proteins and pigments upon desiccation of the resurrection plant *Haberlea rhodopensis*. Journal of Plant Physiology. 2009. 166, 1520-1528. ISSN: 0176-1617.

976. Gasula F, Jain R, Barreno E, Guera A, Balbuena TS, Thelen JJ, Oliver MJ. The response of *Asterochloris erici* (Ahmadjian) Skaloud et Peksa to desiccation: a proteomic approach. Plant, Cell & Environment. 2013. 36, 1363-1378. doi: 10.1111/pce.1206511:33 25.11.2013

977. Yobi A, Wone BW, Xu W, Alexander DC, Guo L, Ryals J, Oliver MJ, Cushman JC. Metabolomic profiling in *Selaginella lepidophylla* at various hydration states provides new insights into the mechanistic basis of desiccation tolerance. Molecular Plant. 2013. 6(2), 369-385. doi: 10.1093/mp/sss155

978. Kondeva-Burdina M, Zheleva-Dimitrova D, Nedialkov P, Girreser U, Mitcheva M. Cytoprotective and antioxidant effects of phenolic compounds from *Haberlea rhodopensis* Friv. (Gesneriaceae). Pharmacognosy Magazine. 2013. 9(36), 294–301. doi: 10.4103/0973-1296.117822

979. Fernández-Marín B, Kranner I, San Sebastián M, Artetxe U, Laza J-M, Vilas J-L, Pritchard HW, Nadajaran J, Míguez F, Becerril JM, García-Plazaola JI. Evidence for the absence of enzymatic reactions in the glassy state. A case study of xanthophyll cycle pigments in the desiccation-tolerant moss *Syntrichia ruralis*. J. Exp. Bot. 2013. doi: 10.1093/jxb/ert145

980. Mitra J, Xu G, Wang B, Li M, Deng X. Understanding desiccation tolerance using the resurrection plant *Boea hygrometrica* as a model system. Frontiers in Plant Science. 2013. doi: 10.3389/fpls.2013.00446

Fedina I, Nedeva D, Georgieva K, Velitchkova M. Methyl jasmonate counteract UV-B stress in barley seedlings. Journal of Agronomy and Crop Science. 2009. 195(3), 204-212. ISSN: 1439-037X.

981.Bandurska H, Niedziela J, Chadzinikolau T. Separate and combined responses to water deficit and UV-B radiation. Plant Science. 2013. 213, 98-105. ISSN 0168-9452, <http://dx.doi.org/10.1016/j.plantsci.2013.09.003>.

982.Carvalho RF, Monteiro CC, Caetano AC, Dourado MN, Gratão PL, Haddad CRB, Peres LEP, Azevedo RA. Leaf senescence in tomato mutants as affected by irradiance and phytohormones. Biologia Plantarum. 2013. 57(4), 749-757.

983.Liu B-B, Opgenoorth L, Miehe G, Zhang D-Y, Wan D-S, Zhao C-M, Jia D-R, Liu J-Q. Molecular bases for parallel evolution of translucent bracts in an alpine "glasshouse" plant *Rheum alexandrae* (Polygonaceae). Journal of Systematics and Evolution. 2013. 51(2), 134-141. DOI: 10.1111/j.1759-6831.2012.00225.x

Loreto F, Tsonev T, Centritto M. The impact of blue light on leaf mesophyll conductance. Journal of Experimental Botany. 2009. 60 (8), 2283-2290. ISSN: 0022-0957.

984.Abidi F, Girault T, Douillet O, Guillemain G, Sintes G, Laffaire M, Ben Ahmed H, Smiti S, Huche-Thelier L, Leduc N. Blue light effects on rose photosynthesis and photomorphogenesis. Plant Biology. 2013. 15 (1), 67-74.

985.Flexas J, Scoffoni C, Gago J, Sack L. Leaf mesophyll conductance and leaf hydraulic conductance: an introduction to their measurement and coordination. Journal of Experimental Botany. 2013. 64 (13), 3965–3981.

986.Kopsell DA, Sams CE. Increases in shoot tissue pigments, glucosinolates, and mineral elements in sprouting broccoli after exposure to short-duration blue light from light emitting diodes. J. Amer. Soc. Hort. Sci. 2013. 138(1), 31–37.

987.Martins SCV, Galmés J, Molins A, DaMatta FM. Improving the estimation of mesophyll conductance to CO₂: on the role of electron transport rate correction and respiration. Journal of Experimental Botany. 2013. 64 (11), 3285-3298.

988.Tomás M, Flexas J, Copolovici L, Galmés J, Hallik L, Medrano H, Ribas-Carbó M, Tossens T, Vislap V, Niinemets Ü. Importance of leaf anatomy in determining mesophyll diffusion conductance to CO₂ across species: quantitative limitations and scaling up by models. Journal of Experimental Botany. 2013. 64 (8), 2269-2281.

Peeva V, Cornic G. Leaf photosynthesis of *Haberlea rhodopensis* before and during drought. Environmental and Experimental Botany. 2009. 65(2), 310-318. ISSN: 0098-8472.

989.Pou A. Richter A. V. H. 4.4 Photosynthesis limitations during water stress acclimation and recovery in the drought. Grapevine physiological responses during water stress and re-watering: implications for Water-Use-Efficiency, Doctoral thesis. 2013. 149.

990.Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. Physiology and Molecular Biology of Plants. 2013. 19(3), 333-341.

991.Ahmad N. Impact of drought stress on the sulfur assimilation pathway in Zea

mays. Dissertation. 2013. Carola University of Heidelberg, Germany

Popova L, Maslenkova L, Yordanova R., Ivanova A, Krantev A, Szalai G, Janda T. Exogenous treatment with salicylic acid attenuates cadmium toxicity in pea seedlings. Plant Physiology and Biochemistry. 2009. 47(3), 224–231. ISSN: 0981-9428.

992.Akhavan HT, Dilmaghani K-A. Effects of Salicylic Acid on some of Biochemical Constituents on epper (*Capsicum annum L.*) under Cadmium Stress. International Journal of Agronomy and Plant Production. 2013. 4 (12), 3276-3283.

993.Singh A, Srivastava A, Singh A. Exogenous application of salicylic acid to alleviate the toxic effects of insecticides in *Vicia faba* L. Environmental Toxicology 2013. 28 (12), 666-672.

994.Belkadhi A, De Haro A, Soengas P, Obregon S, CarteaM E, Djebali W, Chaïbi W. Salicylic Acid Improves Root Antioxidant Defense System and Total Antioxidant Capacities of Flax Subjected to Cadmium. OMICS: A Journal of Integrative Biology. 2013. 17(7), 398-406.

995.Çanakci S, Dursun B. Amelioration of Cd toxicity by pretreatment of salicylic acid in *Cicer arietinumL* seedlings. Journal of Environmental Biology. 2013.34,1089-1094.

996.Kaur L, Gadgil K, Sharma S. Comparative study of natural phytoextraction and induced phytoextraction of lead using mustard plant (*Brassica juncea arawali*). International Journal of Bioassays. 2013. 2 (01), 352-357.

997.Agami RA, Mohamed GF. Exogenous treatment with indole-3-acetic acid and salicylic acid alleviates cadmium toxicity in wheat seedlings. Ecotoxicology and environmental safety. 2013. 94, 164-171.

998.Sahu GK. Salicylic Acid: Role in Plant Physiology and Stress Tolerance. Molecular Stress Physiology of Plants. 2013. 217-239. doi10.1007/978-81-322-0807-5_9.

999.Ghasemi-Fasaei R. Influence of foliar application of salicylic acid and soil application of humic materials on cucumber and chickpea grown on a nutrient deficient soil. International Journal of Agriculture and Crop Sciences. 2013. 5(21), 2639-2644.

1000.Nadeem Sarwar S, Bibi S, Ahmad M, Sik Ok Y. Effectiveness of zinc application to minimize cadmium toxicity and accumulation in wheat (*Triticum aestivum L.*). Environmental Earth Sciences. 2013. DOI 10.1007/s12665-013-2570-1.

1001.Cao F, Liu L, Ibrahim W, Cai Y. Alleviating Effects of Exogenous Glutathione, Glycinebetaine, Brassinosteroids and Salicylic Acid on Cadmium Toxicity in Rice Seedlings (*Oryza Sativa*).Agrotechnology. 2013. 2(107). doi: 10.4172/2168-9881.1000107.

1002.Çanakci S, Karaboga Z. Some physiological and biochemical responses to cadmium in salicylic acid applied cucumber (*cucumis sativus l.*) seedling. Pak. J. Bot. 2013. 45(6), 1963-1968.

1003.Namdari A, Baghbani A. Seed priming with salicylic acid induces salinity tolerance in Smooth Vetch (*Vicia dasycarpa*) seedling by enhanced antioxidant activities. International Journal of Agronomy and Plant Production. 2013. 4 (8), 1798-1805.

1004.Ozyigit I, Vardar F, Yasar U, Akinci S. Long-Term Effects of Aluminum and Cadmium on Growth, Leaf Anatomy, and Photosynthetic Pigments of Cotton.

Communications in Soil Science and Plant Analysis. 2013. 44(21), 3076-3091. doi:10.1080/00103624.2013.832770.

1005. Shu S, Yuan L, Wang C, Liu, Fan H, Guo S. Research Progress of Plant Growth Regulation Substances on Improving Stress Resistance Vegetable Crops. Journal of Changjiang Vegetables. 2013. (16). doi : 10.3865/j.issn.1001-3547.2013.16.001.

1006. Ding S, Du W, Yin D, Liu J. Effects of exogenous salicylic acid on the physiological characteristics recovery of longan seedlings under acid rain stress. Chinese Journal of Ecology. 2013. 32(7), 963.

1007. Yan Z, Tam N.F.Y. Effects of lead stress on anti-oxidative enzymes and stress-related hormones in seedlings of *Excoecaria agallocha* Linn. Plant and Soil. 2013. 367 (1-2), 327-338.

1008. Mleczek M, Piechalak A, Tomaszevska B. Metal/Metalloid Phytoremediation: Ideas and Future. Plant-Based Remediation Processes. 2013. 35(1), 39-58.

Vickers CE, Possell M, CI Cojocariu, Velikova VB, Laothawornkitkul J, Ryan A, Mullineaux PM, Hewitt CN. Isoprene synthesis protects transgenic plants from oxidative stress. Plant Cell Environ. 2009. 32, 520-531. ISSN: 1365-3040.

1009. Boczek J, Kiełkiewicz M, Kaczmarczyk A. Herbivore-induced plant volatiles and their potential role in integrated pest management. Prog. Plant Prot./Post. Ochr. Roślin. 2013. 53 (4), 661-66.

1010. Copaciu F, Opris O, Coman V, Ristoiu D, Niinemets U, Copolovici L. Diffuse water pollution by anthraquinone and azo dyes in environment importantly alters foliage volatiles, carotenoids and physiology in wheat (*Triticum aestivum*). Water Air and Soil Pollution. 2013. 224(3), Article Number: 1478, DOI: 10.1007/s11270-013-1478-4.

1011. Eccher G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A. Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. Plant Physiol. 2013. 161 (4), 1952-1969.

1012. Harrison SP, Morfopoulos C, Dani KGS, Prentice IC, Arneth A, Atwell BJ, Barkley MP, Leishman MR, Loreto F, Medlyn BE, Niinemets Ü, Possell M, Peñuelas J, Wright IJ. Volatile isoprenoid emissions from plastid to planet. New Phytol. 2013. 197 (1), 49-57.

1013. Holopainen JK. Loss of isoprene-emitting capacity: deleterious for trees? Tree Physiol. 2013. 33(6), 559-561.

1014. Lavois AV, Ormeno E, Pasqualini V, Ferrat L, Greff S, Lecareux C, Vila B, Mevy JP, Fernandez C. Does prescribed burning affect leaf secondary metabolites in pine stands? J. Chem. Ecol. 2013. 39(3), 398-412.

1015. Li Z, Sharkey TD. Molecular and pathway controls on biogenic volatile organic compound emissions. "Biology, Controls and Models of Tree Volatile Organic Compound Emissions, eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 5. 2013. pp. 119-151. (book)

1016. Marti G, Erb M, Boccard J, Glauser G, Doyen GR, Villard N, Robert CAM, Turlings TCJ, Rudaz S, Wolfender JL. Metabolomics reveals herbivore-induced metabolites of resistance and susceptibility in maize leaves and roots. Plant Cell Environ. 2013. 36(3), 621-639.

1017. Memari HR, Pazouki L, Niinemets Ü. The biochemistry and molecular biology

of volatile messengers in trees. In: In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5. Springer Science+Business Media Dordrecht, CHAPTER 3. 2013. pp. 47-93. DOI 10.1007/978-94-007-6606-8_10 (**book**)

1018. Monson RK, Jones RT, Rosenstiel TN, Schnitzler J-P. Why only some plants emit isoprene. *Plant Cell Environ.* 2013. 136 (3), 503-516.

1019. Niinemets Ü, Monson RK. State-of-the art of BVOC Research: What do we have and what have we misses? A synthesis. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, Springer Science+Business Media Dordrecht, CHAPTER 18. 2013. pp. 509-528, DOI 10.1007/978-94-007-6606-8_10. (**book**)

1020. Pallozzi E, Fortunati A, Marino G, Loreto F, Agati G, Centritto M. BVOC emission from *Populus x canadensis* saplings in response to acute UV-A radiation. *Physiol. Plant.* 2013, 148 (1), 51-61.

1021. Rozenkranz M, Schnitzler J-P. Genetic engineering of BVOC emissions from trees. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, Springer Science+Business Media Dordrecht, CHAPTER 4. 2013. pp. 95-118, DOI 10.1007/978-94-007-6606-8_10. (**book**)

1022. Sharkey TD. Is it useful to ask why plants emit isoprene? *Plant Cell Environ.* 2013, 36(3), 517-520.

1023. Sharkey TD, Gray DW, Pell HK, Breneman SR, Topper L. Isoprene synthase genes form a monophyletic clade of acyclic terpene synthases in the tps-b terpene synthase family. *Evolution.* 2013. 67 (4), 1026-1040

1024. Sun Z, Huve K, Vislap V, Niinemets U. Elevated [CO₂] magnifies isoprene emissions under heat and improves thermal resistance in hybrid aspen. *J. Exp. Bot.* 2013, doi:10.1093/jxb/ert318

1025. Way DA, Ghirardo A, Kanawati B, Esperschütz J, Monson RK, Jackson RB, Schmitt-Kopplin P, Schnitzler J-P. Increasing atmospheric CO₂ reduces metabolic and physiological differences between isoprene- and non-isoprene-emitting poplars. *New Phytol.* 2013. 200(2), 534-546.

Velikova V, Tsonev T, Barta C, Centritto M, Koleva D, Stefanova M, Busheva M, Loreto F. BVOC emissions, photosynthetic characteristics and changes in chloroplast ultrastructure of *Platanus orientalis* L. exposed to elevated CO₂ and high temperature. Environmental Pollution. 2009. 157, 2629-2637. ISSN: 0269-7491.

1026. Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA.* 2013. 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>

1027. Klaiber J. *Brassica* plant acclimation to elevated CO₂: impacts on multitrophic plant-insect interactions. PhD Thesis. ETH Zurich. 2013.

1028. Klaiber J, Najar-Rodriguez AJ, Piskorski R, Dorn S. Plant acclimation to elevated CO₂ affects important plant functional traits, and concomitantly reduces plant colonization rates by an herbivorous insect. *Planta.* 2013. 237 (1), 29-42.

1029. Flexas J, Scoffoni C, Gago J, Sack L. Leaf mesophyll conductance and leaf hydraulic conductance: an introduction to their measurement and coordination. *Journal of Experimental Botany.* 2013. 64 (13), 3965–3981.

1030. Joshi P, Nayak L, Misra AN, Biswal B. Response of Mature, Developing and Senescent Chloroplasts to Environmental Stress. In: Plastid Development in Leaves during Growth and Senescence (Editors: Basanti Biswal, Karin Krupinska, Udaya C Biswal), Advances in Photosynthesis and Respiration Volume 36, 2013. pp 641-668. Springer.

1031. Sun Z, Niinemets Ü, Hüve K, Rasulov B, Noe SM. Elevated atmospheric CO₂ concentration leads to increased whole-plant isoprene emission in hybrid aspen (*Populus tremula* x *Populus tremuloides*). *New Phytologist*. 2013. 198 (3), 788-800.

1032. Sun Z. Isoprene emission from aspen (*Populus sp.*) in relation to environmental drives. PhD Thesis, Estonian University of Life Science. 2013.

2010

Van De Velde W, Zehirov G, Szatmari A, Debreczeny M, Ishihara H, Kevei Z, Farkas A, Mergaert P. Plant peptides govern terminal differentiation of bacteria in symbiosis. *Science*. 2010. 327 (5969), 1122-1126.

1033. Arnold MFF, Haag AF, Capewell S, Boshoff HI, James EK, Donald RM, et al. Partial complementation of sinorhizobium meliloti baca mutant phenotypes by the mycobacterium tuberculosis BacA protein. *J Bacteriol*. 2013. 195(2), 389-98.

1034. Benyamina SM, Baldacci-Cresp F, Couturier J, Chibani K, Hopkins J, Bekki A, et al. Two sinorhizobium meliloti glutaredoxins regulate iron metabolism and symbiotic bacteroid differentiation. *Environ Microbiol*. 2013. 15(3), 795-810.

1035. Bourcy M, Brocard L, Pislaru CI, Cosson V, Mergaert P, Tadege M, et al. *Medicago truncatula* DNF2 is a PI-PLC-XD-containing protein required for bacteroid persistence and prevention of nodule early senescence and defense-like reactions. *New Phytol*. 2013. 197(4), 1250-61. ISSN: 1469-8137

1036. Cabeza, R., B. Koester, et al. "A RNA-Seq Transcriptome Analysis Reveals Novel Insights Into Molecular Aspects of the Nitrate Impact on Nodule Activity of *Medicago truncatula*." *Plant Physiol*. 2013. ISSN: 0032-0889

1037. Capela D, Guan S, Masson-Boivin C. Diversity and evolution of nitrogen-fixing legume symbionts. *Molecular Microbial Ecology of the Rhizosphere*. 2013. 1, 467-81.

1038. Czyzewicz, N., K. Yue, et al.. "Message in a bottle: small signalling peptide outputs during growth and development." *J Exp Bot* 2013. 64(17), 5281-5296. ISSN 0022-0957

1039. De Coninck B, Cammue BPA, Thevissen K. Modes of antifungal action and in planta functions of plant defensins and defensin-like peptides. *Fungal Biology Reviews*. 2013. 26(4),109-20.

1040. Demina IV, Persson T, Santos P, Plaszczycia M, Pawlowski K. Comparison of the nodule vs. root transcriptome of the actinorhizal plant *datisca glomerata*: Actinorhizal nodules contain a specific class of defensins. *PLoS ONE*. 2013. 8(8). eISSN-1932-6203

1041. Domonkos A, Horvath B, Marsh JF, Halasz G, Ayaydin F, Oldroyd GED, et al. The identification of novel loci required for appropriate nodule development in *medicago truncatula*. *BMC Plant Biology*. 2013. 13(1), 157.

1042. Frendo, P., M. A. Matamoros, et al. "Thiol-based redox signaling in the nitrogen-fixing symbiosis." *Front Plant Sci*. 2013. 4, 376.

1043. Futahashi R, Tanaka K, Tanahashi M, Nikoh N, Kikuchi Y, Lee BL, et al. Gene expression in gut symbiotic organ of stinkbug affected by extracellular bacterial symbiont. PLoS ONE. 2013. 8(5). eISSN-1932-6203
1044. González-Forero M, Gavrillets S. Evolution of manipulated behavior. Am Nat. 2013. 182(4), 439-51.
1045. Gugerli F, Brandl R, Castagneyrol B, Franc A, Jactel H, Koelewijn H-, et al. Community genetics in the time of next-generation molecular technologies. Mol Ecol. 2013. 22(12), 3198-207.
1046. Haag AF, Arnold MFF, Myka KK, Kerscher B, Dall'Angelo S, Zanda M, et al. Molecular insights into bacteroid development during rhizobium-legume symbiosis. FEMS Microbiol Rev. 2013. 37(3), 364-83.
1047. Hanada K, Higuchi-Takeuchi M, Okamoto M, Yoshizumi T, Shimizu M, Nakaminami K, et al. Small open reading frames associated with morphogenesis are hidden in plant genomes. Proc Natl Acad Sci U S A. 2013. 110(6), 2395-400.
1048. Hoshi M, Ohki Y, Ito K, Tomita T, Iwatubo T, Ishimaru Y, et al. Experimental detection of proteolytic activity in a signal peptide peptidase of arabidopsis thaliana. BMC Biochemistry. 2013. 14(1), 16.
1049. Li XL, Xu J, Yu GQ, Luo L. A wound-induced small polypeptide gene family is upregulated in soybean nodules. Chinese Science Bulletin. 2013. 58(9), 1003-9.
1050. Li Y, Tian CF, Chen WF, Wang L, Sui XH, Chen WX. High-resolution transcriptomic analyses of sinorhizobium sp. NGR234 bacteroids in determinate nodules of vigna unguiculata and indeterminate nodules of leucaena leucocephala. PLoS ONE. 2013. 8(8) e70531. eISSN-1932-6203
1051. Limpens E, Moling S, Hooiveld G, Pereira PA, Bisseling T, Becker JD, et al. Cell- and tissue-specific transcriptome analyses of medicago truncatula root nodules. PLoS ONE. 2013. 8(5) e64377. eISSN-1932-6203
1052. Miransari M. Soil microbes and the availability of soil nutrients. Acta Physiologiae Plantarum. 2013. 35(11), 3075-84.
1053. Nallu S, Silverstein KAT, Samac DA, Bucciarelli B, Vance CP, VandenBosch KA. Regulatory patterns of a large family of defensin-like genes expressed in nodules of medicago truncatula. PLoS ONE. 2013. 8(4) e60355. eISSN-1932-6203
1054. Pierre O, Engler G, Hopkins J, Brau F, Boncompagni E, Hérouart D. Peribacteroid space acidification: A marker of mature bacteroid functioning in medicago truncatula nodules. Plant, Cell and Environment. 2013. 36(11), 2059-70.
1055. Pini F, Frage B, Ferri L, De Nisco NJ, Mohapatra SS, Taddei L, et al. The DivJ, CbrA and PleC system controls DivK phosphorylation and symbiosis in sinorhizobium meliloti. Mol Microbiol. 2013. 90(1), 54-71.
1056. Provorov NA, Zhukov VA, Kurchak ON, Onishchuk OP, Andronov EE, Borisov AY, et al. Comigration of root nodule bacteria and bean plants to new habitats: Coevolution mechanisms and practical importance. Appl Biochem Microbiol. 2013. 49(3), 209-14.
1057. Provorov NA. Improvement of symbiotic nitrogen fixation in plants: Molecular-genetic approaches and evolutionary models. Russian Journal of Plant Physiology. 2013. 60(1), 27-32.
1058. Runti G, Lopez Ruiz MC, Stoilova T, Hussain R, Jennions M, Choudhury HG, et al. Functional characterization of SbmA, a bacterial inner membrane transporter

required for importing the antimicrobial peptide Bac7(1-35). *J Bacteriol.* 2013. 195(23), 5343-51.

1059. Sadowsk CS, Wilson D, Schallies KB, Walker G, Gibson KE. The *sinorhizobium meliloti* sensor histidine kinase CbrA contributes to free-living cell cycle regulation. *Microbiology (United Kingdom)*. 2013. 159(8), 1552-63.

1060. Shigenobu S, Stern DL. Aphids evolved novel secreted proteins for symbiosis with bacterial endosymbiont. *Proceedings of the Royal Society B: Biological Sciences*. 2013. 280(1750)20121952.

1061. Sinharoy S, Torres-Jerez I, Bandyopadhyay K, Kereszt A, Pislaru CI, Nakashima J, et al. The C2H2 transcription factor REGULATOR OF SYMBIOSOME DIFFERENTIATION represses transcription of the secretory pathway gene VAMP721a and promotes symbosome development in *medicago truncatula*. *Plant Cell*. 2013. 25(9), 3584-601. ISSN 1040-4651

1062. Tesfaye M, Silverstein KAT, Nallu S, Wang L, Botanga CJ, Gomez SK, et al. Spatio-temporal expression patterns of *arabidopsis thaliana* and *medicago truncatula* defensin-like genes. *PLoS ONE*. 2013. 8(3). eISSN-1932-6203

1063. Tiricz H, Szücs A, Farkas A, Pap B, Lima RM, Maróti G, et al. Antimicrobial nodule-specific cysteine-rich peptides induce membrane depolarization-associated changes in the transcriptome of *sinorhizobium meliloti*. *Appl Environ Microbiol*. 2013. 79(21), 6737-46.

1064. Torres MF, Cuadros DF, Vaillancourt LJ. Evidence for a diffusible factor that induces susceptibility in the *colletotrichum-maize* disease interaction. *Molecular Plant Pathology*. 2014. 15(1), 80-93.

1065. Udvardi M, Poole PS. Transport and metabolism in legume-rhizobia symbioses [Internet]. *Annual Review of Plant Biology*. 2013 Vol 64 64, 781-805.

1066. Xi J, Chen Y, Nakashima J, Wang S-, Chen R. *Medicago truncatula* esn1 defines a genetic locus involved in nodule senescence and symbiotic nitrogen fixation. *Mol Plant-Microbe Interact*. 2013. 26(8), 893-902. ISSN 1674-2052

1067. Zhou P, Silverstein KAT, Gao L, Walton JD, Nallu S, Guhlin J, et al. Detecting small plant peptides using SPADA (small peptide alignment discovery application). *BMC Bioinformatics*. 2013. 14(1).

Simova-Stoilova L, Vaseva I, Grigorova B, Demirevska K, Feller U. Proteolytic activity and cysteine protease expression in wheat leaves under severe soil drought and recovery. *Plant Physiol. Biochem.* 2010. 48, 200-206. ISSN: 0981-9428

1068. Budak H, Kantar M, Yucebilgili Kurtoglu K. Drought tolerance in modern and wild wheat. *The Scientific World Journal* 2013 , art. no. 548246.

1069. Budić M, Sabotić J, Meglić V, Kos J, Kidrić M. Characterization of two novel subtilases from common bean (*Phaseolus vulgaris* L.) and their responses to drought. *Plant Physiol. Biochem.* 2013. 62,79-87. ISSN: 0981-9428

1070. Juszczak I. Natural genetic variation in the expression regulation of chloroplast antioxidant system among *A. thaliana* accessions. PhD thesis Inaugural-Dissertation to obtain the academic degree Doctor rerum naturalium (Dr. rer. nat.) submitted to the Department of Biology, Chemistry and Pharmacy of Freie Universität Berlin. June 2013

1071. Podda A, CheccucciG, Mouhaya W, Centeno D, Rofidal V, Del Carratore R, Luro F, Morillon R, Ollitrault P, Maserti BE. Salt-stress induced changes in the leaf

proteome of diploid and tetraploid mandarins with contrasting Na⁺ and Cl⁻ accumulation behaviour. *J. Plant Physiol.* 2013. 170, 1101-1112.

1072. Pyngrope S, Bhoomika K, Dubey RS. Oxidative stress, protein carbonylation, proteolysis and antioxidative defense system as a model for depicting water deficit tolerance in Indica rice seedlings. *Plant Growth Regulation* 2013. 69, 149-165. ISSN: 0167-6903

1073. Rocheta M, Becker JD, Coito JL, Carvalho L, Amâncio S. Heat and water stress induce unique transcriptional signatures of heat-shock proteins and transcription factors in grapevine. *Funct. Integrat. Genomics* 2013. DOI 10.1007/s10142-013-0338-z.

1074. Vahdatirad A, Esfandiari E. Effect of activity ceasing of acetyl CoA-carboxylase on growth and antioxidant system in seedling stage of barley. *J. Biol. Sci.* 2013. 13, 250-256.

1075. Wang J, Guan Y, Wang Y, Zhu L, Wang Q, Hu Q, Hu J. Establishing an efficient way to utilize the drought resistance germplasm population in wheat. *The Scientific World Journal* 2013, art. no. 489583.

1076. Wituszyńska W, Karpiński S. Programmed cell death as a response to high light, UV and drought stress in plants. In: "Abiotic stress - plant responses and applications in agriculture", Eds Vahdati K, Leslie Ch, ISBN 978-953-51-1024-8, 2013. DOI: 10.5772/53127.

1077. Zhu H-S, Chen M-D, Wen Q-F, Lin H. Cloning and expression analysis of cysteine protease gene (FaCP) in strawberry (*Fragaria x ananassa*) [in Chinese]. *J. Agric. Biotechnol.* 2013. 21, 158-164. DOI: 10.3969/j.issn.1674-7968.2013.02.004

Vaseva I, Grigorova B, Simova-Stoilova L, Demirevska K, Feller U. Abscisic acid and late embryogenesis abundant protein profile changes in winter wheat under progressive drought stress. *Plant Biol.* 2010. 12, 698-707.

1078. Budak H, Kantar M, Yucebilgili Kurtoglu K. Drought tolerance in modern and wild wheat. *The Scientific World Journal* 2013, art. no. 548246.

1079. Shan X, Li Y, Jian Y, Jiang Z, Hao W, Yuan Y. Transcriptome profile analysis of maize seedlings in response to high-salinity, drought and cold stresses by deep sequencing. *Plant Molec. Biol. Reporter* 2013. 31, 1485-1491. ISSN: 0167-4412

1080. Zhu W, Zhang D, Lu X, Zhang L, Yu Z, Lv H, Zhang H. Characterisation of an SKn-type dehydrin promoter from wheat and its responsiveness to various abiotic and biotic stresses. *Plant Molec. Biol. Reporter* 2013. DOI 10.1007/s11105-013-0681-1.

Vassileva V, Zehirov G, Ugrinova M, Iantcheva A. Variable leaf epidermal morphology in *Tnt1* insertional mutants of the model legume *Medicago truncatula*. *Biotechnol. & Biotechnol. Eq.* 2010. 24, 2060-2065.

1081. Petrović DV, Golubović ZD, Dajić Z, Tomantschger KW, Radojević RL. Mathematical modeling the surface roughness distribution of artificial cell wall material. *Mechanical Engineering*. 2013. 10, 1, 1-6.

Bozhanov S, Angelova S, Krasteva M, Markov T, Christova S, Gavrilov I, Georgieva E. Alterations in p53, BRCA1, ATM, PIK3CA, and HER2 genes and their effect in modifying clinicopathological characteristics and overall survival of

Bulgarian patients with breast cancer. J. Cancer Res. Clin. Oncol. 2010. 136(11), 1657-1669. doi: 10.1007. ISSN: 0171-5216

1082. Rosa F, Santos R, Rogatto S, Domingues M. Chromogenic in situ hybridization compared with other approaches to evaluate HER2/ neu status in breast carcinomas (Review). Brazilian J. Med. Biol. Res. 2013. 46 (3). ISSN: 1414-431X

1083. Christgen M, Noskowicz M, Schipper E, Christgen H, Heil C, Krech T, Länger F, Kreipe H, Lehmann U. Oncogenic PIK3CA mutations in lobular breast cancer progression. Genes Chromosomes and Cancer. 2013. 52(1), 69-80. ISSN: 1098-2264

Georgieva M., Stoilov L., Rancheva E., Todorovska E., Vassilev D. Comparative analysis of data distribution patterns in plant comet assay (2010). Biotechnology and Biotechnological Equipment 24 (4), pp. 2142-2148. ISSN: 1310-2818

1084. Ahmad, M.H., Bashir, N., Ahmad, H., Piah, M.A.M., Abdul-Malek, Z., Yusof, F. Statistical analysis of electrical tree inception voltage, breakdown voltage and tree breakdown time data of unsaturated polyester resin (2013). Journal of Electrical Engineering and Technology 8 (4), pp. 840-849. ISSN: 1975-0102

Tur G, Georgieva EI, Gagete A, Lopez-Rodas G, Rodriguez JL, Franco L. Factor binding and chromatin modification in the promoter of murine Egr1 gene upon induction. Cellular and Molecular Life Sciences. 2010. 67 (23), 4065-4077. ISSN: 1420-682X

1085. Braun L, Brenier-Pinchart MP, Yogavel M, Curt-Varesano A, Curt-Bertini RL, Hussain T, Kieffer-Jaquinod S, Coute Y, Pelloux H, Tardieu I, Sharma A, Belrhali H, Bougdour A, Hakimi MA. A Toxoplasma dense granule protein, GRA24, modulates the early immune response to infection by promoting a direct and sustained host p38 MAPK activation. The Journal of Experimental Med. 2013. 23, 210(10), 2071-86; jem.rupress.org. ISSN: 0022-1007

1086. Koldamova R, Schug J, Lefterova M, Cronican AA, Fitz NF, Davenport FA, Carter A, Castranio EL, Lefterov I. Genome-wide approaches reveal EGR1-controlled regulatory networks associated with neurodegeneration. Neurobiol Dis. 2013. 20, 63C. 107-114. ISSN: 0969-9961

Yonova P. Design, synthesis and properties of synthetic cytokinins. Gen. Appl. Plant Physiol. 2010. 36, 124-147. ISSN: 1312-8183.

1087. Kunikowska A, Byczkowska A, Doniak M, Kaźmierczak A. Cytokinins résumé: their signaling and role in programmed cell death in plants. Plant Cell Rep. 2013. 32 (6), 771-780. ISSN 0721-7714.

Tasheva K, Kosturkova G. Bulgarian golden root in vitro cultures for micropropagation and reintroduction. Centr. Eur. J. Biol. 2010. 5(6), 853-863. ISSN: 1895-104X.

1088. Петрова М. 2013. Биотехнологични подходи за размножаване, съхраняване и получаване на биомаса от hairy roots при Arnica Montana L. Дисертация Доктор. София. 2013, р. 154.

Geneva M, Hristozkova M, Yonova P, Boychinova M, Stancheva I. Effect of endomycorrhizal colonization with *Glomus intraradices* on growth and antioxidant capacity of *Sideritis scardica* Griseb. Gen. Appl. Plant Physiol. 2010b. 36, 47–56, Year 2010, 238. ISSN: 1312-8183

1089. Baslam M, Esteban R, García-Plazaola JI, Goicoechea N. Effectiveness of arbuscular mycorrhizal fungi (AMF) for inducing the accumulation of major carotenoids, chlorophylls and tocopherol in green and red leaf lettuces. Applied Microbiology and Biotechnology. 2013. 97(7), 3119-3128. ISSN: 0175-759.

1090. Khankandi SA ,Ardebili ZO, Moghadam ARL. The Effects of Foliar Nitrogen Fertilization and Arbuscular Mycorrhizal Colonization on The Growth and Physiology in Basil (*Ocimum basilicum* L.). J. Appl. Environ. Biol. Sci. 2013. 3(2), 18-22. ISSN: 2090-4215.

Katerova Z, Miteva L. Chapter 6 Glutathione and Herbicide Resistance in Plants. In: Ascorbate-Glutathione Pathway and Stress Tolerance in Plants. 1st Edition. Eds.: Anjum NA; Chan M-T; Shahid U. Springer Dordrecht Heidelberg London New York. 2010. 191-207. ISBN 978-90-481-9403-2.

1091. Yu G-B, Zhang Y, Ahammed GJ, Xia X-J, Mao W-H, Shi K, Zhou Y-H, Yu J-Q. Glutathione biosynthesis and regeneration play an important role in the metabolism of chlorothalonil in tomato. Chemosphere. 2013. 90, 2563-2570. ISSN: 0045-6535

1092. Mlinarić S. Photosynthetic efficiency and antioxidative response in young and mature leaves of common fig (*Ficus carica* L.) during light stress. PhD Thesis. 2013. Josip Juraj Strossmayer University of Osijek, Department of Biology, Laboratory of plant cell and molecular biology. p. 134

Lazova G, Yonova P. Photosynthetic parameters were modified in wheat (*triticum aestivum* L.) flag leaves by two phenylurea cytokinins. Int. J. Plant Sci. 2010. 171(8), 809–817. ISSN:1058-5893

1093. Song W, Li J, Sun H, Huang S, Gong X, Ma Q, Zhang Y, Xu G. Increased photosynthetic capacity in response to nitrate is correlated with enhanced cytokinin levels in rice cultivar with high responsiveness to nitrogen nutrients. Plant and Soil. 2013. 373, 1-2, 981-993. ISSN: 0032-079X

Miteva L, Ivanov S, Alexieva V. Alterations in glutathione pool and some related enzymes in leaves and roots of Pea plants treated with the herbicide glyphosate. Russ. J. Plant Physiol. 2010. 57(1), 131-136. ISSN: 1021-4437.

1094. Li X, Yang Y, Jia L, Chen H, Wei X. Zinc-induced oxidative damage, antioxidant enzyme response and proline metabolism in roots and leaves of wheat plants. Ecotoxicol. Environ. Safe. 2013. 89, 150-157. doi: 10.1016/j.ecoenv.2012.11.025. ISSN: 0147-6513.

1095. Rossikhina-Galycha A. Components prooxidant-antioxidant system in vegetative organs of corn plants as an indicator of their response to the effects of the herbicide. Visnyk of the Lviv University, Series Biology. 2013. 62, 315-324. ISSN: 0206-5657.

Zayova E, Vassilevska-Ivanova R, Stoeva D, Kraptchev B. Somaclonal variation through indirect organogenesis in eggplant (*Solanum melongena* L.). Biological Diversity and Conservation (BioDiCon). 2010. 3 (3), 1-5. ISSN: 1308-8084.

1096. Motaro Nyasani Esther & Philip Robinson. *In vitro* clonal multiplication of *Cardiospermum halicacabum* L. Research in Plant Biology (RPB), 2013. 3(5), 14-20. ISSN: 2231-5101.

Stancheva I, Geneva M, Hristozkova M, Markovska Y, Salamon I. Antioxidant capacity of sage grown on heavy metals polluted soil. Russ. J. Plant Physiol., 2010. 57(7), 799-805. ISSN 1021-4437

1097. Novo LAB, Covelo EF, González L. The potential of *Salvia verbenaca* for phytoremediation of copper mine tailings amended with technosol and compost, Water, Air, & Soil Pollution. 2013. 224, 1513-1521. ISSN: 0049-6979

1098. Bashmakov DI, Akamova LP, Sazanova KA. Pb²⁺ and EDTA effect on physiological and biochemical parameters in pelargonium zonale L. Труды Кар НЦ PAH. 2013. 3, 59–67, ISSN 1997-3217

Geneva M, Stancheva I, Boychinova M, Mincheva N, Yonova P. Effects of foliar fertilization and arbuscular mycorrhizal colonization on *Salvia officinalis* L growth, antioxidant capacity, and essential oil composition. J. Sci. Food Agric. 2010. 90, 4, 696-702. , ISSN: 0022-5142

1099. Zhang H, Yang H, Wang Y, Gao Y, Zhang L. The response of ginseng grown on farmland to foliar-applied iron, zinc, manganese and copper. Ind. Crops Prod. 2013. 45, 388-394, ISSN: 0926-6690

1100. Zeng Y, Guo L-P, Chen B-D, Hao Z-P, Wang J-Y, Huang L-Q, Yang G, Cui X-M, Yang L, Wu Z-X, Chen M-L, Zhang Y. Arbuscular mycorrhizal symbiosis and active ingredients of medicinal plants: current research status and prospectives, Mycorrhiza. 2013, 1-13, ISSN: 0940-6360

1101. Pedone-Bonfim MVL, Lins MA, Coelho IR, Santana AS, Silva FSB, Maia LC, Mycorrhizal technology and phosphorus in the production of primary and secondary metabolites in cebil (*Anadenanthera colubrina* (Vell.) Brenan) seedlings. J. Sci. Food Agric. 2013. 93(6), 1479–1484, ISSN: 1097-0010

1102. Baslam M, Esteban R, García-Plazaola JI, Goicoechea N. Effectiveness of arbuscular mycorrhizal fungi (AMF) for inducing the accumulation of major carotenoids, chlorophylls and tocopherol in green and red leaf lettuces. App. Microbiol. Biotech. 2013. 97, 3119-3128, ISSN: 0175-7598

1103. Bozzolo FH, Lipson DA. Differential responses of native and exotic coastal sage scrub plant species to N additions and the soil microbial community. Plant Soil. 2013. 371(1-2), 37-51, ISSN: 0032-079X

Ganeva G, Korzun V, Landjeva S, Popova Z, Hristov N. Genetic diversity assessment of Bulgarian durum wheat (*Triticum durum* Desf.) landraces and modern cultivars using microsatellite markers. Genet. Resour. Crop Evol. 2010. 57, 273-285.

1104. Haile JK, Hammer K, Badebo A, Nachit MM, Röder MS. Genetic diversity assessment of Ethiopian tetraploid wheat landraces and improved durum wheat varieties

using microsatellites and markers linked with stem rust resistance. *Genet. Resour. Crop Evol.* 2013. 60, 513-527. ISSN: 0925-9864.

1105. Nazco R, Peña RJ, Ammar K, Villegas D, Crossa J, Moraguesand M, Royo C. Variability in glutenin subunit composition of Mediterranean durum wheat germplasm and its relationship with gluten strength. *J. Agr. Sci.* 2013. doi:10.1017/S0021859613000117. ISSN: 0021-8596.

1106. Todorovska E, Hadjiivanova B, Bozhanova V, Dechev D, Muhovski Y, Panchev I, Abu-Mhadi N, Peycheva V, Ivanova A. Molecular and phenotypic characterization of advanced backcross lines derived from interspecific hybridization of durum wheat. *Biotech. Biotechnol. Eq.* 2013. 27(3), 3760-3771. ISSN: 1310-2818.

Landjeva S, Lohwasser U and Börner A. Genetic mapping within the wheat D genome reveal QTL for germination, seed vigour and longevity, and early seedling growth. *Euphytica*. 2010. 171 (1), 129-143.

1107. Kumar A, Simons K, Iqbal MJ, Jiménez MM, Bassi FM et al. Physical mapping resources for large plant genomes: radiation hybrids for wheat D-genome progenitor *Aegilops tauschii*. *BMC Genomics*. 2013. 13, 597-612. ISSN: 1471-2164.

1108. Zhang H, Cui F, Wang L, Li J, Ding A, Zhao C, Bao Y, Yang Q, Wang H. Conditional and unconditional QTL mapping of drought-tolerance-related traits of wheat seedling using two related RIL populations. *J. Genet.* 2013. 92(2), 213-231. ISSN: 0022-1333.

1109. Czyczył-Mysza I, Marcińska I, Skrzypek E, Cyganek K, Juzoń K, Karbarz M. QTL mapping for germination of seeds obtained from previous wheat generation under drought. *Central Eur. J. Biol.* 2013. doi:10.2478/s11535-013-0273-y. ISSN: 1895-104X.

Kolev S, Ganeva G, Christov N, Belchev I, Kostov K, Tsenov N, Rachovska G, Landjeva S, Ivanov M, Abu-Mhadi N, Todorovska E. Allele variation in loci for adaptive response and plant height and its effect on grain yield in wheat. *Biotech. Biotechnol. Eq.* 2010. 24 (2), 1807-181.; ISSN 1310-2818.

1110. Hu W-M, Kan H-H, Wang W, Xu C-W. Statistical genetics approach for functional difference identification of allelic variations and its application. *Acta Agronomica Sinica*. 2013. 11, ISSN: 0496-3490.

De Rybel B, Vassileva V, Parizot B, Demeulenaere M, Grunewald W, Audenaert D, Van Campenhout J, Overvoorde P, Jansen L, Vanneste S, Möller B, Wilson M, Holman T, Van Isterdael G, Brunoud G, Vuylsteke M, Vernoux T, De Veylder L, Inzé D, Weijers D, Bennett M, Beeckman T. A novel Aux/IAA28 signalling cascade activates GATA23-dependent specification of lateral root founder cell identity. *Curr. Biol.* 2010. 20, 19, 1697-1706.

1111. Zhang H, Zhou H, Berke L, Heck AJR, Mohammed S, Scheres B, Menke FLH. Quantitative phosphoproteomics after auxin-stimulated lateral root induction identifies a SNX1 phosphorylation site required for growth. *Mol. Cell Proteomics*. 2013. 12, 5, 1158-1169. ISSN: 1615-9861

1112. Zhang X, Zhou Y, Ding L, Wu Z, Liu R, Meyerowitz EM. Transcription repressor HANABA TARANU controls flower development by integrating the actions of multiple hormones, floral organ specification genes, and GATA3 family genes in

Arabidopsis. Plant Cell. 2013. 25, 1, 83-101. ISSN 1040-4651

1113. Okumura KI, Goh T, Toyokura K, Kasahara H, Takebayashi Y, Mimura T, Kamiya Y, Fukaki, H. GNOM/FEWER ROOTS is required for the establishment of auxin response maximum for *Arabidopsis* lateral root initiation. Plant Cell Physiol. 2013. 54, 3, 406-417. ISSN 0032-0781
1114. Moreira S, Bishopp A, Carvalho H, Campilho A. AHP6 inhibits cytokinin signaling to regulate the orientation of pericycle cell division during lateral root initiation. PLOS ONE. 2013. 8, 2, e56370. eISSN-1932-6203
1115. Finet C, Berne-Dedieu A, Scutt CP, Marlétaz F. Evolution of the ARF gene family in land plants: Old domains, new tricks. Mol. Biol. Evol. 2013. 30, 1, 45-56. ISSN 0737-4038
1116. Lee HW, Kim M, Kim NY, Lee SH, Kim J. LBD18 acts as a transcriptional activator that directly binds to the EXPANSIN14 promoter in promoting lateral root emergence of *Arabidopsis*. Plant J. 2013. 73, 2, 212-224. ISSN: 1365-313X
1117. Yao X, Feng H, Yu Y, Dong A, Shen WH. SDG2-mediated H3K4 methylation is required for proper *Arabidopsis* root growth and development. PLOS ONE. 2013. 8, 2, e56537. eISSN-1932-6203
1118. Lavenus J, Lucas M, Laplaze L, Guyomarc'h S. The Dicot Root as a Model System for Studying Organogenesis. In *Plant Organogenesis* (pp. 45-67). 2013. Humana Press.
1119. Wang J, Yan DW, Yuan TT, Gao X, Lu YT. A gain-of-function mutation in IAA8 alters *Arabidopsis* floral organ development by change of jasmonic acid level. Plant Mol. Biol. 2013. 82, 1-2, 71-83. ISSN: 0167-4412
1120. Hofhuis H, Laskowski M, Du Y, Prasad K, Grigg S, Pinon V, Scheres B. Phyllotaxis and rhizotaxis in *Arabidopsis* are modified by three PLETHORA transcription factors. Current Biol. 2013. 23, 11, 956-962. ISSN: 0960-9822
1121. De Smet I, Lau S, Ehrismann JS, Axiotis I, Kolb M, Kientz M, Jürgens G. Transcriptional repression of BODENLOS by HD-ZIP transcription factor HB5 in *Arabidopsis thaliana*. J. Exp. Bot. 2013. 64, 10, 3009-3019. ISSN 0022-0957
1122. Laskowski M. Lateral root initiation is a probabilistic event whose frequency is set by fluctuating levels of auxin response. J. Exp. Bot. 2013. 64, 9, 2609-2617. ISSN 0022-0957
1123. Benitez-Alfonso Y, Faulkner C, Pendle A, Miyashima S, Helariutta Y, Maule A. Symplastic intercellular connectivity regulates lateral root patterning. Dev. Cell. 2013. 26, 2, 136-147.
1124. Zhou X, Meier I. How plants LINC the SUN to KASH. *Nucleus* (United States). 2013. 4, 3, 206-215. ISSN: 0029-568X
1125. Vidal EA, Moyano TC, Riveras E, Contreras-López O, Gutiérrez RA. Systems approaches map regulatory networks downstream of the auxin receptor AFB3 in the nitrate response of *Arabidopsis thaliana* roots. PNAS. 2013. DOI: 10.1073/pnas.1310937110 ISSN 1091-6490
1126. Lewis DR, Olex AL, Lundy SR, Turkett WH, Fetrow JS, Muday GK. A kinetic analysis of the auxin transcriptome reveals cell wall remodeling proteins that modulate lateral root development in *Arabidopsis*. Plant Cell. 2013. 25, 9. ISSN 1040-4651
1127. Kang NY, Lee HW, Kim J. The AP2/EREBP gene PUCHI co-acts with LBD16/ASL18 and LBD18/ASL20 downstream of ARF7 and ARF19 to regulate lateral

root development in *Arabidopsis*. *Plant Cell Physiol.* 2013. 54, 8, 1326-1334. ISSN 0032-0781

1128. Bustos-Sanmamed P, Mao G, Deng Y, Elouet M, Khan GA, Bazin J, Lelandais-Brière C. Overexpression of miR160 affects root growth and nitrogen-fixing nodule number in *Medicago truncatula*. *Functional Plant Biol.* 2013. 40, 12, 1208-1220. ISSN: 1445-4408

1129. Baluška F, Mancuso S. Root apex transition zone as oscillatory zone. *Front. Plant Sci.* 2013. 4: 354. e-ISSN, 1664-462X

1130. Szymanowska-Pułka J. Form matters: morphological aspects of lateral root development. *Ann. Bot.* 2013. mct231 ISSN 0305-7364

1131. del Pozo JC, Manzano C. Auxin and the ubiquitin pathway. Two players—one target: the cell cycle in action. *J. Exp. Bot.* 2013. DOI: 10.1093/jxb/ert363 ISSN 0022-0957

1132. Wang WS, Zhu J, Lu YT. Overexpression of AtbHLH112 suppresses lateral root emergence in *Arabidopsis*. *Functional Plant Biol.* 2013. <http://dx.doi.org/10.1071/FP13253> ISSN: 1445-4408

1133. Jahn L, Mucha S, Bergmann S, Horn C, Staswick P, Steffens B, Ludwig-Müller J. The clubroot pathogen (*Plasmoidiophora brassicae*) influences auxin signaling to regulate auxin homeostasis in *Arabidopsis*. *Plants.* 2013. 2, 4, 726-749.

1134. Motte H, Vereecke D, Geelen D, Werbrouck S. The molecular path to *in vitro* shoot regeneration. *Biotechnology Advances.* 2013. ISSN: 0734-9750

1135. Cuesta C, Wabnik K, Benková E. Systems approaches to study root architecture dynamics. *Frontiers Plant Sci.* 2013. 4, 537. ISSN 1664-462X

De Smet I, Lau S, Voss U, Vanneste S, Benjamins R, Rademacher E, Schlereth A, De Rybel B, Vassileva V, Grunewald W, Naudts M, Levesque M, Ehrismann J, Inzé D, Luschnig C, Benfey P, Weijers D, Van Montagu M, Bennett M, Jürgens G, Beeckman T. Bimodular auxin response controls organogenesis in *Arabidopsis*. *PNAS.* 2010. 107, 6, 2705-2710. ISSN 1091-6490

1136. Nicolas P, Lecourieux D, Gomès E, Delrot S, Lecourieux F. The grape berry-specific basic helix-loop-helix transcription factor VvCEB1 affects cell size. *J. Exp. Bot.* 2013. 64, 4, 991-1003 ISSN 0022-0957

1137. Esteve-Bruna D, Pérez-Pérez JM, Ponce MR, Micol JL. incurvata13, a novel allele of AUXIN RESISTANT6, reveals a specific role for auxin and the SCF complex in *Arabidopsis* embryogenesis, vascular specification and leaf flatness. *Plant Physiol.* 2013. 161, 3, 1303-1320. ISSN: 0032-0889

1138. Okumura KI, Goh T, Toyokura K, Kasahara H, Takebayashi Y, Mimura T, Kamiya Y, Fukaki, H. GNOM/FEWER ROOTS is required for the establishment of auxin response maximum for *Arabidopsis* lateral root initiation. *Plant Cell Physiol.* 2013. 54, 3, 406-417. ISSN 0032-0781

1139. Moreira S, Bishopp A, Carvalho H, Campilho A. AHP6 inhibits cytokinin signaling to regulate the orientation of pericycle cell division during lateral root initiation. *PLOS ONE.* 2013. 8, 2, e56370. eISSN-1932-6203

1140. Finet C, Berne-Dedieu A, Scutt CP, Marlétaz F. Evolution of the ARF gene family in land plants: Old domains, new tricks. *Mol. Biol. Evol.* 2013. 30, 1, 45-56. ISSN 0737-4038

1141. Lee HW, Kim M, Kim NY, Lee SH, Kim J. LBD18 acts as a transcriptional activator that directly binds to the EXPANSIN14 promoter in promoting lateral root emergence of arabidopsis. *Plant J.* 2013. 73, 2, 212-224. ISSN: 1365-313X
1142. Smolarkiewicz M, Dhonukshe P. Formative cell divisions: principal determinants of plant morphogenesis *Plant Cell Physiol.* 2013. 54, 3, 333-342. ISSN 0032-0781
1143. Lavenus J, Lucas M, Laplaze L, Guyomarc'h S. The Dicot Root as a Model System for Studying Organogenesis. In *Plant Organogenesis* (pp. 45-67). 2013. Humana Press.
1144. Yoshida S, Saiga S, Weijers D. Auxin regulation of embryonic root formation. *Plant Cell Physiol.* 2013. 54, 3, 325-332. ISSN 0032-0781
1145. Kim J, Lee HW. Direct activation of EXPANSIN14 by LBD18 in the gene regulatory network of lateral root formation in Arabidopsis. *Plant Signal Behav.* 2013. 8, 2, e22979.
1146. Oliva M, Vernoux T, Traas J. From auxin transport to patterning. In *Polar Auxin Transport* (pp. 259-279). 2013. Springer Berlin Heidelberg.
1147. Buer CS, Kordbacheh F, Truong TT, Hocart CH, Djordjevic MA. Alteration of flavonoid accumulation patterns in transparent testa mutants disturbs auxin transport, gravity responses, and imparts long-term effects on root and shoot architecture. *Planta.* 2013. 238, 1, 171-89.
1148. Pierre-Jerome E, Moss BL, Nemhauser JL. Tuning the auxin transcriptional response. *J. Exp. Bot.* 2013. 64, 9, 2557-2563. ISSN 0022-0957
1149. Hofhuis H, Laskowski M, Du Y, Prasad K, Grigg S, Pinon V, Scheres B. Phyllotaxis and rhizotaxis in *Arabidopsis* are modified by three PLETHORA transcription factors. *Curr. Biol.* 2013. 23, 11, 956-962.
1150. Laskowski M. Lateral root initiation is a probabilistic event whose frequency is set by fluctuating levels of auxin response. *J. Exp. Bot.* 2013. 64, 9, 2609-2617. ISSN 0022-0957
1151. Sánchez-Calderón L, Ibarra-Cortés ME, Zepeda-Jazo I. Root development and abiotic stress adaptation. 2013. ISBN 978-953-51-1024-8.
1152. Bianco MD, Giustini L, Sabatini S. Spatiotemporal changes in the role of cytokinin during root development. *New Phytol.* 2013. 199, 2, 324-38. ISSN: 1469-8137
1153. Novikova GV, Nosov AV, Stepanchenko NS, Fomenkov AA, Mamaeva AS, Moshkov IE. Proliferatsiya kletok rastenii i ee regulatory. *Fiziologiya Rastenii* 2013. 60, 4, 529-536.
1154. Kyndt T, Vieira P, Gheysen G, de Almeida-Engler J. Nematode feeding sites: unique organs in plant roots. *Planta.* 2013. 238, 807-818.
1155. Jung JK, McCouch S. Getting to the roots of it: Genetic and hormonal control of root architecture. *Frontiers in Plant Science.* 2013., 4 doi: 10.3389/fpls.2013.00186.
1156. Benitez-Alfonso Y, Faulkner C, Pendle A, Miyashima S, Helariutta Y, Maule A. Symplastic intercellular connectivity regulates lateral root patterning. *Dev. Cell.* 2013. 26, 2, 136-147.
1157. Vidal EA, Moyano TC, Riveras E, Contreras-López O, Gutiérrez RA. Systems approaches map regulatory networks downstream of the auxin receptor AFB3 in the nitrate response of *Arabidopsis thaliana* roots. *PNAS.* 2013. DOI: 10.1073/pnas.1310937110. ISSN 1091-6490

1158. Poupin MJ, Timmermann T, Vega A, Zuñiga A, González B. Effects of the plant growth-promoting bacterium *Burkholderia phytofirmans* PsJN throughout the life cycle of *Arabidopsis thaliana*. PLOS ONE. 2013. 8, 7, e69435. eISSN-1932-6203
1159. Lee HW, Kim J. EXPANSINA17 upregulated by LBD18/ASL20 promotes lateral root formation during the auxin response. Plant Cell Physiol. 2013. 54, 10, 1600-1611. ISSN 0032-0781
1160. Kim MH, Kim Y, Kim JW, Lee HS, Lee WS, Kim SK., Kim SH. Identification of *Arabidopsis* BAK1-Associating Receptor-Like Kinase 1 (BARK1) and characterization of its gene expression and brassinosteroid-regulated root phenotypes. Plant Cell Physiol. 2013. 54, 10, 1620-34. ISSN 0032-0781
1161. Kang NY, Lee HW, Kim J. The AP2/EREBP gene PUCHI co-acts with LBD16/ASL18 and LBD18/ASL20 downstream of ARF7 and ARF19 to regulate lateral root development in *Arabidopsis*. Plant Cell Physiol. 2013. 54, 8, 1326-1334. ISSN 0032-0781
1162. Ohashi-Ito K, Fukuda H. Initiation of vascular development. Physiol. Plantarum. 2013. DOI: 10.1111/ppl.12111.
1163. Szymanowska-Pułka J. Form matters: morphological aspects of lateral root development. Ann. Bot. 2013. mct231. ISSN 0305-7364
1164. Wang WS, Zhu J, Lu YT. Overexpression of AtbHLH112 suppresses lateral root emergence in *Arabidopsis*. Funct. Plant Biol. 2013. <http://dx.doi.org/10.1071/FP13253>
1165. Bargmann BO, Estelle M. Auxin perception: in the IAA of the beholder. Physiol. Plantarum 2013.
1166. Motte H, Vereecke D, Geelen D, Werbrouck S. The molecular path to *in vitro* shoot regeneration. Biotechnology Advances. 2013. ISSN: 0734-9750
- Fischinger S, Hristozkova M, Mainassara ZA, Schulze J. Elevated CO₂ concentration around alfalfa nodules increases N₂ fixation. J. Exp. Bot. 2010, 61(1), 121-130**
1167. Flemetakis E, Wang T. Carbon metabolism during symbiotic nitrogen fixation. Symbiotic endophytes. Springer Berlin Heidelberg, 2013. 53-68.
1168. Iker A, Tcherkez G, Molero G, Gilard F, Avice JC, Nogués S. Concerted changes in N and C primary metabolism in alfalfa (*Medicago sativa*) under water restriction. Journal of experimental botany. 2013, 64, 4, 1-17.
- Velikova V, Salerno G, Frati F, Peri E, Conti E, Colazza S, Loreto F. Influence of feeding and oviposition by phytophagous pentatomids on photosynthesis of herbaceous plants. J. Chem. Ecol. 2010. 36, 629-641. ISSN: 0098-0331.**
1169. Grimm D, Heeg M, Thimme R. Hepatitis B virus: from immunobiology to immunotherapy. Clinical Sci. 2013. 124 (2), 77–85.
1170. Martínez G, Soler R, Dicke M. Behavioral ecology of oviposition-site selection in herbivorous true bugs. Advances in the Study of Behavior. 2013. 45, 175-207.

Ivanova A, Nechev J, Tsvetkova I, Stefanov K, Popov S. Chemical composition of the halophyte plant *Stachys maritime* Gouan from the Bulgarian Black Sea coast. Nat. Prod. Res. 2009. 23, 448-454. ISSN: 1478-6419.

1171. Buhmann A, Papenbrock J. An economic point of view of secondary compounds in halophytes. Functional Plant Biology. Special Issue. 2013. 40, (8-9), 952-967. DOI: 10.1071/FP12342 ISSN: 1445-4408

Georgieva K, Sarvari E, Keresztes A. Protection of thylakoids against combined light and drought by a luminal substance in the resurrection plant *Haberlea rhodopensis*. Annals of Botany. 2010. 105, 117-126. ISSN 0305-7364.

1172. Mitra J, Xu G, Wang B, Li M, Deng X. Understanding desiccation tolerance using the resurrection plant *Boea hygrometrica* as a model system. Frontiers in Plant Science. 2013. doi: 10.3389/fpls.2013.00446

1173. Brillac J-M, Romieu C, Schoefs B, Solymosi K, Cheynier V, Fulcrand H, Verdeil J-L, Conéjero G. The tannosome is an organelle forming condensed tannins in the chlorophyllous organs of Tracheophyta. Ann Bot. 2013. 112(6), 1003-1014. doi: 10.1093/aob/mct168

1174. Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. Physiology and Molecular Biology of Plants. 2013. 19(3), 333-341.

1175. Benina M, Petrov V, Toneva V, Teneva A, Gechev T. Molecular biology and physiology of the resurrection glacial relic *Haberlea rhodopensis*. In: Biotechnology of Neglected and Underutilized Crops, Eds. Shri Mohan Jain, S. Dutta Gupta. 2013. 61-70, DOI 10.1007/978-94-007-5500-0_4

1176. Mladenov P, Zasheva D, Peshev D, Christov NK, Rolland N, Djilianov D, Tchorbadjieva M. Sub-cellular fractionation and gel-based proteomics of *Haberlea rhodopensis*: a promising approach to open the black box of resurrection plants. Bulgarian Journal of Agricultural Science. 2013. 19(2), 22-25.

Fedina I, Hidema J, Velitchkova M, Georgieva K, Nedeva D. UV-B induced stress responses in three rice cultivars. Biologia Plantarum. 2010. 54(3), 571-574. ISSN: 0006-3134.

1177. Lin Zhang L, Li X, Zheng W, Fu Z, Li W, Ma L, Li K, Sun L, Jingkui Tian J. Analysis of UV-irradiated *Lonicera japonica* Thunb. with Bioactive Metabolites Enhancement. Proteomics. 2013. DOI: 10.1002/pmic.201300212

1178. Hu Z, Li H, Chen S, Yang Y. Chlorophyll content and photosystem II efficiency in soybean exposed to supplemental ultraviolet-B radiation. Photosynthetica. 2013. 51(1), 151-157.

1179. Yu G. H, Li W, Yuan ZY, Cui HY, Lv CG, Gao ZP, Han B, Gong YZ, Chen GX. The effects of enhanced UV-B radiation on photosynthetic and biochemical activities in super-high-yield hybrid rice Liangyoupeijiu at the reproductive stage. Photosynthetica. 2013. 51(1), 33-44.

2011

Grigorova B, Vaseva I, Demirevska K, Feller U. Expression of selected heat shock proteins after individually applied and combined drought and heat stress. *Acta Physiol. Plant.* **2011.** *33* (5), 2041-2049. ISSN: 0137-5881

1180. Xia Y, Li R, Ning Z, Bai G, Siddique KHM, et al. Single nucleotide polymorphisms in *HSP17.8* and their association with agronomic traits in barley. *PLoS ONE* 2013. 8(2), e56816. doi:10.1371/journal.pone.0056816 eISSN-1932-6203

1181. Budak H, Kantar M, Yucebilgili Kurtoglu K. Drought tolerance in modern and wild wheat. *The Sci. World J.* 2013. Art. 548246, doi: <http://dx.doi.org/10.1155/2013/548246>

1182. Shan X, Li Y, Jiang Y, Jiang Z, Hao W, Yuan Y. Transcriptome profile analysis of maize seedlings in response to high-salinity, drought and cold stresses by deep sequencing. *Plant Mol. Biol. Rep.* 2013. 31(6), 1485-1491.

Vassileva V, Signarbieux C, Anders I, Feller U. Genotypic variation in drought stress response and subsequent recovery of wheat (*Triticum aestivum* L.). *J. Plant Research.* **2011.** *124*, 1, 147-154.

1183. Budak H, Kantar M, Yucebilgili Kurtoglu K. Drought tolerance in modern and wild wheat. *Scientific World Journal.* 2013. Article ID 548246

1184. Correia B, Pintó-Marijuan M, Neves L, Brossa R, Dias MC, Costa A, Castro

BB, Araújo C, Santos C, Pinto G. Water stress and recovery in the performance of two *Eucalyptus globulus* clones: Physiological and biochemical profiles. *Physiol. Plantarum.* 2013. DOI: 10.1111/ppl.12110

1185. Joseph T, Whitehead D, Turnbull MH. Soil water availability influences the temperature response of photosynthesis and respiration in a grass and a woody shrub. 2013. *Functional Plant Biology.* <http://dx.doi.org/10.1071/FP13237> ISSN: 1445-4408

Revalska M, Vassileva V, Goormachtig S, Van Hautegem T, Ratet P, Iantcheva A. Recent progress in development of *Tnt1* functional genomics platform for *Medicago truncatula* and *Lotus japonicus* in Bulgaria. *2011. Current Genomics* **12**, 2, 147-152

1186. Recorbet G, Abdallah C, Renaut J, Wipf D, Dumas-Gaudot E. 2013. Protein

actors sustaining arbuscular mycorrhizal symbiosis: underground artists break the silence. *New Phytol.* 2013. 199, 1, 26-40. ISSN: 1469-8137

Krezhova D, Kirova E. Hyperspectral remote sensing of the impact of environmental stresses on nitrogen fixing soybean plants (*Glycine max* L.). IEEE proceedings of 5th International Conference of Recent Advances in Space Technologies (RAST 2011), Istanbul, Turkey, 2011, pp. 172-177.

1187. Ramón Morenoa, Francesco Coronabe, Amaury Lendassee, Manuel Grañaa, Lênio S. Galvão. Extreme learning machines for soybean classification in remote sensing hyperspectral images. Neurocomputing, 2013, Elsevier

Mishev K, Dimitrova A, Ananiev ED. Darkness affects differentially the expression of plastid-encoded genes and delays the senescence-induced down-regulation of chloroplast transcription in cotyledons of *Cucurbita pepo* L. (zucchini). Z Naturforsch. 2011. 66c, 159-166.

1188. Yamburenko MV, Zubko YO, Vankova R, Kusnetsov VV, Kulaeva O, Boerner T. Abscisic acid represses the transcription of chloroplast genes. J Exp Bot. 2013. 64, 4491-4502. ISSN 0022-0957

Georgieva M., Sepsi A., Tyankova N, Molnár-Láng. Molecular cytogenetic characterization of two high protein wheat-Thinopyrum intermedium partial amphiploids. J Appl Genet. 2011. (3):269-77. ISSN: 1234-1983

1189. Li G.-R., Liu C., Li C.-H., Zhao J.-M., Zhou L., Dai G., Yang E.-N., Yang Z.-J. 2013. Introgression of a novel Thinopyrum intermedium St-chromosome-specific HMW-GS gene into wheat. Molecular Breeding 31 (4): 843-853. DOI:10.1007/s11032-013-9838-8. ISSN: 1380-3743

1190. Song, X., Li, G., Zhan, H., Liu, C., Yang, Z. 2013. Molecular identification of a new wheat-Thinopyrum intermedium ssp. trichophorum addition line for resistance to stripe rust. Cereal Research Communications 41 (2): 211-220. DOI:10.1556/CRC.2013.0009. ISSN: 0133-3720

1191. Zeng, J., Cao, W., Fedak, G., Sun, S., McCallum, B., Fetch, T., Xue, A., Zhou, Y. 2013. Molecular cytological characterization of two novel durum -Thinopyrum intermedium partial amphiploids with resistance to leaf rust, stem rust and Fusarium head blight. Hereditas 150 (1): 10-16. DOI: 10.1111/j.1601-5223.2012.02262.x. ISSN: 1601-5223

Moskova I, Todorova D, Alexieva V, Sergiev I. Leaf Morphology and histology changes of pea plants treated with hydrogen peroxide and paraquat. Compt. Rend. Acad. Bulg. Sci. 2011. 64(12), 1695-1700. ISSN: 1310-1331.

1192. Mandal C, Ghosh N, Dey N, Adak MK. Effects of putrescine on oxidative stress induced by hydrogen peroxide in *Salvinia natans* L. J. Plant Interact. 2013. doi: 10.1080/17429145.2013.871076. ISSN: 1742-9145

Djilianov D, Ivanov S, Moyankova D, Miteva L, Kirova E, Alexieva V, Joudi M, Peshev D, Van Den Ende W. Sugar ratios, glutathione redox status and phenols in the resurrection species *Haberlea rhodopensis* and the closely related non-resurrection species *Chirita eberhardtii*, Plant Biology. 2011. 13(4), 767-776. ISSN: 1438-8677.

1193. Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. Physiology and Molecular Biology of Plants. 2013. 19(3), 333-341. ISSN: 0971-5894

1194. Mitra J, Xu G-H, Wang B, Li M-J, Deng X. Understanding desiccation tolerance using the resurrection plant *Boea hygrometrica* as a model system. *Front Plant Sci.* 2013, 4 (446). doi: 10.3389/fpls.2013.00446. ISSN: 1664-462X
1195. Dinakar C, Bartels D, Desiccation tolerance in resurrection plants: new insights from transcriptome, proteome, and metabolome analysis. *Frontiers in Plant Science.* 2013. 4, 482. ISSN: 0168-9452
1196. Gechev TS, Benina M, Obata T, Tohge T, Sujeeth N, Minkov I, Hille J, Toneva V. Molecular mechanisms of desiccation tolerance in the resurrection glacial relic *Haberlea rhodopensis*. *Cellular and Molecular Life Sciences.* 2013. 70 (4), 689-709. ISSN: 1420-682X
1197. Jayeeta M, Guanghui Xu, Wang B, Meijing Li, and Deng X. Understanding desiccation tolerance using the resurrection plant *Boea hygrometrica* as a model system. *Front Plant Sci.* 2013. 4, 446. ISSN: 0168-9452
- Berckmans B, Vassileva V, Schmid S, Maes S, Parizot B, Naramoto S, Magyar Z, Kamei CLA, Koncz C, Persiau G, De Jaeger G, Bogre L, Friml J, Simon R, Beeckman T, De Veylder L. Auxin-dependent cell cycle reactivation through transcriptional control of E2Fa by LATERAL ORGAN BOUNDARY proteins. *Plant Cell.* 2011. 23, 10, 3671-3683. ISSN 1040-4651**
1198. Lee HW, Kim M-J, Kim NY, Lee SH, Kim J. LBD18 acts as a transcriptional activator that directly binds to the *EXPANSIN14* promoter in promoting lateral root emergence of *Arabidopsis*. *Plant J.* 2013. 73, 2, 212-224. Online ISSN: 1365-313X
1199. Kim J, Lee HW. Direct activation of EXPANSIN14 by LBD18 in the gene regulatory network of lateral root formation in *Arabidopsis*. *Plant Signal Behav.* 2013. 8, 2, pii: e22979, ISSN 1559-2324
1200. Sánchez-Calderón L, Ibarra-Cortés ME, Zepeda-Jazo I. Root Development and Abiotic Stress Adaptation. 2013. DOI: 10.5772/55043
1201. Hofhuis H, Laskowski M, Du Y, Prasad K, Grigg S, Pinon V, Scheres B. Phyllotaxis and rhizotaxis in *Arabidopsis* are modified by three PLETHORA transcription factors. *Current Biol.* 2013. 23, 11, 956-962. ISSN: 0960-9822
1202. Laskowski M. Lateral root initiation is a probabilistic event whose frequency is set by fluctuating levels of auxin response. *J Exp Bot.* 2013. 64, 9, 2609-2617. ISSN 0022-0957
1203. Kang NY, Lee HW, Kim J. The AP2/EREBP gene PUCHI coacts with LBD16/ASL18 and LBD18/ASL20 downstream of ARF7 and ARF19 to regulate lateral root development in *Arabidopsis*. *Plant Cell Physiol.* 2013. 54, 8, 1326-34. ISSN 0032-0781
1204. Lee HW, Kim J. EXPANSINA17 upregulated by LBD18/ASL20 promotes lateral root formation during the auxin response. *Plant Cell Physiol.* 2013. 54, 10, 1600-11. Print ISSN 0032-0781
1205. Ikeuchi M, Sugimoto K, Iwase A. Plant callus: Mechanisms of induction and repression. *Plant Cell.* 2013. 25, 9, 3159-3173. ISSN 1040-4651
1206. Lu H, Shi Z-Y. 2013. Research progress on the molecular function of plant-specific LBD gene. *Plant Physiol J.* 2013. 49, 9, 833-846. ISSN: 0176-1617
1207. De Clercq I, Vermeirssen V, Van Aken O, Vandepoele K, Murcha MW, Law

SR., Van Breusegem F. The membrane-bound NAC transcription factor ANAC013 functions in mitochondrial retrograde regulation of the oxidative stress response in *Arabidopsis*. *Plant Cell*. 2013. 25, 9, 3472-3490. ISSN 1040-4651

1208. Zhu L, Guo J, Zhou C, Zhu J. Ectopic expression of LBD15 affects lateral branch development and secondary cell wall synthesis in *Arabidopsis thaliana*. *Plant Growth Regul*. 2013. 1-10. ISSN: 0167-6903

1209. Perilli S, Perez-Perez JM, Di Mambro R, Peris CL, Díaz-Triviño S, Del Bianco M, Sabatini S. RETINOBLASTOMA-RELATED protein stimulates cell differentiation in the *Arabidopsis* root meristem by interacting with cytokinin signaling. *Plant Cell*. 2013. tpc-113. ISSN 1040-4651

1210. Cabrera J, Bustos R, Fahey B, Fenoll C, Escobar C. NEMATIC: a simple and versatile tool for the *in silico* analysis of plant-nematode interactions. *Mol Plant Pathol*.

2013. DOI:10.1111/mpp.12114. ISSN: 1364-3703

1211. Žádníková P, Simon R. How boundaries control plant development. *Curr Opin Plant Biol*. 2013. 17, 116-125. ISSN: 1369-5266

1212. Cuesta C, Wabnik K, Benková E. Systems approaches to study root architecture dynamics. *Frontiers Plant Sci*, 2013. 4, 537. ISSN 1664-462X

Atanasova L. Modified nucleosides in plant transfer RNA. Compt. Rend. Acad. Bulg. Sci. 2011. 64, 67-74. ISSN: 1310-1331.

1213. Hienzsch A, Deiml C, Reiter V, Carell T. Total synthesis of the hyper-modified RNA bases wybutosine and hydroxywybutosine and their quantification together with other modified RNA bases in plant materials. *Chem. Eur. J.* 2013. 19, 4244-4248. Online ISSN: 1521-3765

Petrova M, Zayova E, Yankova E, Baldzhiev G. Plant regeneration from callus culture of *Arnica montana*. Romanian Biotechnological Letters. 2011. 16 (1), 92-97. ISSN: 1224 – 5984.

1214. Sharma A, Bhansali S, Kumar A. *In vitro* callus induction and shoot regeneration in *Eclipta alba* (L.) HASSK. International Journal of Life Science and Pharma Research, 2013. 3(2), 43-46. ISSN: 2250-0480.

1215. Samar A, Zahoor Kaloo, Seema Singh, Tabinda Altaf. Micropropagation of medicinally important plant species of family Asteraceae – a review. International Journal of Recent Scientific Research. 2013. 4(8), 1296-1303. ISSN: 0976-3031.

1216. Дойчинова З. Микроразмножаване на храстовиден пелин (*Artemisia chamaemelifolia* Vill., Asteraceae) – въвеждане в ин витро култура и влияние на растежния регулатор 6-Бензиламинопурин, Дипломна работа, Биологически факултет, СУ „Св. Климент Охридски”, 2013. 58 стр.

Petrova M, E. Zayova, A. Vitkova. Effect of silver nitrate on *in vitro* root formation of *Gentiana lutea*. Romanian Biotechnological Letters. 2011. 16(1), 53-58. ISSN: 1224- 5984.

1217. Syed Naseer Shah, Amjad M. Husaini and S. A. Ansari. Micropropagation of *Litsea glutinosa* (Lour) C.B, International Journal for Biotechnology and Molecular Biology Research. 2013. 4(5), 78-85. ISSN: 2141-2154.

Evidente A, Rodeva R, Andolfi A, Stoyanova Z, Perrone C, Motta A. Phytotoxic polyketides produced by *Phomopsis foeniculi*, a strain isolated from diseased Bulgarian fennel. European Journal of Plant Pathology. 2011. 130, 173-182. ISSN: 1573-8469.

1218. Suzuki N, Kaneko M, Kuroda Y, Sasaki A, Masuyama Y. Ene reactions of (Z)-1,4-bis(trimethylsilyl)buta-1,2,3-triene with α,β -unsaturated carbonyl compounds. Tetrahedron Letters. 2013. 22, 2813-2816. ISSN: 0040-4039.

Kacergius A, Rodeva R, Gabler J, Stoyanova Z. Phylogenetic analysis of *Phomopsis* isolates from different host plants. XVIII Symposium of the Baltic Mycologists and Lichenologists. Lithuania, Dubingiai, September 19-23, Programme and Abstracts. 2011. 12–13. ISBN: 978-9986-443-56-8.

1219. Zalewska E, Machowicz-Stefaniak Z., Król E. Harmfulness of *Phomopsis diachenii* Sacc. to herbs from Apiaceae family and preparations limiting the growth of this fungus. Acta Scientiarum Polonorum, Hortorum Cultus. 2013. 12(5), 69-83. ISSN: 1644-0692.

Grigorova B, Vaseva I, Demirevska K, Feller U. Combined drought and heat stress in wheat: changes in some heat shock proteins. Biol. Plant. 2011. 55(1), 105-111. ISSN: 0006-3134

1220. Sharma R, De Vleesschauwer D, Sharma MK, Ronald PC. Recent advances in dissecting stress-regulatory crosstalk in rice. Mol. Plant 2013. 6(2), 250-260.

1221. Jiaying L, Yixia C. Review on the effects of high temperature and drought on yield, grain quality and the physiological characteristic of flag leaves in rice (*Oryza sativa* L.) Ch.Agricul. Sci. Bull. 2013. 29(27), 1-6.

1222. Kamal AHM, Cho K, Choi J-S, Jin Y, Park C-S, Lee JS, Woo SH. Patterns of protein expression in water-stressed wheat chloroplasts. Biol. Plant. 2013. 57(2), 305-312. ISSN: 0006-3134

Vaseva I, Akiscan Y, Demirevska K, Anders I, Feller U. Drought stress tolerance of red and white clover – comparative analysis of some chaperonins and dehydrins. Sci. Hort. 2011. 130, 653-659.

1223. Li Z, Peng Y, Ma X. Different response on drought tolerance and post-drought recovery between the small-leaved and the large-leaved white clover (*Trifolium repens* L.) associated with antioxidative enzyme protection and lignin metabolism. Acta Physiol. Plant. 2013. 35(1), 213-222. ISSN: 0137-5881

Landjeva S, Karceva T, Korzun V, Ganeva G. Seedling growth under osmotic stress and agronomic traits in Bulgarian semi-dwarf wheat – comparison of genotypes with *Rht8* and/or *Rht-B1* genes. Crop Past. Sci. 2011. 62, 1017-1025. ISSN: 1836-0947.

1224. Divashuk M, Bespalova L, Vasiley A, Fesenko I, Puzyrnaya O, Karlov G. Reduced height genes and their importance in winter wheat cultivars grown in southern Russia. *Euphytica*. 2013. 190, 137-144. ISSN: 0014-2336.
1225. Mohan A, Schillinger WF, Gill KS. Wheat seedling emergence from deep planting depths and its relationship with coleoptile length. *PLoS ONE*. 2013.8(9), e73314. doi:10.1371/journal.pone.0073314. ISSN: 1932-6203.
1226. Ducruet JM, Peeva V, Havaux M. Chlorophyll thermofluorescence and thermoluminescence as complementary tools for the study of temperature stress in plants. *Photosynthesis Research*. 2007. 93(1-3), 159-171. ISSN: 0166 – 8595.
1227. Dongsansuk A, Lütz C, Neuner G. Effects of temperature and irradiance on quantum yield of PSII photochemistry and xanthophyll cycle in a tropical and a temperate species. *Photosynthetica*. 2013. 51(1), 13-21.
1228. Tovuu A, Zulfugarov IS, Lee C-H. Correlation between the temperature dependence of chlorophyll fluorescence and the fluidity of thylakoid membranes. *Physiologia Plantarum*. 2013. 147(4), 409-416.
- Velikova V, Tsonev T, Loreto F, Centritto M. Changes in photosynthesis, mesophyll conductance to CO₂, and isoprenoid emissions in *Populus nigra* plants exposed to excess nickel. Environmental Pollution. 2011. 159, 1058–1066. ISSN: 0269-7491.**
1229. Le Guédarda M, Faure O, Bessoule J-J. Early changes in the fatty acid composition of photosynthetic membrane lipids from *Populus nigra* grown on a metallurgical landfill. *Chemosphere*. 2012. 88 (6), 693–698.
1230. Copaciu F, Opris O, Coman V, Ristoiu D, Niinemets Ü, Copolovici L. Diffuse water pollution by anthraquinone and azo dyes in environment importantly alters foliage volatiles, carotenoids and physiology in wheat (*Triticum aestivum*). *Water, Air, & Soil Pollution*. 2013. 224, 1478.
1231. Gajewska E, Niewiadomska E, Tokarz K, Ślaba M, Skłodowska M. Nickel-induced changes in carbon metabolism in wheat shoots. *Journal of Plant Physiology*. 2013. 170 (4), 369–377.
1232. Hassan IA, Basahi JM, Ismail IM. Gas exchange, chlorophyll fluorescence and antioxidants as bioindicators of airborne heavy metal pollution in Jeddah, Saudi Arabia. *Current World Environment*. 2013. 8 (2), 203-213.
1233. Hussain MB, Ali S, Azam A, Hina S, Farooq MA, Ali B, Bharwana SA, Gill MB. Morphological, physiological and biochemical responses of plants to nickel stress: A review. *African Journal of Agricultural Research*. 2013. 8(17), 1596-1602.
1234. Li Y, Zhang X, Yang Y, Duan B. Soil cadmium toxicity and nitrogen deposition differently affect growth and physiology in *Toxicodendron vernicifluum* seedlings. *Acta Physiologiae Plantarum*. 2013. 35 (2), 529-540.
1235. Tognetti R, Cocozza C, Marchetti M. Shaping the multifunctional tree: the use of *Salicaceae* in environmental restoration. *iForest-Biogeosciences and Forestry*. 2013. 6, 37-47.
- Tsonev T, Velikova V, Ildiz-Aktas L, Gürel A, Edreva A. Effect of water deficit and potassium fertilization on photosynthetic activity in cotton plants. *Plant Biosystems*. 2011. 145 (4), 841-847.**

ISSN: 1126-3504.

1236. Koller S, Jedmowski C, Kamm K, Brüggemann W. The South Hesse Oak Project (SHOP): Species- and site-specific efficiency of the photosynthetic apparatus of Mediterranean and Central European Oaks. *Plant Biosystems*. 2013. (*in press*). DOI:10.1080/11263504.2012.762947
1237. Wang M, Zheng QS, Shen QR, Guo SW. The critical role of potassium in plant stress response. *International Journal of Molecular Sciences*. 2013. 14 (4), 7370-7390.
1238. Zörb C, Senbayram M, Peiter E. Potassium in agriculture – Status and perspectives. *Journal of Plant Physiology*. 2013. (*in press*), <http://dx.doi.org/10.1016/j.jplph.2013.08.008>

Velikova V, Várkonyi Z, Szabó M, Maslenkova L, Nogues I, Kovács L, Peeva V, Busheva M, Garab G, Sharkey TD, Loreto F. Increased thermostability of thylakoid membranes in isoprene-emitting leaves probed with three biophysical techniques. *Plant Physiol.* 2011. 157, 905-916. ISSN: 0032-0889.

1239. Behnke K, Ghirardo A, Janz D, Kanawati B, Esperschutz J, Zimmer I, Schmitt-Kopplin P, Niinemets U, Polle A, Schnitzler JP, Rosenkranz M. Isoprene function in two contrasting poplars under salt and sunflecks. *Tree Physiol.* 2013. 33(6), 562-578.
1240. Jardine KJ, Meyers K, Abrell L, Alves EG, Serrano AM, Kesselmeier J, Karl T, Guenther A, Chambers JQ, Vickers C. Emissions of putative isoprene oxidation products from mango branches under abiotic stress. *J. Exp. Bot.* 2013. 64(12), 3697-3709.
1241. Memari HR, Pazouki L, Niinemets Ü. The biochemistry and molecular biology of volatile messengers in trees. In: In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, Springer Science+Business Media Dordrecht, CHAPTER 3. 2013. pp. 47-93, DOI 10.1007/978-94-007-6606-8_10. (book)
1242. Morfopoulos C, Prentice IC, Keenan TF, Friedlingstein P, Medlyn BE, Peñuelas J, Possell M. A unifying conceptual model for the environmental responses of isoprene emissions from plants. *Ann. Bot.* 2013. 112, 1223–1238.
1243. Niinemets Ü, Monson RK. State-of-the art of BVOC Research: What do we have and what have we misses? A synthesis. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, Springer Science+Business Media Dordrecht, CHAPTER 18. 2013. pp. 509-528, DOI 10.1007/978-94-007-6606-8_10. (book)
1244. Ryan AC, Hewitt CN, Possell M, Vickers CE, Purnell A, Mullineaux PM, Davies WJ, Dodd IC. Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. *New Phytologist*. 2013. (*in press*). doi: 10.1111/nph.12477
1245. Sun Z. Isoprene emission from aspen (*Populus sp.*) in relation to environmental drives. Estonian University of Life Science. 2013 (**PhD Thesis**)
1246. Sun Z, Niinemets Ü, Hüve K, Rasulov B, Noe SM. Elevated atmospheric CO₂ concentration leads to increased whole-plant isoprene emission in hybrid aspen (*Populus tremula* × *Populus tremuloides*). *New Phytol.* 2013. 198, 788-800.
1247. Sun Z, Huve K, Vislap V, Niinemets Ü. Elevated [CO₂] magnifies isoprene emissions under heat and improves thermal resistance in hybrid aspen. *J. Exp. Bot.* 2013, doi:10.1093/jxb/ert318.
1248. Way DA, Ghirardo A, Kanawati B, Esperschütz J, Monson RK, Jackson RB,

Schmitt-Kopplin P, Schnitzler J-P. Increasing atmospheric CO₂ reduces metabolic and physiological differences between isoprene- and non-isoprene-emitting poplars. *New Phytol.* 2013. 200(2), 534-546.

1249. Di Ferdinando M, Brunetti C, Agati G, Tattini M. Multiple functions of polyphenols in plants inhabiting unfavorable Mediterranean areas. *Environmental and Experimental Botany.* 2013. doi:org/10.1016/j.envexpbot.2013.09.012.

Mihailova G, Petkova S, Büchel C, Georgieva K. Desiccation of the resurrection plant *Haberlea rhodopensis* at high temperature. Photosynthesis Research. 2011. 108, 5-13. ISSN: 0166-8595.

1250. Singh P, Tiwari A, Singh SP, Asthana RK. Desiccation induced changes in osmolytes production and the antioxidative defence in the cyanobacterium *Anabaena* sp. PCC 7120. *Physiology and Molecular Biology of Plants.* 2013. 19(1), 61-68. DOI 10.1007/s12298-012-0145-3

1251. Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. *Physiology and Molecular Biology of Plants.* 2013. 19(3), 333-341.

1252. Yan K, Chen P, Shao H, Shao C, Zhao S, Brestic M. Dissection of Photosynthetic Electron Transport Process in Sweet Sorghum under Heat Stress. *PLoS ONE.* 2013. 8(5), e62100. doi:10.1371/journal.pone.0062100

1253. Mitra J, Xu G, Wang B, Li M, Deng X. Understanding desiccation tolerance using the resurrection plant *Boea hygrometrica* as a model system. *Frontiers in Plant Science.* 2013. doi: 10.3389/fpls.2013.00446

1254. Yan K, Chen P, Shao H, Shao C, Zhao S. Characterization of photosynthetic electron transport chain in bioenergy crop Jerusalem artichoke (*Helianthus tuberosus* L.) under heat stress for sustainable cultivation. *Industrial Crops and Products.* 2013. 50, 809-815. ISSN 0926-6690, <http://dx.doi.org/10.1016/j.indcrop.2013.08.012>.

Georgieva K, Ivanova A, Doncheva S, Petkova S, Stefanov D, Péli E, Tuba Z. Fatty acid content during reconstitution of photosynthetic apparatus of poikilochlorophyllous and air dried *Xerophyta scabrida* leaves following rehydration. Biologia Plantarum. 2011. 55(3), 581-585. ISSN: 0006-3134.

1255. Brestic M, Zivcak M. PSII Fluorescence Techniques for Measurement of Drought and High Temperature Stress Signal. In *Crop Plants: Protocols and Applications.* In: *Molecular Stress Physiology of Plants.* Rout GR, Das AB (eds.). Springer Dordrecht. 2013. 87-131. DOI 10.1007/978-81-322-0807-5_4

Nagy-Déri H, Péli E, Georgieva K, Tuba Z. Changes in chloroplast morphology of different parenchyma cells in leaves of *Haberlea rhodopensis* Friv. during desiccation and following rehydration. Photosynthetica. 2011. 49, 119-126. ISSN: 0300-3604.

1256. Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. *Physiology and Molecular Biology of Plants.* 2013. 19(3), 333-341.

2012

Péli E, Mihailova G, Petkova S, Tuba Z, Georgieva K. Differences in physiological adaptation of Haberlea rhodopensis Friv. leaves and roots during dehydration–rehydration cycle. Acta Physiologiae Plantarum. 2012. 34, 947-955.
ISSN: 0137-5881.

1257. Gashi B, Babani F, Kongjika E. Chlorophyll fluorescence imaging of photosynthetic activity and pigment contents of the resurrection plants *Ramonda serbica* and *Ramonda nathaliae* during dehydration and rehydration. *Physiology and Molecular Biology of Plants*. 2013. 19(3), 333-341.

Beckett M, Loreto F, Velikova V, Brunetti C, Di Ferdinando M, Tattini M, Calfapietra C, Farrant JM. Photosynthetic limitations and volatile and non-volatile isoprenoids in the poikilochlorophyllous resurrection plant *Xerophyta humilis* during dehydration and rehydration. Plant, Cell & Environment. 2012. 35(12), 2061-2074. ISSN: 0140-7791.

1258. Gil M, Bottini R, Berli F, Pontin M, Silva MF, Piccoli P. Volatile organic compounds characterized from grapevine (*Vitis vinifera* L. cv. Malbec) berries increase at pre-harvest and in response to UV-B radiation. *Phytochemistry*, 2013. 96, 148–157.

1259. Piccoli P, Bottini R. Abiotic stress tolerance induced by endophytic PGPR. In: (Ed. Ricardo Aroca) *Symbiotic Endophytes. Soil Biology* Vol. 37, 2013, pp 151-163. Springer.

Tsonev T, Lidon FJC. Zinc in plants - An overview. Emir. J. Food Agric. 2012. 24 (4), 322-333. ISSN: 2079-052X.

1260. Jelusic M, Vodnik D, Macek I, Lestan D. Effect of EDTA washing of metal polluted garden soils. Part II: Can remediated soil be used as a plant substrate? *Science of The Total Environment*. 2013. (in press).
<http://dx.doi.org/10.1016/j.scitotenv.2013.11.111>

1261. Olatunji OS, Opeolu BO, Fatoki OS, Ximba BJ. Heavy metals concentration levels in selected arable agricultural soils in South Western Nigeria. *International Journal of Physical Sciences*. 2013. 8(11), 421-427.

1262. Zhao L, Sun Y, Hernandez-Viezcas JA, Servin AD, Hong J, Niu G, Peralta-Videa JR, Duarte-Gardea M, Gardea-Torresdey JL. Influence of CeO₂ and ZnO nanoparticles on cucumber physiological markers and bioaccumulation of Ce and Zn: A Life cycle study. 2013. 61 (49), 11945-11951.

Popova LP, Maslenkova LT, Ivanova A, Stoinova Z. Role of Salicylic Acid in Alleviating Heavy Metal Stress. Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change. 2012. 447-466. ISBN: 978-1-4614-0815-4.

1263. Mostofa MG, Fujita M. Salicylic acid alleviates copper toxicity in rice (*Oryza sativa* L.) seedlings by up-regulating antioxidative and glyoxalase systems. *Ecotoxicology*. 2013. 22(6), 959-973.

1264. Song W-Y, Yang H-C, Shao H-B, Zheng A-Z, Brešić M. The Alleviative Effects of Salicylic Acid on the Activities of Catalase and Superoxide Dismutase in

Malting Barley (*Hordeum uhulgare* L.) Seedling Leaves Stressed by Heavy Metals. 2013. Clean Soil Air Water. doi: 10.1002/clen.201200310.

Velikova V, Sharkey TD, Loreto F. Stabilization of thylakoid membranes in isoprene-emitting plants reduces formation of reactive oxygen species. Plant Signaling & Behavior. 2012. 7(1), 139-141. ISSN: 1559-2324.

1265. Agati G, Brunetti C, Di Ferdinando M, Ferrini F, Pollastri S, Tattini M. Functional roles of flavonoids in photoprotection: New evidence, lessons from the past. *Plant Physiol. Biochem.* 2013. 72, SI: 35-45.

1266. Ashraf M, Harris PJC. Photosynthesis under stressful environments: An overview. *Photosynthetica*. 2013. 51 (2), 163-190.

1267. Eccher G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A. Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. *Plant Physiol.* 2013. 161 (4), 1952-1969.

1268. Jardine KJ, Meyers K, Abrell L, Alves EG, Serrano AM, Kesselmeier J, Karl T, Guenther A, Chambers JQ, Vickers C. Emissions of putative isoprene oxidation products from mango branches under abiotic stress. *J. Exp. Bot.* 2013. 64(12), 3697-3709.

1269. Morfopoulos C, Prentice IC, Keenan TF, Friedlingstein P, Medlyn BE, Peñuelas J, Possell M. A unifying conceptual model for the environmental responses of isoprene emissions from plants. *Ann. Bot.* 2013. 112, 1223-1238.

1270. Ryan AC, Hewitt CN, Possell M, Vickers CE, Purnell A, Mullineaux PM, Davies WJ, Dodd IC. Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. *New Phytologist*. 2013. (in press). doi: 10.1111/nph.12477

1271. Schollert M, Burchard S, Faubert P, Michelsen A, Rinnan R. Biogenic volatile organic compound emissions in four vegetation types in high arctic Greenland. *Plant Biology*. 2013. (in press). DOI: 10.1007/s00300-013-1427-0

1272. Way DA, Ghirardo A, Kanawati B, Esperschütz J, Monson RK, Jackson RB, Schmitt-Kopplin P, Schnitzler J-P. Increasing atmospheric CO₂ reduces metabolic and physiological differences between isoprene- and non-isoprene-emitting poplars. *New Phytol.* 2013. 200(2), 534-546.

Velikova V, La Mantia T, Lauteri M, Michelozzi M, Nogues I, Loreto F. The impact of winter flooding with saline water on foliar carbon uptake and the volatile fraction of leaves and fruits of lemon (*Citrus x limon* L. (Burm. f.)) trees. *Funct. Plant Biol.* 2012. 39 (3), 199-213. ISSN: 1445-4408.

1273. Kreuzwieser J, Rennenberg H – Flooding-driven emissions from trees. In: “*Biology, Controls and Models of Tree Volatile Organic Compound Emissions*”, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 9. 2013. pp. 237-252. (book)

1274. Peeva VN, Tóth SZ, Cornic G, Ducruet J-M. Thermoluminescence and P700 redox kinetics as complementary tools to investigate the cyclic/chlororespiratory electron pathways in stress conditions in barley leaves. *Physiologia Plantarum*. 2012. 144, 83–97. ISSN: 0031-9317.

1275. Courteille A, Vesa S, Sanz-Barrio R, Cazale C, Becuwe-Linka N, Farran I, Havaux M, Rey P, Rumeau D. Thioredoxin m4 controls photosynthetic alternative

- electron pathways in *Arabidopsis*. *Plant Physiology*. 2013. 161(1), 508-520.
1276. Galzerano D, Feilke K, Schaub P, Beyer P, Krieger-Liszskay A. Effect of constitutive expression of bacterial phytoene desaturase CRTI on photosynthetic electron transport in *Arabidopsis thaliana*. *Biochimica et Biophysica Acta (BBA)-Bioenergetics*. 2013.
1277. Nakamura N, Iwano M, Havaux M, Yokota A, Munekage YN. Promotion of cyclic electron transport around photosystem I during the evolution of NADP-malic enzyme-type C₄ photosynthesis in the genus *Flaveria*. *New Phytologist*. 2013. 199(3), 832-842.
- Simova-Stoilova L, Demirevska K, Kingston-Smith A, Feller U. Involvement of the leaf antioxidant system in the response to soil flooding in two *Trifolium* genotypes differing in their tolerance to waterlogging. *Plant Science* 2012. 183, 43-49. ISSN: 0168-9452**
1278. Corral MG. Effects of WCIMV and Root-flooding on white clover (Thesis, Master of Science). University of Otago. <http://hdl.handle.net/10523/4159> University of Otago, New Zealand. 2013.
1279. El-Enany AE, AL-Anazi AD, Dief N, Al-Taisan WA. Role of antioxidant enzymes in amelioration of water deficit and waterlogging stresses on *Vigna sinensis* plants. *J. Biol. Earth Sci.* 2013. 3, B144-B153.
1280. Lin K-H, Kuo W-S, Chiang C-M, Hsiung T-C, Chiang M-C, Lo H-F. Study of sponge gourd ascorbate peroxidase and winter squash superoxide dismutase under respective flooding and chilling stresses. *Sci.Horticult.* 2013. 162, 333-340.
1281. Marini P, de Magalhães Bandeira J, de Borba ICG, Noguez Martins AB, de Moraes DM, do Amarante L, Amaral Villela F. Atividade antioxidante de sementes de milho após estresse térmico [Antioxidant activity of corn seeds after thermal stress]. *Ciencia Rural*. 2013. 43, 951-956. ISSN 0103-8478
1282. Wang P, Yang X, Huang WW, Zhang M, Lu WH, Zhao HT, Wang J, Liu HL, Dong AJ, Zhang H, Xu RB, Zou P, Cheng CL, Zhang YC, Jing J. Effect of pesticide 1-[6-chloro-3-methyl-pyridyl-8-nitro-7-methyl-1 2 3 5 6 7-hexahydro imidazo (1,2a)]-pyridine when responding to a wheat plant's antioxidant defense system. *Food Chemistry* 2013. 146, 569-576.
- Vaseva I, Akiscan Y, Simova-Stoilova L, Kostadinova A, Nenkova R, Anders I, Feller U, Demirevska K. Antioxidant response to drought in red and white clover. *Acta Physiol. Plant.* 2012. 34, 1689-1699. ISSN: 0137-5881**
1283. Fayed KA, Bazaid SA. Improving drought and salinity tolerance in barley by application of salicylic acid and potassium nitrate. *J.Saudi Soc. Agric. Sci.* 2013. <http://dx.doi.org/10.1016/j.jssas.2013.01.001>
1284. Filippou P, Bouchagier P, Skotti E, Fotopoulos V. Proline and reactive oxygen/nitrogen species metabolism is involved in the tolerant response of the invasive plant species *Ailanthus altissima* to drought and salinity. *Environ. Exp. Bot.* 2013. 97, 1-10.
1285. Sen A, Alikamanoglu S. Characterization of drought-tolerant sugar beet mutants induced with gamma radiation using biochemical analysis and isozyme variations. *J. Sci. Food Agric.* 2013. doi: 10.1002/jsfa.6393.

Vandenbussche F, Vaseva I, Vissenberg K, Van Der Straeten D. Ethylene in vegetative development: a tale with a riddle. New Phytol. 2012. 194, 895-909. ISSN: 1469-8137

1286. Lin Y, Chen D, Paul M, Zu Y, Tang Z. Loss-of-function mutation of EIN2 in *Arabidopsis* exaggerates oxidative stress induced by salinity. *Acta Physiol. Plant.* 2013. 35(4), 1319-1328. ISSN: 0137-5881

1287. Schaffer RJ, Ireland HS, Ross JJ, Ling TJ, David KM. SEPALLATA1/2-suppressed mature apples have low ethylene, high auxin and reduced transcription of ripening-related genes. *AoB PLANTS* 2013. 5. pls047, doi: 10.1093/aobpla/pls047. ISSN 2041-2851

1288. Bethke P. Ethylene Update 2013.,USDA-ARS Vegetable Crops Research Unit and UW Department of Horticulture

1289. Zheng Q, Zheng Y, Perry SE. AGAMOUS-like15 promotes somatic embryogenesis in *Arabidopsis thaliana* and *Glycine max* in part by control of ethylene biosynthesis and response. *Plant Physiol.* 2013. 161(4), 2113-2127. ISSN: 0032-0889

1290. Voesenek LACJ, Sasidharan R. Ethylene – and oxygen signalling – drive plant survival during flooding. *Plant Biol.* 2013. 15(3), 426–435.

1291. Guggisberg A, Lai Z, Huang J, Rieseberg LH. Transcriptome divergence between introduced and native populations of Canada thistle, *Cirsium arvense*. *New Phytol.* 2013. 199(2), 595-608. ISSN: 1469-8137

1292. Chang KN, Zhong S, Weirauch MT, Hon G, Pelizzola M, Li H, Huang SC, Schmitz RJ, Urich MA, Kuo D, Nery JR, Qiao H, Yang A, Jamali A, Chen H, Ideker T, Ren B, Bar-Joseph Z, Hughes TR, Ecker JR. Temporal transcriptional response to ethylene gas drives growth hormone cross-regulation in *Arabidopsis*. *eLife* 2013. 2, e00675.

1293. Markakis MN, Boron AK, Van Loock B, Saini K, Cirera S, Verbelen J-P, Vissenberg K. Characterization of a small auxin-up RNA (SAUR)-like gene involved in *Arabidopsis thaliana* development. *PLOS ONE*. 2013. 8(11), e82596. eISSN-1932-6203

1294. Qiu S, Jiang C, Zhou R. Effects of 1-methylcyclopropene on quality and antioxidant capacity of in vitro digests from *Ziziphus mauritiana*. *ACS* 2013. *ISSN Online:* 2326-5744, *ISSN Print:* 2326-5728 (in press).

1295. Rodrigues MA, Freschi L, Purgatto E, Lima VFGAP, Kerbauy GB. Ethylene Modulates the Developmental Plasticity and the Growth Balance Between Shoot and Root Systems in the In Vitro Grown Epiphytic Orchid *Catasetum fimbriatum*. *J Plant Growth Regul.* 2013. doi: 10.1007/s00344-013-9399-4 ISSN: 0167-6903

Vassileva V, Demirevska K, Simova-Stoilova L, Petrova T, Tsenov N, Feller U. Long-term field drought affects leaf protein pattern and chloroplast ultrastructure of winter wheat in a cultivar-specific manner. J Agron Crop Sci. 2012. 198, 2, 104-117.

1296. Brešić M, Živčak M. PSII fluorescence techniques for measurement of drought and high temperature stress signal in crop plants: protocols and applications. In *Molecular Stress Physiology of Plants*. 2013. (pp. 87-131), Springer India.

1297. Živčak M, Brešić M, Balatova Z, Drevenakova P, Olsovská K, Kalaji HM, Yang X, Allakhverdiev SI. Photosynthetic electron transport and specific photoprotective

responses in wheat leaves under drought stress. *Photosynth. Res.* 2013. 117, 1-3, 529-546.

1298. Zhang L, Zhang L, Sun J, Zhang Z, Ren H, Sui X. Rubisco gene expression and photosynthetic characteristics of cucumber seedlings in response to water deficit. *Scientia Horticul.* 2013. 161, 81-87.

1299. Maksup S, Roytrakul S, Supaibulwatana K. Physiological and comparative proteomic analyses of Thai jasmine rice and two check cultivars in response to drought stress. *J. Plant Interact.* 2013. DOI:10.1080/17429145.2012.752042.

Irani NG, Di Rubbo S, Mylle E, Schneider-Pizon J, Van Den Begin J, Hnilikova J, Sisa M, Vilarrasa-Blasi J, Szatmari AM, Van Damme D, Mishev K, Codreanu MC, Kohout L, Strnad M, Cano-Delgado AI, Friml J, Madder A, Russinova E. Fluorescent castasterone reveals BRI1 signaling from the plasma membrane. Nat Chem Biol. 2012. 8, 583-589.

1300. Yamaoka S, Shimono Y, Shirakawa M, Fukao Y, Kawase T, Hatsugai N, Tamura K, Shimada T, Hara-Nishimura I. Identification and Dynamics of *Arabidopsis* Adaptor Protein-2 Complex and Its Involvement in Floral Organ Development. *Plant Cell.* 2013. 25, 2958-2969. ISSN 1040-4651

1301. Rasmussen A, Heugebaert T, Matthys C, Van Deun R, Boyer FD, Goormachtig S, Stevens S, Geelen D. A Fluorescent Alternative to the Synthetic Strigolactone GR24. *Mol Plant.* 2013. 6, 100-112. ISSN 1674-2052

1302. Bucherl CA, Van Esse W, Kruis A, Luchtenberg J, Westphal AH, Aker J, Van Hoek A, Albrecht C, Borst JW, De Vries SC. Visualization of BRI1 and BAK1(SERK3) Membrane Receptor Heterooligomers during Brassinosteroid Signaling. *Plant Physiol.* 2013. 162, 1911-1925. ISSN: 0032-0889

1303. Tian M, Xie Q. Non-26S Proteasome Proteolytic Role of Ubiquitin in Plant Endocytosis and Endosomal Trafficking. *J Integr Plant Biol.* 2013. 55, 54-63. ISSN: 1744-7909

1304. Shani E, Weinstain R, Zhang Y, Castillejo C, Kaiserli E, Chory J, Tsien RY, Estelle M. Gibberellins accumulate in the elongating endodermal cells of *Arabidopsis* root. *PNAS.* 2013. 110, 4834-4839. ISSN 1091-6490

1305. Zhu JY, Sae-Seaw J, Wang ZY. Brassinosteroid signalling. *Development.* 2013. 140, 1615-1620.

1306. Wells DM, Laplaze L, Bennett MJ, Vernoux T. Biosensors for phytohormone quantification: challenges, solutions, and opportunities. *Trends Plant Sci.* 2013. 18, 244-249.

1307. Robinson DG, Pimpl P. Receptor-mediated transport of vacuolar proteins: a critical analysis and a new model. *Protoplasma.* 2013. DOI: 10.1007/s00709-013-0542-7. ISSN: 0033-183X

1308. Hao J, Yin Y, Fei SZ. Brassinosteroid signaling network: implications on yield and stress tolerance. *Plant Cell Rep.* 2013. 32, 1017-1030.

1309. Wang C, Yan X, Chen Q, Jiang N, Fu W, Ma B, Liu J, Li C, Bednarek SY, Pan J. Clathrin Light Chains Regulate Clathrin-Mediated Trafficking, Auxin Signaling, and Development in *Arabidopsis*. *Plant Cell.* 2013. 25, 499-516. ISSN 1040-4651

1310. Smith JM, Salamango DJ, Leslie ME, Collins CA, Heese A. Sensitivity to flg22 is modulated by ligand-induced degradation and *de novo* synthesis of the endogenous

flagellin-receptor FLS2. *Plant Physiol.* 2013. DOI: 10.1104/pp.113.229179. ISSN: 0032-0889

1311. Choi SW, Tamaki T, Ebine K, Uemura T, Ueda T, Nakano A. RABA Members Act in Distinct Steps of Subcellular Trafficking of the FLAGELLIN SENSING2 Receptor. *Plant Cell.* 2013. 25, 1174-1187. ISSN 1040-4651

1312. Oklestkova J, Rarova L, Strnad M. Brassinosteroids and their Biological Activities. *Natural Products.* 2013. 3851-3871.

1313. Xin P, Yan J, Fan J, Chu J, Yan C. A dual role of boronate affinity in high-sensitivity detection of vicinal diol brassinosteroids from sub-gram plant tissues via UPLC-MS/MS. *Analyst.* 2013. 138, 1342-1345.

1314. Jiang J, Zhang C, Wang X. Ligand Perception, Activation, and Early Signaling of Plant Steroid Receptor Brassinosteroid Insensitive 1. *J Integr Plant Biol.* 2013. 55, 1198-1211. ISSN: 1744-7909

1315. Fridman Y, Savaldi-Goldstein S. Brassinosteroids in growth control: How, when and where. *Plant Sci.* 2013. 209, 24-31. ISSN: 0168-9452

1316. Ma Q, Robert S. Auxin biology revealed by small molecules. *Physiol Plantarum.* 2013. DOI: 10.1111/ppl.12128.

1317. Fabregas N, Cano-Delgado AI. Turning on the microscope turret: a new view for the study of brassinosteroid signaling in plant development. *Physiol Plantarum.* 2013. DOI: 10.1111/ppl.12130.

Bonchev, G., Stoilov, L., Angelova, Z., Georgiev, S. Genomic diversity of Ac-like transposable elements in sphaerococcum mutant forms of common wheat (*Triticum aestivum L.*) and triticale (*X Triticosecale Witt.*). *Journal of Applied Genetics* 2012. 53, 9-17. ISSN: 1234-1983

1318. Li, Y.-H., Ya, H.-Y., Cheng, Y.-W., Yu, X.-L. RNA-seq revealed the promoted expression of functional protein related to transposable element in rice exposure to low-energy ion beam bombardment. 2013. *Life Science Journal* 10 (2), pp. 2341-2347. ISSN: 1097-8135

Petkov G, Ivanova A, Iliev I, Vaseva I. A critical look at the microalgae biodiesel. *Eur. J. Lipid Sci. Tech.* 2012. 114, 103-111.

1319. Hindersin S. Photosynthetic efficiency of microalgae and optimization of biomass production in photobioreactors. Thesis, Zur Erlangung der Würde des Doktors der Naturwissenschaften des Fachbereichs Biologie, der Fakultät für Mathematik, Informatik und Naturwissenschaften, der Universität Hamburg vorgelegt von, Hamburg, Februar 2013.

1320. Leupold M, Hindersin S, Kerner M, Hanelt D. The effect of discontinuous airlift mixing in outdoor flat panel photobioreactors on growth of *Scenedesmus obliquus*. *Bioproc. Biosys. Eng.* 2013. 36(11), 1653-1663.

1321. Do Nascimento M, de los Angeles Dublan M, Ortiz-Marquez JCF, Curatti L. High lipid productivity of an *Ankistrodesmus-Rhizobium* artificial consortium. *Biores. Tech.* 2013. 146, 400-407.

1322. Ortiz-Marquez JCF, Do Nascimento M, Zehr JP, Curatti L. Genetic engineering of multispecies microbial cell factories as an alternative for bioenergy production. *Trends in Biotech.* 2013. 31(9), 521-529.

1323. Gill SS, Mehmood MA, Rashid U, Ibrahim M, Saqib A, Tabassum MR. Waste-water treatment coupled with biodiesel production using microalgae: a bio-refinery approach. *Pak. J. Life Sci.* 2013. E-ISSN: 2221-7630; P-ISSN: 1727-4915 (in press).

Manova V, Singh SK, Iliakis G. Processing of DNA double strand breaks by alternative non-homologous end-joining in hyperacetylated chromatin. *Genome Integrity.* 2012. (3:4) doi:10.1186/2041-9414-3-4. ISSN: 2041-9414

1324. Magnander, K. Formation and repair of complex DNA damage induced by ionizing radiation. 2013. Doctoral thesis. University of Gothenburg. Sahlgrenska Academy. ISBN: 978-91-628-8682-0. URI: <http://hdl.handle.net/2077/32008>.

1325. Ecker J., Witt O, Milde T. Targeting of histone deacetylases in brain tumors. *CNS Oncology.* 2013. 2(4). 359-376. ISSN: 2045-0907

Dimitrova AD, Gecheff KI, Ananiev ED. Methylation pattern of ribosomal RNA genes in NOR-deleted and NOR-reconstructed barley lines (*Hordeum vulgare L.*). Organization of IGS in rDNA repeat unit. *Genetics and Plant Physiology.* 2012. 2(1-2), 3-14.

1326. Georgiev O, Karagyozov L. Structure of the intergenic spacer of barley ribosomal DNA repeat units: Evidence for concerted evolution. *Genetics and Plant Physiology* 2012, 2 (3-4), 145-150. ISSN 1314-6394

Krasteva M, Bozhanov S, Antov G, Gospodinova Z, Angelova S, Georgieva E. Breast cancer patients with hypermethylation in the promoter of BRCA1 gene exhibit favorable clinical status. *Neoplasma.* 2012. 59(1), 85-91. ISSN 0028-2685

1327. Hsu NC, Huang YF, Yokoyama KK, Chu PY, Chen FM, Hou MF. Methylation of BRCA1 promoter region is associated with unfavorable prognosis in women with early-stage breast cancer. *PLoS One.* 2013. 8(2), e56256. doi: 10.1371. eISSN-1932-6203

1328. Jacot W, Thezenas S, Senal R, Viglianti C, Laberenne A-C, Lopez-Crapez E, Bibeau F, Bleuse J-P, Romieu G, Lamy P-J. BRCA1 promoter hypermethylation, 53BP1 protein expression and PARP-1 activity as biomarkers of DNA repair deficit in breast cancer. *BMC Cancer.* 2013. 13, 523. doi:10.1186/1471-2407-13-523. ISSN: 1471-2407

1329. Wu L, Wang F, Xu R, Zhang S, Peng X, Feng Y, Wang J, Lu C. Promoter methylation of BRCA1 in the prognosis of breast cancer: a meta-analysis. *Breast Cancer Res. Treat.* 2013. 142(3), 619-627. doi: 10.1007/s10549-013-2774-9. ISSN: 0167-6806

Todorova D, Sergiev I, Moskova I, Alexieva V, Hall M. Oxidative stress provoked by low and high temperatures in wild type and ethylene-insensitive mutant eti5 of *Arabidopsis thaliana*. *Oxid. Commun.* 2012. 35(3), 651-661. ISSN: 0209-4541.

1330. Jiang S, Zhang X, Cao C. Expression of antioxidant activities of sod, apx and est isoenzymes in germinating peanut seed and seedling. *Oxid. Commun.* 2013. 36(3), 730-737. ISSN: 0209-4541

Tasheva K and Kosturkova G. The role of biotechnology for conservation and biologically active substances production of *Rhodiola rosea*– endangered medicinal species. *The Scientific World Journal.* 2012. doi: 10.1100/2012/274942.

1331. Kalimuthu K and Prabakaran R. In Vitro and Micropropagation for Conservation of Rare and Threatened medicinal Plant *Ceropegia* species - A Review. Int. J. Biological Technology. 2013. 4(2), 23-36. ISSN: 0963-6048

Landjeva S, Kocheva K, Kartseva T, Sepsi A, Molnár I, Schneider A, Georgiev G, Molnár-Láng M. Molecular cytogenetic identification of a wheat-*Aegilops geniculata* Roth spontaneous chromosome substitution and its effects on the physiological responses of seedlings to osmotic stress. *Plant Breeding*. 2012. 131, 81-87. Online ISSN: 1439-0523.

1332. Zhao H, Zhang W, Wang J, Li FR, Jun J, Jun-Ming LI. Research progress on improving wheat drought tolerance via exotic gene introduction. *Chinese Journal of Eco-Agriculture*. 2013. 3, 267-273. ISSN 1671-3990.

Landjeva S, Karceva T, Korzun V, Ganeva G. Seedling growth under osmotic stress and agronomic traits in Bulgarian semi-dwarf wheat: comparison of genotypes with Rht8 and/or Rht-B1 genes. *Crop and Pasture Science*. 2012. 62(12), 1017-1025. ISSN: 1836-0947.

1333. Divashuk MG, Bespalova LA, Vasilyev AV, Fesenko IA, Yu O, Puzyrnaya N, Karlov GI. Reduced height genes and their importance in winter wheat cultivars grown in southern Russia. *Euphytica*. 2013. 190(1), 137-144. ISSN: 1573-5060.

1334. Mohan A, Schillinger WF, Gill KS. Wheat Seedling Emergence from Deep Planting Depths and Its Relationship with Coleoptile Length. *PLoS ONE*. 2013. 8(9): e73314. doi:10.1371/journal.pone.0073314. ISSN: 1932-6203.

Petrova M, Zayova E, Vlahova M, Evstatieva L, Vitkova A. Establishment of *Arnica montana* L. cell suspension culture. Proceedings of the Seventh Conference on Medicinal and Aromatic Plants of Southeast European Countries, 27th - 31st May, 2012 Subotica, Republic of Serbia. 2012. 345-350. ISBN: 978-86-83-141-16-6.

1335. Stefanache C. P, Imseng N, Meier B, Tanase C, Eibl-Schindler R, Peter S. & Wolfram E. *Arnica montana* L. cell suspension culture as a biotechnological approach for the production of bioactive secondary metabolites. *Planta Medica*. 2013. 79(13), PN105. ISSN: 0032-0943.

Zayova E, Vassilevska-Ivanova R, Kraptchev B, Stoeva D. Indirect shoot organogenesis of eggplant (*Solanum melongena* L.). *J. Cent. Euro. Agr.* 2012. 13(3), 446-457. ISSN: 1644-3632.

1336. Bhat SV, AS Jadhav, BD Pawar, AA Kale, VP Chimote, SV Pawar, *In vitro* shoot organogenesis and plantlet regeneration in brinjal (*Solanum melongena* L.). International Quarterly Journal of Life Sciences. 2013. 8(3), 821-824, ISSN: 0973-7049.

Roy M, Akhtar S, Atanassova B, Balacheva E, Biswas P, Hazra P. Expressivity of two genes controlling functional male sterility in tomato- positional sterile (ps) and positional sterile-2 (ps-2) during autumn-winter season. *J Crop Weed*. 2012. 8(1), 1-6. ISSN: 0974 6315.

1337. Elżbieta U. Kozik, Marzena Nowakowska, Mirosława Staniaszek, Barbara Dyki, Anna Stępowska, Marcin Nowicki. More than meets the eye: A multi-year expressivity

analysis of tomato sterility in ps and ps-2 lines, Australian Journal of Crop science. 2013. 7(13), 2154-2161. ISSN: 1835-2707.

Petrova M, E. Zayova, R. Vassilevska-Ivanova, and M. Vlahova. Biotechnological approaches for cultivation and enhancement of secondary metabolites in *Arnica montana* L. Acta Physiologiae Plantarum. 2012. 34(2), 1597–1606. ISSN: 1861-1664.

1338. Sugier Danuta, Piotr Sugier and Urszula Gawlik-Dziki. Propagation and Introduction of *Arnica montana* L. into Cultivation: A Step to Reduce the Pressure on Endangered and High-Valued Medicinal Plant Species. The Scientific World Journal. 2013. vol. 2013, Article ID 414363, 1-11. ISSN: 1861-1664.

1339. Stefanache C. P, Imseng N, Meier B, Tanase C, Eibl-Schindler R, Peter S, & Wolfram E. *Arnica montana* L. cell suspension culture as a biotechnological approach for the production of bioactive secondary metabolites. Planta Medica. 2013. 79(13), PN105. ISSN: 0032-0943.

2013

Mishev K, Dejonghe W, Russinova E. Small molecules for dissecting endomembrane trafficking: a cross-systems view. Chem Biol. 2013. 20, 475-486.

1340. Michalak M, Skrzypczak T, Smolarkiewicz M, Wojtaszek P. Wykorzystanie technik mikroskopii fluorescencyjnej do badań układu błon wewnętrznych komórek roślinnych. Kosmos. 2013. 62, 235-248.

Angelova S, Gospodinova Z, Krasteva M, Antov G, Lozanov VS, Markov T, Bozhanov S, Georgieva E, Mitev V. Antitumor activity of Bulgarian herb *Tribulus terrestris* L. on human breast cancer cells. J. BioSci. Biotech. 2013. 2(1), 25-32. ISSN: 1314-6238.

1341. Galib G, Priyanka Verma, Patgiri BJ, Prajapati PK. *Tribulus Terrestris* Linn: A phyto-pharmacological review. Journal of Ayurveda and Holistic Medicine (JAHM). 2013. 1(3), 37-43. ISSN: 2321-1563

Todorova D, Katerova Z, Sergiev I, Alexieva V. Role of polyamines in alleviating salt stress. In: Ecophysiology and responses of plants under salt stress. Ahmad P, Azooz MM, Prasad MNV (Eds.), Springer, New York. 2013. pp 355–379. ISBN 978-1-4614-4747-4.

1342. Ahmad P, Hameed A, Abd-Allah EF, Sheikh SA, Wani MR, Rasool S, Jamsheed S, Kumar A. Biochemical and Molecular Approaches for Drought Tolerance in Plants. In: Physiological Mechanisms and Adaptation Strategies in Plants Under Changing Environment. Ahmad P, MR Wani (Eds.), Springer New York. 2013. pp 1-29. doi: 10.1007/978-1-4614-8600-8.

Zayova E, Stancheva I, Geneva M, Petrova M, Dimitrova L. Antioxidant activity of *in vitro* propagated *Stevia rebaudiana* Bertoni plants of different origins. Turk J Biol. 2013. 37, 106-113, ISSN: 1303-6092.

1343. Muhammad Aasim, Khalid Mahmood Khawar, Sebahattin Özcan. Production of herbicide-resistant cowpea (*Vigna unguiculata* L.) transformed with the bar gene. Turkish Journal of Biology. 2013. 37, 472-478. ISSN: 1303-6092.

1344. Shamima Akhtar Sharmin, Mohammad Jahangir Alam, Md. Mominul Islam Sheikh, Rashed Zaman, Muhammad Khalekuzzaman, Sanjoy Chandra Mondal, Mohammad Anwarul Haque, Mohammad Firoz Alam, Iftekhar Alam. Micropropagation and antimicrobial activity of *Curcuma aromatica* Salisb., a threatened aromatic medicinal plant, Turkish Journal of Biology. 2013. 37, 698-708. ISSN: 1303-6092.

Petkov G, Ivanova A, Iliev I, Vasileva I. A critical look at the micro algae biodiesel. European J. of Lipid Science and Technology. 2012. 114, 103-111. ISSN: 1438-7697.

1345. Leupold M, Hindersin S, Kerner M, Hanelt D. The effect of discontinuous airlift mixing in outdoor flat panel photobioreactors on growth of *Scenedesmus obliquus*. Bioprocess and Biosystems Engineering. 2013. 36 (11), 1653-1663. DOI:10.1007/s00449-013-0939-x

1346. Oncel SS. Microalgae for a macroenergy world. Renewable and Sustainable Energy Reviews. 2013. 26, 241–264. ISSN-13640321

1347. Ortiz-Marquez JCF, Do Nascimento M, Zehr JP, Curatti L. Genetic engineering of multispecies microbial cell factories as an alternative for bioenergy production. Trends in Biotechnology. 2013. 31 (9), 521-529. <http://dx.doi.org/10.1016/j.tibtech.2013.05.006>. ISBN 1-60021-224-7

1348. Razon LF. Life cycle analysis of an alternative to the haber-bosch process: Non-renewable energy usage and global warming potential of liquid ammonia from cyanobacteria. Environmental Progress & Sustainable Energy. 2013. DOI: 10.1002/ep.11817.

1349. Hindersin S. 2013. Photosynthetic efficiency of microalgae and optimization of biomass production in photobioreactors. Dissertation zur Erlangung der Würde des Doktors der Naturwissenschaften des Fachbereichs Biologie, der Universität Hamburg.

1350. Do Nascimento M, Dublan MA, Ortiz-Marquez JCF, Curatti L. High lipid productivity of an *Ankistrodesmus-Rhizobium* artificial consortium. Bioresource Technology. 2013. 146, 400–407. ISSN-09608524

1351. Hindersin S, Leupold M, Kerner M, Hanelt D. Irradiance optimization of outdoor microalgal cultures using solar tracked photobioreactors. Bioprocess and Biosystems Engineering. 2013. 36 (3), 345-355. ISSN: 1615-7605

1352. Clay Clark. 2013. Biodiesel: Is it worth it? Can we make it worth it? <http://blogs.biochem.ncsu.edu/biodiesel-magliocca/>

1353. Saba SG, Muhammad AM, Umer R, Muhammad I, Anam S, Muhammad RT. Waste –water treatment coupled with biodiesel production using microalgae: A bio-refinery Approach. Pak. J.life soc. Sci. 2013. E-ISSN: 2221-7630; P-ISSN: 1727-4915. www.pjlsse.edu.pk

Doncheva S, Moustakas M, Ananieva K, Chavdarova M, Gesheva E, Vassilevska R, Mateev P. Plant response to lead in the presence or absence EDTA in two sunflower genotypes (cultivated *H. annuus* cv. 1114 and interspecific line *H.*

annuus×*H. argophyllus*). **Environ. Sci. Poll. Res.** 2013. 20 (2), 823-833. ISSN 0944-1344

1354. Chen L, Gao S, Zhu P, Liu Y, Hu T, Zhang J. Comparative study of metal resistance and accumulation of lead and zinc in two poplars **Physiol. Plant.** 2013. DOI: 10.1111/ppl.12120. Online ISSN 1399-3054
1355. Calfapietra C, Pallozzi E, Lusini I, Velikova V. Modification of BVOC emissions induced by changes in atmospheric CO₂ and air pollution levels. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology** 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 10. 2013. pp. 253-284. ISBN: 978-94-007-6605-1.
1356. Ashworth K, Boissard C, Folberth G, Lathière J, Schurgers G. Global modelling of volatile organic compound emissions. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology Volume 5**, 2013, pp. 451-487. Springer.
1357. Fineschi S, Loreto F, Staudt M, Peñuelas J. Diversification of volatile isoprenoid emissions from trees: Evolutionary and ecological perspectives. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology Volume 5**, 2013, pp. 1-20. Springer.
1358. Grote R, Monson RK, Niinemets Ü. Leaf-level models of constitutive and stress-driven volatile organic compound emissions. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology Volume 5**, 2013, pp. 315-355. Springer.
1359. Guenther A. Upscaling biogenic volatile compound emissions from leaves to landscapes. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology Volume 5**, 2013, pp. 391-414. Springer.
1360. Holopainen JK, Nerg A-M, Blande JD. Multitrophic signalling in polluted atmospheres. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology Volume 5**, 2013, pp. 285-314. Springer.
1361. Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. **Scientific Bulletin of ESCORENA**. 2013. 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>
1362. Monson RK. Metabolic and gene expression controls on the production of biogenic volatile organic compounds. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology Volume 5**, 2013, pp. 153-179. Springer.
1363. Niinemets Ü, Monson RK. State-of-the-art of BVOC research: What do we have and what have we missed? A synthesis. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology Volume 5**, 2013, pp. 509-528. Springer.
1364. Owen SM, Hewitt CN, Rowland CS. Scaling emissions from agroforestry plantations and urban habitats. In: “Biology, Controls and Models of Tree Volatile Organic Compound Emissions”, eds. Ü. Niinemets & R.K. Monson. **Tree Physiology Volume 5**, 2013, pp. 415-450. Springer.

1365. Possell M, Loreto F. The role of volatile organic compounds in plant resistance to abiotic stresses: Responses and mechanisms. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. *Tree Physiology Volume 5*, 2013, pp. 209-235. Springer.
1366. Rosenkranz M, Schnitzler J-P. Genetic engineering of BVOC emissions from trees. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. *Tree Physiology Volume 5*, 2013, pp. 95-118. Springer.
1367. Trowbridge AM, Stoy PC. BVOC-mediated plant-herbivore interactions. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. *Tree Physiology Volume 5*, 2013, pp. 21-46. Springer.
1368. Sun Z, Huve K, Vislap V, Niinemets U. Elevated [CO₂] magnifies isoprene emissions under heat and improves thermal resistance in hybrid aspen. *J. Exp. Bot.* 2013. (in press). doi:10.1093/jxb/ert318.
1369. Tran T, Popova L. Functions and toxicity of cadmium in plants: Recent advances and future prospects. *Turk. J. Bot.* 2013. 37 (1), 1-13, ISSN: 1300-008X.
1370. Dai H.-P, Shan C.-J, Jia G, Lu C, Yang T.-X, Wei A.-Z. Cadmium detoxification in *Populus canescens*. *Turk. J. Bot.* 2013. 37 (5), 950-955.
1371. Yilmaz G, Dane F. Phytotoxic effects of herbicide Attribut and surfactant BioPower on the root, stem, and leaf anatomy of *Triticum aestivum* 'Pehlivani'. *Turk. J. Bot.* 2013. 37 (5), 886-893.
1372. Cong M, Lv J, Liu X, Zhao J, Wu H. Gene expression responses in *Suaeda salsa* after cadmium exposure. *Springer Plus.* 2013. 2 (1), 1-8.
- Calfapietra C, Pallozzi E, Lusini I, Velikova V. Modification of BVOC emissions induced by changes in atmospheric CO₂ and air pollution levels. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. *Tree Physiology 5*, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 10. 2013. pp. 253-284. ISBN: 978-94-007-6605-1.**
1373. Ashworth K, Boissard C, Folberth G, Lathière J, Schurgers G. Global modelling of volatile organic compound emissions. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. *Tree Physiology Volume 5*, 2013, pp. 451-487. Springer.
1374. Fineschi S, Loreto F, Staudt M, Peñuelas J. Diversification of volatile isoprenoid emissions from trees: Evolutionary and ecological perspectives. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. *Tree Physiology Volume 5*, 2013, pp. 1-20. Springer.
1375. Grote R, Monson RK, Niinemets Ü. Leaf-level models of constitutive and stress-driven volatile organic compound emissions. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. *Tree Physiology Volume 5*, 2013, pp. 315-355. Springer.
1376. Guenther A. Upscaling biogenic volatile compound emissions from leaves to landscapes. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. *Tree Physiology Volume 5*, 2013, pp. 391-414. Springer.

1377. Holopainen JK, Nerg A-M, Blande JD. Multitrophic signalling in polluted atmospheres. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, 2013, pp. 285-314. Springer.
1378. Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. Scientific Bulletin of ESCORENA. 2013. 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>
1379. Monson RK. Metabolic and gene expression controls on the production of biogenic volatile organic compounds. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, 2013, pp. 153-179. Springer.
1380. Niinemets Ü, Monson RK. State-of-the-art of BVOC research: What do we have and what have we missed? A synthesis. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, 2013, pp. 509-528. Springer.
1381. Owen SM, Hewitt CN, Rowland CS. Scaling emissions from agroforestry plantations and urban habitats. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, 2013, pp. 415-450. Springer.
1382. Possell M, Loreto F. The role of volatile organic compounds in plant resistance to abiotic stresses: Responses and mechanisms. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, 2013, pp. 209-235. Springer.
1383. Rosenkranz M, Schnitzler J-P. Genetic engineering of BVOC emissions from trees. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, 2013, pp. 95-118. Springer.
1384. Trowbridge AM, Stoy PC. BVOC-mediated plant-herbivore interactions. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, 2013, pp. 21-46. Springer.
1385. Sun Z, Huve K, Vislap V, Niinemets U. Elevated [CO₂] magnifies isoprene emissions under heat and improves thermal resistance in hybrid aspen. J. Exp. Bot. 2013. (in press). doi:10.1093/jxb/ert318.
- Tran T, Popova L. Functions and toxicity of cadmium in plants: Recent advances and future prospects. Turk. J. Bot. 2013. 37 (1), 1-13, ISSN: 1300-008X.**
1386. Dai H.-P, Shan C.-J, Jia G, Lu C, Yang T.-X, Wei A.-Z. Cadmium detoxification in *Populus canescens*. Turk. J. Bot. 2013. 37 (5), 950-955.
1387. Yilmaz G, Dane F. Phytotoxic effects of herbicide Attribut and surfactant BioPower on the root, stem, and leaf anatomy of *Triticum aestivum* 'Pehlivan'. Turk. J. Bot. 2013. 37 (5), 886-893.
1388. Cong M, Lv J, Liu X, Zhao J, Wu H. Gene expression responses in *Suaeda salsa* after cadmium exposure. Springer Plus. 2013. 2 (1), 1-8.