

СПИСЪК НА ЦИТАТИТЕ

на д-р Сергей Веселинов Иванов
за участие в конкурс за “Доцент” към ИФРГ – БАН, обявен в Държавен вестник, брой 10
от 05.02.2013г.

Публикациите са подредени и номерирани съгласно приложения списък на публикациите.
Общийят брой на забелязаните цитати е **301**.

Иванов С. 2003. Дисертация: Влияние на субхербицидни концентрации атразин и 2,4-Д и тяхното взаимодействие с висока температура върху някои физиолого-биохимични процеси в грахови растения, ИФР, София.

1. Sergiev I., Todorova D., Alexieva V., Karanov E., Smith A., Hall M. 2003 Rosette leaf senescence in wild type and an ethylene-insensitive mutant of *Arabidopsis thaliana* during inflorescence and fruit development. In: Phytohormones in Plant Biotechnology and Agriculture, eds: I. Machachkova and G. Romanov, Kluwer Acad. Publ., The Netherlands, 217 – 228.
2. Васева И. 2006. ДД, ИФР, София.
3. Ламбрева М. 2007. ДД, ИФР, София.
4. Шопова Е. 2011. ДД, ИФРГ, София.

Публикации в издания с импакт фактор

1. Ivanov S., Konstantinova T., Parvanova D., Todorova D., Djilianov D., Alexieva V. 2001. Effect of high temperature on the growth, free proline content and some antioxidants in tobacco plants. Compt. rend. Acad. Bulg. Sci. 54(7), 71 – 74.
5. Kolupaev Y., Akinina G., Mokrousov, A. 2005. Induction of heat tolerance in wheat coleoptiles by calcium ions and its relation to oxidative stress. Russian Journal of Plant Physiology, 52(2), 199 – 204.
6. Колупаев Ю., 2007. Активные формы кислорода в растениях при действии стрессоров: Образование и возможные функции. Вісник Харківського національного аграрного університету. Серія Біологія, 3(12), 6 – 26.
7. Колупаев Ю., Карпец Ю. 2010. Участие растворимых углеводов и низкомолекулярных соединения азота в адаптивных реакциях растений. ВІсник Харківського національного аграрного університету, Серія Біологія, 2(20), 36 – 53.
8. Обозный А., Ястреб Т., Колупаев Ю., Попов В., Криворученко Р. 2010. Влияние кратковременного нагрева на активность и термостабильность растворимой пероксидазы корней пшеницы разных экотипов. ВІсник Харківського національного аграрного університету, Серія Біологія, 2(20), 61 – 68.
9. Karpets Y., Obozniy O., Popov V., Kolupaev Y. 2009. Changes of wheat roots after short-term hyperthermia influence. Физиология и Биохимия Култ. Реастений, 41(4), 353 – 358.
10. Шопова Е. 2011. ДД, ИФРГ, София.

11. Колупаев Ю., Карпец Ю., Обозный А. 2011. Антиоксидантная система растений: участие в клеточной сигнализации и адаптации к действию стрессоров. Вісник Харківського національного аграрного університету, Серія Біологія, 1(22), 6 – 34.
12. Kolupaev Y., Yastreb T., Shvidenko N., Karpets Y. 2012. Induction of heat resistance of wheat coleoptiles by salicylic and succinic acids: Connection of the effect with the generation and neutralization of reactive oxygen species. Applied Biochemistry and Microbiology, 48(5), 500 – 505.
13. Savicka M., Natalja Š. 2012. Some morphological, physiological and biochemical characteristics of wheat seedling *Triticum aestivum* L. organs after high-temperature treatment. Ekologija, 58(1), 9 – 21.

- 2. Ivanov S., Alexieva V., Sergiev I., Karanov E., 2002. Effect of low and high temperature treatment on the glutathione level pool and activity of glutathione-S-transferase in wild and ethylene insensitive mutant eti5 of *Arabidopsis thaliana* (L.) neynh plants. Compt. rend. Acad. Bulg. Sci. 55(8), 89 – 92.**

14. Тодорова Д. 2003. ДД, ИФР, София.
15. Шопова Е. 2011. ДД, ИФРГ, София.

- 3. Miteva L., Ivanov S., Alexieva V., Karanov E. 2003. Effect of herbicide glyphosate on the glutathione levels, glutathione-s-transferase and glutathione reductase in two plant species. Compt. rend. Acad. Bulg. Sci. 56(1), 79 – 84.**

16. Огородникова С. 2004. PhD thesis: Влияние фосфорорганических ксенобиотиков - метилfosфонатов на жизнедеятельность растений, Сыктывкар, Русия.
17. Шопова Е. 2011. ДД, ИФРГ, София.
18. Русева М., Нуштаева О., Безбородова А., Гарькова А. 2012. Влияние гербицида паракват на интенсивность перекисного окисления липидов и активность каталазы в проростках пшеницы. Материалы научной конференции (Саранск, ГОУВПО «МГУ им. Н.П. Огарева», 13 мая 2011 г.), УДК 581.2.02, 80 – 82.

- 4. Lambrev P., Ivanov S., Goltsev V. 2003. Effects of prolonged action of sub-herbicide concentrations of atrazine on the photosynthetic function of pea plants. Compt. rend. Acad. Bulg. Sci. 56(3), 59 – 62.**

19. Didur O., Perreault F., Oukarroum A., Dewez D., Popovic R. 2012. Alteration of photosystem II activity by atrazine on *Chlamydomonas reinhardtii* synchronized and asynchronous cell cycle cultures. Toxicological & Environmental Chemistry, 94(5), 906 – 917.
20. Русева М., Нуштаева О., Безбородова А., Гарькова А. 2012. Влияние гербицида паракват на интенсивность перекисного окисления липидов и активность каталазы в проростках пшеницы. Материалы научной конференции (Саранск, ГОУВПО «МГУ им. Н.П. Огарева», 13 мая 2011 г.), УДК 581.2.02, 80 – 82.

- 5. Miteva L., Ivanov S., Alexieva V. 2003. Comparative effect of 2,4-D on the glutathione levels, glutathione-s-transferase and glutathione reductase in pea (*Pisum sativum* L.) and wheat (*Triticum aestivum* L.). Compt. rend. Acad. Bulg. Sci. 56(3), 53 – 58.**

21. Колупаев Ю. 2007. Активные формы кислорода в растениях при действии стрессоров: Образование и возможные функции. Вісник Харківського національного аграрного університету. Серія Біологія, 3(12), 6 – 26.

22. Palanytsya M., Trach V., Morderer Y. 2009. The generation of reactive oxygen species under the action of graminicides and modicators of their phytotoxicity. Физиология и Биохимия Культ. Растений, 41(4), 328 – 334.
6. Katerova Z., Alexieva V., **Ivanov S.**, Mapelli S., Karanov E., 2003. Effect of two daily and low-intensity UV-B radiations on growth and stress markers in young pea (*Pisum sativum* L.) plants. *Compt. rend. Acad. Bulg. Sci.* 56(6), 73 – 78.
23. Митева Л. 2005. ДД, ИФР, София.
24. Коломиец И. 2006. ДД, Институт по екология и география, Молдовска академия на науките, Кишинев.
25. Abdel-Kader D., Saleh A., Abu-Elsaoud A. 2007. Enhanced UV A+B induced oxidative damage and antioxidant defence system in *Glycine max* L. cultivars. *Acta Botanica Hungarica*, 49(3), 233 – 250.
7. Todorova D., Parvanova D., Konstantinova T., **Ivanov S.**, Djilianov D., Alexieva V. 2003. Endogenous free and bound polyamine content in tobacco plants subjected to high temperature stress. *Compt. rend. Acad. Bulg. Sci.* 56(6), 79 – 84.
26. Кочева К. 2006. ДД, ИФР, София.
8. Sergiev I., Alexieva V., **Ivanov S.**, Bankova V., Mapelli S. 2004. Plant growth regulating activity of some flavonoids. *Compt. rend. Acad. Bulg. Sci.* 57(4), 63 – 68.
27. Якимов Д., Тачева Й., Будаева В. 2010. Содержание флавоноидов в надземной части *Agrimonia eupatoria* L., *Filipendula vulgaris* Moench, *Anthemis arvensis* L. и двух видов *Artemisia* на территории Болгарии и их действие как регуляторов роста растений. Ползуновский вестник, 4(1), 217 – 221.
9. Parvanova D., **Ivanov S.**, Konstantinova T., Karanov E., Atanassov A., Tsvetkov T., Alexieva V., Djilianov D., 2004. Transgenic tobacco plants accumulating osmolytes show reduced oxidative damage under freezing stress. *Plant. Physiol. Biochem.* 42, 57 – 63.
28. Porcel R., Azcón R., Ruiz-Lozano J. 2004. Evaluation of the role of genes encoding for Δ1-pyrroline-5-carboxylate synthetase (P5CS) during drought stress in arbuscular mycorrhizal *Glycine max* and *Lactuca sativa* plants. *Physiological and Molecular Plant Pathology* 65(4), 211 – 221.
29. Verhaest M., Van Den Ende W., Le Roy K., De Ranter C., Van Laere A., Rabijns A. 2005. X-ray diffraction structure of a plant glycosyl hydrolase family 32 protein: Fructan 1-exohydrolase IIa of *Cichorium intybus*. *Plant Journal* 41(3), 400 – 411.
30. Van Den Ende W., Yoshida M., Clerens S., Vergauwen R., Kawakami A. 2005. Cloning, characterization and functional analysis of novel 6-kestose exohydrolases (6-KEHs) from wheat (*Triticum aestivum*). *New Phytologist* 166(3), 917 – 932.
31. Chiappetta L., Tomes D., Xu D., Sivasankar S., Corinna M., Tuberosa R. 2005. DREB1 overexpression improves tolerance to low temperature in maize. Tuberosa R., Phillips R., Gale M. (eds), Proceedings of the International Congress “In the Wake of the Double Helix: From Green Revolution to the Gene Revolution”, 27-31 May 2003, Bologna, Italy, 533 – 544.
32. Ennajeh M., Vadel A., Khemira H., Ben Mimoun M., Hellali R. 2006. Defense mechanisms against water deficit in two olive (*Olea europaea* L.) cultivars 'Meski' and 'Chamlali'. *Journal of Horticultural Science and Biotechnology*, 81(1), 99 – 104.

33. Van den Ende W., Clerens S., Vergauwen R., Boogaerts D., Le Roy K., Archkens L., Van Laere A., 2006. Cloning and functional analysis of a high DP fructan:fructan 1-fructosyl transferase from Echinops ritro (Asteraceae): comparison of the native and recombinant enzymes. *J. Exp. Bot.* 57, 775 – 789.
34. Carter C., Shafir S., Yehonatan L., Palmer R., Thornburg R. 2006. A novel role for proline in plant floral nectars. *Naturwissenschaften*, 93(2), 72 – 79. (обзор)
35. Gehlot H., Purohit A., Shekhawat N. 2005. Metabolic changes and protein patterns associated with adaptation to salinity in *Sesamum indicum* cultivars. *Journal of Cell and Molecular Biology*, 4, 31 – 39.
36. Singh A., Mehta A., Sridhara S., Gaur S., Singh B., Sarma P., Arora N. 2006. Allergenicity assessment of transgenic mustard (*Brassica juncea*) expressing bacterial codA gene. *Allergy: European Journal of Allergy and Clinical Immunology*, 61(4), 491 – 497.
37. Martino Di C., Pizzuto R., Pallotta M., De Santis A., Passarella S. 2006. Mitochondrial transport in proline catabolism in plants: The existence of two separate translocators in mitochondria isolated from durum wheat seedlings. *Planta*, 223(6), 1123 – 1133.
38. Weltmeier F., Ehlert A., Mayer C., Dietrich K., Wang X., Schütze K., Alonso R., Harter K., Vicente-Carabajosa J., Dröge-Laser W. 2006. Combinatorial control of *Arabidopsis* proline dehydrogenase transcription by specific heterodimerisation of bZIP transcription factors. *EMBO Journal*, 25(13), 3133 – 3143.
39. Jia-quan H., Zhong-hai S. 2005. Agrobacterium-mediated transfer of *Arabidopsis* ICE1 gene into lemon (*Citrus Limon* (L.) burm. F. cv. Eureka. *Agrocultural sciences in China*, 4(9), 714 – 720.
40. Ruiz-Lozano J., Porcel R., Aroca R, 2006. Does the enhanced tolerance of arbuscular mycorrhizal plants to water deficit involve modulation of drought-induced plant genes? *New Phytologist*, 171(4), 693 – 698.
41. Finkel N. 2005. Surface-assisted laser desorption/ionization-mass spectrometry (SALDI-MS) of controlled nanopore cavities and the associated thermal properties. North Carolina State University, USA.
42. Mahdavi B., Sanavy S. 2007 Germination and seedling growth in grasspea (*Lathyrus sativus*) cultivars under salinity conditions. *Pakistan Journal of Biological Sciences*, 10(2), 273 – 279.
43. Zhou X., Bailey T., Yang Y., 2006. Defense signaling and pathway interaction involved in rice disease resistance. In: Model plants and crop improvement. eds Robert M. D. Koebner, Rajeev Varshney, 271.
44. Li H., Yang A., Zhang X., Gao F., Zhang J. 2007. Improving freezing tolerance of transgenic tobacco expressing sucrose: Sucrose 1-fructosyltransferase gene from *Lactuca sativa*. *Plant Cell, Tissue and Organ Culture*. 89(1), 37 – 48.
45. Morgenthal K. 2007. PhD thesis: Protein profiling und metabolite profiling in *Arabidopsis thaliana* im systembiologischen kontext. von der Fakultät III Prozesswissenschaften der Technischen Universität Berlin zur Erlangung des akademischen Grades, Germany.
46. Giaquinto L. 2006. PhD thesis: The characterization of Gsp (Cold Shock Protein) from the Antarctic archaeon, *Methanogenium frigidum*, University of New South Wales, Australia.
47. Li H., Yin H., Zhang X., Yang A. 2007. Enhancement of drought resistance in transgenic tobacco expressing sucrose: Sucrose 1-fructosyltransferase gene from *Lactuca sativa*. *Journal of Shandong University (Natural Science)*, 42(1), 59 – 63.
48. RoyChoudhury A., Roy C., Sengupta D. 2007. Transgenic tobacco plants overexpressing the heterologous lea gene Rab16A from rice during high salt and water deficit display enhanced tolerance to salinity stress. *Plant Cell Reports*, 26(10), 1839 – 1859.
49. Li H., Xuecheng Z., Guidong Y., Juren Z. 2007. Cloning and functional analysis of fructan: fructan 1-fructosyltransferase from *Lactuca sativa*. *Chinese High Technology Letters*, 17(4), 424 – 429.

50. Vendruscolo E., Schuster I., Pileggi M., Scapim C., Molinari H., Marur C., Vieira L. 2007. Stress-induced synthesis of proline confers tolerance to water deficit in transgenic wheat, *Journal of Plant Physiology*, 164(10), 1367 – 1376.
51. Livingston III D., Hincha D., Heyer A. 2007. The relationship of fructan to abiotic stress tolerance in plants. In: *Recent Advances in Fructooligosaccharides Research*, eds. Shiomi Norio, Benkeblia Noureddine and Onodera Shuichi, ISBN: 81-308-0146-9, 181 – 199 (обзор).
52. Valluru R., Van den Ende W. 2008. Plant fructans in stress environments: emerging concepts and future prospects. *Journal of Experimental Botany*, 59(11), 2905 – 2916.
53. Димитрова-Матева П. 2008. ДД: Листоминиращи насекоми по обикновения бук (*Fagus sylvatica* L.) в Западна България. Лесотехнически университет, София.
54. Altenbach D., Ritsema T. 2007. Structure-function relations and evolution of fructosyltransferases. In: *Everything you always wanted to know about NK cells but were afraid to ask*. ISBN: 81-7895-251-3 ed. Laurent Brossay. Research Signpost, Kerala, India.
55. Singh Anil K., Ansari M., Pareek A., Singla-Pareek S. 2008. Raising salinity tolerant rice: recent progress and future perspectives. *Physiology and Molecular Biology of Plants* (Springer India), 14(1-2), 137 – 154.
56. Mahdavi B., Modarres Sanavy S., Balouchi H. Effect of sodium chloride on germination and seedling growth of grasspea cultivars (*Lathyrus sativus*). Archive of SID, http://www.sid.ir/fa/VEWSSID/J_pdf/56313860406.pdf
57. Ruiz-Lozano J., Porce R., Aroca R. 2008. Evaluation of the possible participation of drought-induced genes in the enhanced tolerance of arbuscular mycorrhizal plants to water deficit. In “*Mycorrhiza 3*”, Ajit Varma ed., Springer-Verlag Berlin Heidelberg. DOI: 10.1007/978-3-540-78826-3, 185 – 205.
58. Van Heerden P., Swanepoela J., Krügera G. 2007. Modulation of photosynthesis by drought in two desert scrub species exhibiting C3-mode CO₂ assimilation. *Environmental and Experimental Botany*, 61(2), 124 – 136.
59. Van den Ende W., Valluru R. 2009. Sucrose, sucrosyl oligosaccharides, and oxidative stress: scavenging and salvaging? *Journal of Experimental Botany*, 60(1), 9 – 18.
60. Turchetto-Zolet A., Margis-Pinheiro M., Margis R. 2009. The evolution of pyrroline-5-carboxylate synthase in plants: a key enzyme in proline synthesis. *Molecular Genetics and Genomics*, 281(1), 87 – 97.
61. Chen N., Liu Y., Liu X., Chai J., Hu Z., Guo G., Liu H. 2009. Enhanced tolerance to water deficit and salinity stress in transgenic *Lycium barbarum* L. plants ectopically expressing ATHK1, an *Arabidopsis thaliana* histidine kinase gene. *Plant Molecular Biology Reporter*, 27(3), 321 – 333.
62. Livingston D., Hincha D., Heyer A. 2009. Fructan and its relationship to abiotic stress tolerance in plants. *Cellular and Molecular Life Sciences*, 66(13), 2007 – 2023.
63. Singh A., Singh B., Prasad G., Gaur S., Arora N. 2008. Safety assessment of bacterial choline oxidase protein introduced in transgenic crops for tolerance against abiotic stress. *Journal of Agricultural and Food Chemistry*, 56(24), 12099 – 12104.
64. Valluru R. 2009. PhD thesis: Studies on water-soluble carbohydrates in wheat (*Triticum aestivum* L.): regulating traits, model Analysis, early chilling effects, and future perspectives. Faculty of Agricultural Sciences, University of Hohenheim, Stuttgart, Germany.
65. Van den Ende W., Lammens W., Van Laere A., Schroeven L., Le Roy K. 2009. Donor and acceptor substrate selectivity among plant glycoside hydrolase family 32 enzymes. *FEBS Journal*, 276(20), 5788 – 5798.
66. Qin J., Liu Q. 2009. Oxidative metabolism-related changes during germination of mono maple (*Acer mono* Maxim.) seeds under seasonal frozen soil. *Ecological Research*, 25(2), 337 – 345.
67. Inada H., Fujikawa S., Saito H., Arakawa K. 2007. Effects of light condition after simulated acid snow stress on leaves of winter wheat. *Environmental Sciences*, 14, 53 – 71.

68. Singh A., Sopory S., Wu R., Singla-Pareek S. 2010. Transgenic Approaches. In: Abiotic Stress Adaptation in Plants, eds. Ashwani Pareek, S.K. Sopory, Hans J. Bohnert and Govindjee. Springer Netherlands, DOI 10.1007/978-90-481-3112-9, 417 – 450.
69. Kumar V., Shriram V., Kavi-Kishor P., Jawali N., Shitole M. 2010. Enhanced proline accumulation and salt stress tolerance of transgenic indica rice by over-expressing P5CSF129A gene. *Plant Biotechnology Reports*, 4(1), 37 – 48.
70. Chaumeil P. 2006. PhD: Plasticité moléculaire de deux écotypes de pin maritime soumis à un stress osmotique. l'Université Henri Poincaré, Nancy, France
71. Pérez-Arellano I., Carmona-Álvarez F., Martínez A., Rodríguez-Díaz J., Cervera J. 2010. Pyrroline-5-carboxylate synthase and proline biosynthesis: From osmotolerance to rare metabolic disease. *Protein Science*, 19(3), 372 – 382.
72. Hu X., Zhang Z., Xu P., Fu Z., Hu S., Song W. 2010. Multifunctional genes: the cross-talk among the regulation networks of abiotic stress responses. *Biologia Plantarum*, 54(2), 213 – 223.
73. Bolouri-Moghaddam M., Le Roy K., Xiang L., Rolland F., Van den Ende W. 2010. Sugar signalling and antioxidant network connections in plant cells. *FEBS Journal*, 277(9), 2022 – 2037.
74. Sandre S., Fjellheim S. 2010. Did gene family expansions during the Eocene–Oligocene boundary climate cooling play a role in Pooideae adaptation to cool climates? *Molecular Ecology*, 19(10), 2075 – 2088.
75. Eun-Sook C., Chang-Woo C., Kyoung-Mi K., Jai-Heon L. 2009. Ectopic expression of soybean KS-type dehydrin, SLTI66 and SLTI629 conferred tolerance against osmotic and metal stresses of *Escherichia coli* and *Arabidopsis*. *Korean Journal of Plant Biotechnology*, 36(1), 38 – 44.
76. Verslues P., Sharma S. 2010. Proline metabolism and its implications for plant-environment interaction. *The Arabidopsis Book*, November 3, 10.1199/tab.0140, 1 – 23.
77. Wang Q., Xu W., Xue Q., Su W. 2010. Transgenic *Brassica chinensis* plants expressing a bacterial *coda* gene exhibit enhanced tolerance to extreme temperature and high salinity. *Journal of Zhejiang University-Science B (Biomedicine & Biotechnology)*, 11(11), 851 – 861.
78. Stoyanova S., Geuns J., Hideg E., Van Den Ende W. 2010. The food additives inulin and stevioside counteract oxidative stress. *International Journal of Food Sciences and Nutrition*, 00(0), 1–8.
79. Tian Y., Zhang H., Pan X., Chen X., Zhang Z., Lu X., Huang R. 2011. Overexpression of ethylene response factor TERF2 confers cold tolerance in rice seedlings. *Transgenic Research*, 20(4), 857 – 866.
80. Van den Ende W., Coopman M., Clerens S., Vergauwen R., Le Roy K., Lammens W., Van Laere A. 2011. Unexpected presence of graminan- and levan-type fructans in the evergreen frost-hardy eudicot *pachysandra terminalis* (Buxaceae): purification, cloning, and functional analysis of a 6-SST/6-SFT enzyme. *Plant Physiology*, 155, 603 – 614.
81. Espeviga T., DaCosta M., Hoffman L., Aamlid T., Tronsmo A., Clarke B., Huang B. 2011. Freezing tolerance and carbohydrate changes of two *agrostis* species during cold acclimation. *Crop Science*, 51(3), 1188 – 1197.
82. Sharma S., Villamor J., Verslues P. 2011. Essential role of tissue specific proline synthesis and catabolism in growth and redox balance at low water potential. *Plant Physiol.*, 157, 292 – 304.
83. Wan L., Zhang J., Zhang H., Zhang Z., Quan R., Zhou S., Huang R. 2011. Transcriptional activation of OsDERF1 in OsERF3 and OsAP2-39 negatively modulates ethylene synthesis and drought tolerance in rice. *PLoS ONE*, 6(9), e25216.
84. Matúš S., Urbanová M., Kapchina-Toteva V., Košuth J., Harding K., Čellárová E. 2010. Physiological, biochemical and molecular characteristics of cryopreserved *Hypericum perforatum* L. shoot tips. *Cryoletters*, 31(3), 249 – 260.
85. Slama I., Tayachi S., Jdey A., Rouached A., Abdelly C. 2011. Differential response to water deficit stress in alfalfa (*Medicago sativa*) cultivars: Growth, water relations, osmolyte accumulation and lipid peroxidation. *African Journal of Biotechnology*, 10(72), 16250 – 16259.

86. Ziaf K., Loukehaich R., Gong P., Liu H., Han Q., Wang T., Li H., Ye Z. 2011. A multiple stress-responsive gene ERD15 from *Solanum pennellii* confers stress tolerance in tobacco. *Plant and Cell Physiology*, 52(6), 1055 – 1067.
87. Celik Ö., Atak C. 2012. The effect of salt stress on antioxidative enzymes and proline content of two Turkish tobacco varieties. *Turk J Biol.*, 36, 339 – 356.
88. Schaeffer S., Koepke T., Dhingra A. 2012. Tobacco: A model plant for understanding the mechanism of abiotic stress tolerance. In: Improving crop resistance to abiotic stress, Wiley Online Library, Vol. 1-2, Ch. 46, DOI: 10.1002/9783527632930.ch46, 1169– 1201.
89. Fan H., Du C., Guo S. 2012. Effect of nitric oxide on proline metabolism in Cucumber seedlings under salinity stress. *Journal of the American Society for Horticultural Science*, 137(3), 127 – 133.
90. Hellmann M., de Oliveira Mello J., Barbedo C., Figueiredo-Ribeiro R. 2008. Variações dos carboidratos de reserva de sementes de *Caesalpinia echinata* (pau-brasil) armazenadas sob diferentes temperaturas. *Hoehnea*, 35(2), 255 – 264.
91. Kishchenko O. 2010. Genetic engineering of sugar beet: problems and achievements. *Биотехнологія*, 3(6), 22 – 35.
92. Ling L. 2012. Abiotic stress - molecular mechanism, *Journal of Hunan University of Science and Engineering*, 33(9) 173 – 175.
93. Pandey M., Srivastava A., Suprasanna P., D'Souza S. 2012. Thiourea mediates alleviation of UV-B stress-induced damage in the Indian mustard (*Brassica juncea* L.). *Journal of Plant Interactions*, 7(2), 143 – 150.
94. Li T., Du J., Ha, Z., Zhang X., Chen B. 2012. Molecular basis for enhancement of plant drought tolerance by arbuscular mycorrhizal symbiosis: A mini-review. *Shengtai Xuebao/Acta Ecologica Sinica*, 32(22), 7169 – 7176.
95. Hoffman L., DaCosta M., Ebdo J., Zha J. 2012. Effects of drought preconditioning on freezing tolerance of perennial ryegrass. *Environmental and Experimental Botany*, 79, 11 – 20.
96. Moieni-Korbekandi Z., Karimzadeh G., Sharifi M. 2013. Evaluation of total soluble protein and antioxidant activities in two spring cultivars of canola (*Brassica napus* L.) in response to low temperature. *Intl J Agri Crop Sci.*, 5(4), 401 – 409.
97. Cansev A., Gulen H., Eris A. 2011. The activities of catalase and ascorbate peroxidase in olive (*Olea europaea* L. cv. Gemlik) under low temperature stress. *Hort. Environ. Biotechnol.*, 52(2), 113 – 120.
98. Fraire-Velázquez S., Balderas-Hernández V. 2013. Abiotic stress in plants and metabolic responses. In: Abiotic stress - plant responses and applications in agriculture, eds. Vahdati K., Leslie C., ISBN 978-953-51-1024-8, DOI: 10.5772/54859, © 2013 Fraire-Velázquez and Balderas-Hernández; licensee InTech, 25 – 48.
99. Lemos J., Vendruscolo E., Schuster I., dos Santos M. 2011. Physiological and biochemical responses of wheat subjected to water deficit stress at different phenological stages of development. *Journal of Agricultural Science and Technology B*, 1, 1116 – 1124.
100. Sun Y., Wang B., Jin S., Qu X., Li Y., Hou B-K. 2013. Ectopic expression of arabidopsis glycosyltransferase UGT85A5 enhances salt stress tolerance in tobacco. *PLoS ONE* 8(3), e59924, doi:10.1371/journal.pone.0059924.
101. Ivanov S., Miteva L., Alexieva V., Karjin H., Karanov E., 2005. Alterations in some oxidative parameters in wheat plants infected with *Puccinia recondita f.sp. tritici*. *J. Plant Physiol.* 162(3), 275 – 279.
101. Escola M. 2005. PhD thesis: Bases bioquímiques de resistència a *Penicillium expansum* en poma. Universitat de Lleida.

102. Van Zyl 2006. PhD thesis: Biochemical and molecular analysis of the early response of *Triticum aestivum* infected with *Puccinia striiformis* f.sp. tritici. University of the Free State, Bloemfontein, South Africa.
103. Appelgryn J. 2007. PhD thesis: Characterization of some early defence responses of leaf rust infected wheat. University of the Free State, Bloemfontein, South Africa.
104. Sabatier P. 2008. PhD thesis: Etude des mécanismes de résistance de la plante modèle *Medicago truncatula* vis-à-vis de deux agents pathogènes majeurs des légumineuses cultivées :*Phoma medicaginis* et *Aphanomyces euteiches*. l'Université Toulouse, France.
105. Collins R., Afzal M., Ward D., Prescott M., Sait S., et al. 2010. Differential proteomic analysis of *Arabidopsis thaliana* genotypes exhibiting resistance or susceptibility to the insect herbivore *Plutella xylostella*. *PLoS ONE* 5(4): e10103. doi:10.1371/journal.pone.0010103.
106. Gołębiewska G., Wędzony M., Płażek A. 2010. The responses of pro- and antioxidative systems to cold-hardening and pathogenesis differ in triticale (x *Triticosecale* Wittm.) seedlings susceptible or resistant to pink snow mould (*Microdochium nivale* Fr., Samuels & Hallett). *Journal of Phytopathology*, 159(1), 19 – 27.
107. Kovács V., Pál M., Vida G., Szalai G., Janda T. 2011. Effect of powdery mildew infection on the antioxidant enzyme activities in different lines of Thatcher-based wheat. *Acta Biologica Szegediensis*, 55(1), 99 – 100.
108. Dos Santos Fiori Maíra 2011. PhD thesis: Estresse oxidativo em clones de seringueira sob ataque de antracnose-das-folhas. Universidade Estadual Paulista, Campus de Botucatu.
109. Ziaf K., Loukehaich R., Gong P., Liu H., Han Q., Wang T., Li H., Ye Z. 2011. A multiple stress-responsive gene ERD15 from *Solanum pennellii* confers stress tolerance in tobacco. *Plant and Cell Physiology*, 52(6), 1055 – 1067.
110. Pandey M., Srivastava S., Suprasanna P., D'Souza S. 2012. Thiourea mediates alleviation of UV-B stress-induced damage in the Indian mustard (*Brassica juncea* L.). *Journal of Plant Interactions*, 7(2), 143 – 150.
111. Kovács V., Vida G., Szalai G., Janda T., Pál M. 2012. Relationship between biotic stress tolerance and protective compounds in wheat genotypes. *Acta Agronomica Hungarica*, 60(2), 131 – 141.
112. Pál M., Kovács V., Vida G., Szalai G., Janda T. 2012. Changes induced by powdery mildew in the salicylic acid and polyamine contents and the antioxidant enzyme activities of wheat lines. *European Journal of Plant Physiology*, 135(1), 35 – 47.
113. Salem W., Sayed W., Abdel-Fatah H., Neamat H. 2012. Assessment of compost for suppression of *Fusarium oxysporum* and improving *Zea mays* and *Hibiscus sabdariffa* resistance to wilt diseases. *African Journal of Biotechnology*, 11(69), 13403 – 13414.
114. Gherbawy Y., El-Tayeb M., Maghraby T., Shebany Y., El-Deeb B. 2012. Response of antioxidant enzymes and some metabolic activities in wheat to *Fusarium* spp. *Infections. Acta Agronomica Hungarica*, 60(4), 319 – 333.
115. Ivanov S., Alexieva V., Karanov E. 2005. Cumulative effect of low and high atrazine concentrations on *Arabidopsis thaliana* (L.) Heynh plants. *Russian J. Plant Physiol.* 52(2), 213 – 219.
116. Miteva L. 2005. ДД, ИФР, София.
117. Del Buono D., Prinsi B., Espen L., Scarponi L. 2009. Triosephosphate isomerase in Italian ryegrass (*Lolium multiflorum*): Characterization and susceptibility to herbicides. *J. Agric. Food Chem.*, 57(17), 7924 – 7930.
118. Katerova Z., Miteva L. 2010. Glutathione and herbicide resistance in plants. In: Ascorbate-glutathione pathway and stress tolerance in plants, eds Naser A. Anjum, Ming-Tsair Chan and Shahid Umar. DOI: 10.1007/978-90-481-9404-9_6, 191 – 207.

118. Michałowicz J., Duda W. 2009. The effects of 2,4,5-trichlorophenol on some antioxidative parameters and the activity of glutathione s-transferase in reed canary grass leaves (*Phalaris arundinacea*). Polish J. of Environ. Stud., 18(5), 845 – 852.
119. Del Buono D., Ioli G., Scarponi L. 2011. Glutathione peroxidases in *Lolium multiflorum* and *Festuca arundinacea*: Activity, susceptibility to herbicides and characteristics. Journal of Environmental Science and Health, Part B, 46(8), 715 – 722.
120. Nowak A., Nowak J., Blaszak M., Hawrot M., Hury G., Kłodka D., Musik D., Przybulewska K., Smolik B., Szymczak J., Telesinski A. 2008. Influence of linuron and trifluralin residues on the microorganisms and biochemical properties of the soil and plant in soybean. Journal of Plant Diseases and Protection, Special Issue XXI, ISSN 1861-4051, 125 – 134.
121. Sukkhaeng S. 2009. PhD thesis: Effects of crude extract from *cyanobacterium hapalosiphon* sp. on lipid peroxidation, ammonia assimilation and photosynthetic pigment content in some plants.
122. Gar'kova, A., Rusyaeva M., Nushtaeva O., Aroslankina Y., Lukatkin A. 2011. Treatment with the herbicide granstar induces oxidative stress in cereal leaves. Russian Journal of Plant Physiology, 58(6), 1074 – 1081.
123. Elsayed Ashraf 2011. PhD thesis: Analysis of paternal plastid inheritance in *Arabidopsis thaliana* and its impact on biosafety of gene-modified plants. Ludwig-Maximilians Universität München, Germany.
124. Шопова Е. 2011. ДД, ИФРГ, София.
125. Lukatkin A., Gar'kova A., Bochkarjova A., Nushtaeva O., Teixeira da Silva J. 2012. Treatment with the herbicide TOPIK induces oxidative stress in cereal leaves. Pesticide Biochemistry and Physiology, 105(1), 44 – 49.
- 14. Miteva L., Tsoneva J., Ivanov S., Alexieva V. 2005. Alteration of the content of hydrogen peroxide and malondialdehyde and activity of some antioxidant enzymes in the roots and leaves of pea and wheat plants exposed to glyphosate. Compt. rend. Acad. Bulg. Sci. 58(6), 723 – 728.**
126. Gar'kova A., Rusyaeva M., Nushtaeva O., Aroslankina Y., Lukatkin A., 2011. Treatment with the herbicide granstar induces oxidative stress in cereal leaves. Russian Journal of Plant Physiology, 58(6), 1074 – 1081.
127. Lukatkin A., Gar'kova A., Bochkarjova A., Nushtaeva O., Teixeira da Silva J. 2012. Treatment with the herbicide TOPIK induces oxidative stress in cereal leaves. Pesticide Biochemistry and Physiology, 105(1), 44 – 49.
- 16. Brankova L., Ivanov S., Alexieva V., Karanov E. 2005. Salt-induced alteration in the levels of some oxidative parameters and unspecific defense compounds in leaves of two plant species (cotton and bean) with different sensitivity to salinity, Compt. rend. Acad. Bulg. Sci., 58(11), 1307 – 1312.**
128. Колупаев Ю. 2007. Активные формы кислорода в растениях при действии стрессоров: Образование и возможные функции. Вісник Харківського національного аграрного університету. Серія Біологія, 3(12), 6 – 26.
129. Krezhova D., Iliev I., Yanov O., Kirova E. 2009. Assessment of the effect of salinity on the early growth stage of soybean plants (*Glycine max* L.). Recent Advances in Space Technologies, 2009. RAST apose;09. 4th International Conference, 11-13 June 2009, 397 – 402.
130. Muhamad A., Muhamad A., Quasim A., 2010. Response of two genetically diverse wheat cultivars to salt stress at different growth stages: leaf lipid peroxidation and phenolic contents. Pak. J. Bot., 42(1), 559 – 565.

131. Колупаев Ю., Карпец Ю. 2010. Участие растворимых углеводов и низкомолекулярных соединения азота в адаптивных реакциях растений. ВІсник Харківського національного аграрного університету, Серія Біологія, 2(20), 36 – 53.
132. Шопова Е. 2011. ДД, ИФРГ, София.
- 17. Sergiev I., Alexieva V., Ivanov S., Moskova I., Karanov E. 2006. The phenylurea cytokinin 4PU-30 protect maize plants against glyphosate action. Pest. Bioch. Physiol., 85, 139 – 146.**
133. Moldes C., Medici L., Abrahão O., Azevedo S. 2008. Biochemical responses of glyphosate resistant and susceptible soybean plants exposed to glyphosate. *Acta Physiologiae Plantarum*, 30(4), 469 – 479.
134. Ahsan N., Lee D., Lee K., Alam I., Lee S., Bahk J., Lee B. 2008. Glyphosate-induced oxidative stress in rice leaves revealed by proteomic approach. *Plant Physiology and Biochemistry*, 46(12), 1062 – 1070.
135. Miteva L. 2008. History of the investigations on antioxidants in Bulgaria. *Asclepios* 2(21), 127 – 132. (обзор).
136. Димитрова-Матева П. 2008. ДД: Листоминиращи насекоми по обикновения бук (*Fagus sylvatica* L.) в Западна България. Лесотехнически университет, София.
137. Brain R., Cedergreen N. 2009. Biomarkers in aquatic plants: selection and utility, In: *Reviews of environmental contamination and toxicology* - Springer New York, DOI 10.1007/978-0-387-09647-6, Volume 198, 1 – 61.
138. Cebeci O., Budak H. 2009. Global expression patterns of three *Festuca* species exposed to different doses of glyphosate using the Affymetrix GeneChip® wheat genome array. *Comparative and Functional Genomics*, Article ID 505701, 10 pages doi:10.1155/2009/505701.
139. El-Tayeb M., Zaki H. 2009. Cytophysiological response of *Vicia faba* to a glyphosate-based herbicide. *American-Eurasian Journal of Agronomy*, 2(3), 168 – 175.
140. Unver T., Bakar M., Shearman R., Budak H. 2010. Genome-wide profiling and analysis of *Festuca arundinacea* miRNAs and transcriptomes in response to foliar glyphosate application. *Molecular Genetics and Genomics*, 283(4), 397 – 413.
141. Lee H., Lee G., Kim D., Kim J., Ku J., Kang S. 2008. Selection and physiological characterization of glyphosate-tolerant zoysiagrass mutants derived from a gamma ray irradiation. *Kor. J. Hort. Sci. Technol.*, 26(4), 454 – 463.
142. Basantaria M., Srivastavaa S., Sen S. 2011. Elevated antioxidant response and induction of tau-class glutathione S-transferase after glyphosate treatment in *Vigna radiata* (L.) Wilczek. *Pesticide Biochemistry and Physiology*, 99, 111 – 117.
143. Bott S., Tesfamariam T., Kania A., Eman B., Aslan N., Römhild V., Neumann G. 2011. Phytotoxicity of glyphosate soil residues re-mobilised by phosphate fertilization. *Plant and Soil*, 342(1-2), 249 – 263.
144. Katerova Z., Miteva L. 2010. Glutathione and herbicide resistance in plants. In: *Ascorbate-glutathione pathway and stress tolerance in plants*, eds Naser A. Anjum, Ming-Tsair Chan and Shahid Umar. DOI: 10.1007/978-90-481-9404-9_6, 191 – 207.
145. Yonova P. 2010. Design, synthesis and properties of synthetic cytokinins. Recent advances on their applications. *General and Applied Plant Physiology*, 36(3–4), 124 – 147.
146. Katabchi S., Shahrtash M. 2011. Effects of methyl jasmonate and cytokinin on biochemical responses of maize seedlings infected by *Fusarium moniliforme*. *Asian Journal Experimental Biology Sciences*, 2(2), 299 – 305.
147. Barbosa H., Arruda S., Azevedo R., Arruda M. 2012. New insights on proteomics of transgenic soybean seeds: evaluation of differential expressions of enzymes and proteins. *Analytical and Bioanalytical Chemistry*, 402(1), 299 – 314.

148. Cassina L., Tassi E., Morelli E., Giorgetti L., Remorini D., Chaney R. L., Barbatieri M. 2011. Exogenous cytokinin treatments of an NI hyper-accumulator, *Alyssum Murale*, grown in a serpentine soil: implications for phytoextraction. International Journal of Phytoremediation, 13(1), Special Issue: 6th International Phytotechnologies Conference St. Louis, MO, 2009, 90 – 101.
149. Çavuşoğlu K., Yalçın E., Türkmen Z., Yapar K., Çavuşoğlu K., Çiçek F. 2011. Investigation of toxic effects of the glyphosate on *Allium cepa*. Journal of Agricultural Sciences (Turkey), 17, 131 – 142.
150. Huang J., Silva E., Shen Z., Jiang B., Lu H. 2012. Effects of glyphosate on photosynthesis, chlorophyll fluorescence and physicochemical properties of cogongrass (*Imperata cylindrical* L.). Plants Omics Journal, 5(2), 177 – 183.
151. Bermudez G., Pignata M. 2011. Antioxidant response of three *Tillandsia* species transplanted to urban, agricultural, and industrial areas. Archives of Environmental Contamination and Toxicology 61(3), 401 – 413.
152. Chen S., Chai M., Jia Y., Gao Z., Zhang L., Gu M., Lin W., Wang L. 2012. In vitro selection of glyphosate-tolerant variants from long-term callus cultures of *Zoysia matrella* [L.] Merr. Plant Cell, Tissue and Organ Culture, 111(2), 199 – 207.
153. Liu Y., Zhang C., Liu H., Liu T., Wei S., Huang H. 2012. Construction of suppression subtractive hybridization library from *Cirsium setosum* (Willd.) MB under glyphosate stress. African Journal of Microbiology Research, 6(26), 5506 – 5510.
154. Su S. 2011. Application and ecological environment of glyphosate. Modern Agrochemicals, 10(2), 1 – 4.
155. Lu W., Li L., Chen M., Zhou Z., Zhang W., Ping S., Yan Y., Wang J., Lin M. 2012. Genome-wide transcriptional responses of *Escherichia coli* to glyphosate, a potent inhibitor of the shikimate pathway enzyme 5-enolpyruvylshikimate-3-phosphate synthase. Molecular BioSystems, 9, 522 – 530.
156. Pérez D., Lukaszewicz G., Menone M., Amé M., Camadro E. 2013. Genetic and biochemical biomarkers in the macrophyte *Bidens laevis* L. Exposed to a commercial formulation of endosulfan. Environ. Toxicol. doi: 10.1002/tox.21836. in press.
157. Gurda D., Kietrys A., Szopa A., Twardowski T. 2012. Life with oxidative stress. Chem. Process Eng., 33(4), 509 – 528.
158. Badr A., Zaki H., Germoush M., Tawfeek A., El-Tayeb M. 2013. Cytophysiological impacts of Metosulam herbicide on *Vicia faba* plants. Acta Physiologiae Plantarum, in press.
- 18. Ivanov S., Kerchev P. 2007. Separation and quantification of the cellular thiol pool of pea plants treated with heat, salinity and atrazine. Phytochemical Analysis, 18(4), 283 – 290.**
159. Mileva S., Vassileva S. 2008. ANN-based prediction of antioxidant characterizations during the brewery fermentation. International Scientific Conference Computer Science'2008, 164 – 169.
160. Potters G., Horemans N., Jansen M. 2010. The cellular redox state in plant stress biology – A charging concept. Plant Physiology and Biochemistry, 48(5), 292 – 300.
161. Aydin B., Ozdener Y., Akar A. 2011. Effects of radiofrequency electromagnetic fields on oxidative stress and physiological parameters of wheat (*Triticum aestivum* cv. Golla). Fresenius Environmental Bulletin, 20(11), 2815 – 2823.
- 19. Brankova L., Ivanov S., Alexieva V. 2007. The induction of microsomal NADPH: cytochrome P450 and NADH: cytochrome b5 reductases by long-term salt treatment of cotton (*Gossypium hirsutum* L.) and bean (*Phaseolus vulgaris* L.) plants. Plant. Physiol. Biochem., 45(9), 691 – 695.**

162. Page V., Schwitzguébel J. 2009. Metabolism of sulphonated anthraquinones in rhubarb, maize and celery: the role of cytochromes P450 and peroxidases. *Plant Cell Reports*, 28 (11), 1725 – 1735.
163. Yang C., Lu S., Mao Y., Wang L., Chen X. 2010. Characterization of two NADPH: Cytochrome P450 reductases from cotton (*Gossypium hirsutum*). *Phytochemistry*, 71(1), 27 – 35.
164. Tafrova J. 2008. PhD thesis: Conversion of vitamin A1 to vitamin A2 and its involvement in the response of cultured human keratinocytes to UV irradiation. Stony Brook University, UK.
165. Charatda P., Rawiwan W., Sirinya T., Wilart P. 2011. Effect of pinocembrin isolated from *boesenbergia pandurata* on xenobiotic-metabolizing enzymes in rat liver. *Drug Metabolism Letters*, 5(1), 1 – 5.
166. Lah L., Podobnik B., Novak M., Korošec B., Berne S., Vogelsang M., Kraševec N., Zupanec N., Stojan J., Bohlmann J., Komel R. 2011. The versatility of the fungal cytochrome P450 monooxygenase system is instrumental in xenobiotic detoxification. *Molecular Microbiology*, 81(5), 1374 – 1389.
167. Zhao C., Tang T., Liu J., Feng X., Qiu L. 2012. Identification and expression analysis of NADH-cytochrome b5 reductase gene in the cotton bollworm, *Helicoverpa armiger*. *Gene*, 511(1), 96 – 102.
- 20. Shu Hsien Hung, Chun Chi Wang, Ivanov S., Alexieva V., Chih Wen Yu 2007. Repetition of hydrogen peroxide treatment induces a chilling tolerance comparable to cold acclimation in mung bean.** *Journal of the American Society for Horticultural Science*, 132(6), 770 – 776.
168. Wang Y., He W., Huang H., An L., Wang D., Zhang F. 2009. Antioxidative responses to different altitudes in leaves of alpine plant *Polygonum viviparum* in summer. *Acta Physiologiae Plantarum*, 31(4), 839 – 848.
169. Yang H., Wu F., Cheng J. 2011. Reduced chilling injury in cucumber by nitric oxide and the antioxidant response. *Food Chemistry*, 127(3), 1237 – 1242.
170. Chunlu Q., Yuying Z., Hongbo M., Xiaohong C., Linchun M. 2011. Oxidative stress and antioxidative activities involved in the development of cucumber fruit. <http://www.paper.edu.cn>, www.paper.edu.cn/index.php/default/releasepaper/.../201105-349.
171. Wang L., Chen W., Wang Q., Eneji A., Li Z., Duan L. 2009. Coronatine enhances chilling tolerance in cucumber (*Cucumis sativus* L.) seedlings by improving the antioxidative defence system. *Journal of Agronomy and Crop Science*, 195(5), 377 – 383.
172. Sarma B., Singh A., Singh H., Upadhyay R. 2012. Enhanced resistance to fungal pathogens in plants through selective utilization of useful fungal genes. In: *Biotechnology of fungal genes*. Eds Gupta VK., CRC Press, 93 – 112.
173. Chunlu Q., Linchun M. 2011. Maturity-dependent chilling tolerance is regulated by redox state in cucumber (*Cucumis sativus* L.) fruit. College of Biosystem Engineering and Food Science, Zhejiang University, Hangzhou 310058, http://www.paper.edu.cn/en_releasepaper/content/4448538
- 21. Miteva L., Ivanov S. 2007. Alteration of ascorbate pool upon influence of oxidative stress inducing herbicides.** *Compt. rend. Acad. Bulg. Sci.*, 60(8), 883 – 888.
174. Pazmino D., Rodriguez-Serrano M., Romero-Puertas M., Archilla-Ruiz A., Del Rio L., Sandalio L. 2011. Differential response of young and adult leaves to herbicide 2,4-dichlorophenoxyacetic acid in pea plants: role of reactive oxygen species. *Plant, Cell & Environment*, 34, 1874 – 1889.
- 23. Ivanov S., Kerchev P., 2008. Influence of extraction techniques and solvents on the antioxidant capacity of plant material.** *Biotechnology & Biotechnological Equipment*, 22(1), 556 – 559.

175. Janssens M. 2009. PhD thesis: Tijdsafhankelijke stressresponsen in *Arabidopsis thaliana* planten blootgesteld aan uranium en cadmium. Katholieke Hogeschool Kempen, Germany.
176. Chalova V., Crandall P., Ricke S. 2010. Microbial inhibitory and radical scavenging activities of cold-pressed terpeneless Valencia orange (*Citrus sinensis*) oil in different dispersing agents. *Journal of the Science of Food and Agriculture*, 90(5), 870 – 876.
177. Calatayud V., Marco F., Cerveró J., Sánchez-Peña G., Sanz M. 2010. Contrasting ozone sensitivity in related evergreen and deciduous shrubs. *Environmental Pollution*, 158, 3580 – 3587.
178. Lefèvre I., Ziebel J., Guignard C., Sorokin A., Tikhonova O., Dolganova N., Hoffmann L., Eyzaguirre P., Hausman J. 2011. Evaluation and comparison of nutritional quality and bioactive compounds of berry fruits from *Lonicera caerulea*, *Ribes L.* species and *Rubus idaeus* grown in Russia. *Journal of Berry Research*, 1(3), 159 – 167.
179. Potters G., Horemans N., Jansen M. 2010. The cellular redox state in plant stress biology – A charging concept. *Plant Physiology and Biochemistry*, 48(5), 292 – 300.
180. Шопова Е. 2011. ДД, ИФРГ, София.
181. Horemans N., Vanhoudt N., Janssens M., Van Chaze B., Wannijn J., Van Hees M., Vandenhove H. 2011. On the nature and timing of oxygen radical production following exposure of *Arabidopsis thaliana* leaves to uranium, cadmium or a combination of both stressors. *Radioprotection*, 46(6), 491 – 496.
182. Chih H., James A., Jayasena V., Dhaliwal S. 2012. Addition of enzymes complex during olive oil extraction improves oil recovery and bioactivity of Western Australian Frantoio olive oil. *International Journal of Food Science & Technology*, 47(6), 1222 – 1228.
183. Tandon S., Arora A., Singh S., Monga J., Arora S. 2011. Antioxidant profiling of *Triticum aestivum* (wheatgrass) and its antiproliferative activity in MCF-7 breast cancer cell line. *Journal of Pharmacy Research*, 4(12), 4601 – 4604.
184. Nirmala P., Chonghlut E. 2012. In vitro antibacterial activities of berry fruits (*Citrus aurantifolia* and *Citrus sinensis*) against gram negative urinary tract pathogens. *The Global Journal of Pharmaceutical Research*, 1(4), 693 – 707.
185. Ou Z., Schmiere D., Rades T., Larsen L., McDowell A. 2012. Application of an online post-column derivatization HPLC-DPPH assay to detect compounds responsible for antioxidant activity in *Sonchus oleraceus* L. leaf extracts. *Journal of Pharmacy and Pharmacology*. doi: 10.1111/j.2042-7158.2012.01591.x
186. Mignogna D. 2010. PhD thesis: Valutazione di composti bioattivi ad attivita antiossidante in alimenti ddi origine vegetale. Universita degli studi del molise.
187. Murugan S., Reshma A., Deepika R., Sathishkumar R. 2012. Antioxidant capacities of *Amaranthus tristis* and *Alternanthera sessilis*: A comparative study. *Asian Pacific Journal of Tropical Biomedicine*, 1, 1 – 5.
- 24. Katerova Z., Shopova E., Brankova L., Ivanov S., Karanov E. 2008. Alteration in antioxidant enzymes of pea plants in response to prolonged influence of short pulses of ultraviolet-C radiations. Compt. rend. Acad. Bulg. Sci. 61(3), 335 – 340.**
188. Najeeb U., Xu L., Ahmed Z., Rasheed M., Jilani G., Naeem M., Shen W., Zhou W. 2010. Ultraviolet-C mediated physiological and ultrastructural alterations in *Juncus effusus* L. shoots. *Acta Physiologiae Plantarum*, 33(2), 481 – 488.
- 26. Djilianov D., Ivanov S., Georgieva T., Moyankova D., Berkov S., Petrova G., Mladenov P., Christov N., Hristozova N., Peshev D., Tchorbadjieva M., Alexieva V., Tosheva A., Nikolova M., Ionkova L., van den Ende W. 2009. A holistic approach to resurrection plants. *Haberlea rhodopensis - A case study. Biotechnology & Biotechnological Equipment*, 23(4), 1414 – 1416.**

189. Toldi O., Tuba Z., Scott P. 2010. Can lessons learned from resurrection plants be extended over crop plant species? *Romanian Biotechnological Letters*, 15, (2), 3 – 11.
190. Popov B., Dobreva Z., Georgieva S., Stanilova S. 2010. Enhancement of anti-klh IgG antibody production after treatment with Haberlea rhodopensis extract. *Trakia Journal of Sciences*, 8(2), 92 – 97.
191. Ebrahimi S., Gafner F., Dell'Acqua G., Schweikert K., Hamburger M. 2011. Flavone 8-C-Glycosides from Haberlea rhodopensis Friv. (Gesneriaceae). *Helvetica Chimica Acta*, 94(1), 38 – 45.
192. Popov B., Georgieva S., Gadjeva V. 2011. Modulatory effects of total extract of Haberlea rhodopensis against the cyclophosphamide induced genotoxicity in rabbit lymphocytes in vivo. *Trakia Journal of Sciences*, 9(1), 51 – 57.
193. Toldi O., Dancs G., Dobrányi S., Gyuricza C., Gémesi Z., Scott P. 2010. Biotechnological approach in exploring vegetative desiccation tolerance: From aseptic culture to molecular breeding. *Acta Biologica Hungarica*, 61(1), 206 – 217.
- 27. Katerova Z., Ivanov S., Mapelli S., Alexieva V. 2009. Phenols, proline and low-molecular thiol levels in pea (*Pisum sativum*) plants respond differently toward prolonged exposure to ultraviolet-B and ultraviolet-C radiations. *Acta Physiologiae Plantarum*, 31(1), 111 – 117.**
194. Tripathi R., Sarkar A., Rai S., Agrawa S. 2010. Supplemental ultraviolet-B and ozone: impact on antioxidants, proteome and genome of linseed (*Linum usitatissimum* L. cv. Padmini). *Plant Biology*, 13(1), 93 – 104.
195. Najeeb U., Xu L., Ahmed Z., Rasheed M., Jilani G., Naeem M., Shen W., Zhou W. 2010. Ultraviolet-C mediated physiological and ultrastructural alterations in *Juncus effusus* L. shoots. *Acta Physiologiae Plantarum*, 33(2), 481 – 488.
196. Pandey M., Srivastava A., Suprasanna P., D'Souza S. 2012. Thiourea mediates alleviation of UV-B stress-induced damage in the Indian mustard (*Brassica juncea* L.). *Journal of Plant Interactions*, 7(2), 143 – 150.
197. Шопова Е. 2011. ДД, ИФРГ, София.
198. Coyne C., McGee R., Redden R., Ambrose M., Furman B. Miles C. 2011. Genetic adjustment to changing climates: Pea (Chapter 8), 238 – 250. In: *Crop adaptation to climate change*, Editor(s): Shyam S. Yadav, Robert J. Redden, Jerry L. Hatfield, Hermann Lotze-Campen, Anthony E. Hall. DOI: 10.1002/9780470960929, John Wiley & Sons, Inc.
199. Rai R., Meena R., Smita S., Shukla A., Rai S., Pandey-Rai S. 2011. UV-B and UV-C pre-treatments induce physiological changes and artemisinin biosynthesis in *Artemisia annua* L. - An antimalarial plant. *Journal of Photochemistry and Photobiology B: Biology*, 105(3), 216 – 225.
200. Zuo M., Zhou J., He W., Yang H., Yang Z., Liu L., Liu Y., Xiao Z. 2010. Adaptability of different flue-cured tobacco varieties to UV-C stress duration. *Chinese Tobacco Science*, 31(6), 14 – 19.
201. Al-Enezi N., Al-Khayri J. 2012. Effect of X-irradiation on proline accumulation, growth and water con-tent of date palm (*Phoenix dactylifera* L.) seedlings. *Journal of Biological Sciences*, 12(3), 146 – 153.
- 28. Katerova Z., Ivanov S., Prinsen E., Van Onckelen H., Alexieva V., Azmi A. 2009. Low doses of ultraviolet-B or ultraviolet-C radiation affect ACC, ABA and IAA levels in young pea plants. *Biologia Plantarum*, 53(2), 365 – 368.**

202. Vankova R. 2010. Plant hormone functions in abiotic and biotic stress responses. In: Handbook of plant and crop stress, third edition, ed. Mohammad Pessarakli, CRC Press, Print ISBN: 978-1-4398-1396-6; DOI: 10.1201/b10329-11, 191 – 211.
203. Latif H., Abdalla M., Farag S. 2011. Radio-stimulation of phytohormons and bioactive components of coriander seedlings. *Turkish Journal of Biochemistry*, 36(3) ; 230 – 236.
- 29. Moskova I., Todorova D., Alexieva V., Ivanov S., Sergiev I. 2009. Effect of exogenous hydrogen peroxide on enzymatic and nonenzymatic antioxidants in leaves of young pea plants treated with paraquat. *Plant Growth Regulation*, 57(2), 193 – 202.**
204. Benabdellah K., Ruiz-Lozano J., Aroca R. 2009. Hydrogen peroxide effects on root hydraulic properties and plasma membrane aquaporin regulation in *Phaseolus vulgaris*. *Plant Molecular Biology*, 70(6), 647 – 661.
205. Krezhova D., Kirova E., Yanev T., Iliev I. 2010. Effects of salinity on leaf spectral reflectance and biochemical parameters of nitrogen fixing soybean plants (*Glycine max L.*). *AIP Conf. Proc.*, 1203, 694 – 696.
206. Krezhova D.; Iliev I.; Yanev O.; Kirova, E.; 2009. Assessment of the effect of salinity on the early growth stage of soybean plants (*Glycine max L.*). *Recent Advances in Space Technologies, 2009. RAST '09. 4th International Conference, Istanbul*, 397 – 402.
207. Katerova Z., Miteva L. 2010. Glutathione and herbicide resistance in plants. In: Ascorbate-glutathione pathway and stress tolerance in plants, eds Naser A. Anjum, Ming-Tsair Chan and Shahid Umar. DOI: 10.1007/978-90-481-9404-9_6, 191 – 207.
208. Kumar M., Geetika S., Renu B., Sandeep K., Gagandeep J. 2010. Effect of exogenous H_2O_2 on antioxidant enzymes of *Brassica juncea L.* seedlings in relation to 24-epibrassinolide under chilling stress. *Indian Journal of Biochemistry and Biophysics*, 47(6), 378 – 382.
209. Xu F., Jin C., Liu W., Zhang Y., Lin X. 2011. Pretreatment with H_2O_2 alleviates aluminum-induced oxidative stress in wheat seedlings. *Journal of Integrative Plant Biology*, 53(1), 44 – 53.
210. Michałowicz J., Duda W. 2009. The effects of 2,4,5-trichlorophenol on some antioxidative parameters and the activity of glutathione s-transferase in reed canary grass leaves (*Phalaris arundinacea*). *Polish J. of Environ. Stud.*, 18(5), 845 – 852.
211. Aftab T., Khan M., Naeem I., Hashmi N., Moinuddin, Ram M. 2011. Growth, photosynthetic efficiency and metabolic alterations associated with exogenous hydrogen peroxide in *Artemisia annua*: Overproduction of artemisinin. *Russian Agricultural Sciences*, 37(3), 212 – 219.
212. Шопова Е. 2011. ДД, ИФРГ, София.
213. Rong E., Zhao Z., Zang W., Guo P., Zhang J., Zhao W., Feng M., Wang L., Xie D., Yang W. 2012. Significant pathway analysis of *Arabidopsis thaliana* following treatment with paraquat (PQ). *Journal of Medicinal Plants Research*, 6(9), 1697 – 1701.
214. Бранкова Л. 2010. ДД, ИФРГ, София.
215. Qiu C., Ji W., Guo Y. 2011. Effects of high temperature and strong light on chlorophyll fluorescence, the D1 protein, and Deg1 protease in Satsuma mandarin, and the protective role of salicylic acid. *Shengtai Xuebao/Acta Ecologica Sinica*, 31(13), 3802 – 3810.
216. Jiang J., Su M., Chen Y., Gao N., Jiao C., Sun Z., Li F., Wang C. 2013. Correlation of drought resistance in grass pea (*Lathyrus sativus*) with reactive oxygen species scavenging and osmotic adjustment. *Biologia*, 68(2), 231 – 240.
- 30. Miteva L., Ivanov S., Alexieva V. 2010. Alterations in glutathione pool and some related enzymes in leaves and roots of pea plants treated with the herbicide glyphosate. *Russian Journal of Plant Physiology*, 57(1), 131 – 136.**

217. Gar'kova A., Rusyaeva M., Nushtaeva O., Aroslankina Y., Lukatkin A., 2011. Treatment with the herbicide granstar induces oxidative stress in cereal leaves. *Russian Journal of Plant Physiology*, 58(6), 1074 – 1081.
218. Cavusoglu K., Yalgin E., Turkmen Z., Yapar K., Cavusoglu K., Cicek F. 2011. Investigation of toxic effects of the glyphosate on Allium cepa. *Journal of Agricultural Sciences (Turkey)*, 17, 131 – 142.
219. Шопова Е. 2011. ДД, ИФРГ, София.
220. Moldes C., Camiñaa J., Medicic L., Tsaid S., Azevedo R. 2012. Physiological effects of glyphosate over amino acid profile in conventional and transgenic soybean (*Glycine max*). *Pesticide Biochemistry and Physiology*, 102(2), 134 – 141.
221. Siddiqui S., Meghvansi M., Khan S. 2012. Glyphosate, alachor and maleic hydrazide have genotoxic effect on *trigonella foenum-graecum L.* *Bulletin of Environmental Contamination and Toxicology*, 88(5), 659 – 665.
222. Lukatkin A., Gar'kova A., Bochkarjova A., Nushtaeva O., Teixeira da Silva J. 2012. Treatment with the herbicide TOPIK induces oxidative stress in cereal leaves. *Pesticide Biochemistry and Physiology*, 105(1), 44 – 49.
223. Li X., Yang Y., Jia L., Chen H., We X. 2013. Zinc-induced oxidative damage, antioxidant enzyme response and proline metabolism in roots and leaves of wheat plants. *Ecotoxicology and Environmental Safety*, 89, 150 – 157.
33. Djilianov D., Ivanov S., Moyankova D., Miteva L., Kirova E., Alexieva V., Joudi M., Peshev D., Van den Ende W. 2011. Sugar ratios, glutathione redox status and phenols in the resurrection species *Haberlea rhodopensis* and the closely related non-resurrection species *Chirita eberhardtii*. *Plant Biology*, 13(5), 767 – 776.
224. Dinakar C., Bartels D. 2012. Light response, oxidative stress management and nucleic acid stability in closely related Linderniaceae species differing in desiccation tolerance. *Planta*, 236(2), 541 – 555.
225. Mora O., Sara Lucía G., Karina M., Verónica R., Arriaga M. 2011. *Cissus tiliacea* – plant development under three irrigation intervals. *Ciencias Agrícolas Informa*, 20(2), 66 – 72.
226. Gechev T., Dinakar C., Benina M., Toneva V., Bartels D. 2012. Molecular mechanisms of desiccation tolerance in resurrection plants. *Cellular and Molecular Life Sciences*, DOI: 10.1007/s00018-012-1088-0.

Публикации в издания без импакт фактор

36. Alexieva V., Ivanov S., Sergiev I., Karanov E. 2003. Interaction between stresses. *Bulg. J. Plant Physiol. Special issue (Proceedings of the European Workshop on Environmental Stress and Sustainable Agriculture)*, 1 – 18, (обзор).
227. Митева Л. 2005. Глутатион и глутатион S-трансфераза – физиологична функция при растения, отгледани при нормални и стресови условия. *Растениевъдни науки*, 42, 483 – 494 (обзор).
228. Kalefetoglu T., Ekmeci Y. 2005. The effects of drought on plants and tolerance mechanisms. *G.U. Journal of Science*, 18(4), 723 – 740. (обзор)

229. Brazaitytė A., Duchovskis P., Šikšnianiene J., Gelvonauskis B., Sakalauskaitė J., Ulinskaitė R., Samuolienė G., Šabajevienė G., Baranauskis K., Juknys R., Sliesaravičius A., Ramaškevičienė A. 2005. Photosynthetic pigments system: effect of stress and adaptation. In: Adaptation of Crops and Cropping Systems to Climate Change, Nordic Association of Agricultural Scientists, Dalum, Landbrugsskole, Odense, Denmark. NJF report, 1(3), 38.
230. Brazaitytė A., Duchovskis P., Januškaitienė I., Juknys R. 2005. Possibilities of phytomonitoring to determine reaction of plant adaptivity to anthropogenic stress. Scientific works of the Lithuanian institute of Horticulture, 24(1), 57 – 64.
231. Brazaitytė A., Sakalauskaitė J., Duchovskis P., et al., 2005. Responce of radish growth parameters to anthropogenic. Scientific works of the Lithuanian institute of Horticulture, 24(2), 84 – 90.
232. Brazaitytė A., Sakalauskaitė J., Duchovskis P., et al. 2006. Adaptation of radish under integrated effect of acid substratum and cadmium ions. Scientific works of the Lithuanian institute of Horticulture, 25(1), 161 – 169.
233. Dėdilienė K., Brazaitytė, A., Stankevičiūtė S. 2006. Adaptation of spring barley to single and integrated impact of UV-B and ozone. Scientific works of the Lithuanian institute of Horticulture, 25(2), 107 – 117.
234. Šlepetytė J., Šikšnianienė J., Brazaitytė, A., Kadžiulienė Ž., Duchovskis P. 2006. Adaptation of red clover (*Trifolium pretense* L) under integrated effect of acid substratum and ions of cadmium and copper. Scientific works of the Lithuanian institute of Horticulture, 25(2), 125 – 137.
235. Pilipavčius V., Romaneckienė R., Ramaškevičienė A., Sliesaravčius A., 2006. Effect of UV-B radiation, ozone concentration and their combination on *Chenopodium album* L. early growth adaptivity. Agriculture. Scientific articles, 93(3), 99 – 107.
236. Pilipavčius V., Romaneckienė R., Ramaškevičienė A., Sliesaravčius A. 2006. The effect of CO₂ and temperature combinations on *Chenopodium album* L. early growth. Agronomy Research, 4 (Special issue), 311 – 316.
237. Talanova V. Topchieva L., Titov A. 2006. Effect of abscisic acid on the resistance of cucumber seedlings to combined exposure to high temperature and chloride. Biology Bulletin, 33(6), 619 – 622.
238. Кочева К. 2006. ДД, ИФР, София.
239. Vanessa Cristiane Vollet 2006. PhD thesis: Glycine-betaine in genotypes of Pigeonpea roots under salt stress associated with exogenous polyamine. Universidade Estudual paulista, Campus de Jabotical, São Paulo, Brazil.
240. Destro Moacir Vinícius Pereira 2006. PhD thesis: Interaction salt stress and exogenous spermidine application on the level of glycine betaine of Pigeonpea. Universidade Estudual paulista, Campus de Jabotical, São Paulo, Brazil.
241. Kreslavski V., Carpentier R., Klimov V., Murata N., Allakhverdiev S. 2007. Molecular mechanisms of stress resistance of photosynthetic apparatus. Biologicheskie Membrany 24(3), 195 – 217.
242. Juozaitytė R., Ramaškevičienė A., Sliesaravičius A., Brazaitytė A., Duchovskis P., Burbulis N. 2007. Growth and physiological features of pea (*Pisum sativum* L.) of different morphotypes under ozone exposure. Biologija, 53(3), 71 – 74.
243. Tian X., Lei Y.B. 2007. Physiological responses of wheat seedlings to drought and UV-B radiation. Effect of exogenous sodium nitroprusside application. Russian Journal of Plant Physiology 54(5), 676 – 682.
244. Šlepetytė J., Šikšnianienė J., Kadžiulienė Ž., Brazaitytė A., Duchovskis P. 2007. The effect of higher temperatures, acid substrate, and cadmium and cooper on Lucerne. Agriculture, 94(3), 47 – 59.
245. Šlepetytė J., Siksnianniene J., Brazaityte A., Kadziuliene Z., Duchovskis P. 2008. Integrated effects of acid substratum and heavy metals (copper and cadmium) on red clover. Latvian Jouranal of Agronomy, 10, 175 – 180.

246. Januškaitienė I., Juknys R., Pipiraitė A. 2008. Spring barely photosynthetic rate and changes in stress phases under different cadmium impact. *Agriculture*, 95(1), 73 – 85.
247. Митева Л. 2008. Физиологична роля на аскорбиновата киселина (витамин с) в растенията. *Растениевъдни науки*, 45, 195 – 200 (обзор).
248. Димитрова-Матева П. 2008. ДД: Листоминиращи насекоми по обикновения бук (*Fagus sylvatica L.*) в Западна България. *Лесотехнически университет*, София.
249. Miteva L. 2008. History of the investigations on antioxidants in Bulgaria. *Asclepios*, 2(21), 127 – 132. (обзор)
250. Brazaityte A., Sakalauskaite J., Duchovskis P., et al. 2007. Strawberry “senga sengaana” adaptation to distinct and complex exposure of UV-B and ozone. *Scientific articles*, 26(2), 34 – 44.
251. Sakalauskiene S., Šabajeviene G., Lazauskas S., Brazaityte A., Samuoliene Giedre., Urbonaviciute A., Sakalauskaite J., Ulinskaite R., Duchovskis P. 2008. Complex influence of different humidity and temperature regime on pea photosynthetic indices in VI–VII organogenesis stages. *Scientific works of the Lithuanian institute of Horticulture*, 27(2), 199 – 207.
252. Fredersdorf J., Müller R., Becker S., Wiencke C., Bischof K. 2009. Interactive effects of radiation, temperature and salinity on different life history stages of the Arctic kelp *Alaria esculenta* (*Phaeophyceae*). *Oecologia*, 160(3), 483 – 492.
253. Fredersdorf J. 2009. PhD thesis: Interactive abiotic stress effects on Arctic marine macroalgae - Physiological responses of adult sporophytes. University of Bremen, Germany.
254. Огородникова С., Головко Т., Ашихмина Т. 2007. Реакции растений на действие метилfosфоновой кислоты. *Теоретическая и прикладная экология*, 1, 50 – 55.
255. Sakalauskaitė J., Brazaitytė A., Sakalauskienė S., Urbonavičiūtė A., Samuoliénė G., Lukatkin A., Bašmakov D., Duchovskis P. 2009. Differential and integrated impact of tropospheric ozone and ultraviolet-B radiation on radish (*Raphanus sativus L.*) growth and photosynthesis pigments. *Scientific articles*, 28(1), 137 – 145.
256. Andressa Freitas de Lima Rhein 2008. PhD thesis: Atividade da redutase do nitrato e acumulo de prolina livre em raízes de cana-de-acucar submetidas aos estresses hídrico e ácido no solo. Universidade Estadual paulista, Campus de Jabotical, São Paulo, Brazil.
257. Adão Marin 2008. PhD thesis: Efeito sinérgico do estresse hídrico e da toxidez de alumínio no acumulo de prolina em *Cajanus cajan* (L.) millsp. Cultivado em hidroponia. Universidade Estadual paulista, Campus de Jabotical, São Paulo, Brazil.
258. He L., Gao Z., Li R. 2009. Pretreatment of seed with H₂O₂ enhances drought tolerance of wheat (*Triticum aestivum L.*) seedlings. *African Journal of Biotechnology*, 8(22), 6151 – 6157.
259. Karsten U., Wulff A., Roleda M., Müller R., Steinhoff F., Fredersdorf J. 2009. Physiological responses of polar benthic algae to ultraviolet radiation. *Botanica Marina*. 52(6), 639 – 654.
260. Tzanova A., Uzunova A. 2006. Interaction between cadmium and paraquat stress on *Pisum sativum* photosynthetic response of pea plants induced by Cd²⁺ and paraquat. *Compt. rend. Acad. Bulg. Sci.* 59 (6), 651 – 656.
261. Casierra-Posada F., Moreno D. 2007. Effect of stress by shading on sea lavender (*Limonium* sp. cv. Bluestream) plants yield. *Revista Colombiana de Ciencias Hortícolas*, 1(2), 236 – 245.
262. Şebnem Kusvaran 2010. PhD thesis: Relationships between physiological mechanisms of tolerances to drought and salinity in melons. Department of Horticulture, Institute of natural and applied sciences, University of Çukurova.
263. Hůnová I., Novotný R., Uhlířová H., Vráblíká T., Horálek J., Lomský B., Šrámek V. 2010. The impact of ambient ozone on mountain spruce forests in the Czech Republic as indicated by malondialdehyde. *Environmental Pollution*, 158(7), 2393 – 2401.
264. Балалаева Ирина 2004. PhD thesis: Изменение прооксидантно-антиоксидантного статуса хлоропластов гороха при действии стрессирующих факторов среды. Нижний Новгород, Россия.

265. Juknys R., Račaitė M., Vitkauskaitė G. 2010. Cross-adaptation of spring barley (*Hordeum vulgare* L.) to environmental stress induced by heavy metals. *Ekologija*, 56. (1–2), 1 – 9.
266. Samira Domingues Carlin 2009. PhD thesis: Physiological mechanisms of sugarcane under the interaction effect of water and acid stress in the soil. Campus de Jabotical, São Paulo, Brazil.
267. Cakirlar H., Cicek N., Ekmekci Y., 2011. Is the induction of H_2O_2 -detoxifying antioxidant enzyme activities sufficient to protect barley cultivars from oxidative stress by UV-B irradiation alone or pretreatment with high temperature and NaCl? *Turk J Biol.*, 35, 59 – 68.
268. Doupis G., Chartzoulakis K., Beis A., Patakas A. 2011. Allometric and biochemical responses of grapevines subjected to drought and enhanced ultraviolet-B radiation. *Australian Journal of Grape and Wine Research*, 17(1), 36 – 42.
269. Mereu S., Gerosac G., Marzuolic R., Fusaroe L., Salvatorie E., Fincoc A., Spanoa D., Manes F. 2011. Gas exchange and JIP-test parameters of two Mediterranean maquis species are affected by sea spray and ozone interaction. *Environmental and Experimental Botany*, 73, 80 – 88.
270. Kurganova L., Balalaeva I., Veselov A., Sinitina Y., Vasil'eva E., Tsiganova M. 2010. Prooxidant-antioxidant state of pea chloroplasts under the influence of environmental abiotic stressors. 1. Production of reactive oxygen species and lipid peroxidation. *Физико-химическая биология*, Вестник Нижегородского Университета, 2(2), 544 – 549.
271. Xin L., Baoxiang W., Yun F., Weiwei Z., Liyou Q. 2009. Exploring the relationship of specific flue-tobacco quality formation to oxidation stress. *Chinese Agricultural Science Bulletin*, 25(04), 225 – 230.
272. Korkmaz A.; Şirikçi R. 2011. Improving salinity tolerance of germinating seeds by exogenous application of glycinebetaine in pepper. *Seed Science and Technology*, 39(2), 377 – 388.
273. Januskaitiene I. 2011. Effects of substrate acidity and UV-B radiation on photosynthesis of radishes. *Central European Journal of Biology*, 6(4), 624 – 631.
274. Li-you Q., Yuan-cheng Q., Ming-dao W., Xin-cheng J. 2010. Relationship between metabolite autotoxic to plant and continuous cropping obstacles. *Soil*, 42(1), 1 – 7.
275. Racaitė Milda 2009. PhD thesis: The effect of heavy metal on spring barley (*Hordeum vulgare* L.) and cross adaptation regularities. Vytautas Magnus University, Lithuanian Forest Research Institute, Kaunas.
276. Aftab T., Masroor M., Khan A., Idrees M., Naeem M., Hashmi N., Moinuddin M. 2011. Growth, photosynthetic efficiency and metabolic alterations associated with exogenous hydrogen peroxide in *Artemisia annua*: Overproduction of artemisinin. *Russian Agricultural Sciences*, 37(3), 212 – 219.
277. Shah Azhar H., Shah S., Ahmad H., Swati Z., Shah A., Afzal M., Umm-e-Aiman, Khalid Q. 2012. The phenomenon of cross tolerance in osmotically and ionically adapted rice (*Oryza sativa* L.) cell lines. *African Journal of Biotechnology*, 11(3), 713 – 717.
278. David C., Abaigar J., Albert A., Gwynn-Jones D. 2012. UV-responses of *Lolium perenne* raised along a latitudinal gradient across Europe: A filtration study. *Physiologia Plantarum*, 145(4), 604 – 618.
279. Sakalauskienė S., Brazaitytė A., Sakalauskaitė J., Lazauskas S., Urbonavičiūtė A., Samuoliene G., Šabajevienė G., Duchovskis P. 2009. The integrated impact of environmental factors on photosynthetic pigments in pea plant (*Pisum sativum* L.). *Scientific articles*, 28(2), 137 – 145.
280. Бранкова Л. 2010. ДД, ИФРГ, София.
281. Giannakoula A., Ilias I., Maksimović J., Maksimović V., Živanović K. 2012. Does overhead irrigation with salt affect growth, yield, and phenolic content of Lentil plants? *Arch. Biol. Sci., Belgrade*, 64(2), 539 – 547.
282. Xiao-ji F., Aishaijiang M., Hong-mei M., Qing Y., Yan-ping L., Yan-yan Z., Guo-jie L. 2011. Effects of low sink demand after fruit removal on the photosynthetic characteristics and photoprotection in strawberry plants. *Acta Horticulturae Sinica*, 38(7), 1267 – 1274.

283. Yağmur Yasemin 2008. PhD thesis: Investigation of some physiological and biochemical tolerance parameters against drought stress of different grapevine (*Vitis vinifera* L.) cultivars. Izmir, Turkey.
284. Heinrich S., Valentin K., Frickenhaus S., John U., Wiencke C. 2012. Transcriptomic analysis of acclimation to temperature and light stress in *Saccharina latissima* (Phaeophyceae). PLoS ONE, 7(8): e44342; DOI: 10.1371/journal.pone.0044342.
285. Bandurska H., Cieślak M. 2012. The interactive effect of water deficit and UV-B radiation on salicylic acid accumulation in barley roots and leaves. Environmental and Experimental Botany, in press, <http://dx.doi.org/10.1016/j.envexpbot.2012.03.001>.
286. Zlatev Z., Lidon F., Kaimakanova M. 2012. Plant physiological responses to UV-B radiation. Emir. J. Food Agric., 24(6), 481 – 501.
287. Doupis G., Chartzoulakis K., Patakas A. 2012. Differences in antioxidant mechanisms in grapevines subjected to drought and enhanced UV-B radiation. Emir. J. Food Agric., 24(6), 607 – 613.
288. Jukneviciene Z., Venskutoniene E., Pranaitiene R., Duchovskis P. 2011. The influence of different temperatures and exposition time on potato tuber sprouting and development of plant. Agriculture, 98(2), 131 – 138.
289. Drus G. 2013. Fire ecology of *Tamarix*. In: *Tamarix: A Case Study of Ecological Change in the American West*, ed. Martin F. Quigley, Oxford University Press, ISBN 0199898200, 9780199898206, 240 – 255.
290. Coelho C., Da Silva J., De Oliveira L., Silva J., Barbosa R., De Oliveira Neto C. 2012. Conteúdo relativo de água, concentrações de nitrato e amônio livre em plantas de jenipapo submetida ao déficit hídrico. XXII Congresso Brasileiro de Fruticultura, Bento Gonçalves – RS, 22-26 Oct 2012, Brazil.
291. Heinrich S. 2012. PhD thesis: Effects of multiple abiotic stresses on gene expression in *Saccharina latissima* (Phaeophyceae). University of Bremen.
- 38. Иванов С. 2004. Стрес и устойчивост при растенията. Растениевъдни науки, 3, 207 – 216. (обзор).**
292. Митева Л. 2005. Глутатион и глутатион S-трансфераза – физиологична функция при растения, отгледани при нормални и стресови условия. Растениевъдни науки, 42, 483 – 494 (обзор).
293. Митева Л. 2008. Физиологична роля на аскорбиновата киселина (витамин с) в растенията. Растениевъдни науки, 45, 195 – 200 (обзор).
- 39. Керчев П., Костова Е., Иванов С. 2005. Тотален антиоксидантен капацитет на комерсиални плодови сокове. Хранително-вкусова промишленост, 5, 8 – 11.**
294. Miteva L. 2008. History of the investigations on antioxidants in Bulgaria. Asclepios, 2(21), 127 – 132. (обзор).
- 40. Керчев П., Йончева Т., Иванов С. 2005. Зависимост на антиокидантния капацитет на експериментални червени вина от сортовите различия и компонентния състав. Хранително-вкусова промишленост, 8, 21 – 24.**
295. Miteva L. 2008. History of the investigations on antioxidants in Bulgaria. Asclepios, 2(21), 127 – 132. (обзор).

44. Иванова Е., **Иванов С.**, 2006. Синглетен кислород в растенията – образуване, детоксикация и физиологични функции. Растениевъдни науки, 2, 99 – 108, (обзор).
296. Митева Л. 2008. Физиологична роля на аскорбиновата киселина (витамин с) в растенията. Растениевъдни науки, 45, 195 – 200 (обзор).
297. Димитрова-Матева П. 2008. ДД: Листоминиращи насекоми по обикновения бук (*Fagus sylvatica L.*) в Западна България. Лесотехнически университет, София.
45. **Иванов С.**, Керчев П., Михайлова М., Уршев З. 2006. Антиоксидантен капацитет на български кисели млека. Хранително-вкусова промишленост, 1, 11 – 15.
298. Miteva L. 2008. History of the investigations on antioxidants in Bulgaria. Asclepios, 2(21), 127 – 132. (обзор).
48. Krezhova D., Yanev TK., Alexieva V., **Ivanov S.** 2007. Remote sensing study of the influence of herbicides fluridone and acifluorfen on the spectral reflectance of pea plant leaves (*Pisum sativum L.*). Recent Advances in Space Technologies, RAST '07. 3rd International Conference, 14-16 June 2007, Istanbul, Turkey, 326 – 330.
299. Ahsan A., Nazib A. Hasan M. 2012. An optimization of optical imaging system using remote sensing. ISSN 2078-5828 (print), ISSN 2218-5224 (online: www.ijcit.org or www.ijcit.uap-bd.edu), volume 2(issue 2), manuscript code: 120109, 47 – 53.

Публикации включени в Автореферата за придобиване на докторска степен (не се включват към конкурса).

55. **Ivanov S.**, Alexieva V., Karanov E. 2002. Effect of prolonged action of sub-herbicide concentrations of 2,4-D on the growth and some stress markers of pea (*Pisum sativum L.*) plants. Compt. rend. Acad. Bulg. Sci. 55(1), 89 – 94.
300. Митева Л. 2005. ДД, ИФР, София.
301. Митева Л., 2008. Физиологична роля на аскорбиновата киселина (витамин с) в растенията. Растениевъдни науки, 45, 195 – 200 (обзор).

За изготвяне на списъка са използвани специализираните търсачки Google Scholar и Scopus.

март, 2013г

Кандидат:

/Сергей Иванов/