

***Списък на цитиранията\* върху общия брой публикации  
на гл. асистент д-р Десислава Александрова Тодорова***

(Цитираните статии и съответните цитати към тях са подредени по години)

**Doytcheva, B., A. Nikolova, G. Peev, D. Todorova, (1998). Mass transfer from a single grain to a fluid in an inert fixed bed. *Int. Comm. Heat Mass Transfer.* 25 (3), 399-405.**

1. 1. Brinques, G. B., Marczak, L. D. F., Wada K., Tessaro, I. C., 2002. A THEORETICAL-AND EXPERIMENTAL STUDY OF SOYBEAN DRYING IN A FIXED BED COLUMN. Proceedings of the ENCIT 2002, Caxambu - MG, Brazil - Paper CIT02-0453.
2. 2. Laguerre, O., D. Flick, 2007. Frost formation on frozen products preserved in domestic freezers. *Journal of Food Engineering* 79 (1), pp. 124-136. (IF)  
**Todorova, D., T. Genkov, V. Alexieva, E. Karanov, A. Smith, M. Hall, 2000. Effect of the temperature stress on the endogenous cytokinin content in *Arabidopsis thaliana* (L.) Heynh plants. *Plant Physiol. Biochem.* V. 38, Suppl. p. 213. Abstract S19-121.**
3. 1. Бугадже Сануси Мохаммед, 2001. Кросс-адаптация растений дыни (*Melo Sativus Sager.* ) к высокой температуре и ультрафиолетовому (Б) облучению. *Диссертация*, Москва, Русия.  
**Todorova, D., V. Alexieva, E. Karanov, A. Smith, M. Hall, 2000. Effect of the temperature stress on free and bound polyamine content in *Arabidopsis thaliana* (L.) Heynh plants. *Plant Physiol. Biochem.* V. 38, Suppl. p. 213. Abstract S19-122.**
4. 1. Бугадже Сануси Мохаммед, 2001. Кросс-адаптация растений дыни (*Melo Sativus Sager.* ) к высокой температуре и ультрафиолетовому (Б) облучению. *Диссертация*, Москва, Русия.  
**Ivanov, S., T. Konstantinova, D. Parvanova, D. Todorova, D. Djilianov, V. Alexieva (2001). Effect of high temperature on the growth, free proline content and some antioxidants in tobacco plants. *Compt. rend. Acad. Bulg. Sci.* 54 (7), 71-74.**
5. 1. Kolupaev, Yu. E., G. E. Akinina, A. V. Mokrousov, 2005. Induction of heat tolerance in wheat coleoptiles by calcium ions and its relation to oxidative stress. *Russ. J. Plant Physiol.*, 52 (2), pp. 199-204. (IF)
6. 2. Колупаев Ю., 2007. Активные формы кислорода в растениях при действии стрессоров: Образование и возможные функции. Вісник Харківського національного аграрного університету. *Серія Біологія*, 3(12), 6 – 26
7. 3. КАРПЕЦЬ, Ю. В., О. І. ОБОЗНИЙ, В.М. ПОПОВ, Ю.Є. КОЛУПАЄВ. 2009. ИЗМЕНЕНИЯ АКТИВНОСТИ И ТЕРМОСТАБИЛЬНОСТИ ПЕРОКСИДАЗЫ КОРНЕЙ ПШЕНИЦЫ ПОСЛЕ КРАТКОВРЕМЕННОГО ДЕЙСТВИЯ ГИПЕРТЕРМИИ. ФИЗИОЛОГИЯ И БИОХИМИЯ КУЛЬТ. РАСТЕНИЙ. 41. (4), pp. 353-358.
8. 4. Колупаев Ю., Карпец Ю. 2010. Участие растворимых углеводов и низкомолекулярных соединения азота в адаптивных реакциях растений. Вісник Харківського національного аграрного університету, Серія Біологія, 2(20), 36 – 53.
9. 5. Обозный А., Ястреб Т., Колупаев Ю., Попов В., Криворученко Р. 2010. Влияние кратковременного нагрева на активность и термостабильность разтворимой

\* Цитираните статии са отбележани със **син** цвят; цитатите в Български издания са отбележани със **зелен** цвят; цитатите в чуждестранни издания - с черен цвят; цитатите в обзори и монографии са **подчертани**.

- пероксидази корней пшеницы и разных экотипов. Вісник Харківського національного аграрного університету, Серія Біологія, 2(20), 61 – 68.
10. 6. Колупаев Ю., Карпец Ю., Обозный А. 2011. Антиоксидантная система растений: участие в клеточной сигнализации и адаптации к действию стрессоров. Вісник Харківського національного аграрного університету, Серія Біологія, 1(22), 6 – 34.
11. 7. Шопова Е., 2011. Анализ на оксидативните процеси в грах (*Pisum sativum L.*). индуцирани от фотоактивно генериран синглетен кислород. *Дисертація*, С.
12. 8. Kolupaev, Yu. E., T. O. Yastreb, 2012. Effect of Aromatic and Dicarboxylic Aliphatic Acids on the Heat Resistance of Cucumber Cotyledons: Possible Correlation with Hydrogen Peroxide Metabolism. *Agrokhimiya*, 7 pp. 32-38.
13. 9. Kolupaev, Yu. E., T. O. Yastreb, N. V. Shvidenko, Yu. V. Karpets. 2012. Induktsiya teploustoichivosti koleoptilei pshenitsy salitsilovoi i yantarnoi kislotami: svyaz' effektov s obrazovaniem i obezvrezhivaniem aktivnykh form kisloroda. *Prikladnaya biokhimiya i mikrobiologiya*, 48 (5), pp. 500-505. (IF)
14. 10. Savicka, M., N. Škute. 2012. Some morphological, physiological and biochemical characteristics of wheat seedling *Triticum aestivum L.* organs after high-temperature treatment. *Ekologija (Lietuvos moksly akademija)*, 58 (1), pp. 9–21.
15. 11. Ancillotti C., P. Bogani, S. Biricolti, E. Calistri, L. Checchini, L. Ciofi, C. Gonnelli, M. Del Bubba, 2015. Changes in polyphenol and sugar concentrations in wild type and genetically modified *Nicotiana langsdorffii* Weinmann in response to water and heat stress. *Plant Physiology and Biochemistry* 97, pp. 52–61. (IF)
- Peev, G., A. Nikolova, D. Todorova (2002). Mass transfer from solid particles to power law non-Newtonian fluid in granular bed at low Reynolds numbers. *Chem. Eng. J.* 88, 119-125.**
16. 1. Fereira, J., R. Chhabra, 2004. Analytical study of drag and mass transfer in creeping power law flow across tube banks. *Ind. Eng. Chem. Res.*, 43 (13), pp. 3439-3450. (IF)
17. 2. Mangadoddy, N., R. Prakash, R. P. Chhabra, V. Eswaran, 2004. Forced convection in cross flow of power law fluids over a tube bank. *Chem. Eng. Sci.*, 59 (11), pp. 2213-2222. (IF)
18. 3. Shukla, R., R. P. Chhabra, 2004. Effect of non-newtonian characteristics on convective liquid-solid heat transfer in packed and fluidised beds of spherical particles. *Canadian J. Chem. Eng.*, 82 (5), pp. 1071-1075. (IF)
19. 4. Shukla, R., S. D. Dhole, R. P. Chhabra, V. Eswaran, 2004. Convective heat transfer for power law fluids in packed and fluidised beds of spheres. *Chem. Eng. Sci.*, 59 (3), pp. 645-659. (IF)
20. 5. Seddeek, M. A., 2006. Influence of viscous dissipation and thermophoresis on Darcy-Forchheimer mixed convection in a fluid saturated porous media. *J. Colloid and Interface Sci.*, 293 (1), pp. 137-142. (IF)
21. 6. Bharti, R. P., R. P. Chhabra, V. Eswaran, 2007. Steady forced convection heat transfer from a heated circular cylinder to power-law fluids. *Int. J. Heat Mass Transfer*, 50 (5-6), pp. 977-970. (IF)
22. 7. **Chhabra, R. P., Bubbles, Drops, and Particles in Non-Newtonian Fluids, 2006. ISBN 0824723295, Print ISBN: 978-0-8247-2329-3, eBook ISBN: 978-1-4200-1538-6 CRC Press. Pp 437-519 (Book).**
23. 8. Song, D., Gupta, R.K., Chhabra, R.P., 2010. Effect of blockage on heat transfer from a sphere in power-law fluids. *Ind. Eng. Chem. Res.*, 49 (8), pp. 3849-3861. (IF)
24. 9. Kishan, N., S. Maripala. 2012. Thermophoresis and viscous dissipation effects on Darcy-Forchheimer MHD mixed convection in a fluid saturated porous media. *Advances in Applied Science Research*, 3 (1), pp. 60-74.

25. 10. Salem, A.A. 2012. On the effectiveness of variable properties and thermophoresis on steady MHD heat and mass transfer over a porous flat surface. *Engineering Computations*, 29 (4), pp. 419 – 440. (IF)
- Todorova, D., V. Alexieva, E. Karanov, (2002). Effect of some cytokinins and their combination with Ethrel on the endogenous polyamine content in ethylene insensitive mutant eti5 type of *Arabidopsis thaliana* (L.) Heynh plants. *Compt. rend. Acad. Bulg. Sci.* 55 (10), 89-94.
26. 1. Стойнова, Е. 2008, Структурна организация на растежа и морфогенеза по влияние на ефекtorи на растежа на растенията. *Дисертация, С.*
- Todorova, D., I. Sergiev, V. Alexieva, E. Karanov, (2002). Rosette leaf senescence in wild type and ethylene insensitive mutant (eti5) *Arabidopsis thaliana* (L.) Heynh during inflorescence and fruit development: I. Changes in plastid pigments, products of lipid and protein oxidation, and hydrogen peroxide levels. *Compt. rend. Acad. Bulg. Sci* 55: 93-98.
27. 1. Zhang, S. 2008, Investigations into senescence and oxidative metabolism in gentian and petunia flowers. PhD Thesis, University of Canterbury, New Zealand.
- Тодорова Д. (2003). Етиленови мутанти на *Arabidopsis thaliana* L. Heynh. *Растениевъдни науки*, 40 (6), 483-490
28. 1. Митева, Л., 2005. Глутатион и глутатион-S-трансфераза – физиологична функция при растения, отглеждани при нормални и стресови условия. *Растениевъдни науки*, 42 (6), pp. 487-497.
29. 2. Митева, Л., 2008. Физиологична роля на аскорбиновата киселина (витамин C) в растенията. *Растениевъдни науки*, 45, pp. 195-200.
30. 3. Стойнова, Е. 2008, Структурна организация на растежа и морфогенеза по влияние на ефекtorи на растежа на растенията. *Дисертация, С.*
31. 4. Katerova, Z., L. Miteva, 2010. In: Ascorbate-glutathione pathway and stress tolerance in plants. Eds.: N. A. Anjum et al. Chapter 6: Glutathione and herbicide resistance in plants. Springer Science+Business Media, DOI 10.1007/978-90-481-9404-9 6 (Book).
- Todorova, D., D. Parvanova, T. Konstantinova, S. Ivanov, D. Djilianov, V. Alexieva (2003). Endogenous free and bound polyamine content in tobacco plants subjected to high temperature stress. *Compt. rend. Acad. Bulg. Sci.* 56 (6), 79-84.
32. 1. Кочева, К. 2006. Физиологични изменения в млади ечемични растения при полиетиленгликол-индусиран умерен воден стрес. *Дисертация, С.*
- Тодорова Д. (2003). Естествено и индуцирано стареене при *Arabidopsis thaliana* (L.) Heynh. *Дисертация. София.*
33. 1. Васева-Гемишева, И., 2006. Цитокинин оксидаза/дехидрогеназа в млади грахови растения. Влияние на някои растежни регулатори и абиотични стресови фактори върху ензимната активност. *Дисертация, С.*
- Alexieva, V., I. Sergiev, D. Todorova, E. Karanov, A. Smith, M. Hall, (2004). Effect of ethylene and its antagonists 1-MCP on the senescence of detached leaves of *Arabidopsis thaliana* (L.) Heynh. *Biol. Plant.* 48 (4), 593-595.
34. 1. Васева-Гемишева, И., 2006. Цитокинин оксидаза/дехидрогеназа в млади грахови растения. Влияние на някои растежни регулатори и абиотични стресови фактори върху ензимната активност. *Дисертация, С.*
35. 2. Yuan, H.-L., Jin, L.-P., Huang, S.-W., Xie, K.-Y., Li, Y., Qu, D.-Y. 2007. Effects of silver thiosulfate on the growth and antioxidative enzymes activities in tube seedling of potato under aeration and airtight conditions. *Plant Physiology Communications* 43 (6), pp. 1082-1084.
36. 3. Huang Shou-Cheng, Ai-Rong Hehua, Qi Zhang Pengcheng. 2010. Effects of 1-MCP Treatments on Physiological and Chemical Characteristics of Post-harvest *Agaricus bisporus*. *Hubei Agricultural Sciences*. 8, pp. 1959-1961.

37. 4. Nadeem, S. M., Z. A. Zahir, M. Navved, M. Ashraf. 2010. Microbial ACC -deaminase: Prospects and applications for inducing salt tolerance in plants. *Critical reviews in Plant Sciences*. 29 (6), pp. 360-393. (IF)
38. 5. Nadeem, S. M., M. Ahmad, Z. A. Zahir, M. Ashraf. 2012. In: Maheshwari D. K. (Ed.) Bacteria in Agrobiology: Stress Management. Chapter 8 Microbial ACC-Deaminase Biotechnology: Perspectives and Applications in Stress Agriculture., Springer. pp. 141-185. (Book)
39. 6. Zhao C., F.F Ma, K. Feng, L. Yang, 2012. Effects of Different Concentrations of 1-MCP Treatments on Post-harvest Storage of *Pleurotus eryngii*. *Food and Fermentation Industries*. 38 (8), article 61.
40. 7. Mansouri, H., F. Salari, Z. Asrar, 2013. Ethephon application stimulates cannabinoids and plastidic terpenoids production in *Cannabis sativa* at flowering stage. *Industrial Crops and Products*, 46, pp. 269–273. (IF)
41. 8. Zhao C-Y., F.F Ma, Feng, X-Q., Liy, S-Y., 2014. Effects of 1-MCP Treatment on Postharvest Physiology and Structure of *Pleurotus eryngii*. *Food Science. Package and Storage*, 35 (06): 185-188.
42. 9. Zhao, C., Zhao, L., Pi, Y., Wu, X., Ma, F. 2014. The Influence on Storage Quality of *Pleurotus eryngii* by 1-Methylcyclopropene Treatment. *Applied Mechanics and Materials*, 675-677, pp. 1685-1690.
- Todorova, D., T. Genkov, I. Vaseva-Gemisheva, V. Alexieva, E. Karanov, A. Smith, M. Hall, (2005). Effect of temperature stress on the endogenous cytokinin content in *Arabidopsis thaliana* (L.) Heynh plants. *Acta Physiol. Plant.*, 27 (1), 13-18**
43. 1. Стойнова, Е. 2008, Структурна организация на растежа и морфогенеза по влияние на ефектори на растежа на растенията. *Дисертация, С*.
- Vaseva-Gemisheva, I., I. Sergiev, D. Todorova, V. Alexieva, E. Stanoeva, V. Lachkova, E. Karanov, (2005). Antagonistic effects of triazolo[4, 5-d]pyrimidine and pyridylurea derivatives on cytokinin-induced cytokinin oxidase/dehydrogenase activity in young pea plants. *Plant Growth Regul.*, 46 (3), 193-197
44. 1. Held, M., A. N. Pepper, J. Bozdarov, M. D. Smith, R. J. N. Emery, F. C. Guinel, 2008. The pea nodulation mutant R50 (sym16) displays altered activity and expression profiles for cytokinin dehydrogenase. *Journal of Plant Growth Regulation* 27 (2), pp. 170-180. (IF)
45. 2. Jaleel, C. A., Gopi, R., Gomathinayagam, M., Panneerselvam, R., 2009, Traditional and non -traditional plant growth regulators alters phytochemical constituents in *Catharanthus roseus*. *Process Biochemistry*, 44 (2), pp. 205-209. (IF)
46. 3. LIU Q., GONG D., PENG X., YAN X. 2010. Determination of Forchlorfenuron Dissipation and Residue in Cucumbers and Red Soil. *JOURNAL OF NORTHEAST AGRICULTURAL UNIVERSITY (ENGLISH EDITION)* 17 (1), pp. 27-31.
- Todorova, D., I. Vaseva-Gemisheva, P. Petrov, E. Stoyanova-Bakalova, V. Alexieva, E. Karanov, A. Smith, M. Hall, (2006). Cytokinin oxidase/dehydrogenase in wild and ethylene-insensitive mutant eti5 type of *Arabidopsis thaliana* (L.) Heynh plants and the effect of cytokinin N1-(2-chloro-4-pyridyl)-N2-phenylurea on enzymatic activity and leaf morphology. *Acta Physiol. Plant.*, 28 (6), 613-618.**
47. 1. Held, M., A. N. Pepper, J. Bozdarov, M. D. Smith, R. J. N. Emery, F. C. Guinel, 2008. The pea nodulation mutant R50 (sym16) displays altered activity and expression profiles for cytokinin dehydrogenase. *Journal of Plant Growth Regulation* 27 (2), pp. 170-180. (IF)
48. 2. Babosha, A.V. 2009. Regulation of resistance and susceptibility in wheat-powdery mildew pathosystem with exogenous cytokinins. *Journal of Plant Physiology* 166 (17), pp. 1892-1903. (IF)

49. 3. Бабоша А. В. 2014. МНОГОФАЗНЫЙ ХАРАКТЕР КОНЦЕНТРАЦИОННОЙ ЗАВИСИМОСТИ ДЕЙСТВИЯ ФИЗИОЛОГИЧЕСКИ АКТИВНЫХ ВЕЩЕСТВ НА РОСТ РАСТЕНИЙ И УСТОЙЧИВОСТЬ К ФИТОПАТОГЕНАМ. *Дисертация за доктор на биологическите науки*, Москва.
- Moskova, I., D. Todorova, V. Alexieva, I. Sergiev (2007). Hydrogen peroxide treatment alleviates paraquat injuries in pea (*Pisum sativum* L.). *Compt. Rend. Acad. Bulg. Sci*, 60 (10), 1101-1106.
50. 1. Шопова Е., 2011. Анализ на оксидативните процеси в грах (*Pisum sativum* L.), индуцирани от фотоактивно генериран синглетен кислород. *Дисертация*, С.
51. 2. Goldani, M., Y. Selahvarzi, J. Nabati, M. Alirezai, 2012. Effect of Exogenous Application of Hydrogen Peroxide on some Salt Tolerance Indices in Oregano (*Origanum majorana* L.). *Journal of Horticultural Science*, 26 (2), pp. 153-161.
52. 3. Goldani, M. M. Kamali, 2012. Effect of Exogenous Application of Hydrogen Peroxide on Drought Tolerance of Glob Amaranth (*Gomphrena globosa* L.). *Iranian Journal of Field Crops Research*. 10(3), pp. 603-613
53. 4. Kamali, M., M. Goldani, A. Farzane. 2012. The Effect of Different Irrigation Regimes and Hydrogen Peroxide on Growth and Photosynthetic Parameters on Ornamental Amaranth (*Amaranthus tricolor* L.). *Journal of Water and Soil*, 26 (2), pp. 309-318.
- Sergiev, I., D. Todorova, M. Somleva, V. Alexieva, E. Karanov, E. Stanoeva, V. Lachkova, A. Smith, M. Hall, (2007). Influence of cytokinins and novel cytokinin antagonists on the senescence of detached leaves of *Arabidopsis thaliana* (L.) Heynh. *Biol. Plant.* 51(2), 377-380.
54. 1. Blanchard, M.G., E.S. Runkle, 2008. Benzyladenine promotes flowering in Doritaenopsis and Phalaenopsis orchids. *Journal of Plant Growth Regulation* 27 (2), pp. 141-150. (IF)
55. 2. Piotrowska, A., Czerpak, R., 2009. Cellular response of light/dark-grown green alga *Chlorella vulgaris* Bei-jerinck (Chlorophyceae) to exogenous adenine- and phenylurea -type cytokinins. *Acta Physiologiae Plantarum*, 31 (3), pp. 573-585. (IF)
56. 3. Nyala, C.R., Tsan, F.Y., Pat, M.L., Zakaria, T., Zainuri, M.S. 2009. Cytokinin Application Effects on Growth Performance and Flowering of *Cattleya* Blc. Haadyai Delight Orchid. In: Roseli A. N. M., T. F. Ying, R. Othman, Ph. Ding, N. Osman, E. Philip, S. H. Ahmad (Eds.). ENHANCING PLANT PRODUCTIVITY AND ECOSYSTEM SERVICES IN A CHALLENGING ENVIRONMENT, Trans. Malaysian Soc. Plant Physiol. 18. ISBN: 978-967-344-183-4. pp. 22-25. (Book)
57. 4. Mayzlish-Gati E, LekKala SP, Resnick N., Wininger S., Bhattacharya C., Lemcoff J., Kapulnik Y., Koltai, H., 2010. Strigolactones are positive regulators of light - harvesting genes in tomato. *J. Exp. Bot.*, 61 (11), pp. 3129-3136. (IF)
58. 5. Irving, L.J., Suzuki, Y., Ishida, H., Makino, A., 2010. Protein turnover in grass leaves. *Advances in Botanical Research*, 54 (C) pp. 139-182. (Book).
- Todorova, D., Sergiev, I., Alexieva, V., Karanov, E., Smith, A., Hall, M., (2007). Polyamine content in *Arabidopsis thaliana* (L.) Heynh during recovery after low and high temperature treatments. *Plant Growth Regulation*, 51 (3), 185-191
59. 1. Duan, J.J., Li, J., Guo, S., Kang, Y., 2008. Exogenous spermidine affects polyamine metabolism in salinity-stressed *Cucumis sativus* roots and enhances short-term salinity tolerance. *Journal of Plant Physiology*, 165 (15), pp. 1620-1635. (IF)
60. 2. Yiu, J.-C., Juang, L.-D., Fang, D.Y.-T., Liu, C.-W., Wu, S.-J., 2009. Exogenous putrescine reduces flooding-induced oxidative damage by increasing the antioxidant properties of Welsh onion. *Scientia Horticulturae*, 120 (3) pp. 306-314. (IF)
61. 3. Катерова, З., 2008. Физиолого-биохимични изменения при грахови растения, обльчени с UV-B и UV-C. *Дисертация*, С.

62. <sup>4.</sup> Bibi A., 2008. Polyamines in cotton during reproductive development. PhD Thesis, University of Arkansas, Ann Arbor, MI 48106-1346.
63. <sup>5.</sup> Yiu, JC., Liu, CW., Fang, D Y.-T., Lai, YS., 2009. Waterlogging tolerance of Welsh onion (*Allium fistulosum* L.) enhanced by exogenous spermidine and spermine *Plant Physiology and Biochemistry* 47 (8) pp. 710-716. (IF)
64. <sup>6.</sup> Goyal, M., Ashtir, B., 2010. Polyamine catabolism influences antioxidative defense mechanism in shoots and roots of five wheat genotypes under high temperature stress. *Plant Growth Regulation*, 60 (1), pp. 13-25. (IF)
65. <sup>7.</sup> Ding, C., Shi, G., Xu, X., Yang, H., Xu, Y., 2010. Effect of exogenous spermidine on polyamine metabolism in water hyacinth leaves under mercury stress. *Plant Growth Regulation*, 60 (1), pp. 61-67. (IF)
66. <sup>8.</sup> Bibi, A. C., Oosterhuis, D. M., Gonias, E. D., 2010. Exogenous Application of Putrescine Ameliorates the Effect of High Temperature in *Gossypium hirsutum* L. Flowers and Fruit Development. *Journal of Agronomy and Crop Science*, 196 (3), pp. 205-211. (IF)
67. <sup>9.</sup> Gao, H., Jia, Y., Guo, S., Li, G., Wang, T., Juan, L., 2011. Exogenous calcium affects nitrogen metabolism in root-zone hypoxia-stressed muskmelon roots and enhances short-term hypoxia tolerance. *Journal of Plant Physiology*, 168 (11), pp. 1217-1225. (IF)
68. <sup>10.</sup> Asthir, B., A. Koundal, N. S. Bains. 2012. Putrescine modulates antioxidant defense response in wheat under high temperature stress. *Biologia plantarum* 56 (4), pp. 757-761. (IF)
69. <sup>11.</sup> Niemenak, N., T. M. Awah, R. Lieberei. 2012. Establishment of suspension culture in *Theobroma cacao* and polyamines associated with cacao embryogenesis. *Plant Growth Regulation* 67 (1), pp. 1-8. (IF)
70. <sup>12.</sup> CHENG, L., SUN, R., WANG, F., PENG, Z., KONG, F., WU, J., CAO, J., LU, G. 2012. Spermidine affects the transcriptome responses to high temperature stress in ripening tomato fruit. *Journal of Zhejiang University SCIENCE B (Biomedicine & Biotechnology)*, 13 (4), pp. 283-297. (IF)
71. <sup>13.</sup> BIBI, A. C., D. M. OOSTERHUIS, E. D. GONIAS, J. D. MATTICE, 2012. Nodal distribution of free polyamines in cotton ovaries. *The Journal of Agricultural Science*, 150 (3), pp. 365-372. (IF)
72. <sup>14.</sup> Cvíkrová, M., L Gemperlová, J Dobra, O Martincová, Prasil, I., J. Gubis, R. Vankova, 2012. Effect of heat stress on polyamine metabolism in proline -over -producing tobacco plants. *Plant Science* 182 (1), pp. 49-58. (IF)
73. <sup>15.</sup> **Oosterhuis D.M. and D.A. Loka, 2012 In: DERRICK M. OOSTERHUIS AND J. TOM. COTHREN (Eds.) FLOWERING AND FRUITING IN COTTON. THE COTTON FOUNDATION REFERENCE BOOK SERIES, Number Eight. Chapter 3 Polyamines and Cotton Flowering, The Cotton Foundation, Cordova, Tennessee, U.S.A. pp. 109-132. ISBN 978-0-939809-08-0 (digital) (Book).**
74. <sup>16.</sup> Yang, H. Y., G. X. Shi, W. L. Li, W. L. Wu, 2013. Exogenous spermidine enhances *Hydrocharis dubia* cadmium tolerance. *Russian Journal of Plant Physiology* 60 (6), pp. 770-775. (IF).
75. <sup>17.</sup> Khorshidi, M. 2013. Effect of putrescine on antioxidative properties in *Matricaria chamomilla*. *International Journal of Farming and Allied Sciences* 2 (17): pp. 612-617
76. <sup>18.</sup> CHENG L., WANG J., HE Y., LIU S., PENG Z., CHAO J., LU G. 2013. Exogenous application of spermidine to mature-green tomato affects tomato ripening and carotene biosynthesis under high temperature. Science paper Online. Topic Agronomy. Subtopic Horticulture Article number 21312-632, pages 1-17.

77. <sup>19.</sup> Mostafa, M. G., N. Yoshida, M. Fujita. 2014. Spermidine pretreatment enhances heat tolerance in rice seedlings through modulating antioxidative and glyoxalase systems *Plant Growth Regulation*, 73(1), 31-44. (IF).
78. <sup>20.</sup> **Morkunas, I., V. C. Mai, A. Waśkiewicz, M. Formela, P. Goliński, 2014. Major Phytohormones Under Abiotic Stress. In: Physiological Mechanisms and Adaptation Strategies in Plants Under Changing Environment. Ahmad P, MR Wani (Eds.), Springer New York. 2013. pp 87-135. DOI 10.1007/978-1-4614-8600-8 (Book)**
79. <sup>21.</sup> Wang, C., L. Fan, H. Gao, X. Wu, J. Li, G. Ly, B. Gong. 2014. Polyamine biosynthesis and degradation are modulated by exogenous gamma-aminobutyric acid in root-zone hypoxia-stressed melon roots. *Plant Physiology and Biochemistry*, 82, 17-26. (IF).
80. <sup>22.</sup> Hu, X., Z. Xu, W. Xu, J. Li, N. Zhao, Y. Zhou. 2015. Application of  $\gamma$ -Aminobutyric acid demonstrates a protective role of polyamine and GABA metabolism in muskmelon seedlings under  $\text{Ca}(\text{NO}_3)_2$  stress. *Plant Physiol. Biochem.* 92:1-10. (IF).
- Todorova, D., I. Vaseva, J. Malbeck, A. Trávníčková, I. Macháčková, E. Karanov, 2007. Cytokinin oxidase/dehydrogenase activity as a tool in gibberellic acid/cytokinin cross talk. *Biol. Plant.* 51(3), 579-583**
81. <sup>1.</sup> El-Yazal, S.A.S., El-Yazal, M.A.S., Dwidar, E.F., Rady, M.M., 2015. Phytohormone Crosstalk Research: Cytokinin and its Crosstalk with Other Phytohormones. *Current Protein & Peptide Science*, 16 (5), pp. 395-405. (IF)
- Vaseva, I., D. Todorova, J. Malbeck, A. Travnickova, I. Machackova, (2008). Response of cytokinin pool and cytokinene oxidase/dehydrogenase activity to abscisic acid exhibits organ specificity in pea. *Acta Physiol. Plant.* 30 (2), 151-155.**
82. <sup>1.</sup> Vysotskaya, L.B., Korobova, A.V., Veselov, S.Y., Dodd, I.C., Kudoyarova, G.R., 2009. ABA mediation of shoot cytokinin oxidase activity: Assessing its impacts on cytokinin status and biomass allocation of nutrient-deprived durum wheat. *Functional Plant Biology* 36 (1), pp. 66-72. (IF)
83. <sup>2.</sup> Nishiyama, P., Y. Watanabe, Y. Fujita, D. T. Le, M. Kojima, T. Werner, R. Vankova, K. Yamaguchi-Shinozaki, K. Shinozaki, T. Kakimoto, H. Sakakibara, T. Schmülling, L.-S. P. Tran. 2011. Analysis of cytokinin mutants and regulation of cytokinin metabolic genes reveals important regulatory roles of cytokinins in drought, salt and abscisic acid responses, and abscisic acid biosynthesis. *Plant Cell* 23 (6), pp. 2169-2183. (IF)
84. <sup>3.</sup> **Ha, S., Vankova, R., Yamaguchi-Shinozaki, K., Shinozaki, K., Tran, L.-S.P. 2012. Cytokinins: Metabolism and function in plant adaptation to environmental stresses. *Trends in Plant Science*, 17 (3) pp. 172-179. (IF) (Review)**
- Moskova I., D. Todorova, V. Alexieva, S. Ivanov, I. Sergiev, (2009). Effect of exogenous hydrogen peroxide on enzymatic and nonenzymatic antioxidants in leaves of young pea plants treated with paraquat. *Plant Growth Regul.* 57 (2), 193-202.**
85. <sup>1.</sup> Benabdellah, K., Ruiz-Lozano, J.M., Aroca, R. 2009. Hydrogen peroxide effects on root hydraulic properties and plasma membrane aquaporin regulation in *Phaseolus vulgaris*. *Plant Molecular Biology* 70 (6), pp. 647-661. (IF)
86. <sup>2.</sup> Michalowicz, J., Duda, W. 2009. The effects of 2,4,5-trichlorophenol on some antioxidative parameters and the activity of glutathione S-transferase in reed canary grass leaves (*Phalaris arundinacea*). *Polish Journal of Environmental Studies* 18 (5), pp. 845-852.
87. <sup>3.</sup> Krezhova, D., Iliev, I., Yanev, T., Kirova, E. 2009. Assessment of the effect of salinity on the early growth stage of soybean plants (*Glycine max* L.). *RAST 2009 Proceedings of 4th International Conference on Recent Advances Space Technologies*, art. no. 5158233, pp. 397-402.

88. <sup>4.</sup> Krezhova, D.D., Kirova, E.B., Yanev, T.K., Iliev, I.T. 2010. Effects of salinity on leaf spectral reflectance and biochemical parameters of nitrogen fixing soybean plants (*Glycine max* L.). *AIP Conference Proceedings*, 1203, pp. 694-699.
89. <sup>5.</sup> Kumar, M., Sirhind, G., Bhardwaj, R., Kumar, S., Jain, G. 2010. Effect of exogenous H<sub>2</sub>O<sub>2</sub> on antioxidant enzymes of *Brassica juncea* L. seedlings in relation to 24-epibrassinolide under chilling stress. *Indian Journal of Biochemistry and Biophysics*, 47 (6), pp. 378-382. (IF)
90. <sup>6.</sup> **Katerova, Z., L. Miteva, 2010. In: Ascorbate-glutathione pathway and stress tolerance in plants.**Eds.: N. A. Anjum et al. Chapter 6: Glutathione and herbicide resistance in plants. Springer Science+Business Media, DOI 10.1007/978-90-481-9404-9 6 pp. 191-207. (Book).
91. <sup>7.</sup> Бранкова, Л. 2010. Роля на антиоксидантната защита и микрозомалните ензими НАДФН:цитохром P450 редуктаза и НАДН:цитохром b<sub>5</sub> редуктаза при някои двусемеделни растения в условия на абиотичен стрес. *Дисертация*, София.
92. <sup>8.</sup> Шопова Е., 2011. Анализ на оксидативните процеси в грах (*Pisum sativum* L.), индуцирани от фотоактивно генериран синглетен кислород. *Дисертация*, С.
93. <sup>9.</sup> Aftab, T., MMA. Khan, M. Idrees, M. Naeem, N. Hashmi, Moinuddin, M. Ram, 2011. Growth, photosynthetic efficiency and metabolic alterations associated with exogenous hydrogen peroxide in *Artemisia annua*: Overproduction of artemisinin. *Russian Agricultural Sciences*, 37 (3), pp. 212-219.
94. <sup>10.</sup> Qiu, C., Ji, W., Guo, Y. 2011. Effects of high temperature and strong light on chlorophyll fluorescence, the D1 protein, and Deg1 protease in Satsuma mandarin, and the protective role of salicylic acid. *Shengtai Xuebao/Acta Ecologica Sinica* 31 (13), pp. 3802-3810.
95. <sup>11.</sup> Zamani-Noor N. 2011. Studies on Ramularia Leaf Spots on Barley-Resistance Phenotyping, Epidemiology and Pathogenicity. PhD Thesis, Faculty of Agricultural Sciences, Georg August University Göttingen, Germany.
96. <sup>12.</sup> Goud P. B. and M. S. Kachole. 2011. EFFECT OF HYDROGEN PEROXIDE ON PROTEIN CONTENT AND CATALASE ACTIVITY IN *Cajanus cajan* (L.) Millsp. LEAVES. *International Journal of Current Research*, 3 (4), pp.268-271.
97. <sup>13.</sup> Goldani, M., Y. Selahvarzi, J. Nabati, M. Alirezai., 2012. Effect of Exogenous Application of Hydrogen Peroxide on some Salt Tolerance Indices in Oregano (*Origanum majorana* L.). *Journal of Horticultural Science*, 26 (2), pp. 153-161. ISSN: 2008 – 4730.
98. <sup>14.</sup> Rong, E., Z. Zhao, W. Zang, P. Guo, J. Zhang, W. Zhao, M. Feng, L. Wang, D. Xie. W. Yang. 2012. Significant pathway analysis of *Arabidopsis thaliana* following treatment with paraquat (PQ). *Journal of Medicinal Plants Research* 6(9), pp. 1697-1701.
99. <sup>15.</sup> Ivanice Bezerra Da Silva. 2012. Coordenacao entre as respostas da catalase e da ascorbato peroxidase em folhas de feijao caipi submetidas a diferentes fontes de peróxido de hidrogenio. Dissertação. Universidade Federal do Rio Grande do Norte, Natal, Brasil.
100. <sup>16.</sup> Jiang, J., M. Su, Y. Chen, N. Gao, C. Jiao, Z. Sun, F. Li, C. Wang, 2013. Correlation of drought resistance in grass pea (*Lathyrus sativus*) with reactive oxygen species scavenging and osmotic adjustment. *Biologia*. 68 (2), pp. 231-240. (IF)
101. <sup>17.</sup> Lin, K.-H., Kuo, W.-S., Chiang, C.-M., Hsiung, T.-C., Chiang, M.-C., Lo, H.-F. 2013. Study of sponge gourd ascorbate peroxidase and winter squash superoxide dismutase under respective flooding and chilling stresses. *Scientia Horticulturae* 162 , pp. 333-340. (IF)
102. <sup>18.</sup> Mandal C, Ghosh N, Dey N, Adak MK. 2014. Effects of putrescine on oxidative stress induced by hydrogen peroxide in *Salvinia natans* L. *Journal of Plant Interactions*. 9(1), 550-558. (IF)

103. <sup>19.</sup> Guzel, S. and R. Terzi. 2013. Exogenous hydrogen peroxide increases dry matter production, mineral content and level of osmotic solutes in young maize leaves and alleviates deleterious effects of copper stress. *Botanical Studies*, 54:26.
104. <sup>20.</sup> Figueroa Pérez Marelya G., Rocha-Guzmán N. E., Mercado-Silva E., G. Loarca-Piña, Reynoso-Camacho R. 2014. Effect of chemical elicitors on peppermint (*Mentha piperita*) plants and their impact on the metabolite profile and antioxidant capacity of resulting infusions. *Food Chemistry*, 156, 273-278. (IF)
105. <sup>21.</sup> Cingoz, G. S., S. K. Verma, E. Gurel. 2014. Hydrogen peroxide-induced antioxidant activities and cardiotonic glycoside accumulation in callus cultures of endemic *Digitalis* species. *Plant Physiology and Biochemistry* 82, 89-94. (IF)
106. <sup>22.</sup> Fariduddin, Q., T. A. Khan, M. Yusuf. 2014. Hydrogen peroxide mediated tolerance to copper stress in the presence of 28-homobrassinolide in *Vigna radiata*. *Acta Physiologae Plantarum*, 36(10), 2767-2778. (IF)
107. <sup>23.</sup> Orabi SA, Dawood MG, Salman SR. 2015. Comparative study between the physiological role of hydrogen peroxide and salicylic acid in alleviating the harmful effect of low temperature on tomato plants grown under sand-ponic culture. *Scientia Agriculturae*, 9 (1), 49-59.
108. <sup>24.</sup> Izadi, M., AR. Shahsavar. 2015. Comparison of biochemical compounds and antioxidant activities in date palm bunch fading disorder. *South African Journal of Plant and Soil*. 32 (3), 139-145.
- Katerova Z., D. Todorova, (2009). Endogenous polyamines lessen membrane damages in pea plants provoked by enhanced ultraviolet-C radiation. *Plant Growth Regul.* 57 (2), 145-152.**
109. <sup>1.</sup> Pieruzzi, F. P., 2009. Quantificação de aminoácidos, poliaminas, AIA e ABA e marcadores protéicos na germinação de sementes de *Ocotea odorifera* Vell. (Lauraceae) – *Дисертация, Сао Паоло, Бразилия*.
110. <sup>2.</sup> Pieruzzi F. P., L. L. C. Dias, T. S. Balbuena, C. Santa-Catarina, A. L. W. dos Santos, E. I. S. Floh. 2011. Polyamines, IAA and ABA during germination in two recalcitrant seeds: *Araucaria angustifolia* (Gymnosperm) and *Ocotea odorifera* (Angiosperm). *Annals of Botany*, 108 (2), pp. 337-345. (IF)
111. <sup>3.</sup> **Coyne, C. J., R. J. McGee, R. J. Redden, M. J. Ambrose, B. J. Furman, C. A. Miles, 2011. In: Shyam Singh Yadav (Ed.) Crop Adaptation to Climate Change. Chapter 8 Genetic adjustment to changing climates: pea. Wiley, John & Sons, Incorporated. pp. 238-250 (Book).**
112. <sup>4.</sup> **Fariduddin, Q., P Varshney, M. Yusuf, A. Ahmad. 2013. Polyamines: potent modulators of plant responses to stress. *Journal of plant interaction*, 8 (1), pp. 1-16. (IF) (Review)**
113. <sup>5.</sup> Lu, Yi-Shan, Ming-Hui Yang, Chi-Yu Lu, Wan-Chi Tsai, Yu-Chang Tyan, Yu-Ching Hsu, Ching-Wen Kuo, Yu-Chun Liu, 2013. The proteomic study of the Ultraviolet-C irradiation effect for *Vigna radiata*. *J. Agri. & Fore.* 62(1): 65-78
114. <sup>6.</sup> Klein FRS. 2014. Alterações bioquímicas em espécies do gênero *Alternanthera* quando expostas à radiação UV-B e UV-C. Dissertação, Fisiologia Vegetal da Universidade Federal de Pelotas, Pelotas, Brasil.
115. <sup>7.</sup> Sudhakar, C., G. Veeranagamallaiah, A. Nareshkumar, O. Sudhakarbabu, M. Sivakumar, M. Pandurangaiah, K. Kiranmai, U. Lokesh, 2015. Polyamine metabolism influences antioxidant defense mechanism in foxtail millet (*Setaria italica* L.) cultivars with different salinity tolerance. *Plant cell reports*, 34(1):141-56. (IF)
- Vaseva I., D. Todorova, J. Malbeck, A. Travnickova, I. Machackova, (2009). Mild temperature stress modulates cytokinin content and cytokinin oxidase/dehydrogenase activity in young pea plants. *Acta Agronomica Hungarica*. 57 (1), 33-40.**

116. 1. Majláth, I., G Szalai, V Soós., E. Sebestyen, E. Balazs, R. Vankova, P. Dobrev, I. Tari, J. Tandori, T. Janda. 2012. Effect of light on the gene expression and hormonal status of winter and spring wheat plants during cold hardening. *Physiologia Plantarum*, 145 (2), pp. 296–314. (IF)
117. 2. Venske E., C. E. Schaedler, M. P. da Rosa, C. T. Borges, L. A. de Avila, P. D. Zimmer. 2013. Initial development of red and cultivated rice in response to light and air temperature. *Journal of Seed Science*, 35 (4), pp. 510-518.
118. 3. Schäfer M., C. Brüttig, I. D. Meza-Canales, D. K. Großkinsky, R. Vankova, I. T. Baldwin, S. Meldau, 2015. The role of cis-zeatin-type cytokinins in plant growth regulation and mediating responses to environmental interactions. *J. Exp. Bot.* 66 (16): 4873-4884. (IF) (Review)
- Katerova Z, Todorova D. 2011. Effect of enhanced UV-C irradiation on growth, some stress markers, polyamines, IAA and IAA-oxidase activity in pea plants (*Pisum sativum L.*). *Compt.-rend. Acad. Bulg. Sci.*. 64(11), 1555–1562.
119. 1. Klein FRS. 2014. Alterações bioquímicas em espécies do gênero *Alternanthera* quando expostas à radiação UV-B e UV-C. Dissertação, Fisiologia Vegetal da Universidade Federal de Pelotas, Pelotas, Brasil.
120. 2. BADRIDZE, G. KACHARAVA, N., CHKHUBIANISHVILI, E., RAPAVA, L., KIKVIDZE, M., CHANISHVILI, SH., CHIGLADZE, L. 2015. Influence of ultraviolet irradiation and acid precipitation on the contents of antioxidants in wheat leaves. *APPLIED ECOLOGY AND ENVIRONMENTAL RESEARCH* 13(4): 993-1013.
- Moskova I, Todorova D, Alexieva V, Sergiev I. (2011). Leaf Morphology and histology changes of pea plants treated with hydrogen peroxide and paraquat. *Compt. Rend. Acad. Bulg. Sci.* 64(12), 1695-1700.
121. 1. Mandal C, Ghosh N, Dey N, Adak MK. 2014. Effects of putrescine on oxidative stress induced by hydrogen peroxide in *Salvinia natans* L. *Journal of Plant Interactions*. 9(1), 550-558. (IF)
- Todorova D, Sergiev I, Moskova I, Alexieva V, Hall M. (2012). Oxidative stress provoked by low and high temperatures in wild type and ethylene-insensitive mutant eti5 of *Arabidopsis thaliana*. *Oxidation Communications*. 35(3), 651-661.
122. 1. Jiang S, Zhang X, Cao C. 2013. Expression of antioxidant activities of sod, apx and est isoenzymes in germinating peanut seed and seedling. *Oxidation Communications*. 36(3), 730-737. (IF)
- Todorova D, Sergiev I, Alexieva V. (2012). Application of Natural and Synthetic Polyamines as Growth Regulators to Improve the Freezing Tolerance of Winter Wheat (*Triticum aestivum L.*). *Acta Agronomica Hungarica*, 60 (1), 1-10...
123. 1. Calzadilla, P. I., A. Gazquez, S. J. Maiale, A. A. Rodriguez, O. A. Ruiz, M. A. Bernardina., 2014. Polyamines as Indicators and Modulators of the Abiotic Stress in Plants. In: Plant Adaptation to Environmental Change. Significance of Amino Acids and Their Derivatives. Anjum N. A., Gill S. S., Gill R. (Eds.), Cabi Boston, MA, USA. 2014. pp 109-128. ISBN-13: 978 1 78064 273 4. (Book).
124. 2. Bhaskar Gupta, Kamala Gupta, Bingru Huang. 2014. Chapter 19. Role of Polyamines in Abiotic Stress Responses. In: Mohammad Pessarakli (Ed). Handbook of Plant and Crop Physiology, Third Edition, CRC Press (Taylor & Francis Group), Boca Raton, FL, 33487-2742, pp 369-388. ISBN-13: 978-1-4665-5328-6. (Book).
125. 3. Makaras, M., M. Jodinskienė, 2014. AUGIMA REGULIUOJANČIU IR ANTIOKSIDANTINIŲ MEDŽIAGU POVEIKIS AUGALŲ ATSPARUMUI TEMPERATŪRINIO STRESO METU. In: Studentų mokslinė praktika 2014. KONFERENCIJOS PRANEŠIMU SANTRAUKOS II Part, (Ed. Zita Markūnaitė), UAB „Baltijos kopija“, Vilnius, Lithuania, pp. 46-48, ISBN 978-609-417-091-1. (Book).

- Katerova Z, Todorova D, Tasheva K, Sergiev I, (2012). Influence of ultraviolet radiation on plant secondary metabolite production. *Genet Plant Physiol* 2 (3-4): 113-144.
126. 1. Ruan, J., J. Zhang, M. Li, Y. Zhu, L. Sun, H. Jin, H. Su, M. Xu, 2014 Dependence of UV-B-induced camptothecin production on nitrate reductase-mediated nitric oxide signaling in *Camptotheca acuminata* suspension cell cultures. *Plant Cell Tissue Organ Cult.* 118(2), 269-278. (IF)
127. 2. Klein FRS. 2014. Alterações bioquímicas em espécies do gênero *Alternanthera* quando expostas à radiação UV-B e UV-C. Dissertação, Fisiologia Vegetal da Universidade Federal de Pelotas, Pelotas, Brasil.
128. 3. MEJÍA E.B. 2014. Efecto Inductor de la Tolerancia a Estrés Salino Mediante la Aplicación de Radiaciones UV-B y UV-C en Semillas de Soya (*Glycine max* L.), Trigo (*Triticum aestivum* L.), Girasol (*Helianthus annuus* L.) y Pino Piñonero (*Pinus maximartinezii* R.). DOCTOR EN CIENCIAS. UNIVERSIDAD AUTÓNOMA DE NUEVO LEÓN. Nuevo Leon, Mexico.
129. 4. Buyel, JF., JJ Buyel, C Haase, R Fischer, 2015. The impact of *Pseudomonas syringae* type III effectors on transient protein expression in tobacco - *Plant Biology*, 17(2):484-92 (IF).
130. 5. Heining, M., R. Buchholz. 2015. Photobioreactors with internal illumination - A survey and comparison. *Biotechnol J.* 2015 10(8):1131-1137. (IF) (Mini-review).
131. 6. Kosobryukhov, A. A., V. Yu. Lyubimov, V. D. Kreslavski. 2015. Adaptive Mechanisms of Photosynthetic Apparatus to UV Radiation. In: Tripathi, B. N., Müller, M. (Eds.). Stress Responses in Plants. Mechanisms of Toxicity and Tolerance. Springer International Publishing, pp. 59-78, DOI 10.1007/978-3-319-13368-3 3, ISBN 978-3-319-13367-6 (Book).
- Todorova D, Katerova Z, Shopova E., Nikolova A., Georgieva N., Sergiev I, Mapelli S. (2013) Polyamine spermine protects young pea plants against ultraviolet-C radiation. *Biotechnol & Biotec Equipment* 27, 2013, 3798–3802.
132. 1. Xi H, Ma L, Liu G, Wang N, Wang J, Wang L, Dai Z, Li S, Wang L. 2014. Transcriptomic Analysis of Grape (*Vitis vinifera* L.) Leaves after Exposure to Ultraviolet C Irradiation. *PLoS ONE* 9(12): e113772. doi:10.1371/journal.pone.0113772
- Todorova D, Katerova Z, Sergiev I, Alexieva V. (2013). Role of polyamines in alleviating salt stress. In: Ecophysiology and responses of plants under salt stress. Ahmad P, Azooz MM, Prasad MNV (Eds.), Springer, New York. pp 355–379, ISBN 978-1-4614-4747-4.
133. 1. Ahmad P, Hameed A, Abd-Allah EF, Sheikh SA, Wani MR, Rasool S, Jamsheed S, Kumar A. 2013. Biochemical and Molecular Approaches for Drought Tolerance in Plants. In: Physiological Mechanisms and Adaptation Strategies in Plants Under Changing Environment. Ahmad P, MR Wani (Eds.), Springer New York. pp 1-29. DOI 10.1007/978-1-4614-8600-8 (Book).
134. 2. Huang XX, Lin CF, Wang BC, Hu ZH, Zhou GL, Wang AH, Yu CL. 2014, Biofertilization alleviates problems of continuous cowpea cropping by degrading autotoxins in soil. *Allelopathy Journal.* 34(2), 265-276. (IF).
135. 3. Saha J, Brauer EK, Sengupta A, Popescu SC, Gupta K and Gupta B. 2015. Polyamines as redox homeostasis regulators during salt stress in plants. *Front. Environ. Sci.* 3:21. (Review).
136. 4. Achour A., Y. Bidai , M. Belkhodja, 2015. L'impact de la salinité sur le comportement hydrique et métabolique d'une variété de Gombo (*Abelmoschus esculentus* L.). *International Journal of Innovation and Applied Studies.* 12 (4), 943 - 953.
137. 5. Chairawiwut, W., 2015.Chloride Salts Removal by non Planted Constructed Wetlands Receiving Synthetic Brines from Belle Plaine Potash Mining. Master's Thesis. University of Regina, Regina, SK, Canada.

- Sergiev I., D. Todorova, I. Moskova, N. Georgieva, A. Nikolova, S. Simova, D. Polizoev, V. Alexieva, 2013. Protective effect of humic acids against heavy metal stress in triticale. *Compt. rend. Acad. bulg. Sci.* 66 (1), 53-60
138. 1. Canellas, L. P., F. L. Olivares, N. O. Aguiar, D. L. Jones, A. Nebbioso, P. Mazzei, A. Piccolo, 2015 Humic and fulvic acids as biostimulants in horticulture. *Scientia Horticulturae. (In press)*. doi:10.1016/j.scientia.2015.09.013 (IF) (Review)
- Todorova D, Katerova Z, Sergiev I, Alexieva V. 2014, Chapter 11. Polyamines – involvement in plant tolerance and adaptation to stress. In: Plant adaptation to environmental changes. Significance of amino acids and their derivatives (Eds. A Anjum, SS Gill, R Gill), CABI, UK. 194-221
139. 1. Smartt AE. 2014. A Genomic and Transcriptomic Approach to Understanding Cold Acclimation in *Pseudomonas fluorescens* HK44. Master's Thesis, University of Tennessee, USA.
- Damyanova M., D. Todorova, I. Sergiev, 2014. Polyamine alterations in isolated zucchini cotyledons grown in presence of cytokinins and Cu<sup>2+</sup>. *American Journal of Plant Sciences*, 5, 2141-2147
140. 1. Wu, X., J. He, H. Ding, Z. Zhu, J. Chen, S. Xu, D. Zha. 2015. Modulation of zinc-induced oxidative damage in *Solanum melongena* by 6-benzylaminopurine involves ascorbate-glutathione cycle metabolism. *Environmental and Experimental Botany*, 116, 1–11. (IF).

Цитирания в Български издания: 13

- от тях: цитирания в дисертации: 11

Цитирания в чуждестранни издания: 127

- от тях: цитирания в дисертации: 14

Общо: 140

октомври 2015 год.

София

Изготвил:

  
/гл. асистент д-р Д. Тодорова/