

## СПИСЪК

*на забелязаните цитирания на научните публикации  
на гл. ас. д-р Константина Валери Кочева,  
секция 'Минерално хранене и воден режим', ИФРГ-БАН*

**Kocheva KV, Georgiev GI (2003) Evaluation of the reaction of two contrasting barley (*Hordeum vulgare* L.) cultivars in response to osmotic stress with PEG 6000. *Bulgarian Journal of Plant Physiology* (Special Issue): 290–294. ISSN: 1310-4586.**

Цитирана от:

1. El-Tayeb MA. 2006. Differential response of two *Vicia faba* cultivars to drought: Growth, pigments, lipid peroxidation, organic solutes, catalase and peroxidase activity. *Acta Agronomica Hungarica*, 54(1): 25–37. ISSN: 0238-0161 (Print) 1588-2527 (Online).

2. Rampino P, Pataleo S, Gerardi C, Mita G, Perrota C. 2006. Drought stress response in wheat: physiological and molecular analysis of resistant and sensitive genotypes. *Plant, Cell and Environment* 29 (12): 2143–2152. Online ISSN: 1365-3040.

3. El-Tayeb MA. 2006. Differential responses of pigments, lipid peroxidation, organic solutes, catalase and peroxidase activity in the leaves of two *Vicia faba* L. cultivars to drought. *International Journal of Agriculture and Biology* 8 (1): 116-122. ISSN: 1560-8530 (Print), 1814-9596 (Online).

4. Stevens J, Senaratna T, Sivasithamparam K. 2006. Salicylic acid induces salinity tolerance in tomato (*Lycopersicon esculentum* cv. Roma): Associated changes in gas exchange, water relations and membrane stabilization. *Plant Growth Regulation* 49 (1): 77-83. ISSN: 0167-6903 (Print), 1573-5087 (Online).

5. Manoi K, Uday D. 2007. Gradient in vitro testing of Tomato (*Solanum lycopersicon*) genotypes by inducing water deficit: a new approach to screen germplasm for drought tolerance. *Asian Journal of Plant Science* 6 (6): 934-940. ISSN: 1682-3974 (Print), 1812-5697 (Online).

6. Kosturkova G, Todorova R, Sakthivelu G, Akthia Devi MK, Giridhar P Rajasekaran, Ravishankar GA. 2008. Response of Bulgarian and Indian soybean genotypes to drought and water deficiency in field and laboratory conditions. *General Applied Plant Physiology*, Special Issue 3-4: 239-250. ISSN 1312-8183 (Print), 1312-8221 (Online).

7. Meloni DA, Gulotta MR, Martinez CA. 2008. Salinity tolerance in *Schinopsis quebracho colorado*: Seed germination, growth, ion relations and metabolic responses. *Journal of Arid Environments* 72 (10): 1785-1792. ISSN: 0140-1963.

8. Pourdad SS. 2008. Study on drought resistance indices in spring safflower. *Acta Agronomica Hungarica* 56 (2): 203-212. ISSN: 0238-0161 (Print), 1588-2527 (Online).

9. Garcia Ruiz Mayra T, Pena-Valdivia Cecilia B, Trejo Carlos et al. 2008. Tissue osmotic potential and membranes permeability of Nopalitos (*Opuntia*

spp.) affected by changes in soil water potential. *Journal of the Professional Association for Cactus Development* 10: 133-147. ISSN 1938-6648

10. Najafian S, Khoshkhui M, Tavallali V, Saharkhiz MJ. 2009. Effect of Salicylic Acid and Salinity in Thyme (*Thymus vulgaris* L.): Investigation on Changes in Gas Exchange, Water Relations, and Membrane Stabilization and biomass accumulation. *Australian Journal of Basic and Applied Science* 3 (3): 2620-2626. ISSN: 1991-8178.

11. Najafian S, Khoshikui M, Tavallali V. 2009. Effect of salicylic acid and salinity in Rosemary (*Rosmarinus officinalis* L.): Investigation on changes in gas exchange, water relations, and membrane stabilization. *Advances in Environmental Biology* 3 (3): 322-328. ISSN 1995-0756 (Print), 1998-1066 (Online).

12. Bejandi TK, Sedghi M, Sharifi RS, Namvar A, Molaei P. 2009. Seed priming and sulfur effects on soybean cell membrane stability and yield in saline soil. [Condicionamento osmótico das sementes e disponibilidade de enxofre na estabilidade da membrana celular e produtividade de soja em solo salino]. *Pesquisa Agropecuária Brasileira* 44 (9) 1114-1117. ISSN 0100-204X.

13. Jalal-Ud-Din, Khan SU, Ali I. 2009. Physiological assessment of drought tolerance in wheat (*Triticum aestivum* L.) varieties under moisture stress conditions. *Biologia (Pakistan)* 55 (1&2): 1-9. ISSN 0006-3096.

14. Sharifi E, Lorestani E, Kashfi A. 2010. Effect of supplemental irrigation on drain yield and physiological characteristics in advanced bread wheat (*Triticum aestivum*) genotypes. P1-38. 16<sup>th</sup> AAS (Asian Agricultural Symposium) and 1<sup>st</sup> ISAT (International Symposium on Agricultural Technology) August 25-27, 2010.

15. Iqbal K. 2010. The Potential for Breeding Upland Cotton under Limited Water Conditions. PhD Theis. pp 199.

16. Abdellaoui R, Tarhouni M, Chaabane R, Naceur MB, El Faleh M, Abdelli C, Ramla D, Nada A, Sakr M, Hmida JB. 2010. Behavior of Tunisian Local barley accessions under progressive water deficit: physiological and biochemical approaches. *Journal of Phytology* 2 (11): 88-97. ISSN: 2075-6240.

17. Geravandi M, Farshadfar E, Kahrizi D. 2011. Evaluation of some physiological traits as indicators of drought tolerance in bread wheat genotypes. *Russian Journal of Plant Physiology* 58 (1): 69-75. ISSN: 1021-4437 (Print), 1608-3407 (Online).

18. Maohui L, Zongping P, Jiajia H. 2011. Comparative research on drought resistance of four species of herb applied to slope revegetation. *International Conference on Electric Technology and Civil Engineering*, 22-24 April: 2996-2999. Digital Object Identifier : 10.1109/ICETCE.2011.5774191.

19. Ahmadizadeh M, Valizadeh M, Zaefizadeh M, Shahbazi H. 2011. Evaluation of interaction between genotype and environments in term of germination and seedling growth in durum wheat landraces. *Advances in Environmental Biology* 5 (4): 551-558. ISSN 1995-0756 (Print), 1998-1066 (Online).

20. Gholami M, Rahemi M, Rastegar S. 2012. Use of rapid screening methods for detecting drought tolerant cultivars of fig (*Ficus carica* L.). *Scientia Horticulturae* 143: 7-14. ISSN: 0304-4238.

21. Begum MK, Alam MR, Islam MS, Arefin MS. 2012. Effect of water stress on physiological characters and juice quality of sugarcane. *Sugrar Tech* ISSN: 0972-1525 (Print), 0974-0740 (Online).

22. George S, Jatoi SA, Siddiqui SU. 2013. Genotypic differences against PEG simulated drought stress in tomato. *Pak. J. Bot.*, 45(5): 1551-1556. ISSN 0556-3321 (Print), 2070-3368 (Online).

23. Radaei Alamoli Z, Akbari G, Abdollahian-Noghabi M. 2013. Effect of drought stress in the field and the relationship between an in vitro method (Polyethylene glycol 6000) for screening sugar beet genetic resources. *Int J Agric Sci* 3: 838-850. ISSN: 0975-3710 (Print), 0975-9107 (Online).

24. Farshadfar E, Elyasi P, Hasheminasab H. 2013. Incorporation of agronomic and physiological indicators of drought tolerance in a single integrated selection index for screening drought tolerant landraces of bread wheat genotypes. *International Journal of Agronomy and Plant Production*. 4 (12): 3314-3325. ISSN 2051-1914.

25. Amini H., Arzani A., Bahrami F. 2013. Seed yield and some physiological traits of sunflower as affected by water deficit stress. *International Journal of Plant Production* 7 (3): 597-614. ISSN 1735-6814 (Print), 1735-8043 (Online).

26. Mahdavi S. 2014. Can foliar molybdenum compensate for damage to barley because of drought stress? *Bioscience Biotechnology Research Asia* 11(3): 1403-1411.

27. Aldesuquy H, Ghanem H. 2015. Exogenous salicylic acid and trehalose ameliorate short term drought stress in wheat cultivars by up-regulating membrane characteristics and antioxidant defense system. *Journal of Horticulture* 2(2): 139-145. ISSN: 2376-0354.

28. Basha PO, Sudarsanam G, Reddy MMS, Sankar NS. 2015. Effect of PEG induced water stress on germination and seedling development of tomato germplasm. *International Journal of Recent Scientific Research* 6(5): 4044-4049. ISSN 0976-3031

**Kocheva KV, Lambrev P, Georgiev G, Goltsev V, Karabaliev M (2004) Evaluation of chlorophyll fluorescence and membrane injury in the leaves of barley cultivars under osmotic stress. *Bioelectrochemistry* 63 (1-2): 121-124. ISSN: 1567-5394.**

Цитирана от:

29. Sun Y, Xu W, Fan A. 2006. Effects of salicylic acid on chlorophyll fluorescence and xanthophyll cycle in cucumber leaves under high temperature and strong light. *Chinese Journal of Applied Ecology* 17 (3): 399-402. ISSN 0256-307X (Print), 1741-3540 (Online).

30. Demiral T, Türkan I. 2006. Exogenous glycinebetaine affects growth and proline accumulation and retards senescence in two rice cultivars under NaCl stress. *Environmental and Experimental Botany* 56 (1): 72-79. ISSN: 0098-8472.

31. Redondo-Gómez S, Mateos-Naranjo E, Davy AJ, Fernández-Muñoz F, Castellanos EM, Luque T, Figueroa ME. 2007. Growth and photosynthetic responses to salinity of the salt-marsh shrub *Atriplex portulacoides*. *Annals of Botany* 100 (3): 555-563. ISSN 1095-8290 (Online), 0305-7364 (Print).

32. Jin Z, Liu Z, Wang C, Gong W. 2007. Antioxidant responses and salt stress tolerance of *Aloe vera* irrigated by seawater with different salinity. *High Technology Letters* 13 (3): 332-336. ISSN 1002-0470.

33. Zhang F, Qian J, Bao ZL, Hong XY, Dong HS, 2007. The induction of abscisic-acid-mediated drought tolerance is independent of ethylene signaling in *Arabidopsis* plants responding to a harpin protein. *Plant Molecular Biology Reporter* 25 (3-4): 98-114. ISSN: 0735-9640 (Print). 1572-9818 (Online).

- 34.** Asthir B, Kaur S, Kaur S, Mann APS. 2007. Induction of thermotolerance in heat tolerant and susceptible cultivars of wheat by heat acclimation and salicylic acid. *Ecology, Environment and Conservation* 13 (3): 515-520. ISSN: 0971-765X.
- 35.** Zarei L, Farshadfar E, Haghparast R, Rajabi R, Mohammadi Sarab Badiie M. 2007. Evaluation of some indirect traits and indices to identify drought tolerance in bread wheat (*Triticum aestivum* L.). *Asian Journal of Plant Sciences* 6 (8): 1204-1210. ISSN: 16823974 (Print), 18125697 (Online).
- 36.** Landjeva S, Korzun V, Stoimenova E, Truberg B, Ganeva G, Börner A. 2008. The contribution of the gibberellin-insensitive semi-dwarfing (Rht) genes to genetic variation in wheat seedling growth in response to osmotic stress. *Journal of Agricultural Science* 146 (3): 275-286. ISSN 1916-9752 (Print), 1916-9760 (Online).
- 37.** Kieffer P, Dommes J, Hoffmann L, Hausman JF, Renaut J, 2008. Quantitative changes in protein expression of cadmium-exposed poplar plants. *Proteomics* 8 (12): 2514-2530. Online ISSN: 1615-9861.
- 38.** Пеева ВН. 2008. Структурни и функционални особености на фотосинтетичния апарат в балканския пойкилохидриден ендемит *Haberlea rhodopensis*. *Кандидатска дисертация*, София, ИФР, БАН.
- 39.** Farshadfar E, Haghparast R, Qaitoli M. 2008. Chromosomal localization of the genes controlling agronomic and physiological indicators of drought tolerance in barley using disomic addition lines. *Asian Journal of Plant Sciences* 7 (6): 536-543. ISSN: 1682-3974 (Print), 1812-5697 (Online).
- 40.** Ashraf M, Nawaz K, Athar HR, Raza SH. 2008. Growth enhancement in two potential cereal crops, maize and wheat, by exogenous application of glycinebetaine. Section I, 21-35, *Biosaline Agriculture and High Salinity Tolerance*, pp. 367. Eds. C. Adbelly, M. Ouzturk, M. Ashraf, C. Grignon, Birkhausen Verlag/Switzerland. DOI: 10.1007/978-3-7643-8554-5\_2
- 41.** Benkherbache N, Hassous K, Mahani T, Bouazza D, Djakoun A. 2009. Which genotype of barley (*Hordeum Vulgare* L.) can be selected in the Algerian semi arid region? *Research Journal of Agriculture and Biological Sciences*, 5(6): 932-939. ISSN: 1816-1561 (Printed), 1819-5415 (Online).
- 42.** Al-Ghzawi AAM, Zaitoun S, Gosheh H, Alqudah A. 2009. Impacts of drought on pollination of *Trigonella moabitica* (Fabaceae) via bee visitations. *Archives of Agronomy and Soil Science* 55(6): 683-692. ISSN 0365-0340 (Print), 1476-3567 (Online).
- 43.** Rathinasabapathi B, Sundaram S. 2009. Increased stress tolerance, yield, and quality via glutaredoxin overexpression. US Patent Application Publication, Pub. No: US 2011/0131681 A1, 2 Jun, 2011.
- 44.** Dubey AK, Srivastav M, Singh AK, Pandey RN. 2009. Growth and physiological response of salt-sensitive and salt-tolerant rootstocks of citrus to paclobutrazol under salt stress. *Indian Journal of Agricultural Sciences* 79 (8): 595-599. ISSN: 0019-5022.
- 45.** Efeoglu B, Ekmekci Y, Cjcek N. 2009. Physiological responses of three maize cultivars to drought stress and recovery. *South African Journal of Botany* 75 (1): 34-42. ISSN: 0254-6299.
- 46.** Azizpour K, Shakiba MR, Sima NAKK, Alyari H, Mogaddam M, Esfandiari E, Pessarakli M. 2010. Physiological response of spring durum wheat genotypes to salinity. *Journal of Plant Nutrition* 33: 859-873. ISSN 0190-4167 (Print), 1532-4087 (Online).
- 47.** Sundaram S, Rathinasabapathi B. 2010. Transgenic expression of fern *Pteris vittata* glutaredoxin PvGrx5 in *Arabidopsis thaliana* increases plant tolerance to

high temperature stress and reduces oxidative damage to proteins. *Planta* 231: 361-369. ISSN: 0032-0935 (Print), 1432-2048 (Online).

**48.** de Faria AP. 2010. Avaliação *ex vivo* da tolerância de cultivares de mamoneira (*Ricinus communis* L.) ao déficit hídrico. Dissertação apresentada ao Departamento de Botânica para obtenção do Título de Mestre em Biologia Vegetal na área de Fisiologia Vegetal. Belo Horizonte, 2010.

**49.** Geravandi M, Farshadfar E, Kahrizi D. 2011. Evaluation of some physiological traits as indicators of drought tolerance in bread wheat genotypes. *Russian Journal of Plant Physiology* 58 (1): 69-75. ISSN 1021-4437(Print), 1608-3407 (Online).

**50.** Liu C, Liu Y, Guo K, Fan D, Li G, Zheng Y, Yu L, Yang R. 2011. Effect of drought on pigments, osmotic adjustment and antioxidant enzymes in six woody plant species in karst habitats of southwestern China. *Environmental and Experimental Botany* 71 (2): 174-183. ISSN: 0098-8472.

**51.** Nori A, Ahmadzadeh M, Shahbazi H, Aharizad S. 2011. Evaluation of physiological responses of durum wheat landraces (*Triticum durum*) to terminal drought stress. *Advances in Environmental Biology* 5 (7): 1947-1954. ISSN: 1995-0756 (Print), 1998-1066 (Online).

**52.** Hussain MI, González L, Chiapusio G, Reigosa MJ. 2011. Benzoxazolin-2(3H)-one (BOA) induced changes in leaf water relations, photosynthesis and carbon isotope discrimination in *Lactuca sativa*. *Plant Physiology and Biochemistry* 49 (8): 825-834. ISSN: 0981-9428.

**53.** Rolny N, Costa L, Carrión C, Guiamet JJ. 2011. Is the electrolyte leakage assay an unequivocal test of membrane deterioration during leaf senescence? *Plant Physiology and Biochemistry* 49 (10): 1220-1227. ISSN: 0981-9428.

**54.** Ahmadzadeh M, Valizadeh M, Zaefizadeh M, Shahbazi H. 2011. Evaluation of interaction between genotype and environments in term of germination and seedling growth in durum wheat landraces. *Advances in Environmental Biology* 5 (4): 551-558. ISSN: 1995-0756 (Print), 1998-1066 (Online).

**55.** Slugeňová K, Ditmarová L, Kurjak D, Válka J. 2011. Drought and aluminium as stress factors in Norway spruce (*Picea abies*, L. Karst) seedlings. *Journal of Forest Science* 57 (12): 547-554. ISSN 1212-4834 (Print), 1805-935X (Online).

**56.** Peng Song, Zheng Yong-qi, Ma Miao, et al. 2011. Physiological adaptation of *Sorbus pohuashanensis* seedlings to heat stress. *Forest Research* 24 (5): 602-608. ISSN: 1001-1498.

**57.** Vasi Z, Farshadfar E. 2011. Correlation between field and laboratory indicators of drought tolerance in wheat-barley disomic addition lines. *Annals of Biological Research* 2(6): 546-553. ISSN: 0976-1233.

**58.** Begum MK, Alam MR, Islam MS, Arefin MS. 2012. Effect of water stress on physiological characters and juice quality of sugarcane. *Sugar Tech* 14: 161-167. ISSN 0972-1525 (Print); 0974-0740 (Online).

**59.** Ebrahimi R, Ebrahimi F, Ahmadzadeh M. 2012. Effect of different substrates on herbaceous pigments and chlorophyll amount of strawberry in hydroponic cultivation system. *American-Eurasian J. Agric. & Environ. Sci.*, 12 (2): 154-158. ISSN: 1818-6769 (Print), 1990-4053 (Online).

**60.** Geetha A, Saidaiah P, Sivasankar A, Suresh J, Prayaga L, Anuradha G. 2012. Screening of sunflower genotypes for drought tolerance based on certain morpho-physiological parameters. *Madras Agric. J.*, 99 (1-3): 26-33. ISSN: 0024-9602.

61. Brestic M, Zivcak M, Kalaji HM, Carpentier R, Allakhverdiev SI. 2012. Photosystem II thermostability in situ: Environmentally induced acclimation and genotype-specific reactions in *Triticum aestivum*, L. *Plant Physiol Biochem* 57: 93-105. ISSN: 0981-9428.
62. Zhani K, Mariem BF, Fardaous M, Cherif H. 2012. Impact of salt stress (NaCl) on growth, chlorophyll content and fluorescence of Tunisian cultivars of chili pepper (*Capsicum frutescens* L.) *Journal of Stress Physiology & Biochemistry*, 8 (4): 236-252. ISSN 1997-0838.
63. مقاومت به یکیولوژیزیوف یزراع یشاخص ها ی کروموزوم یابی مکان جو-گندم یک جفت کروموزوم اضافی یدارا یدر جو با استفاده از رگه های خشک Farshadfar E, Gheytooli M, Parast RH, Poor AY, 2012. Detection of chromosomes location in barley carrying the genes controlling agronomical, physiological and metabolic indicators of drought tolerance using wheat-barley addition lines. *Iranian Journal of Field Crop Science*. 43(2): 347-357 ISSN 2008-4811.
64. Schlindwein CCD. 2012. Reportas fisiologicas dessecacao e a rehidratacao em quarto especies de pteridofitas epifiticas. Tese de doutorado. P. 94. Univerdidade federal do Rio Grande do Sul, Instituto de Biosciencias. Phd Thesis.
65. مهاییرژ تحت کنجد رقم چهار عملکرد و کیولوژیزیوف اتیخصوص یبررس دوره ،کشاورزی یبهزراع مجله -75 (2012) احسانزاده زی پرو و 1 میهراب زهرا \* خاک یرطوبت 8 ص ، 1390 زی پی ، 2 شماره ، 13 Zadeh ZM, Zade PE. 2012. A study of physiological characteristics and grain yield of four sesame (*Sesamum indicum* L.) cultivars under different soil moisture regimes. *Journal of Crop Improvement (Journal of Agriculture)*, 13(2): 75-78. ISSN: 8337-2008 (Print); 2345-6957 (Online).
66. Rui Guo, Wei Ping Hao & Dao Zhi Gong. 2012. Effects of water stress on germination and growth of linseed seedlings (*Linum usitatissimum* L), photosynthetic efficiency and accumulation of metabolites. *Journal of Agricultural Science* 4 (10): 253-265. ISSN 1916-9752 (Print), 1916-9760 (Online).
67. Molaei P, Ebadi A, Namvar A, Bejandi TK. 2012. Water relation, solute accumulation and cell membrane injury in sesame (*Sesamum indicum* L.) cultivars subjected to water stress. *Annals of Biological Research* 3(4): 1833-1838. ISSN 0976-1233.
68. Velicevici G, Madosa E, Sumalan R, Ciulca S. 2012. The effect of osmotic stress on seedlings growth of barley (*Hordeum vulgare*). *Journal of Horticulture, Forestry and Biotechnology* 16(4): 127-131. ISSN 2066-1797.
69. de Faria AP, Lemos-Filho J, Modolo LV, França MGC. 2013. Electrolyte leakage and chlorophyll *a* fluorescence among castor bean cultivars under induced water deficit. *Acta Physiologiae Plantarum* 35(1): 119-128. ISSN: 0137-5881 (Print), 1861-1664 (Online).
70. Roohi E, Tahmasebi-Sarvestani Z, Modarres-Sanavy SAM, Siosemardeh A. 2013. Comparative study on the effect of soil water stress on photosynthetic function of triticale, bread wheat, and barley *Journal of Agricultural Science and Technology* 15 (2): 215-228. A ISSN 2161-6256; B ISSN 2161-6264.
71. Shirbani S, Haghini JAP, Jafari M, Davarynejad GH. 2013. Physiological and biochemical responses of four edible fig cultivars to water stress condition. *Scholarly Journal of Agricultural Science* 3: 473-479. e-ISSN 2276-7118.
72. Farshadfar E, Elyasi P, Hasheminasab H. 2013. Incorporation of agronomic and physiological indicators of drought tolerance in a single integrated selection index for screening drought tolerant landraces of bread wheat genotypes.

*International Journal of Agronomy and Plant Production*. 4 (12): 3314-3325. ISSN 2051-1914.

73. Ahmadizadeh M. 2013. Physiological and agro-morphological response to drought stress. *Middle East Journal of Scientific Research* 13 (8): 998-1009. ISSN: 1990-9233

74. Brestic M, Zivcak M. 2013. PSII Fluorescence Techniques for Measurement of Drought and High Temperature Stress Signal in Crop Plants: Protocols and Applications, In: Molecular stress physiology of plants. Eds. G.R. Rout & A.B. Das, Springer, India, 87-131. ISBN 978-81-322-0806-8. ISBN 978-81-322-0807-5 (eBook).

75. Daszkowska-Golec A, Szarejko I. 2013. The molecular basis of ABA-mediated plant response to drought. In: Abiotic Stress – Plant Responses and Applications in Agriculture, pp. 103-133. ISBN 978-953-51-1024-8.

76. Кърцева Т. 2014. Проучване ефекта на мутантни гени върху важни биологични качества на домати (*Solanum lycopersicum* L.) и пшеница (*Triticum aestivum* L.). Докторска дисертация. София, 2014.

77. Hu Y, Zgang Y, Yi X, Zhan D, Luo H, Chow WS, Zhang W. 2014. The relative contribution of non-foliar organs of cotton to yield and related physiological characteristics under water deficit. *Journal of Integrative Agriculture*. 13 (5): 975-989. ISSN: 2095-3119.

78. Farshadfar E., Ghaderi A., Yaghotipoor A. 2014. Diallel analysis of physiologic indicators of drought tolerance in bread wheat (*Triticum aestivum* L.). *Agricultural Communications* 2(1): 1-17.

79. Sergeant K, Kieffer P, Dommes J, Hausman J-F, Renaut J. 2014. Proteomic changes in leaves of poplar exposed to both cadmium and low-temperature. *Environmental and Experimental Botany* 106: 112-123. ISSN: 0098-8472.

80. Kautz B, Noga G, Hunsche M. 2015. PEG and drought cause distinct changes in biochemical, physiological and morphological parameters of apple seedlings. *Acta Physiologiae Plantarum* 37: 162-167

81. Naeem MK, Ahmad M, Kamran M, Shah MKN, Iqbal MS. 2015. Physiological responses of wheat (*Triticum aestivum* L.) to drought stress. *International Journal of Plant and Soil Science* 6(1): 1-9. ISSN 2320-7035.

82. Watanabe T, Orikasa T, Shono H, Koide S, Ando Y, Shiina T, Tagawa A. 2016. The influence of inhibit avoid water deficit responses by heat pretreatment on hot air drying rate of spinach. *Journal of Food Engineering* 168: 113-118. ISSN 0260-8774

83. Movludi A, Ebadi A, Jahanbakhsh S, Davari M, Parmoon G. 2014. The effect of water deficit and nitrogen on the antioxidant enzymes activity and quantum yield of barley (*Hordeum vulgare* L.) *Notulae Botanicae Horticulturae Agrobotanici* 42(2): 398-404. ISSN 0255-965X electronic ISSN 1842-4309.

84. Lachman J, Kotíková Z, Zámečnicková B, Miholová D, Szakova J, Vodičková H. 2015. Effect of cadmium stress on barley tissue damage and essential metal transport into plant. *Open Life Sciences* 10(1): 30-39. ISSN 2391-5412.

85. Fang Y, Xiong L. 2015. General mechanisms of drought response and their application in drought resistance improvement in plants. *Cellular and Molecular Life Sciences* 72 (4): 673-689. ISSN 1420-682X (Print); 1420-9071 (Online).

86. Slabbert MM, Krüger GHJ. 2014. Antioxidant enzyme activity, proline accumulation, leaf area and cell membrane stability in water stressed *Amaranthus* leaves. *South African Journal of Botany* 95: 123-128. ISSN 0254-6299.

87. Varone L, Gratani L. 2015. Leaf respiration responsiveness to induced water stress in Mediterranean species. *Environmental and Experimental Botany*, 109: 141-150. ISSN 0098-8472

88. Kahlaoui B, Hachicha M, Rejeb S, Rejeb MN, Hanchi B, Misle E. 2014. Response of two tomato cultivars to field-applied proline under irrigation with saline water: Growth, chlorophyll fluorescence and nutritional aspects. *Photosynthetica* 52(3): 421-429. ISSN 0300-3604 (Print); 1573-9058 (Online).

89. Dunic JA, Lepedus H, Simic D, Lalic A, Mlinaric S, Kovacevic J, Cesar V. 2015. Physiological response of different irradiation regimes during barley seedlings growth followed by drought stress under non-photoinhibitory light. *Journal of Agricultural Science* 7(6): 69-83. ISSN: 1916-9752 (Print).

**Kocheva KV, Busheva MC, Georgiev GI, Lambrev PH, Goltsev VN (2005) Influence of short-term osmotic stress on the photosynthetic activity of barley seedlings. *Biologia Plantarum* 49 (1): 145-148. ISSN: 0006-3134 (Print), 1573-8264 (Online).**

Цитирана от:

90. Zgallai H, Steppe K, Lemeur R. 2006. Effects of severe water stress on partitioning of 14C- assimilates in tomato plants. *Journal of Applied Botany and Food Quality* 80 (1): 88-92. ISSN: 1613-9216 (Print), 1439-040X (Online).

91. Lei Y, Yin C, Ren J, Li C. 2007. Effect of osmotic stress and sodium nitroprusside pretreatment on proline metabolism of wheat seedlings. *Biologia Plantarum* 51 (2): 386-390. ISSN: 0006-3134 (Print), 1573-8264 (Online).

92. Пеева ВН. 2008. Структурни и функционални особености на фотосинтетичния апарат в балканския пойкилохидриден ендемит *Haberlea rhodopensis*. Докторска дисертация, София, ИФР, БАН.

93. Dalun T, Shuchao G, Wenxing K, Wende Y, Wenhua X, Xi F. 2008. Impact of freezing disaster on nutrient content in *Koelreuteria paniculata* and *Elaeocarpus decipens* mixed forest ecosystems. *Scientia Silvae Sinica* 44 (11): 115-122. ISSN: 1001-7488.

94. Akcay UC, Ercan O, Kavas M, Yildiz L, Yilmaz C, Oktem HA, Yucel M. 2010. Drought-induced oxidative damage and antioxidant responses in peanut (*Arachis hypogaea* L.) seedlings. *Plant Growth Regulation* 61: 21-28. ISSN: 0167-6903 (Print), 1573-5087 (Online).

95. Rapacz M, Kościelniak J, Jurczyk B, Adamska A, Wójcik M. 2010. Different patterns of physiological and molecular response to drought in seedlings of malt- and feed-type barleys (*Hordeum vulgare*). *Journal of Agronomy and Crop Science* 196: 9-19. Online ISSN: 1439-037X.

96. Akcay UC, Ercan O, Kavas M, Yildiz L 2010. Drought-induced oxidative damage and antioxidant responses in peanut (*Arachis hypogaea* L.) seedlings. *Plant Growth Regulation* 61(1): 21-28. ISSN: 0167-6903 (Print), 1573-5087 (Online).

97. Kovačević J, Kovačević M, Cesar V, Lalić A, Lepeduš H, Dvojković K, Abičić I, Kovačević V. 2011. Photosynthetic efficiency in juvenile stage and winter barley breeding for improved grain yield and stability [Fotosintetska učinkovitost u mladome stadiju razvoja i oplemenjivanje ozimoga ječma na prinos zrna i njegovu stabilnost] *Poljoprivreda* 17 (1): 28-35. ISSN: 1330-7142.



98. Kavas M, Baloglu MC, Akça O, Köse FS, Gökçay D. 2013. Effect of drought stress on oxidative damage and antioxidant enzyme activity in melon seedlings. *Turkish Journal of Biology* 37 (4): 491-498. ISSN 1300-0152 (Print), 1303-6092 (Online).

99. Haile EH. 2013. The effect of natural variation at *Ppd-H1* and *HvELF3* on responses to osmotic stress in barley (*Hordeum vulgare*). PhD Thesis, Köln.

100. Kabiri R., Nasibi F., Farahbakhsh H. 2014. Effect of exogenous salicylic acid on some physiological parameters and alleviation of drought stress in *Nigella sativa* plant under hydroponic culture. *Plant Protection Science* 50 (1): 43-51. ISSN 1212-2580 (Print); 1805-9341 (Online)

101. Kabiri R, Naghizadeh M. 2015. Exogenous acetylsalicylic acid stimulates physiological changes to improve growth, yield and yield components of barley under water stress condition. *Journal of Plant Physiology and Breeding* 5(1): 35-45. ISSN 2008-5168.

102. Biesaga-Kościelniak J, Ostrowska A, Filek M, Dziurka M, Waligorski P, Mirek M, Kościelniak J. 2014. Evaluation of spring wheat (20 varieties) adaptation to soil drought during seedlings growth stage. *Agriculture*, 4: 96-112. ISSN 2077-0472.

**Kocheva KV, Georgiev GI, Kochev VK (2005) A diffusion approach to the electrolyte leakage from plant tissues. *Physiologia Plantarum* 125 (1): 1-9. ISSN 1399-3054.**

Цитирана от:

103. Radoglou K, Cabral R, Repo T, Hasanagas N, Sutinen M-L, Waisel Y. 2007. Appraisal of root leakage as a method for estimation of root viability. *Plant Biosystems* 141 (3): 443-459. ISSN: 1126-3504 (Print), 1724-5575 (Online).

104. Asthir B, Kaur S, Kaur S, Mann APS. 2007. Induction of thermotolerance in heat tolerant and susceptible cultivars of wheat by heat acclimation and salicylic acid. *Ecology, Environment and Conservation* 13 (3): 515-520. ISSN: 0971-765X.

105. Repo T, Ryyppö A. 2008. The electrolyte leakage method can be misleading for assessing the frost hardiness of roots, *Plant Biosystems* 142 (2): 298-301. ISSN: 1126-3504 (Print). 1724-5575 (Online).

106. Gonzalez ME, Barrett DM. 2010. Thermal, high pressure, and electric field processing effects on plant cell membrane integrity and relevance to fruit and vegetable quality. *Journal of Food Science* 75 (7): R121–R130. Online ISSN: 1750 3841.

107. Asavasanti S, Ersus S, Ristenpart W, Stroeve P, Barrett DM. 2010. Critical electric field strengths of onion tissues treated by pulsed electric fields. *Journal of Food Science* 75 (7): E433-E443. Online ISSN: 1750-3841.

108. Asthir B, Deep A. 2011. Thermotolerance and antioxidant response induced by putrescine and heat acclimation in wheat seedling. *Seed Science and Biotechnology* 5(1): 42-46. ISSN: 1752-3966.

109. de Faria AP. 2010. AVALIAÇÃO EX VIVO DA TOLERÂNCIA DE CULTIVARES DE MAMONEIRA (*Ricinus communis* L.) AO DÉFICIT HÍDRICO. Dissertação apresentada ao Departamento de Botânica para obtenção do Título de Mestre em Biologia Vegetal na área de Fisiologia Vegetal. Belo Horizonte, 2010.

110. García MTA, González ELM. 2010. Natural Antioxidants Protect Against Cadmium-Induced Damage during Pregnancy and Lactation in Rats' Pups. *Journal of Food Science* 745 (1): T18–T23. Online ISSN: 1750-3841.

**111.** Petrova V, Stoimenov G, Manolova S. 2012. Drought and frost resistance of different Bulgarian wheat varieties. BALWOIS, Ochrid, Republic of Macedonia – 28 May-2 June 2012, pp. 1-10.

**112.** Jiang J, M Su, Chen Y, Gao N, Jiao C, Sun Z, Li F, Wang C. 2013. Correlation of drought resistance in grass pea (*Lathyrus sativus*) with reactive oxygen species scavenging and osmotic adjustment. *Biologia* 68 (2): 231-240. *Biologia*. ISSN: 0006-3088 (Print), 1336-9563 (Online).

**113.** Sun Z. 2013. Isoprene emission from aspen (*Populus* sp.) in relation to environmental drivers. PhD Thesis, Estonian University of Life Sciences, Tartu, 2013.

**114.** Sun Z, Huve K, Vislap V, Niinemets U. 2013. Elevated growth [CO<sub>2</sub>] enhances isoprene emissions under high temperatures and improves thermal resistance in hybrid aspen. *Journal of Experimental Botany* 64(18): 5509-5523. ISSN 1460-2431 (Online), 0022-0957 (Print).

**115.** Hassan NM, El-Bastawisy ZM, El-Sayed AK, Ebeed HT. 2013. Roles of dehydrin genes in wheat tolerance to drought stress. *Journal of Advanced Research*. <http://dx.doi.org/10.1016/j.jare.2013.11.004>. ISSN: 2090-1232.

**116.** Hastilestari BR, Pantouw CF. 2015. Effect of heat stress on strawberry leaves (*Fragaria* L. Elsanta) *Pros Sem Nas Masy Biodiv Indon* 1(4):860-863. ISSN 2407-8050

**117.** Nováková K, Navrátil T, Šestáková I, Le MP, Vodičková H, Zamečniková B, Sokolová R, Bulíčková J, Gál M. 2014. Characterization of cadmium ion transport across model and real biomembranes and indication of induced damage of plant tissues. *Monatshefte für Chemie-Chemical Monthly* 146 (5): 819-829. ISSN 0026-9247 (Print); 1434-4475 (Online).

**118.** Lachman J, Kotíková Z, Zámečnicková B, Miholová D, Szakova J, Vodičková H. 2015. Effect of cadmium stress on barley tissue damage and essential metal transport into plant. *Open Life Sciences* 10(1): 30-39. ISSN 2391-5412

**119.** Faridnia F, Burritt DJ, Bremer PJ, Oey I. 2015. Innovative approach to determine the effect of pulsed electric fields on the microstructure of whole potato tubers: Use of cell viability, microscopic images and ionic leakage measurements. *Food Research International* (in press). doi:10.1016/j.foodres.2015.08.028. ISSN 0963-9969.

**Kocheva KV, Georgiev GI, Vunkova-Radeva RV (2007) Contribution of mineral nutrition to the response of barley seedlings to polyethylene glycol-induced mild water stress. *J Plant Nutr. Soil Sci.* 170 (3): 392-397. Online ISSN: 1522-2624.**

Цитирана от:

**120.** Feijuan W, Cheng Z. 2012. Effects of nitrogen and light intensity on tomato (*Lycopersicon esculentum* Mill) production under soil water control. *African Journal of Agricultural Research* 7 (31): 4408-4415. ISSN 1991- 637X.

**121.** Penella C, Nebauer SG, Bautista AS, SLópez-Galarza S, Calatayud A. 2014. Rootstock alleviates PEG-induced water stress in grafted pepper seedlings: Physiological responses. *Journal of Plant Physiology*, 171(10): 842-851. ISSN 0176-1317.

**122.** Nio SA. 2010. Osmotic adjustment and solutes in leaves of wheat (*Triticum aestivum* L) during water deficit. MSc Thesis. University of Western Australia, School of Plant Biology, Faculty of Natural and Agricultural Sciences.

**Kocheva KV, Georgiev GI (2008) Changes in foliar proline concentration of osmotically stressed barley, *Z. Naturforsch.* 63c: 101-104. ISSN 0939-5075**

Цитирана от:

**123.** Girardi EG. 2008. Fisiologi da producao de mudas citricas sob deficiencia hidrica, Universidad de Sao Paulo, Escola Superior de Agricultura 'Luz de Queiroz'. PhD Thesis.

**124.** Oufir M, Schulz N, Sha Vallikhan PS, Wilhelm E, Burg K, Hausman J-F, Hoffmann L, Guignard C. 2009. Simultaneous measurement of proline and related compounds in oak leaves by high-performance ligand-exchange chromatography and electrospray ionization mass spectrometry for environmental stress studies. *Journal of Chromatography A* 1216 (7): 1094-1099. ISSN: 0021-9673.

**125.** Brini F, Amara I, Feki K, Hanin M, Khoudi H, Masmoudi K. 2009. Physiological and molecular analyses of seedlings of two Tunisian durum wheat (*Triticum turgidum* L. subsp. Durum [Desf.]) varieties showing contrasting tolerance to salt stress. *Acta Physiologiae Plantarum* 31 (1): 145-154. ISSN: 1861-1664 (Online).

**126.** Grigore MN, Boscaiu M, Vicente O. 2011. Assessment of the relevance of osmolyte biosynthesis for salt tolerance of halophytes under natural conditions. *The European Journal of Plant Science and Biotechnology* 5 (Special Issue 2): 12-19. ISSN 1752-3842.

**127.** Wendelboe-Nelson C, Morris PC. 2012. Proteins linked to drought tolerance revealed by DIGE analysis of drought resistant and susceptible barley varieties. *Proteomics* 12 (22): 3374-3385. ISSN: 1615-9861.

**128.** Koga R, Meng T, Nakamura E, Minura C, Irino N, Yahara S, Kondo R. 2013. Model examination for the effect of treading stress on young green barley (*Hordeum vulgare*). *American Journal of Plant Sciences* 4: 174-181. ISSN: 2158-2742 (Print), 2158-2750 (Online).

**129.** Abdel-Farid I, El-Sayed M, Mohamed E. 2013. Allelopathic potential of *Calotropis procera* and *Morettia philaeana*. *International Journal of Agriculture and Biology* 15 (1): 130-134. ISSN 1560-8530 (Print), 1814-9596 (Online).

**130.** Koga R, Meng T, Nakamura E, Minura C, Irino N, Devkota HP, Yahara S, Kondo R. 2013. The effect of photo-irradiation on the growth and ingredient composition of young green barley (*Hordeum vulgare*). *Agricultural Sciences* 4 (4): 185-194. ISSN 2156-8553 (Print), 2156-8561 (Online).

**131.** Deng G, Liang J, Xu D, Long H, Pan Z, Yu M. 2013. The relationship between proline content, the expression level of P5CS ( $\Delta^1$ -pyrroline-5-carboxylate synthetase), and drought tolerance in Tibetan hulless barley (*Hordeum vulgare* var. nudum). *Russian Journal of Plant Physiology* 60 (5): 693-700. ISSN 1021-4437 (Print), 1608-3407 (Online).

**Kocheva KV, Kartseva T, Landjeva S, Georgiev GI (2009) Physiological response of wheat seedlings to mild and severe osmotic stress. *Cereal Research Communications* 37 (2): 199-208. ISSN 0133-3720 (Print); 1788-9170 (Online).**

Цитирана от:

**132.** Geravandi M, Farshadfar E, Kahrizi D. 2011. Evaluation of some physiological traits as indicators of drought tolerance in bread wheat genotypes. *Russian Journal of Plant Physiology* 58 (1): 69-75. ISSN 1021-4437 (Print), 1608-3407 (Online).

**133.** Bencze S, Bamberger Z, Janda T, Balla K, Bedo Z, Veisz O. 2011. Drought tolerance in cereals in terms of water retention, photosynthesis and antioxidant enzyme activities. *Central European Journal of Biology* 6 (3): 376-387. ISSN: 1895-104X (Print) ISSN: 1644-3632 (Online).

**134.** Jiang J, Su M, Chen Y, Gao N, Jiao C, Sun Z, Li F, Wang C. 2013. Correlation of drought resistance in grass pea (*Lathyrus sativus*) with reactive oxygen species scavenging and osmotic adjustment. *Biologia* 68 (2): 231-240. ISSN 0006-3088 (Print), 1336-9563 (Online).

**135.** Farshadfar E, Elyasi P, Hasheminasab H. 2013. Incorporation of agronomic and physiological indicators of drought tolerance in a single integrated selection index for screening drought tolerant landraces of bread wheat genotypes. *International Journal of Agronomy and Plant Production*. 4 (12): 3314-3325. ISSN 2051-1914.

**Kocheva KV, Kartseva T, Landjeva S, Georgiev GI (2009) Parameters of cell membrane stability and levels of oxidative stress in leaves of wheat seedlings treated with PEG 6000. *General and Applied Plant Physiology*. 35 (3-4): 127-133. ISSN 1312-8183 (Print); 1312-8221 (Online).**

Цитирана от:

**136.** Zala HN, Bosamia TC, Kulkarni KS, Shukla YM. 2014. Physiological and biochemical characterization for drought stress at seedling stage in wheat genotypes. *International Journal of Bio-Resource and Stress Management* 5(3): 386-394. ISSN 0976-3988 (Print); 0976-4038 (Online).

**Landjeva S, Kocheva KV, Kartseva T, Sepsi A, Molnár I, Schneider A, Georgiev G, Molnár-Láng M (2012) Molecular cytogenetic identification of a wheat-*Aegilops geniculata* Roth spontaneous chromosome substitution and its effects on the physiological responses of seedlings to osmotic stress. *Plant Breeding* 131: 81-87. ISSN 1439-0523 (Online)**

Цитирана от:

**137.** Zhao H, Zhang W, Wang J, Li FR, Ji J, Li JM. 2013. Research progress on improving wheat drought tolerance via exotic gene introduction. *Chinese Journal of Eco-Agriculture* 21 (3): 267-273 (in Chinese). ISSN 1671-3990.

**138.** Zaharieva M, Monneveux P. 2014. Cultivated einkorn wheat (*Triticum monococcum* L. subsp. *monococcum*): the long life of a founder crop of agriculture

*Genetic Resources and Crop Evolution*. DOI 10.1007/s10722-014-0084-7. ISSN 0925-9864.

**139.** Niu Z, Klindworth DL, Yu G, Friesen TL, Chao S, Jin Y, Cai X, Ohm J-B, Rasmussen J, Xu SS. 2014. Development and characterization of wheat lines carrying rust resistance gene *Sr43* derived from *Thinopyrum ponticum*. *Theoretical and Applied Genetics* <http://handle.nal.usda.gov/10113/58663> ISSN 0040-5752.

**Chipilski RR, Kocheva KV, Nenova VR, Georgiev GI (2012) Physiological responses of two wheat cultivars to soil drought. *Z. Naturforsch.* 67c: 181-186. ISSN 0939-5075.**

Цитирана от:

**140.** Alvarez S, Choudhury SR, Pandey S. 2014. Comparative quantitative proteomics analysis of the ABA response of roots of drought-sensitive and drought-tolerant wheat varieties identifies proteomic signature of drought adaptability. *Journal of Proteome Research* 13(3): 1688-1701. ISSN 1535-3893 (Print); 1535-3907 (Online).

**Petrov P.I., Kocheva K.V., Petrova A.S., Georgiev G.I. (2012) Ion leakage and leaf anatomy of young barley plants under drought stress. *Genetics and Plant Physiology.* 2 (1-2): 15-23. ISSN 1314-5770.**

Цитирана от:

**141.** Amin SA, Fathullah CN, Maoulood PM. 2015. Morphological and anatomical responses of four wheat cultivars to water stress. *ZANCO Journal of Pure and Applied Science* 27(3): 41-48. ISSN 2218-0230.

**142.** Dunic JA, Lepedus H, Simic D, Lalic A, Mlinaric S, Kovacevic J, Cesar V. 2015. Physiological response of different irradiation regimes during barley seedlings growth followed by drought stress under non-photoinhibitory light. *Journal of Agricultural Science* 7(6): 69-83. ISSN 1916-9752 (Print); 1916-9760 (Online).

**Kocheva K.V., Georgiev G.I., Kochev V.K. (2014) An improvement of the diffusion model for assessment of drought stress response in plants. *Physiologia Plantarum* 150: 88-94. ISSN 1399-3054.**

Цитирана от:

**143.** Olya HGT, Alipour H. 2015. Risk assessment of precipitation and the tourism climate index. *Tourism management* 50: 73-80. ISSN 0261-5177.

**144.** Faria AP, Fernandes GW, Franca MGC. 2015. Physiological approaches to determine the impact of climate changes on invasive African grasses in the savanna ecoregion of Brazil. *Environmental Earth Sciences* 74(4): 3077-3088. ISSN: 1866-6280 (Print) 1866-6299 (Online).

**Kocheva K., Landjeva S., Georgiev G. (2014) Variation in ion leakage parameters of two wheat genotypes with different *Rht-B1* alleles in response to drought. *Journal of Biosciences* 39(5): 753-759. ISSN 0250-5991 (Print); 0973-7138 (Online).**

Цитирана от:

**145.** Barakat MN, Al-Doss AA, Moustafa KA, Elshafei AA, Salem AK. 2015. Identification of QTLs for four physiological traits in an advanced backcross population of wheat under drought stress. *Plant Omics Journal* 8(2): 122-129. ISSN 1836-3644; 1836-066 (Online).

Изготвил:

/гл. ас. д-р К. Кочева/

София,  
октомври, 2015 г.