

## СПИСЪК НА ЗАБЕЛЯЗАНИ ЦИТИРАНИЯ НА НАУЧНИ ПУБЛИКАЦИИ

на Ирина Иванова Васева

главен асистент в лаборатория "Регулация на генната експресия"

Институт по физиология на растенията и генетика – БАН

Брой цитирани статии: 28

Общ брой цитати (без автоцитати): 489

**Vaseva-Gemisheva I, Lee D, Alexieva V, Karanov E. 2004. Cytokinin oxidase/dehydrogenase in *Pisum sativum* plants during vegetative development. Influence of UV-B irradiation and high temperature on enzymatic activity. *Plant Growth Regul* 42: 1–5.**

1. Gaudinová A, Dobrev PI, Šolcová B, Novák O, Strnad M, Friedecký D, Motyka V. 2005. The involvement of cytokinin oxidase/dehydrogenase and zeatin reductase in regulation of cytokinin levels in pea (*Pisum sativum* L.) leaves. *J Plant Growth Regul* 24: 188–200.
2. Held M, AN Pepper, J Bozdarov, MD Smith al. 2008. The pea nodulation mutant R50 (sym16) displays altered activity and expression profiles for cytokinin dehydrogenase. *J Plant Growth Regul*, 27, 170–180.
3. Liu, Y, Zhong ZC, 2009. Interactive effects of  $\alpha$ -NAA and UV-B radiation on the endogenous hormone contents and growth of *Trichosanthes kirilowii* Maxim seedlings. *Acta Ecologica Sinica*, 29, 244-248.
4. Miklánková E. 2010. Thesis: REGULOVANÁ BIODEGRADACIA ENDOGÉNNYCH CYTOKINÍNŮV AKO NÁSTROJ PRE IDENTIFIKÁCIU ÚLOHY CYTOKINÍNŮV V PRIEBEHU VÝVOJA RASTLÍN. Přírodovědecká fakulta MASARYKOVA UNIVERZITA Brno (in Czech).
5. Mameaux S, Cockram J, Thiel T, Steuernagel B, Stein N, Taudien S, Jack P, Werner P, Gray JC, Greenland AJ, Powell W. 2012. Molecular, phylogenetic and comparative genomic analysis of the cytokinin oxidase/dehydrogenase gene family in the Poaceae. *Plant Biotech. J.* 10(1): 67–82.
6. Namlı S, Ç Işıkan, F Akbaş, Z Toker et al. 2014. Effects of UV-B radiation on total phenolic, flavonoid and hypericin contents in *Hypericum retusum* Aucher grown under in vitro conditions. *Nat Prod Res.* 28(24):2286-2292.
7. Vanhaelewyn L, Prinsen E et al. 2016. Hormone-controlled UV-B responses in plants. *Journal of Experimental Botany*, 67, 4469–4482.
8. Karel M, 2016, PhD Thesis: Regulatory aspects of shade-induced leaf senescence and cytokinin metabolism in *Triticum aestivum* L.(wheat) UNIVERZITA PALACKÉHO V OLOMOUCI Přírodovědecká fakulta Katedra biochemie.
9. Banerjee A, Roychoudhury A et al. 2016. Plant Responses to Light Stress: Oxidative Damages, Photoprotection, and Role of Phytohormones. In: *Plant Hormones under Challenging Environmental Factors*, Ahammed, Golam Jalal, Yu, Jing-Quan (Eds.), Springer.
10. Wu C, Cui K, Wang W, Li Q, Fahad S, Hu Q et al. 2017. Heat-induced cytokinin transportation and degradation are associated with reduced panicle cytokinin expression and fewer spikelets per panicle in rice. *Front Plant Sci.* 8:371.

**Gemishev O, Vaseva I, Atev A. 2005. Abscisic acid and ethylen influence on endo-1,4-B-glucanase activity in *Trichoderma reesei* I-27. *Biotech&Biotech. Equip.*19 (3):106-112.**

11. Singh R, Kapoor V, Kumar V. 2012. Production of thermostable, Ca<sup>2+</sup>-independent, maltose producing  $\alpha$ -amylase by *Streptomyces* sp. MSC702 (MTCC 10772) in submerged fermentation using agro-residues as sole carbon source. *Annals of Microbiology*, 62(3): 1003-1012.

12. Parra JT, Maniscalco DP. 2012. Efecto de *Trichoderma* spp. sobre *Rhizoctonia solani* y algunos parametros fisiologicos en *Zea Mays* L. bajo condiciones. Fitopatol. Venez. 15, Vol. 25, N° 1, 10-15. (in Spanish)
13. Pandey V, Shukla A, Kumar J. 2016. Physiological and molecular signalling involved in disease management through *Trichoderma*: An effective biocontrol paradigm. Current Trends in Plant Disease Diagnostics and Management Practices, pp 317-346.

**Vaseva-Gemisheva I, Lee D, Karanov E. 2005. Response of *Pisum sativum* cytokinin oxidase/dehydrogenase expression and specific activity to drought stress and herbicide treatments. Plant Growth Regul 46: 199–208.**

14. Vanova L. 2007. Využití in vitro kultur při studiu vlivu perzistentních organických polutantů na rostliny. PhD Thesis, Masarykova univerzita, Přírodovědecká fakulta, Ústav experimentální biologie, Brno, Czech Republic, (in Czech).
15. Váňová L, Kummerová M. 2007. Changes of level of endogenous phytohormones as new marker of environmental loading. In *MendelNet 2007 Agro - Sborník z mezinárodní konference posluchačů postgraduálního doktorského studia*. Brno : Mendelova zemědělská a lesnická univerzita, ISBN 978-80-7375-119-7, p. 115-115. 28.11.2007, Brno, Česká republika. Program rektora MU na podporu tvůrčí činnosti studentů, projekt č. 20071431C0007. (in Czech)
16. Held M, Pepper AN, Bozdarov J, Smith MD, Neil Emery RJ, Guinel FC. 2008. The Pea Nodulation Mutant R50 (sym16) Displays Altered Activity and Expression Profiles for Cytokinin Dehydrogenase. *J Plant Growth Regul* 27,170–180.
17. Mantri N, Pang ECK, Ford R, 2010. Molecular Biology for Stress Management In: Climate change and Management of Cool Season Grain Legume Crops, Shyam Singh Yadav, Robert Redden (Eds) Springer Netherlands, pp 377-408.
18. Kummerová M, Vanova L, Fiserová H, Klems M, Zesulka S, Krulová J, 2010. Understanding the effect of organic pollutant fluoranthene on pea in vitro using cytokinins, ethylene, ethane and carbon dioxide as indicators. *Plant Growth Regul.* 61:161–174.
19. Long Ch. 2010. Thesis: The Pleiotropic Mutant R50 (sym16): A Link Between Cytokinin and Starch Metabolism May Explain Its Seed Phenotype. Department of Biology, Faculty of Science, degree of Master of Science in Integrative Biology at Wilfrid Laurier University Waterloo, Ontario, Canada.
20. Ma X., Feng D.-Sh., Wang H.-G., Li X.-F., Kong L.-R. 2011. Cloning and Expression Analysis of Wheat Cytokinin Oxidase/Dehydrogenase Gene TaCKX3. *Plant Mol. Biol. Rep.* 29: 98–105.
21. Magyar-Tábori K, Mandler-Drienyovszki N, Dobránszki J. 2011. Models and Tools for Studying Drought Stress Responses in Peas. *OMICS: A Journal of Integrative Biology*, 15 (12): 829-838.
22. El-Araby MM, El-Akad SS, Nassar AH, Ismail HA. 2011. Variations in Polyamines and Growth Regulators under Different Conditions of Water Stress in Cell Suspension Cultures of Two Acacia Species. *Journal of American Science*, 7(12).
23. Nemat Alla MM, Hassan NM. 2011. Regulation of glutathione in tolerance of *Triticum aestivum* to isoproturon. *Agrochimica*, 55, 147-160.
24. Kummerová M, Zesulka Š, Váňová L, Fišerová H. 2012. Effect of organic pollutant treatment on the growth of pea and maize seedlings. *Central European Journal of Biology* Volume 7, Number 1, 159-166.
25. Avalbaev AM, Somov KA, Yuldashev RA, Shakirova FM. 2012. Cytokinin Oxidase Is Key Enzyme of Cytokinin Degradation. *Biochemistry (Moscow)*, 77(12): 1354-1361.
26. Trifunović M, Cingel A, Simonović A, Jevremović S, Petrić M, Dragičević IČ, Motyka V, Dobrev PI, Zahajská L, Subotić A. 2013. Overexpression of Arabidopsis cytokinin oxidase/dehydrogenase genes AtCKX1 and AtCKX2 in transgenic *Centaureum erythraea* Rafn. *Plant Cell, Tissue and Organ Culture*, DOI:10.1007/s11240-013-0347-6
27. Tan W, Liang T, Li Q-L, Du Y-P, Zhai H. 2013. Effects of acetochlor and fluoroglycofen on growth of grape shoot. *J. Food, Agric. Environ.* 2013, 11 (3-40): 1444-1447.

28. Alla MMN, NM Hassan. 2014. Alleviation of isoproturon toxicity to wheat by exogenous application of glutathione. *Pesticide biochemistry and physiology*, 112, 56-62.
29. Trifunović M, Motyka V, Cingel A, Subotić A et al. 2015. Changes in cytokinin content and altered cytokinin homeostasis in AtCKX1 and AtCKX2-overexpressing centaury (*Centaureum erythraea* Rafn.) plants grown in vitro. *Plant Cell, Tissue and Organ Culture*, 120, 767-777.
30. Latif HH, Mohamed HI. 2016. Exogenous applications of moringa leaf extract effect on retrotransposon, ultrastructural and biochemical contents of common bean plants under environmental stresses. *South African Journal of Botany*, 106, 221-231

**Vaseva-Gemisheva I, Sergiev I, Todorova D., Alexieva V., Stanoeva E., Lachkova V., Karanov E. 2005. Antagonistic effects of triazolo[4,5d]pyrimidine and pyridylurea derivatives on cytokinin-induced cytokinin oxidase/dehydrogenase activity in young pea plants. *Plant Growth Regul* 46: 193–197.**

31. Held M, Pepper AN, Bozdarov J, Smith MD, Neil Emery RJ, Guinel FC. 2008. The Pea Nodulation Mutant R50 (sym16) Displays Altered Activity and Expression Profiles for Cytokinin Dehydrogenase. *J Plant Growth Regul* 27, 170–180.
32. Abdul Jaleel C, Gopi R, Gomathinayagam M, Panneerselvam R, 2009. Traditional and non-traditional plant growth regulators alter phytochemical constituents in *Catharanthus roseus*. *Process Biochemistry* 44, 205–209
33. Liu Q, Gong D, Peng X, Yan X. 2010. Determination of Forchlorfenuron Dissipation and Residue in Cucumbers and Red Soil. *Journal of Northeast Agricultural University (English Edition)* 17, 1.
34. Long Ch. 2010. Thesis: The Pleiotropic Mutant R50 (sym16): A Link Between Cytokinin and Starch Metabolism May Explain Its Seed Phenotype. Department of Biology, Faculty of Science, degree of Master of Science in Integrative Biology at Wilfrid Laurier University Waterloo, Ontario, Canada.

**Todorova D, Genkov T, Vaseva-Gemisheva I, Alexieva V, Karanov E, Smith A, Hall M. 2005. Effect of temperature stress on the endogenous cytokinin content in *Arabidopsis thaliana* (L.) Heynh plants. *Acta Physiologiae Plantarum* 27, 13-18.**

35. Husickova A. 2010. Doctoral Thesis: A CYTOKININ POTION IN PLANT LIVES: ALMOST AS MIRACULOUS AS LIGHT. PALACKÝ UNIVERSITY, Olomouc
36. Cedeño-García G, Soplín-Villacorta H et al. 2016. Application of bioregulators for banana cv. Williams macro-propagation under thermal chamber. *Agronomía Mesoamericana*, vol.27 n.2 San Pedro Jul./Dec. 2016, <http://dx.doi.org/10.15517/am.v27i2.24390> (in Spanish).
37. Torres N, Goicoechea N, Antolín MC. 2017. Influence of irrigation strategy and mycorrhizal inoculation on fruit quality in different clones of Tempranillo grown under elevated temperatures. *Agricultural Water Management*. <https://doi.org/10.1016/j.agwat.2017.12.004>

**Vaseva I, Todorova D, Malbeck J, Trávníčková A, Machackova I, Karanov E. 2006. Two pea varieties differ in cytokinin oxidase/dehydrogenase response to UV-B radiation. *General and Applied Plant Physiol, Special Issue – Proceedings of the workshop on SUSTAINABILITY, STRESS AND THE BASES OF PLANT RESISTANCE Acad. M. Popov Institute of Plant Physiology* 8 September, 2006, Sofia, Bulgaria, 131-138**

38. Banerjee A, Roychoudhury A et al. 2016. Plant Responses to Light Stress: Oxidative Damages, Photoprotection, and Role of Phytohormones. In: *Plant Hormones under Challenging Environmental Factors*, Ahammed, Golam Jalal, Yu, Jing-Quan (Eds.), Springer.
39. Bashri G, Singh M, Mishra RK, Kumar J et al. 2017. Kinetin Regulates UV-B-Induced Damage to Growth, Photosystem II Photochemistry, and Nitrogen Metabolism in Tomato Seedlings. *Journal of Plant Growth Regul*, DOI: <https://doi.org/10.1007/s00344-017-9721-7>

**Todorova D, Vaseva-Gemisheva I, Petrov P, Stoyanova-Bakalova E, Alexieva V, Karanov E, Smith A, Hall M. 2006. Cytokinin oxidase/dehydrogenase (CKX) activity in wild and ethylene insensitive mutant *eti5* type of *Arabidopsis thaliana* (L.) Heynh plants and the effect of cytokinin**

**N1-(2-chloro-4-pyridyl)-N2- phenylurea on enzymatic activity and leaf morphology. *Acta Physiol Plant* 28: 613–617.**

40. Held M, Pepper AN, Bozdarov J, Smith MD, Neil Emery RJ, Guinel FC. 2008. The Pea Nodulation Mutant R50 (sym16) Displays Altered Activity and Expression Profiles for Cytokinin Dehydrogenase. *J Plant Growth Regul* 27, 170–180.
41. Babosha AV. 2009. Regulation of resistance and susceptibility in wheat–powdery mildew pathosystem with exogenous cytokinins. *Journal of Plant Physiology* 166, 1892–1903.
42. Бабосша Александр Валентинович. 2014. МНОГОФАЗНЫЙ ХАРАКТЕР КОНЦЕНТРАЦИОННОЙ ЗАВИСИМОСТИ ДЕЙСТВИЯ ФИЗИОЛОГИЧЕСКИ АКТИВНЫХ ВЕЩЕСТВ НА РОСТ РАСТЕНИЙ И УСТОЙЧИВОСТЬ К ФИТОПАТОГЕНАМ. Диссертация на соискание ученой степени доктора биологических наук. ФЕДЕРАЛЬНОЕ ГОСУДАРСТВЕННОЕ БЮДЖЕТНОЕ УЧРЕЖДЕНИЕ НАУКИ ГЛАВНЫЙ БОТАНИЧЕСКИЙ САД ИМ. Н.В.ЦИЦИНА, РОССИЙСКОЙ АКАДЕМИИ НАУК. Москва 2014.
43. Chang C, Lu J, Zhang HP, Ma CX, Sun G, 2015. Copy number variation of cytokinin oxidase gene *Tackx4* associated with grain weight and chlorophyll content of flag leaf in common wheat. *PLoS One*, DOI: <https://doi.org/10.1371/journal.pone.0145970>
44. Vanhaelewyn L, E Prinsen et al. 2016. Hormone-controlled UV-B responses in plants. *Journal of Experimental Botany*, 67, 4469–4482.

**Todorova D, Vaseva I, Malbeck J, Travnickova A, Machackova I, Karanov E. 2007. Cytokinin oxidase/dehydrogenase activity as a tool in gibberellic acid/cytokinin cross talk. *Biologia Plantarum* 51 (3): 579-583.**

45. Seif El-Yazal SA, Seif El-Yazal MA et al. 2015. Phytohormone crosstalk research: cytokinin and its crosstalk with other phytohormones. *Curr Protein Pept Sci*. 2015;16(5): 395-405.

**Vaseva I, Todorova D, Malbeck J, Trávníčková A, Macháčková I, 2008. Response of cytokinin pool and cytokinin oxidase/dehydrogenase activity to abscisic acid exhibits organ specificity in peas. *Acta Physiologiae Plantarum* 30 (2): 151-155.**

46. Vysotskaya LB, Korobova AV, Veselov SY, Dodd IC, Kudoyarova GR. 2009. ABA mediation of shoot cytokinin oxidase activity: assessing its impacts on cytokinin status and biomass allocation of nutrient-deprived durum wheat. *Functional Plant Biology*, 36: 66–72.
47. Nishiyama R, Watanabe Y, Fujita Y, Le DT, Kojima M, Werner T, Vankova R, Yamaguchi-Shinozaki K, Shinozaki K, Kakimoto T, Sakakibara H, Schmulling T, Tran L-S Ph. 2011. Analysis of Cytokinin Mutants and Regulation of Cytokinin Metabolic Genes Reveals Important Regulatory Roles of Cytokinins in Drought, Salt and Abscisic Acid Responses, and Abscisic Acid Biosynthesis. *The Plant Cell*, 23: 2169–2183.
48. Ha S, Vankova R, Yamaguchi-Shinozaki K, Shinozaki K, Tran L-S Ph. 2012. Cytokinins: metabolism and function in plant adaptation to environmental stresses. *Trends Plant Sci*. 17 (3): 172-179
49. Mi X, Wang X, Wu H, Gan L, Ding J, Li Y. 2017. Characterization and expression analysis of cytokinin biosynthesis genes in *Fragaria vesca*. *Plant Growth Regulation*, 82, 139–149.
50. Vedenicheva NP, Kosakivska IV. 2017. Cytokinins as regulators of plant ontogenesis under different growth conditions. Kyiv: Nash Format, p. 122. (in Ukrainian).

**Demirevska K, Simova-Stoilova L, Vassileva V, Vaseva I, Grigorova, B, Feller U. 2008. Drought-induced leaf protein alterations in sensitive and tolerant wheat varieties. *Gen Appl Plant Physiol*, 34(1–2):79–102.**

51. Abdalla KO, Baker B, Rafudeen MS. 2010. Proteomic analysis of nuclear proteins during dehydration of the resurrection plant *Xerophyta viscosa*. *Plant Growth Regul*. 62: 279-292.
52. Bhutto LA, Quick WP. 2010. Understanding the mechanisms of drought tolerance in wheat (*Triticum aestivum* L.) [www.shef.ac.uk/aps/.../bhutto...ali/bhutto-l-a-and-w-p-quick-publication.pdf](http://www.shef.ac.uk/aps/.../bhutto...ali/bhutto-l-a-and-w-p-quick-publication.pdf)

53. Marraccini P, Freire LP, Alves GSC, Vieira NG, Vinecky F, Elbelt S, Ramos HJO, Montagnon Ch, Vieira LGE, Leroy Th, Pot D, Silva VA, Rodrigues GC, Andrade AC. 2011. *RBCS1* expression in coffee: *Coffea* orthologs, *Coffea arabica* homeologs, and expression variability between genotypes and under drought stress. *BMC Plant Biology*, **11**: 85, doi:10.1186/1471-2229-11-8514.
54. Hassanein RA, Abdelkader AF, Ali H, Amin AAE-S, Rashad E-SM. 2012. Grain-priming and foliar pretreatment enhanced stress defense in wheat (*Triticum aestivum* var. Gimaza 9) plants cultivated in drought land. *Aust. J. Crop Sci.* 6(1): 121-129.
55. Kohli A., Narciso J. O., Miro B., Raorane M. 2012. Root proteases: reinforced links between nitrogen uptake and mobilization and drought tolerance. *Physiol. Plant.* 145: 165–179.
56. Pegoraro C, Mertz LM, Carlos da Maia L, Rombaldi CV, Costa de Oliveira A. 2011. Importance of heat shock proteins in maize. *J Crop Sci Biotech.* 14(2): 85-95.
57. Marraccini P, Vinecky F, Alves GSC, Ramos HJO, Elbelt S, Vieira NG, Carneiro FA, Sujii PS, Alekcevetch JC, Silva VA, DaMatta FM, Ferrão MAG, Leroy T, Pot D, Vieira LGE, da Silva FR, Andrade AC. 2012. Differentially expressed genes and proteins upon drought acclimation in tolerant and sensitive genotypes of *Coffea canephora* J. *Exp. Bot.* 63(11): 4191-4212.
58. Haider A. 2012. Characterization and expression of dehydrins in wild Egyptian pea (*Pisum sativum* L.) *African J. Biotech.* 11(55): 11789-11796.
59. Hossain A, Teixeira da Silva JA. 2012. Phenology, Growth and Yield of Three Wheat (*Triticum aestivum* L.) Varieties as Affected by High Temperature Stress. *Not Sci Biol*, 4(3): 97-109.
60. Landjeva S, Kocheva K, Karceva T, Sepsi A, Molnár I, Schneider A, Ganeva G, Georgiev G, Molnár-Láng M. 2012. Molecular cytogenetic identification of a wheat-*Aegilops geniculata* Roth spontaneous chromosome substitution and its effects on the growth and physiological responses of seedlings to osmotic stress. *Plant Breeding*, 131(1): 81–87.
61. Mohammadi PP, Moieni A, Komatsu S. 2012. Comparative proteome analysis of drought-sensitive and drought-tolerant rapeseed roots and their hybrid F1 line under drought stress. *Amino Acids.* 43(5): 2137-2152.
62. Mohammadi PP, Moieni A, Hiraga S, Komatsu S. 2012. Organ-specific proteomic analysis of drought-stressed soybean seedlings. *Journal of Proteomics*, 75(6): 1906–1923.
63. Katam R, Basha SM, Parks C, Sakata K, Latinwo LM. 2012. Identification and characterisation of differentially expressed leaf proteins among *Vitis* species. *Annals of Applied Biology*, 160(3): 273–290.
64. Pacheco IT, Guevara RG, de Querétaro A. 2012. RELACIÓN DE LA INMUNOLOGÍA VEGETAL Y LA PRODUCCIÓN DE ALIMENTOS (RELATIONSHIP BETWEEN PLANT IMMUNOLOGY AND FOOD PRODUCTION) (in Spanish).
65. Hossain A, Teixeira da Silva JA, Lozovskaya MV, Zvolinsky VP, Mukhortov VI. 2012. High temperature combined with drought affect rainfed spring wheat and barley in south-eastern Russia: Yield, relative performance and heat susceptibility index. *Journal of Plant Breeding and Crop Science*, 4(11): 184-196.
66. Hossain A, Teixeira da Silva JA. 2013. Wheat production in Bangladesh: its future in the light of global warming. *AoB Plants*, 5: pls042 doi: 10.1093/aobpla/pls042
67. Arumingtyas EL, Savitri ES, Purwoningrahayu RD. 2013. Protein Profiles and Dehydrin Accumulation in Some Soybean Varieties (*Glycine max* L. Merr) in Drought Stress Conditions. *AJPS* 4(1): 134-141.
68. Razzaq A, Ali Q, Qayyum A, Mahmood I, Ahmad M, Rasheed M. 2013. Physiological responses and drought resistance index of nine wheat (*Triticum aestivum* L.) cultivars under different moisture conditions. *Pak J Bot.* 45(SI): 151-155.
69. Jeremy Marriott, Singarayer Florentine, Anantanarayanan Raman. 2013. Effects of *Tetranychus lintearius* (Acari: *Tetranychidae*) on the structure and water potential in the foliage of the invasive *Ulex europaeus* (*Fabaceae*) in Australia. *International Journal of Acarology*. iFirst

70. Raimbault AK, Zuily-Fodil Y, Soler A, Mora P, Cruz de Carvalho MH. 2013. The expression patterns of bromelain and AcCYS1 correlate with blackheart resistance in pineapple fruits submitted to postharvest chilling stress. *J Plant Physiol.* 170(16): 1442–1446.
71. Dipanjana G., and Xu J. 2014. Abiotic stress responses in plant roots: a proteomics perspective. *Front. Plant Sci.*, doi: 10.3389/fpls.2014.00006
72. Komatsu S, AHM Kamal, Z Hossain 2014. Wheat proteomics: proteome modulation and abiotic stress acclimation. *Frontiers in plant science*, doi: 10.3389/fpls.2014.00684
73. Huang B, DaCosta M, Jiang Y 2014. Research Advances in Mechanisms of Turfgrass Tolerance to Abiotic Stresses: From Physiology to Molecular Biology. *Critical Reviews in Plant Sciences* Volume 33, Issue 2-3: 141-189.
74. Munawarti A, T Taryono, E Semiarti et al. 2014. Morphological And Biochemical Responses Of *Saccharum Spontaneum L.* Accessions To Drought Stress. *Journal of Tropical Life Science*, 4 (1)
75. Hasan M, S Barthakur, 2014. Hsp70 based gene expression biomarker shows growth stage specific genotypic diversity in Indian wheat (*Triticum aestivum L.*) cultivars. *Annals of Agricultural Research*, Vol 35, No 3, 0970-3179.
76. Ogbaga C. 2014, PhD Thesis: Regulation of photosynthesis in sorghum in response to drought, The University of Manchester, doi: DOI: 10.13140/RG.2.1.4756.5208.
77. Fatima S, M Arshad, SK Chaudhari, A Ali, MS Amjad et al. 2014. Utilization of synthetics for drought tolerance in bread wheat. *Int J of Biosciences*, 5, 104-112. DOI: 10.12692/ijb/5.1.104-112.
78. Moradpour K, A Najaphy, A Mostafaie et al. 2014. Evaluation of leaf proteome in wheat genotypes under drought stress. *International Journal of Advanced Biological and Biomedical Research*, Volume 2, Issue 3, 831-839.
79. Kesahvarznia R; M Shahbazi; V Mohammadi ; G Hosseini Salekdeh; A Ahmadi; E Mohseni-Fard. 2015. The impact of barley root structure and physiological traits on drought response. *Iranian Journal of Field Crop Science*, Volume 45, Issue 4, Spring 2015, Page 553-563 DOI: 10.22059/IJFCS.2014.53565
80. Masand S, SK Yadav. 2016. Overexpression of MuHSP70 gene from *Macrotyloma uniflorum* confers multiple abiotic stress tolerance in transgenic *Arabidopsis thaliana*. *Molecular biology reports*, 43(2):53-64.
81. Yu X, James AT, Yang A, Jones A et al. 2016. A comparative proteomic study of drought-tolerant and drought-sensitive soybean seedlings under drought stress. *Crop and Pasture Science* 67(5):528-540.
82. Ogbaga CC, P Stepien, BC Dyson, NJW Rattray et al. 2016. Biochemical analyses of sorghum varieties reveal differential responses to drought. *PloS one*; <https://doi.org/10.1371/journal.pone.0154423>
83. Liu H. et al. 2016. Advance in proteomics of plant roots under abiotic stress *Journal of Henan Agricultural Sciences*, 45(1): 8-14. (in Chinese)
84. Lee F., Liu Y., Liu H., Liu C. 2016 Screening and Identification of Drought Response Protein of Wild Roots of Wheat. No. 6, "Journal of Triticeae Crops" (in Chinese)
85. Ghasemzadeh R; A Taleei; GH Salekdeh; SA Peyghambari; MR Naghavi. 2017. Study the changes of some physiological properties of rapeseed (*Brassica napus L.*) under different irrigation levels. *Iranian Crop Science*, Volume 47, Issue 3, Winter 2017, Page 421-436 DOI: 10.22059/ijfcs.2016.60124.
86. Ahmad I, N Ali, H Ahmad. 2017. Association Mapping of Root Traits for Drought Tolerance in Bread Wheat. In: "Wheat Improvement, Management and Utilization", Ruth Wanyera and James Owuoche (Eds.), DOI: 10.5772/67242

**Kirova E, Tzvetkova N, Vaseva I, Ignatov G. 2008. Photosynthetic responses of nitrate-fed and nitrogen-fixing soybeans to progressive water stress. *Journal of Plant Nutrition* 31: 445–458.**

87. Bourgault M. 2009. PhD Thesis: Legume Production in Semi-Arid Areas: Comparative Study of the Physiology of Drought Tolerance in Common Bean (*Phaseolus vulgaris L.*) and Mungbean (*Vigna radiata (L.) Wilczek*). McGill University Montreal, Quebec, Canada

88. Arrese-Igor C, Gonzales EM, Marino D, Ladrera R, Larrainzar E, Gil-Quintana E. 2011. Physiological responses of legume nodules to drought. *Plant Stress*, pp. 24-31, Global Science Books.
89. Ghalamboran MR. 2011. Thesis: Symbiotic nitrogen fixation enhancement due to magnetite nanoparticles. Cranfield University.
90. El-Akhal MR, Rincon A, Coba de la Peña T, Lucas MM, El Mourabit N, Barrijal S, Pueyo JJ. 2013. Effects of salt stress and rhizobial inoculation on growth and nitrogen fixation of three peanut cultivars. *Plant Biol.* 15(2): 415-21
91. Souza GM, Catuchi TA, Bertolli SC, Soratto RP. 2013. Chapter 13. Soybean Under Water Deficit: Physiological and Yield Responses. *A Comprehensive Survey of International Soybean Research - Genetics, Physiology, Agronomy and Nitrogen Relationships*. pp. 273-298.
92. Aranjuelo I, Arrese-Igor C, Molero G. 2014. Nodule performance within a changing environmental context. *Journal of plant physiology*, 171, 1076-1090.
93. Sassi-Aydi S, Aydi S, Abdelly C. 2014. Inorganic nitrogen nutrition enhances osmotic stress tolerance in *Phaseolus vulgaris*: lessons from a drought-sensitive cultivar. *HortScience*, vol. 49 no. 5, 550-555.
94. González EM, Larrainzar E, Marino D. et al. 2015. Physiological responses of N<sub>2</sub>-fixing legumes to water limitation. In: *Legume Nitrogen Fixation in a Changing Environment Achievements and Challenges*. Eds: S. Sulieman, L.-S. Phan Tran, pp 5-33, Springer.
95. Staudinger C, V Mehmeti-Tershani, E Gil-Quintana et al. 2016. Evidence for a rhizobia-induced drought stress response strategy in *Medicago truncatula*. *J Proteomics*, 136: 202-213.
96. Mortazavi F, A Mehraban and HR Fanaei, 2016. Effect of drought stress and cultivar on some characteristic of glycine max. *Inter J Agri Biosci*, 5(2): 50-53.
97. Simova-Stoilova L, Vassileva V, Feller U. 2016. Selection and Breeding of Suitable Crop Genotypes for Drought and Heat Periods in a Changing Climate: Which Morphological and Physiological Properties Should Be Considered? *Agriculture*, doi:10.3390
98. Oskuei BK, X Yin, A Hashiguchi, A Bandehagh et al. 2017. Proteomic analysis of soybean seedling leaf under waterlogging stress in a time-dependent manner. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*, 1865 (9): 1167-1177.
99. Kazemi OB, Yin X, Hashiguchi A, Bandehagh A, Komatsu S. 2017. Proteomic analysis of soybean seedling leaf under waterlogging stress in a time-dependent manner. *Biochim Biophys Acta*. 1865(9):1167-1177.

**Vaseva I, Todorova D, Malbeck J, Travníčková A, Macháčková I. 2009. Mild temperature stress modulates cytokinin content and cytokinin oxidase/ dehydrogenase activity in young pea plants. *Acta Agronomica Hungarica* 57(1), 33–40.**

100. Majláth I, Szalai G, Soós V, Sebestyén E, Balázs E, Vanková R, Dobrev PI, Tari I, Tandori J, Janda T. 2012. Effect of light on the gene expression and hormonal status of winter and spring wheat plants during cold hardening. *Physiol. Plant.* 296–314.
101. Venske E, Schaedler CE, da Rosa MP, Borges CT, de Avila LA, Zimmer PD. 2013. Initial development of red and cultivated rice in response to light and air temperature. *Journal of Seed Science*. 35(1): 510-518.
102. Venske E. 2013. Thesis: Temperatura e luz sobre tolerância ao frio na germinação, emergência e seletividade de herbicidas em arroz. Dissertação, Universidade Federal de Pelotas, Pelotas, Brasil
103. Schäfer M, C Brütting, ID Meza-Canales et al. 2015. The role of cis-zeatin-type cytokinins in plant growth regulation and mediating responses to environmental interactions. *Journal of Experimental Botany*, 66, 4873–4884.
104. Wu C, Cui K, Wang W, Li Q, Fahad S, Hu Q. et al. 2017. Heat-induced cytokinin transportation and degradation are associated with reduced panicle cytokinin expression and fewer spikelets per panicle in rice - *Frontiers in Plant Science*. doi: 10.3389/fpls.2017.00371.

**Simova-Stoilova L., Vaseva I., Grigorova B., Demirevska K., Feller U. 2010. Proteolytic activity and cysteine protease expression in wheat leaves under severe soil drought and recovery. *Plant Physiology and Biochemistry* 48, Issues 2-3: 200-206.**

105. Gill SS, Tuteja N. 2010. Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiol. Biochem.* 48(12): 909-930
106. Grudkowska M, Zagdanska B, 2010. Acclimation to frost alters proteolytic response of wheat seedlings to drought. *J. Plant Physiol.* 167(16): 1321-1327
107. Contour-Ansel D, Torres-Franklin ML, Zuily-Fodil Y, Cruzde Carvalho MH. 2010. An aspartic acid protease from common bean is expressed 'on call' during water stress and early recovery. *J Plant Physiol.* 167(18): 1606-1612.
108. Sharma P, Dubey RSh. 2010. Protein synthesis by plants under stressful conditions. In: *Handbook of Plant and Crop Stress, Third Edition* Edited by Mohammad Pessaraki CRC Press 2010 Pages 465–518 Print ISBN: 978-1-4398-1396-6 eBook ISBN: 978-1-4398-1399-7 DOI: 10.1201/b10329-23
109. Maciel FM, Salles CMC, Retamal CA, Gomes VM, Machado OLT 2011. Identification and partial characterization of two cysteine proteases from castor bean leaves (*Ricinus communis* L.) activated by wounding and methyl jasmonate stress. *Acta Physiol. Plant.* 33(5): 1867-1875.
110. Mosolov VV, Valueva TA. 2011. Inhibitors of proteolytic enzymes under abiotic stresses in plants. *Appl. Biochem. Microbiol.* 47(5): 453-459,
111. Szawłowska U, Zdunek-Zastocka E, Bielawski W. 2011. Biochemical characterisation of prolyl aminopeptidase from shoots of triticale seedlings and its activity changes in response to suboptimal growth conditions. *Plant Physiol. Biochem.* 49(11): 1342-1349.
112. Ford KL, Cassin A, Bacic A. 2011. Quantitative proteomic analysis of wheat cultivars with differing drought stress tolerance. *Front. Plant Sci.* 2:44. doi: 10.3389/fpls.2011.00044
113. Yousuf P. Y., Hakeem K. U. R., Chandna R. and Ahmad P. 2012. Role of Glutathione Reductase in Plant Abiotic Stress. In: *Abiotic Stress Responses in Plants. Metabolism, Productivity, and Sustainability*, Eds: Parvaiz Ahmad, M. N. V. Prasad, pp 149-158, Springer, DOI: 10.1007/978-1-4614-0634-1\_8
114. Kohli A., Narciso J. O., Miro B., Raorane M. 2012. Root proteases: reinforced links between nitrogen uptake and mobilization and drought tolerance. *Physiol. Plant.* 145: 165–179.
115. Tuteja N, Gill SS, Tiburcio AF, Tuteja R. 2012. Generation and Scavenging of Reactive Oxygen Species in Plants under Stress. Sarvajeet Singh Gill, Lamabam Peter Singh, Ritu Gill, Narendra Tuteja. *Improving Crop Resistance to Abiotic Stress, Volume 1 & Volume 2*, DOI: 10.1002/9783527632930.ch3
116. Pyngrope S, Bhoomika K, Dubey RS. 2012. Oxidative stress, protein carbonylation, proteolysis and antioxidative defense system as a model for depicting water deficit tolerance in *Indica* rice seedlings. *Plant Growth Regul.* 69(2): 149-165
117. Gholami M, Rahemi M, Kholdebarin B, Rastegar S. 2012. Biochemical responses in leaves of four fig cultivars subjected to water stress and recovery. *Scientia Horticulturae* 148: 109-117.
118. Budič M, Sabotič J, Meglič V, Kos J, Kidrič M. 2012. Characterization of two novel subtilases from common bean (*Phaseolus vulgaris* L.) and their responses to drought. *Plant Physiol Biochem.* 62:79-87.
119. Gill SS, Singh LP, Gill R, Tuteja N. 2012. Generation and Scavenging of Reactive Oxygen Species in Plants under Stress. In: *Improving Crop Resistance to Abiotic Stress, Volume 1 & Volume 2* (eds. Tuteja N, Gill SS, Tiburcio AF, Tuteja R), Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany. doi: 10.1002/9783527632930.ch3
120. Szawłowska U, Grabowska A, Zdunek-Zastocka E, Bielawski W. 2012. TsPAP1 encodes a novel plant prolyl aminopeptidase whose expression is induced in response to suboptimal growth conditions *Biochemical and Biophysical Research Communications*, 419 (1): 104-109.
121. Wituszyńska W, Karpiński S. 2013. Programmed Cell Death as a Response to High Light, UV and Drought Stress in Plants, In: *Abiotic Stress - Plant Responses and Applications in Agriculture*, Chapter 7, pp 207-246, DOI: <http://dx.doi.org/10.5772/53127>.



122. Zhu H-Sh, Chen M-D, Wen Q-F, Lin H, 2013. Cloning and Expression Analysis of Cysteine Protease Gene (FaCP) in Strawberry (*Fragaria x ananassa*). J. Agricult. Biotech. 21(2): 158-164.
123. Wang J, Guan Y, Wang Y, Zhu L, Wang Q, Hu Q, Hu J. 2013. Establishing an Efficient Way to Utilize the Drought Resistance Germplasm Population in Wheat. Academic Editors: Huang J, Wang Z. The Scientific World Journal, ISSN: 1537-744X, doi:10.1155/8086).
124. Podda A, Checcucci G, Mouhaya W, Centeno D, Rofidal V, Del Carratore R, Luro F, Morillon R, Ollitrault P, Maserti BE, 2013. Salt-stress induced changes in the leaf proteome of diploid and tetraploid mandarins with contrasting Na<sup>+</sup> and Cl<sup>-</sup> accumulation behaviour. J. Plant Physiol. 170(12): 1101-1112.
125. Budak H, Kantar M, Kurtoglu KY. 2013. Drought Tolerance in Modern and Wild Wheat. The Scientific World Journal, Article ID 548246, 16 pages, DOI: <http://dx.doi.org/10.1155/2013/548246>
126. Vahdatirad A, Esfandiari E. 2013. Effect of activity ceasing of acetyl CoA-carboxylase on growth and antioxidant system in seedling stage of barley. Journal of Biological Sciences 13 (4): 250-256.
127. Pyngrope S, Bhoomika K, Dubey RS. 2013. Oxidative stress, protein carbonylation, proteolysis and antioxidative defense system as a model for depicting water deficit tolerance in Indica rice seedlings. Plant Growth Regul. 69: 149-165.
128. Rocheta M, Becker JD, Coito JL, Carvalho L, Amâncio S. 2013. Heat and water stress induce unique transcriptional signatures of heat-shock proteins and transcription factors in grapevine. Functional & Integrative Genomics, 14(1): 135-148.
129. Filippou P, Bouchagier P, Skotti E, Fotopoulos V. 2013. Proline and reactive oxygen/nitrogen species metabolism is involved in the tolerant response of the invasive plant species *Ailanthus altissima* to drought and salinity. Environmental and Experimental Botany, DOI: <http://dx.doi.org/10.1016/j.envexpbot.2013.09.010>.
130. Semwal VK, Singh B, Khanna-Chopra R. 2014. Delayed expression of SAGs correlates with longevity in CMS wheat plants compared to its fertile plants. Physiology and Molecular Biology of Plants. DOI: 10.1007/s12298-013-0215-1
131. Ahmad R, Zuily-Fodil Y, Passaquet C, Bethenod O, Roche R, Repellin A. 2014. Identification and characterization of MOR-CP, a cysteine protease induced by ozone and developmental senescence in maize (*Zea mays* L.) leaves. Chemosphere, DOI: <http://dx.doi.org/10.1016/j.chemosphere.2014.01.047>
132. Kidrič M, Kos J, Sabotič J. 2014. Proteases and their endogenous inhibitors in the plant response to abiotic stress. Bot Serb, 38 (1): 139-158
133. Xiao HJ, YX Yin, WG Chai, ZH Gong. 2014. Silencing of the CaCP gene delays salt-and osmotic-induced leaf senescence in *Capsicum annuum* L. Int J Mol Sci. 15(5):8316-34.
134. Naderi R, M Valizadeh, M Toorchi et al. 2014. Antioxidant enzyme changes in response to osmotic stress in wheat (*Triticum aestivum* L.) seedling. Acta Biologica Szegediensis, Volume 58(2): 95-101.
135. Ahmad R, Y Zuily-Fodil, C Passaquet, O Bethenod et al. 2014. Identification and characterization of MOR-CP, a cysteine protease induced by ozone and developmental senescence in maize (*Zea mays* L.) leaves. Chemosphere, 108: 245-50.
136. Kidrič M, Sabotič J, Stevanović B. 2014. Desiccation tolerance of the resurrection plant *Ramonda serbica* is associated with dehydration-dependent changes in levels of proteolytic activities. Journal of plant physiology, 171(12):998-1002.
137. Semwal VK, Singh B, Khanna-Chopra R. 2014. Delayed expression of SAGs correlates with longevity in CMS wheat plants compared to its fertile plants. Physiol Mol Biol Plants. 20(2): 191-199.
138. Bayat L, Askari M, Amini F, Zahedi M. 2014. Effects of Rhizobium inoculation on *Trifolium resupinatum* antioxidant system under sulfur dioxide pollution. Biological Journal of Microorganism, vol.2 (8).
139. Battana S, Ghanta RG. 2014. Antioxidative enzyme responses under single and combined effect of water and heavy metal stress in two Pigeon pea cultivars. Journal of Scientific and Innovative Research 2014; 3 (1): 72-80.

140. LIU Xiao-xia; ZOU Cheng-lin; LIX un-hi; ZHOU Gui. 2014. Effects of oligochitosan on the leaf physiological indices of sugarcane under drought stress. *Journal of Southern Agriculture*, Vol. 45 Issue 10, 1759-1763.
141. SUJATA PhD Thesis: "Abiotic stress mediated consequences on antioxidant defense system and secondary metabolites in *Andrographis paniculata* Wall. ex Nees" Shoolini University of Biotechnology and Management Sciences, Bajhol, Solan
142. Kunert KJ, SG van Wyk, CA Cullis et al. 2015. Potential use of phytocystatins in crop improvement, with a particular focus on legumes. *J Exp Bot.* 66(12):3559-70
143. Fang Y, H Lu, S Chen, K Zhu, H Song, H Qian. 2015. Leaf proteome analysis provides insights into the molecular mechanisms of bentazon detoxification in rice.. *Pestic Biochem Physiol.* 125:45-52.
144. Chojnacka M, J Szewińska, M, M Nykiel et al. 2015. A triticale water-deficit-inducible phytocystatin inhibits endogenous cysteine proteinases in vitro. *J Plant Physiol.* 174:161-5.
145. Sarmast MK, Salehi H, Niazi A. 2015. Biochemical differences underlie varying drought tolerance in four *Festuca arundinacea* Schreb. genotypes subjected to short water scarcity. *Acta physiologiae plantarum*, 37:192.
146. Hosseinkhani S, Hezave M Askary et al. 2015. Influence of Air SO<sub>2</sub> Pollution on Antioxidant Systems of Alfalfa Inoculated with Rhizobium. *Journal of Genetic Resources*, 1 (1): 7-18.
147. Gill SS, Anjum NA, Gill R, Mahajan M. et al. 2015. Abiotic stress tolerance and sustainable agriculture: a functional genomics perspective. In: *Elucidation of Abiotic Stress Signaling in Plants*, Girdhar K. Pandey (Editor), pp 439-472, Springer
148. Wu S, 2015 PhD Thesis: Structural and functional characterization of a Xanthomonas Type III effector, Virginia Tech.
149. Boguszewska-Mańkowska D, Nykiel M et al. 2015. Protein Oxidation and Redox Regulation of Proteolysis. In: *Biochemistry, Genetics and Molecular Biology » "Basic Principles and Clinical Significance of Oxidative Stress"*, book edited by Sivakumar Joghi and Thatha Gowder, Intech.
150. Hassan N, El-Bastawisy Z, Ebeed H, Alla MN. 2015. Role of defense enzymes, proteins, solutes and  $\Delta 1$ -pyrroline-5-carboxylate synthase in wheat tolerance to drought, *Rendiconti Lincei*, 26 (3): 281–291.
151. Rakmani A., 2015, PhD Thesis: Impact sur les paramètres agronomiques et physiologiques de l'ozone troposphérique sur le maïs en Ile-de-France, École doctorale Sciences, Ingénierie et Environnement en partenariat avec Institut d'écologie et des sciences de l'environnement de Paris (Paris) (laboratoire) et de IEES (laboratoire) (in French)
152. Li Jianping;Gao Shun;Zhang Jian;Song Xiaoyan;Ou Jiang;Zhang Mingjin. 2015. Effects of Gap on Protease and Hydroxylamine Reductase in *Pinus massoniana* Plantation. *Journal of Northeast Forestry University*, 04, (in Chinese)
153. Das K, Roychoudhury A, 2014. Reactive oxygen species (ROS) and response of antioxidants as ROS-scavengers during environmental stress in plants. *Frontiers in Environmental Science*.
154. Ahmad R, Waraich EA, Nawaz F et al. 2016. Selenium (Se) improves drought tolerance in crop plants—a myth or fact? *J Sci Food Agric.* 96(2):372-80
155. Diaz-Mendoza M, Velasco-Arroy B et al. 2016. Plant senescence and proteolysis: two processes with one destiny. *Genet Mol Biol.*39(3):329-38
156. Mansori M, Chernane H, S Latique, A Benaliat et al. 2016. Effect of seaweed extract (*Ulva rigida*) on the water deficit tolerance of *Salvia officinalis* L. *Journal of Applied Phycology*, Volume 28, Issue 2, 1363–1370
157. Gietler M, Nykiel M, Zagdańska BM. 2016. Changes in the reduction state of ascorbate and glutathione, protein oxidation and hydrolysis leading to the development of dehydration intolerance in *Triticum aestivum* L. seedlings. *Plant Growth Regulation*, 79, Issue 3, pp 287–297.
158. Wang X, Cai X, Xu C, Wang Q, Dai S. 2016. Drought-responsive mechanisms in plant leaves revealed by proteomics *Int J Mol Sci.*, 17(10)

159. Anjum NA, Sharma P, Gill SS et al. 2016. Catalase and ascorbate peroxidase representative H<sub>2</sub>O<sub>2</sub>-detoxifying heme enzymes in plants. *Environ Sci Pollut Res Int.* 23(19):19002-29
160. Nam SH, Walsh MK, Yang KY. 2016. Comparison of four purification methods to purify cysteine protease from Asian pear fruit (*Pyrus pyrifolia*). *Biocatalysis and Agricultural Biotechnology*, 5, 86-93.
161. Budič M, Cigić B, Šoštarič M, Sabotič J, Meglič V et al. 2016. The response of aminopeptidases of *Phaseolus vulgaris* to drought depends on the developmental stage of the leaves. *Plant Physiology and Biochem* 109:326-336
162. Saxena P, Kulshrestha U. 2016. Biochemical Effects of Air Pollutants on Plants In: *Plant Responses to Air Pollution*, Springer, pp 59-70
163. Chakrabarty A, Aditya M, Dey N, Banik N et al. 2016. Antioxidant signaling and redox regulation in drought-and salinity-stressed plants. In: *Drought Stress Tolerance in Plants*, Vol 1 Eds: Editors: Mohammad Anwar Hossain, Shabir Hussain Wani, Soumen Bhattacharjee, David J Burritt, Lam-Son Phan Tran, Springer, pp 465-498.
164. Sarmast MK, 2016. Ameliorating Drought-Induced Stress in Turfgrass through Genetic Manipulation. In: *Water Stress in Plants*, Eds: edited by Ismail Md. Mofizur Rahman, Zinnat Ara Begum and Hiroshi Hasegawa - intechopen.com
165. Nguyen D. 2016. PhD Thesis: Interactions between biotic and abiotic stress responses in *Solanum dulcamara*. From molecular mechanisms to ecological consequences. Radboud University Nijmegen.
166. Tamang D, Yadaw S, Pal AK. 2016. Differential physiological response in root and leaf of mungbean [*Vigna radiata* (L) Wilczek] under salinity and drought stress. *International Journal of Biotech Trends and Technology*, Vol. 19.
167. Nam SH, Kim YM, Walsh MK, Yim SH et al. 2016. Functional characterization of purified pear protease and its proteolytic activities with casein and myofibrillar proteins. *Food Science and Biotechnology*, Volume 25, Supplement 1, pp 31–39
168. Huseynova IM, Rustamova SM, Aliyeva DR et al. 2016. Photosynthesis, Antioxidant Protection, and Drought Tolerance in Plants. In: *Drought Stress Tolerance in Plants*, Vol 1, Editors: Mohammad Anwar Hossain, Shabir Hussain Wani, Soumen Bhattacharjee, David J Burritt, Lam-Son Phan Tran, Springer, pp 349-378.
169. Vighi IL, Benitez LC, Amaral MN, Moraes GP et al. 2017 Functional characterization of the antioxidant enzymes in rice plants exposed to salinity stress. *Biologia Plantarum*, 61, 540–550.
170. Chemam Y, Benayache S, Marchioni E, Zhao M et al. 2017. On-Line Screening, Isolation and Identification of Antioxidant Compounds of *Helianthemum ruficomum*. *Molecules*, 8;22(2).
171. Wang Y, C Xu, B Zhang, M Wu, G Chen. 2017. Physiological and proteomic analysis of rice (*Oryza sativa* L.) in flag leaf during flowering stage and milk stage under drought stress. *Plant Growth Regulation*, 82, 201–218.
172. Botha AM, Kunert K, Cullis C. 2017. Cysteine proteases and wheat (*Triticum aestivum* L) under drought: A still greatly unexplored association. *Plant, Cell & Environment*, DOI: 10.1111/pce.12998.
173. Dar MI, Naikoo MI, Khan FA, Rehman F et al. 2017. An Introduction to Reactive Oxygen Species Metabolism Under Changing Climate in Plants. In: *Reactive Oxygen Species and Antioxidant Systems in Plants: Role and Regulation under Abiotic Stress*. pp.25-52., Springer.
174. Yu X, Yang A, James AT. 2017. Comparative proteomic analysis of drought response in roots of two soybean genotypes. *Crop and Pasture Science*, 68(7), 609-619.
175. Mehla N, Sindhi V, Josula D, Bisht P et al. 2017. An Introduction to Antioxidants and Their Roles in Plant Stress Tolerance. In: *Reactive Oxygen Species and Antioxidant Systems in Plants: Role and Regulation under Abiotic Stress*, Editors: Editors: M. Iqbal R. Khan, Nafees A. Khan, Springer, pp 1-23.
176. Souguir M, Fraj H, Hannachi C. 2017. Enzymatic and Biochemical Responses of Sesame to Sodium Chloride at Germination and Early Seedling Growth. *International Journal of Vegetable Science*, 23(2).

177. Tatari M Fotouhi Ghazvini, R, Mousavi A et al. 2017. Comparison of Some Physiological Aspects of Drought Stress Resistance in Two Ground Cover Genus. Journal of Plant Nutrition, <http://dx.doi.org/10.1080/01904167.2017.1346117>.
178. Bernardo L, Morcia C, Carletti P, Ghizzoni R et al. 2017. Proteomic insight into the mitigation of wheat root drought stress by arbuscular mycorrhizae. J Proteomics, S1874-3919 (17), 30108-2.
179. Islam A, Leung S, Nikmatullah A, Dijkwel PP, McManus MT: Kunitz Proteinase Inhibitors Limit Water Stress Responses in White Clover (*Trifolium repens* L.) Plants. Frontiers in Plant Science 2017, 8(1683).

**Vaseva II, Grigorova BS, Simova-Stoilova LP, Demirevska KN, Feller U. 2010. Abscisic acid and LEA profile changes in winter wheat under progressive drought stress. Plant Biology, 12 (5): 698–707.**

180. Wang Yue-Xia, Suo Biao, Zhao Teng-Fei, Qu Xiao-Fei, Yuan Li-Gang, Zhao Xue-Juan, and Zhao Hui-Jie. 2011. Effect of abscisic acid treatment on *psbA* gene expression in two wheat cultivars during grain filling stage under drought stress. Acta Agronomica Sinica 37(8): 1372-1377, DOI: 10.3724/SP.J.1006.2011.01372
181. Kang Y, Han Y, Torres-Jerez I, Wang M, Tang Y, Monteros M, Udvardi M. 2011. System responses to long-term drought and re-watering of two contrasting alfalfa varieties. The Plant J, 68: 871–889
182. Panchártek D 2011. Thesis. Cis and trans elements in plant response to drought (with a particular focus on photosynthetic genes). Univerzita Karlova v Praze Přírodovědecká fakulta Katedra genetiky a mikrobiologie.
183. Lastochkina OV, 2012. Thesis: The Role of Hormonal Intermediates in the Manifestation of Anti-stress Effect of Natural Growth Regulators on Wheat Plants, Russian Academy of Sciences, UFA Scientific Centre, Institute of Biochemistry and Genetics (in Russian).
184. Velasco-Conde T, Yakovlev I, Majada JP, Aranda I, Johnsen Ø. 2012. Dehydrins in maritime pine (*Pinus pinaster*) and their expression related to drought stress response. Tree Genetics & Genomes. DOI: 10.1007/s11295-012-0476-9
185. Min D-H, Zhang X-H, Xu Z-S, Zhao Y, Chen Y, Li L-Ch, Chen M, Ma Y-Z 2012. Induction Kinetics of a Novel Stress-related *LEA* Gene in Wheat. Plant Molecular Biology Reporter. Volume 30, Issue 6, December 2012, Pages 1313-1321 DOI: 10.1007/s11105-012-0446-2
186. Haider A. 2012. Characterization and expression of dehydrins in wild Egyptian pea (*Pisum sativum* L.) African Journal of Biotechnology, Vol. 11(55), pp. 11789-11796, DOI: 10.5897/AJB12.1707
187. Su L., Xu L., Chen Y., Li L. 2012. Isolation of *AhDHNs* from *Arachis hypogaea* L. and evaluation of *AhDHNs* expression under exogenous abscisic acid (ABA) and water stress. African Journal of Biotechnology Vol. 11(51), pp. 11221-11229. DOI: 10.5897/AJB11.3844
188. Pranger A.L. 2012. THESIS: SYNTHETIC HEXAPLOID WHEAT CONTRIBUTES FAVORABLE ALLELES FOR YIELD AND YIELD COMPONENTS IN AN ADVANCED BACKCROSS WINTER WHEAT POPULATION. Department of Soil and Crop Sciences, Colorado State University, Fort Collins, Colorado Spring.
189. Zhu W., Zhang L., Zhang N., Xing Y., Jiang B. 2012. The clone of wheat dehydrin-like gene *wzy2* and its functional analysis in *Pichia pastoris*. African Journal of Biotechnology Vol. 11(40), pp. 9549-9558, DOI: 10.5897/AJB11.3470
190. Zhou Li, et al. 2012. Review: Late embryogenesis abundant protein structure and function. Tropical Biology 3(2): 191-196 (in Chinese)
191. MIN Dong-Hong, ZHAO Yue, CHEN Yang, XU Zhao-Shi, HUO Dong-Ying, HU Di, CHEN Ming, LI Lian-Cheng, MA You-Zhi. 2012. Isolation and Molecular Characterization of Stress-Related *TaLEAL3* Gene in Wheat. ACTA AGRONOMICA SINICA, 38(10): 1847–1855 (in Chinese)
192. Hikmet Budak, Melda Kantar, and Kuaybe Yucebilgili Kurtoglu. 2013. Drought Tolerance in Modern and Wild Wheat. The Scientific World Journal, Volume 2013 (2013), Article ID 548246, 16 pages, <http://dx.doi.org/10.1155/2013/548246>

193. Zhu W., Zhang D., Lu X., Zhang L., Yu Zh., Lv H., Zhang H. 2013. Characterisation of an SKn-type Dehydrin Promoter from Wheat and Its Responsiveness to Various Abiotic and Biotic Stresses. *Plant Molecular Biology Reporter* DOI: 10.1007/s11105-013-0681-1
194. Shan, X, Li, Y, Jiang, Y, Jiang, Z, Hao, W, Yuan, Y. 2013. Transcriptome Profile Analysis of Maize Seedlings in Response to High-salinity, Drought and Cold Stresses by Deep Sequencing. *Plant Molecular Biology Reporter*. Volume 31, Issue 6, December, Pages 1485-1491
195. Farooq M, Hussain M, Siddique KHM. 2014. Drought stress in wheat during flowering and grain-filling periods. *Critical Reviews in Plant Sciences*, 33 (4), 331-349.
196. Komatsu S, Kamal AHM, Hossain Z. 2014. Wheat proteomics: proteome modulation and abiotic stress acclimation. *Frontiers in plant science*, doi: 10.3389/fpls.2014.00684
197. Zhu W, Zhang D, Lu X, Zhang L, Yu Z, et al. 2014. Characterisation of an SKn-type dehydrin promoter from wheat and its responsiveness to various abiotic and biotic stresses. *Plant molecular biology Reporter*, Volume 32, Issue 3, pp 664–678.
198. Wang Y, Liu S, Zhang H, Zhao Y, Zhao H et al. 2014. Glycine betaine application in grain filling wheat plants alleviates heat and high light-induced photoinhibition by enhancing the psbA transcription and stomatal conductance. *Acta Physiologiae Plantarum*, 36, 2195–2202.
199. Alvarez, S., Roy Choudhury, S., Pandey, S. 2014. Comparative quantitative proteomics analysis of the ABA response of roots of drought-sensitive and drought-tolerant wheat varieties identifies proteomic signatures of drought adaptability. *Journal of Proteome Research* , 13, 1688-1701.
200. Davis TS, Bosque-Pérez NA, Popova I et al. 2015. Evidence for additive effects of virus infection and water availability on phytohormone induction in a staple crop. *Frontiers in Ecology and Evolution*, doi: 10.3389/fevo.2015.00114
201. Rakhra G, Dev Sharma A, Singh J. 2015. Drought-induced changes in the accumulation of boiling-soluble proteins (p40, GST, HSP90) in the grains of drought-tolerant and drought-sensitive cultivars of *Triticum aestivum*. *Crop and Pasture Science*, DOI: 10.1071/CP15054.
202. Xue LJ, Frost CJ, Tsai CJ, Harding SA. 2016. Drought response transcriptomes are altered in poplar with reduced tonoplast sucrose transporter expression. *Scientific reports*, Scientific Reports 6, Article number: 33655, doi:10.1038/srep33655.
203. Nachappa P, Culkin CT, Saya PM. 2016. Water stress modulates soybean aphid performance, feeding behavior, and virus transmission in soybean, *Front Plant Sci*. 2016 Apr 27;7:552. doi: 10.3389/fpls.2016.00552
204. Chen J, Fan L, Du Y, Zhu W, Tang Z, Li N, Zhang D et al. 2016. Temporal and spatial expression and function of TaDlea3 in *Triticum aestivum* during developmental stages under drought stress. *Plant Science*, 252:290-299.
205. Mishra RK, Mishra V, Pandey H et al. 2016. Mycorrhizal symbiosis. In: *Water Stress and Crop Plants: A Sustainable Approach*, Parvaiz Ahmad (edd.).
206. Huang YL, Xiang JL, Yin KD. 2017. Differential gene expression analysis of the Coix transcriptome under PEG stress. *Maydica* 62.
207. Liu F, Si H, Wang C, Sun G, Zhou E, Chen C et al. 2016. Molecular evolution of Wcor15 gene enhanced our understanding of the origin of A, B and D genomes in *Triticum aestivum*. *Scientific reports*, 6:31706. doi: 10.1038/srep31706.
208. Liu C, Mi H, Liu H, Xie S, Wu Y, Ning P, Liang T, Lv J. 2017. Response to water deficit in glume of wheat: expression profiling by microarray analysis. *Euphytica* 213:26
209. Rakhra G, Kaur T, Vyas D, Sharma AD, Singh J et al. 2017. Molecular cloning, characterization, heterologous expression and in-silico analysis of disordered boiling soluble stress-responsive wBsSRP protein from drought tolerant wheat cv.PBW 175. *Plant Physiology and Biochemistry*, 112, 29-44.

**Grigorova B., Vaseva I., Demirevska K., Feller U. 2011. Expression of selected heat shock proteins after individually applied and combined drought and heat stress. *Acta Physiologiae Plantarum*. 33 (5): 2041-2049.**

210. Pinho dos Reis S., Lima A.M., Batista de Souza C.R. 2012. Recent Molecular Advances on Downstream Plant Responses to Abiotic Stress. *Int. J. Mol. Sci.*, 13(7), 8628-8647; doi:10.3390/ijms13078628
211. Ye, ShuiFeng, 2012 Expression profile analysis of 9 heat shock protein genes throughout the life cycle and under abiotic stress in rice. *Chinese Science Bulletin* 57(4):336-343.
212. Xia Y, Li R, Ning Z, Bai G, Siddique KHM, et al. (2013) Single Nucleotide Polymorphisms in *HSP17.8* and Their Association with Agronomic Traits in Barley. *PLoS ONE* 8(2): e56816. doi:10.1371/journal.pone.0056816
213. Budak H, Kantar M, Yucebilgili Kurtoglu K 2013. Drought Tolerance in modern and wild wheat. *The ScientificWorld Journal*, Volume 2013, Article ID 548246, 16 pages, <http://dx.doi.org/10.1155/2013/548246>
214. Shan X, Li Y, Jiang Y, Jiang Z, Hao W, Yuan Y. 2013. Transcriptome profile analysis of maize seedlings in response to high-salinity, drought and cold stresses by deep sequencing. *Plant Molecular Biology Reporter*. DOI: 10.1007/s11105-013-0622-z
215. Tao W , Xueyao T, Yinfeng X, Wangxiang Z. 2013. Research advance on heat tolerance in plants. *Journal of Yunnan Agricultural University*, 28(5): 719-772 (in Chinese).
216. Klein RD, Chidawanyika T, Tims HS, Meulia T, Bouchard RA, Pett VB. 2014. Chaperone function of two small heat shock proteins from maize. *Plant Science*. Volumes 221–222, 48-58.
217. Dabbert TA, Gore MA. 2014. Challenges and Perspectives on Improving Heat and Drought Stress Resilience in Cotton. *The Journal of Cotton Science* 18:393–409.
218. Bo V, Curtis T, Lysenko A, Saqi M, Swift S, Tucker A. 2014. Discovering study-specific gene regulatory networks. *PLoS one*, <https://doi.org/10.1371/journal.pone.0106524>
219. Kaur A, Gupta OP, Sharma P. 2014. Comparative expression analysis of HSP genes in wheat and barley under heat stress. *Journal of Wheat Research*, 8(1):63-64
220. Wang T, Tang S, Ho M, Xie Y, Zhang X. 2014. Research Progress on the Relationship between Heat Shock Proteins and Plant Heat Tolerance. *Chinese Journal of Scientific and Technical Periodicals-Agriculture, Forestry, Animal Husbandry and Fishery*, 2014 No. 6 (in Chinese).
221. Bo V. 2014. PhD Thesis: Unique networks: a method to identify disease-specific regulatory networks from microarray data. Brunel University London, Dept of Computer Science
222. Innes PJ 2014, PhD Thesis: Evaluating heat stress in Australian wheat, University of Sydney, Faculty of Agriculture and Environment.
223. Shao R, Xin L, Mao J, Li L, Kang G, Yang Q. 2015. Physiological, ultrastructural and proteomic responses in the leaf of maize seedlings to polyethylene glycol-stimulated severe water deficiency. *Int J Mol Sci*, 16(9): 21606-25.
224. Abu-Romman S. 2016. Genotypic response to heat stress in durum wheat and the expression of small HSP genes. *Rendiconti Lincei*, 27, 261–267.
225. Hossain MA, Burritt DJ, Fujita M. 2016. Cross-Stress Tolerance in Plants: Molecular Mechanisms and Possible Involvement of Reactive Oxygen Species and Methylglyoxal Detoxification Systems. In: *Abiotic Stress Response in Plants*. Editor(s): Narendra Tuteja, Sarvajeet S. Gill, DOI: 10.1002/9783527694570.ch16. John Wiley & Sons
226. Svoboda P, Janská A, Spiwok V, Prášil I.T., Kosová K, Vítámvás P and Ovesná J, 2016. Global Scale Transcriptional Profiling of Two Contrasting Barley Genotypes Exposed to Moderate Drought Conditions: Contribution of Leaves and Crowns to Water Shortage Coping Strategies. *Front Plant Sci*. 2016; 7: 1958.
227. Yang Z, Nevo E. 2016. Heat Shock Proteins in Wild Barley at “Evolution Canyon”, Mount Carmel, Israel. In: *Heat Shock Proteins and Plants*, Editors: Alexzander A. A. Asea, Punit Kaur, Stuart K. Calderwood, vol 10, pp: 79-102, Springer.
228. Kaur A, Gupta OP, Sharma P. 2016. Comparative expression analysis of HSP genes in wheat and barley under heat stress. *Journal of Wheat Research*, 8(1).
229. Upadhyay P, Maier C 2016 Alleviation of Drought Stress in *Arabidopsis thaliana* by 17β-Estradiol Application. *American Journal of Plant Sciences*, Vol.7 No.14, 2072-2086

230. Acevedo RA, Ruiz OA, Sansberro PA. 2016. Research note: Gene expression changes in response to drought stress in 'Ilex paraguariensis' leaves. *Plant Omics*, Southern Cross Publ; *Plant Omics*; 9; 5; 10-2016; 334-343
231. Zhou R, Yu X, Ottosen CO et al. 2017. Drought stress had a predominant effect over heat stress on three tomato cultivars subjected to combined stress. *BMC Plant Biol.*, 17: 24.
232. Hossain MA, Li ZG, Hoque TS, Burritt DJ, Fujita M et al. 2017. Heat or cold priming-induced cross-tolerance to abiotic stresses in plants: key regulators and possible mechanisms. *Protoplasma*, doi: 10.1007/s00709-017-1150-8

**Grigorova B., Vaseva I., Demirevska K., Feller U., 2011. Combined drought and heat stress in wheat: changes in some heat shock proteins. *Biologia Plantarum* 55(1): 105-111.**

233. Atkinson NJ, 2011. PhD thesis, Plant molecular response to combined drought and nematode stress. University of Leeds.
234. Zwenger SR. 2011. PhD Thesis: Transformation of *Arabidopsis thaliana* with heat stress-related genes from a *Copaifera officinalis* expressed sequence tag library. University of Northern Colorado
235. Zwenger S.R. 2011. PhD Thesis. TRANSFORMATION OF *ARABIDOPSIS THALIANA* WITH HEAT STRESS-RELATED GENES FROM A *COPAIFERA OFFICINALIS* EXPRESSED SEQUENCE TAG LIBRARY. College of Natural and Health Sciences, School of Biological Sciences. UNIVERSITY OF NORTHERN COLORADO, Greeley, Colorado
236. Hossain A, Teixeira da Silva JA, Lozovskaya MV, Zvolinsky VP, Mukhortov VI. 2012. High temperature combined with drought affect rainfed spring wheat and barley in south-eastern Russia: Yield, relative performance and heat susceptibility index. *Journal of Plant Breeding and Crop Science*, 4(11): 184-196
237. Gong, H., Chen, G., Li, F., Wang, X., Hu, Y., Bi, Y., 2012, Involvement of G6PDH in heat stress tolerance in the calli from *Przewalskia tangutica* and *Nicotiana tabacum*. *Biologia Plantarum* 56(3):online
238. Tao, P., Liu, L., Wang, G.B., 2012, Characterization of eight cytosolic sHSP genes and their expression in *Capsella bursa-pastoris*. *Biologia Plantarum* 56(4):648-656;
239. Atkinson, N.J., Urwin, P.E., 2012. The interaction of plant biotic and abiotic stresses: from genes to the field. *Journal of Experimental Botany* 63(10):3523-3543.
240. Song, H.M., Wang, H.Z., Xu, X.B., (2012), Overexpression of AtHsp90.3 in *Arabidopsis thaliana* impairs plant tolerance to heavy metal stress. *Biologia Plantarum* 56(1):197-199.
241. Ye ShF. 2012. Expression profile analysis of 9 heat shock protein genes throughout the life cycle and under abiotic stress in rice. *Chinese Science Bulletin* 57(4):336-343.
242. Mirzaei, M., Soltani, N., Sarhadi, E., Pascovici, D., Keiqhley, T., Atwell, B.G., 2012, Shotgun proteomic analysis of long-distance drought signalling in rice roots. *Journal of Proteome Research* 11(1):348-358.
243. Ying LK. 2012. The impact of high temperature and drought on rice grain yield and quality. *Proceedings of Agronomy and Ecology Congress of South China Agricultural University* 2011/2012, pp 172-179 (in Chinese).
244. Xu, Z.-S.; Li, Z.-Y.; Chen, Y.; Chen, M.; Li, L.-C.; Ma, Y.-Z. 2012. Heat Shock Protein 90 in Plants: Molecular Mechanisms and Roles in Stress Responses. *Int. J. Mol. Sci.* , 13, 15706-15723.
245. Jiaying L, Yixia C. 2013. Review on the Effects of High Temperature and Drought on Yield, Grain Quality and the Physiological Characteristic of Flag Leaves in Rice (*Oryza sativa* L.) *Chinese Agricultural Science Bulletin*, 29(27):1-6
246. Kamal A. H. M., Cho K., Choi J. -S., Jin Y., Park C. -S., Lee J. S., Woo S. H. 2013. Patterns of protein expression in water-stressed wheat chloroplasts. *Biologia Plantarum*, Volume 57, Issue 2, pp 305-312
247. Sharma R, De Vleeschauwer D, Sharma MK, Ronald PC, 2013. Recent Advances in Dissecting Stress-Regulatory Crosstalk in Rice. *Molecular Plant. Mol. Plant* (2013) 6 (2): 250-260.

248. Mellor KE. 2013. Molecular basis of cowpea (*Vigna unguiculata*) resistance to the root parasitic angiosperm, *Striga gesnerioides*. University of Virginia.
249. Kumar R.R., Rai R.D. 2014. Can Wheat Beat the Heat: Understanding the Mechanism of Thermotolerance in Wheat (*Triticum aestivum* L.). *Cereal Research Communications*. ISSN: 0133-3720 (Print), 1788-9170 (Online,) Volume 42, Number 1/March 2014, 1-18, DOI: 10.1556/CRC.42.2014.1.1
250. РЕПКИНА Наталья Сергеевна. 2014. ЭКОЛОГО-ФИЗИОЛОГИЧЕСКОЕ ИССЛЕДОВАНИЕ МЕХАНИЗМОВ АДАПТАЦИИ РАСТЕНИЙ ПШЕНИЦЫ К РАЗДЕЛЬНОМУ И СОВМЕСТНОМУ ДЕЙСТВИЮ НИЗКОЙ ТЕМПЕРАТУРЫ И КАДМИЯ. Диссертация на соискание ученой степени кандидата биологических наук. Петрозаводск –2014. Федеральное государственное бюджетное учреждение науки Институт биологии Карельского научного центра Российской академии наук.
251. Репкина НС, Таланова ВВ, Титов АФ. 2014. Реакция растений пшеницы (*Triticum aestivum* L.) на раздельное и совместное действие низкой температуры и кадмия. Труды Карельского научного центра Российской академии наук. 2014 - cyberleninka.ru
252. Pasini L, Bergonti M, Fracasso A, Marocco A, Amaducci S. 2014. Microarray analysis of differentially expressed mRNAs and miRNAs in young leaves of sorghum under dry-down conditions. *Journal of Plant Physiology*. 171 (7): 537–548. DOI: <http://dx.doi.org/10.1016/j.jplph.2013.12.014>
253. Liang YH, Cai B, Chen F, Wang G, Wang et al. 2014. Construction and validation of a gene co-expression network in grapevine (*Vitis vinifera* L.). *Hortic Res*, 1: 14040.
254. Usman MG, Rafii MY, Ismail MR, Malek MA et al. 2014. Heat shock proteins: functions and response against heat stress in plants. *INTERNATIONAL JOURNAL OF SCIENTIFIC & TECHNOLOGY RESEARCH VOLUME 3, ISSUE 11, NOVEMBER 2014*, 204-218.
255. Kumar RR, Singh GP, Goswami S et al. 2014. Proteome analysis of wheat (*Triticum aestivum*) for the identification of differentially expressed heat-responsive proteins. *AJCS* 8(6):973-986
256. Kaur A, Gupta OP, Sharma P. 2014. Comparative expression analysis of HSP genes in wheat and barley under heat stress. *Journal of Wheat Research* 8(1):63-64
257. Liu Sh, Chen L. 2014. Advances in Drought Tolerance Mechanism and Drought Resistance and Water Saving of Tea Plant. *Chinese Science and Technology Periodicals Database - "Tea Science"*, 2004, No. 2 (in Chinese).
258. Dabbert TA, Gore MA. 2014. Challenges and Perspectives on Improving Heat and Drought Stress Resilience in Cotton. *The Journal of Cotton Science* 18:393–409.
259. Величко ОІ. 2014. Вплив умов нафтозабрудненого ґрунту на спектральний склад білків рослин конюшини лучної. *Науковий вісник НЛТУ України*, Вип. 24.9. - С. 115-118.
260. Prasch CM, Sonnewald U. 2015. Signaling events in plants: stress factors in combination change the picture. *Environmental and Experimental Botany*, 114, 4-14.
261. Guan XK, Song L, Wang TC et al. 2015. Effect of Drought on the Gas Exchange, Chlorophyll Fluorescence and Yield of Six Different-Era Spring Wheat Cultivars. *Journal of Agronomy and Crop Science*, 201, 253–266
262. Yang Y, Dong C, Yang S, Li X, Sun X, Yang Y. 2015. Physiological and proteomic adaptation of the alpine grass *Stipa purpurea* to a drought gradient. *PloS one*, <https://doi.org/10.1371/journal.pone.0117475>
263. Gizaw SA, 2015. Genome-wide association studies of drought resistance and yield potential in wheat (*Triticum aestivum* L.) using agronomic and remotely sensed traits. Washington State University.
264. RV, Santos MG, Pimentel C, Machado EC et al. 2015. Can the critical temperature for photochemical damage in common bean plants be changed after a drought event?- *Bragantia*, 74 (4), <http://dx.doi.org/10.1590/1678-4499.0141>
265. Madakemohekar AH, Prasad LC, Lodhi RD, Prasad R. 2015. Studies on Genetic Variability and Interrelationship among the Different Traits in Barley (*Hordeum vulgare* L.) for Rainfed and Irrigated Environments. *Ind Res Genet & Biotech*, 7(2), 169-173.



266. Shayanfar A, Afshari RT, Alizadeh H. 2015. Proteome analysis of wheat embryo (*Triticum aestivum*) 'Sensu stricto' germination under osmotic stress. *Plant Omics Journal*, 8(5), 372-380.
267. McNamara SR, 2015. PhD Thesis: Effects of UVB Radiation and Herbivory on Induced Resistance Traits in *Datura Wrightii*. University of California, Riverside
268. Prash C, 2015, Thesis: Die Modellpflanze *Arabidopsis thaliana* unter dem Einfluss von biotischen und abiotischen Stressfaktoren (The model plant *Arabidopsis thaliana* influenced by biotic and abiotic stress factors), Friedrich-Alexander-Universität Erlangen-Nürnberg (FAU), Naturwissenschaftliche Fakultät (in German).
269. Fracasso A, Trindade L, Amaducci S. 2016. Drought tolerance strategies highlighted by two *Sorghum bicolor* races in a dry-down experiment. *Journal of plant physiology*, 90:1-14.
270. Yang Y, Dong C, Li X, Du J, Qian M, Sun X, Yang Y. 2016. A novel Ap2/ERF transcription factor from *Stipa purpurea* leads to enhanced drought tolerance in *Arabidopsis thaliana*. *Plant cell reports*, 35(11):2227-2239.
271. Kumar RR, Goswami S, Gupta R, Verma P et al. 2016. The Stress of Suicide: Temporal and Spatial Expression of Putative Heat Shock Protein 70 Protect the Cells from Heat Injury in Wheat (*Triticum aestivum*). *Journal of plant growth regulation*, 35, 65–82.
272. dos Reis SP, Marques DN, Lima AM et al. 2016. Plant Molecular Adaptations and Strategies Under Drought Stress. In: *Drought Stress Tolerance in Plants*, Editors: MA Hossain, SH Wani, S Bhattacharjee, DJ Burritt, L-S P Tran, Vol 2, pp 91-122, Springer.
273. Svoboda P, Janská A, Spiwok V, Prášil I.T., Kosová K, Vítámvás P and Ovesná J, 2016. Global Scale Transcriptional Profiling of Two Contrasting Barley Genotypes Exposed to Moderate Drought Conditions: Contribution of Leaves and Crowns to Water Shortage Coping Strategies. *Front Plant Sci.* 2016; 7: 1958.
274. SAYILAN Çetin 2016. Expected Effects of Global Temperature Increase on Wheat and Physiological Indicators of High Temperature Tolerance, *Yüzüncü Yıl University Agricultural Science Magazine*, Volume: 26 Issue: 3, 439-447
275. Temel A, Janack B, Humbeck K. 2017. Drought Stress-Related Physiological Changes and Histone Modifications in Barley Primary Leaves at HSP17 Gene. *Agronomy*, 7, 43; doi:10.3390/agronomy7020043.
276. Zhu Y, Wang X, Huang L, Lin C, Zhang X et al. 2017. Transcriptomic identification of drought-related genes and SSR markers in sudan grass based on RNA-Seq. *Frontiers in plant science*, doi: 10.3389/fpls.2017.00687
277. Regidor PA, Volko CD, Schindler AE et al. 2017. The evolution of genomic stability to a mechanism in reproduction and psychiatry. *Horm Mol Biol Clin Investig.* 2017 Jan 1;29(1):1-11.
278. Fellahi Z, Hannachi AZ, Ferras K, Oulmi A et al. 2017. Analysis of the phenotypic variability of twenty f 3 biparental populations of bread wheat (*Triticum aestivum* L.) evaluated under semi-arid environment. *Journal of Fundamental and Applied Sciences*, 9(1).
279. Zhang M, Shen Z, Meng G, Lu Y, Wang Y. 2017. Genome-wide analysis of the *Brachypodium distachyon* (L.) P. Beauv. Hsp90 gene family reveals molecular evolution and expression profiling under drought and salt stresses. *PLoS ONE* 12(12):e0189187
280. dos Reis SP, Marques DN, Ferreira Barros NL, Monteiro Costa CN, Batista de Souza CR. 2018. Chapter 10 – Genetically Engineered Food Crops to Abiotic Stress Tolerance. In: *Genetically Engineered Foods A volume in Handbook of Food Bioengineering* Edited by: Alina Maria Holban and Alexandru Mihai Grumezescu, Academic Press, pp 247–279

**Vaseva I., Akiscan Y., Demirevska K., Anders I., Feller U. 2011. Drought stress tolerance of red and white clover – comparative analysis of some chaperonins and dehydrins. *Scientia Horticulturae*, 130: 653–659.**

281. Haider A. 2012. Characterization and expression of dehydrins in wild Egyptian pea (*Pisum sativum* L.) *African Journal of Biotechnology*, Vol. 11(55), pp. 11789-11796, DOI: 10.5897/AJB12.1707
282. Abdel-Wahab Soraya. Thesis, Bern University, 2012.

283. Li Z., Peng Y., Ma X. 2012. Different response on drought tolerance and post-drought recovery between the small-leafed and the large-leafed white clover (*Trifolium repens* L.) associated with antioxidative enzyme protection and lignin metabolism. *Acta Physiologiae Plantarum* DOI: 10.1007/s11738-012-1066-z
284. Zadražnik T., Hollung K., Egge-Jacobsen W., Meglič V., Šuštar-Vozlič J. 2012. Differential proteomic analysis of drought stress response in 2 leaves of common bean (*Phaseolus vulgaris* L.) *Journal of Proteomics*. Volume 78, 14 January 2013, Pages 254-272
285. Ferreira TH, Gentile A, Vilela RD, Costa GGL, Dias LI, et al. 2012. microRNAs Associated with Drought Response in the Bioenergy Crop Sugarcane (*Saccharum* spp.). *PLoS ONE* 7(10): e46703. doi:10.1371/journal.pone.0046703
286. Li Z., Peng Y., Ma X. 2013. Different response on drought tolerance and post-drought recovery between the small-leafed and the large-leafed white clover (*Trifolium repens* L.) associated with antioxidative enzyme protection and lignin metabolism. *Acta Physiologiae Plantarum*, Volume 35, Issue 1, pp 213-222
287. Li Z, Jing W, Peng Y, Zhang XQ, Ma X, Huang LK et al. 2015. Spermine alleviates drought stress in white clover with different resistance by influencing carbohydrate metabolism and dehydrins synthesis. *PloS one*, 10(3):e0120708. doi: 10.1371/journal.pone.0120708.
288. Li Z, Zhang Y, Peng D, Wang X, Peng Y, He X et al. 2015. Polyamine regulates tolerance to water stress in leaves of white clover associated with antioxidant defense and dehydrin genes via involvement in calcium messenger system and hydrogen peroxide signaling. *Front Physiol.* 6:280. doi: 10.3389/fphys.2015.00280
289. Ma G, Zhang Z, Sun K, Peng H, Yang Q, Ran F, Lei Z. 2015. White clover based nitrogen-doped porous carbon for a high energy density supercapacitor electrode. *RSC Advances*, 130.
290. Bodah ET, Braunwart K, Bodah BW et al. 2015. A Rapid Morphological Screening Procedure for Pea (*Pisum sativum* L.) under Drought Stress in Greenhouse Settings. *American Journal of Experimental Agriculture*, 8(1), 68-74.
291. Nematollahi D, Eisvand HR, Sanavi AMM, Akbari N, Ismaili A, 2017. The effects of various levels of water deficit stress on forage yield and physiological characteristics of four cultivars of clover (*Trifolium spp*) under low input condition. *Iranian Journal of Plant Physiology*, Article 8, Volume 7, Issue 3, 2125-2134.
292. Li Z, Zhang Y, Peng D, Zhang X, Huang L, Zhang Y, Peng Y, Ma X, Yan Y. 2017. The inhibition of polyamine biosynthesis weakens the drought tolerance in white clover (*Trifolium repens*) associated with the alteration of extensive proteins. *Protoplasma*, DOI:10.1007/s00709-017-1186-9.
293. Żuk-Golaszewska, K. 2017. *The Red Clover: Seed Production, Medicinal Uses, and Health and Environmental Benefits*, Nova Science Publishers Inc, ISBN: 9781536117875, pp. 1-122.

**Vaseva I., Sabotic J., Sustar-Vozlic J., Meglic V., Kidric M., Demirevska K., Simova-Stoilova L. 2011. The Response of Plants to Drought Stress – The Role of Dehydrins, Chaperones, Proteases and Protease Inhibitors in Maintaining Cellular Protein Function. In: Droughts: New Research, Chapter 11, Editors: Diogo F. Neves and João D. Sanz, ©2011 Nova Science Publishers, Inc. ISBN: 978-1-62100-769-2**

294. Hatta M. 2012. DEHIDRIN DAN PERANNYA TERHADAP CEKAMAN KEKERINGAN. In Muhammad Hatta on secondary metabolites, Stress. <http://emhatta.wordpress.com/tag/dehidrin/> (in Malay)
295. Hatata MM and Fahmy AM. 2016. Effectiveness of the Isolated Rhizobacteria From the Fields on Growth Promotion and Antioxidant Capacity of Maize Plant. *Egypt. J. Bot.*, 56: 925-943
296. Yang W, Zhang L, Lv H, Li H, Zhang Y et al. 2015. The K-segments of wheat dehydrin WZY2 are essential for its protective functions under temperature stress. *Frontiers in plant science*, 6:406.

297. Faustino VA, 2015, PhD Thesis: Impacto do estresse hídrico e biótico (*Anticarsia gemmatalis* Hübner, 1818) sobre o mecanismo de defesa da soja (Impact of water and biotic stress (*Anticarsia gemmatalis* Hübner, 1818) on the soy defense mechanism) - locus.ufv.br.Universdade Federal de Vicosa. (in Spanish).
298. Yousuf PY, Ahmad A, Ganie AH, Iqbal M. 2016. Salt stress-induced modulations in the shoot proteome of Brassica juncea genotypes. *Environ Sci Pollut Res Int.* 23(3):2391-401.
299. Valim JOS, NC Teixeira, NA Santos et al. 2016. Drought-induced acclimatization of a fast-growing plant decreases insect performance in leaf-chewing and sap-sucking guilds. *Arthropod-Plant Interactions*, Volume 10, Issue 4, pp 351–363
300. Mishra RK, Mishra V, Pandey H et al. 2016. Mycorrhizal symbiosis. In: *Water Stress and Crop Plants: A Sustainable Approach*, Parvaiz Ahmad (edd.).
301. Steane DA, Potts BM, McLean EH et al. 2017. Genomic scans across three eucalypts suggest that adaptation to aridity is a genome-wide phenomenon. *Genome Biol Evol.* 2017 Feb; 9(2): 253–265.
302. da Silva MD, de Oliveira Silva RL, Neto JRCF et al. 2017. Genotype-dependent regulation of drought-responsive genes in tolerant and sensitive sugarcane cultivars, *Gene* ,633:17-27. doi: 10.1016/j.gene.2017.08.022
303. Hu X, Qin L, Roberts DP et al. 2017. Characterization of mechanisms underlying degradation of sclerotia of *Sclerotinia sclerotiorum* by *Aspergillus aculeatus* Asp-4 using a combined qRT-PCR. *BMC Genomics*, 18(1):674. doi: 10.1186/s12864-017-4016-8.
304. Kovács Judit, 2017, Thesis: Comparative study of salt stress-induced physiological and molecular responses in tomato (*Solanum lycopersicum* L.). Szegedi Tudományegyetem.
305. Holá D, Benešová M, Fischer L, Haisel D, Hnilička F et al. 2017. The disadvantages of being a hybrid during drought: A combined analysis of plant morphology, physiology and leaf proteome in maize. *PloS one*, <https://doi.org/10.1371/journal.pone.0176121> 2017 - journals.plos.org.
306. Cheah BH, Jadhao S, Vasudevan M, Wickneswari R, Nadarajah K, 2017. Identification of functionally important microRNAs from rice inflorescence at heading stage of a *qDTY4.1*-QTL bearing Near Isogenic Line under drought conditions. *PLoS ONE*12(10): e0186382. <https://doi.org/10.1371/journal.pone.0186382>

**Petkov G., Ivanova A., Iliev I., Vaseva I. 2012. A critical look at the microalgae biodiesel. *European Journal of Lipid Science and Technology*, 114:103–111, DOI:10.1002/ejlt.201100234**

307. Hindersin S., Leupold M., Kerner M., Hanelt D. 2012. Irradiance optimization of outdoor microalgal cultures using solar tracked photobioreactors. *Bioprocess Biosyst Eng*, DOI 10.1007/s00449-012-0790-5
308. Nurachman Z. , Brataningtyas D. S., Panggabean H.L.M.G. 2012. Oil from the Tropical Marine Benthic-Diatom *Navicula* sp. *Applied Biochemistry and Biotechnology*. DOI: 10.1007/s12010-012-9841-2
309. Nascimento M.D., Ortiz-Marquez J.C.F., Sanchez-Rizza L., Echarte M.M., Curatti L. 2012. Bioprospecting for fast growing and biomass characterization of oleaginous microalgae from south-eastern Buenos Aires, Argentina. *Bioresource Technology*, 125, 283. DOI: <http://dx.doi.org/10.1016/j.biortech.2012.08.057>
310. Lukavsky J. 2012. *Trachydiscus minutus*: A new algal EPA producer. In: *Algae: ecologyq economic uses and environment impact*. Dagmar Krueger & Helga Meyer (Eds.). Nova Sci. Publ. New York, pp. 77-104. (ISBN: 978-1-62081-280-8)
311. Musharraf S.G., Ahmed M.A., Zehra N., Kabir N., Choudhary M.I., Rahman A. 2012. Biodiesel production from microalgal isolates of southern Pakistan and quantification of FAMES by GC-MS/MS analysis. *Chemistry Central Journal*, 6:149 doi:10.1186/1752-153X-6-149
312. Richard Gordon & Joseph Seckbach. 2012. *The science of algal fuels*. Springer, Heidelberg. ISBN 978-94-007-5109-5
313. Hindersin Stefan, 2013, PhD Thesis: Photosynthetic efficiency of microalgae and optimization of biomass production in photobioreactors. Thesis, Zur Erlangung der

- Würde des Doktors der Naturwissenschaften des Fachbereichs Biologie, der Fakultät für Mathematik, Informatik und Naturwissenschaften, der Universität Hamburg
314. Leupold M, Hindersin S, Kerner M, Hanelt D. 2013. The effect of discontinuous airlift mixing in outdoor flat panel photobioreactors on growth of *Scenedesmus obliquus*. *Bioprocess and Biosystem Engineering*.
  315. Do Nascimento M, M de los Angeles Dublan, J C F Ortiz-Marqueza, L Curatti. 2013. High lipid productivity of an *Ankistrodesmus-Rhizobium* artificial consortium. *Bioresource Technology*. DOI: <http://dx.doi.org/10.1016/j.biortech.2013.07.085>
  316. Ortiz-Marquez JCF, M Do Nascimento, JP Zehr, L Curatti. 2013. Genetic engineering of multispecies microbial cell factories as an alternative for bioenergy production. *Trends in Biotechnology*, September 2013, Pages 521–529
  317. Gill SS, MA Mehmood, U Rashid, M Ibrahim, A Saqib and MR Tabassum. 2013. Wastewater Treatment Coupled with Biodiesel Production Using Microalgae: A Bio-refinery Approach. *Pak. J. Life Soc. Sci (Pakistan Journal of Life and Social Sciences)*, 11(3): 179-189.
  318. Příbyl P, Cepák V, Zachleder V, 2014. Oil Overproduction by Means of Microalgae. *Algal Biorefineries*, pp 241-273.
  319. Hindersin S, Leupold M, Kerner M, Hanelt D. Key parameters for outdoor biomass production of *Scenedesmus obliquus* in solar traced photobioreactors. *J. Appl. Phycol.* 2014. DOI 10.1007/s10811-014-0261-2 ; <http://link.springer.com/article/10.1007/s10811-014-0261-2>
  320. Garnier M, Carrier G, Rogniaux H, Nicolau E. 2014. Comparative proteomics reveals proteins impacted by nitrogen deprivation in wild-type and high lipid-accumulating mutant strains of *Tisochrysis lutea*, *Journal of Proteomics*, 105:107-20.
  321. Brown MR, Blackburn SI. 2014. Biofuels from microalgae. 277-320. In: *Sustainable energy solutions*. J. Bundschuh and G. Chen (Eds.). CRC Press, London, UK. ISBN: 978-1-138-00118-3; e-ISBN: 978-1-315-77871-6.
  322. Coons JE, Kalb DM, Dale T, Marrone BL. 2014. Getting to low-cost algal biofuels: a monograph on conventional and cutting-edge harvesting and extraction technologies. *Algal Research*, 6, 250-270.
  323. LF. 2014. Life cycle analysis of an alternative to the haber-bosch process: Non-renewable energy usage and global warming potential of liquid ammonia from cyanobacteria. *Environmental Progress & Sustainable Energy*, DOI: 10.1002/ep.11817
  324. Podkuiko L, Ritslaid K, Olt J, Kikas T. 2014. Review of promising strategies for zero-waste production of the third generation biofuels. *Agronomy Research*, *Agronomy Research*, 12 (2), 373–390
  325. Mehmood MA, Rashid U, Ibrahim M, Abbas F et al. 2014. Algal biomass production using waste water. In book: *Biomass and Bioenergy: Processing and Properties*, Chapter: 18, Publisher: Springer International Publishing Switzerland, Editors: K.R. Hakeem et al, pp.308-324; DOI: 10.1007/978-3-319-07641-6\_18
  326. Bastidas-Oyanedel JR, Bonk F, Thomsen MH et al. 2015. Dark fermentation biorefinery in the present and future (bio) chemical industry. *Reviews in Environmental Science and Bio/Technology*, 14(3), 473–498
  327. Li J, Stamato M, Velliou E, Jeffryes C et al. 2015. Design and characterization of a scalable airlift flat panel photobioreactor for microalgae cultivation. *Journal of Applied Phycology*, 27(1), 75–86
  328. Souza SP, Gopal AR, Seabra JEA. 2015. Life cycle assessment of biofuels from an integrated Brazilian algae-sugarcane biorefinery. *Energy*, 81, 373–381
  329. Kim ZH, Park H, Ryu YJ, Shin DW, Hong SJ et al. 2015. Algal biomass and biodiesel production by utilizing the nutrients dissolved in seawater using semi-permeable membrane photobioreactors. *Journal of Applied Phycology*, 27, 1763–1773
  330. Veillette M, Giroir-Fendler A, Fauchoux N et al. 2015. High-purity biodiesel production from microalgae and added-value lipid extraction: a new process. *Applied Microbiology and Biotechnology*, 99, 109–119

331. Mendoza H, Carmona L, Assunção P, Freijanes K et al. 2015. Variation in lipid extractability by solvent in microalgae. Additional criterion for selecting species and strains for biofuel production from microalgae. *Bioresource Technology*, 197, 369-374
332. Veillette M, Giroir-Fendler A, Fauchoux N et al. 2015. Biodiesel production and unsaponified lipids extraction from microalgae: An experimental study. *Current Biotechnology*, 4(4), 514-522.
333. Bruce T, Ferrão-Gonzales AD, Nakashimada Y et al. 2015. Biofuel Innovation by Microbial Diversity, In: Springer Handbook of Marine Biotechnology, Editor:Se-Kwon Kim, pp 1163-1180, Springer
334. Wang S-K, Stiles AR, Guo C, Liu C-Z. 2015. Harvesting microalgae by magnetic separation: A review. *Algal Research*, 9, 178–185
335. Brouwer P, van der Werf A, Schluepmann H et al. 2016. Lipid yield and composition of *Azolla filiculoides* and the Implications for biodiesel production. *BioEnergy Research*, 9, 369–377
336. Wang Y, He B, Sun Z, Chen YF. 2016. Chemically enhanced lipid production from microalgae under low sub-optimal temperature. *Algal Research*, 16, 20-27.
337. O'Neil GW, Williams JR, Wilson-Peltier J et al. 2016. Experimental protocol for biodiesel production with isolation of alkenones as coproducts from commercial *Isochrysis* algal biomass. *J Vis Exp*. 2016; (112): 54189
338. Ede AG, 2016, PhD Thesis: Purification and characterization of microalgae lipids: a value-addition to biodiesel production, Universidade do Algarve.
339. Gangadhar KN, Pereira H, Rodrigues MJ et al. 2016. Microalgae-based unsaponifiable matter as source of natural antioxidants and metal chelators to enhance the value of wet *Tetraselmis chuii* biomass. *Open Chemistry*, 14(1), DOI: <https://doi.org/10.1515/chem-2016-0029>
340. Alexandrov SD. Re-engineering of RuBisCO for the purpose of producing algal biofuels may be a lost cause. 2016. *Adv. Life Sci*. 4(1): 01-02.
341. Söyler N, Goldfarb JL, Ceylan S, Saçan. MT 2017. Renewable fuels from pyrolysis of *Dunaliella tertiolecta*: An alternative approach to biochemical conversions of microalgae. *Energy*, 120, 907-914
342. Souza SP, Seabra JEA, Nogueira LAH. 2017. Feedstocks for biodiesel production: Brazilian and global perspectives. *Biofuels*, <http://dx.doi.org/10.1080/17597269.2017.1278931>
343. Liang S, Guo L, Lin G, Zhang Z, Ding H, Wang Y et al. 2017. Improvement of *Nannochloropsis oceanica* growth performance through chemical mutation and characterization of fast growth physiology by transcriptome profiling. *Chinese Journal of Oceanology and Limnology*, 35, 792–802
344. Sandoval G, Casas-Godoy L, Bonet-Ragel K, Rodrigues J, Ferreira Dias S, Valero F. 2017. *Current Biochemical Engineering*, 4, DOI: 10.2174/2212711904666170615123640

**Vandenbussche F., Vaseva I., Vissenberg K., Van Der Straeten D. 2012. Ethylene in vegetative development: a tale with a riddle. *New Phytologist*, 194: 895-909 (SCI, 2010 IF=6.516) doi: 10.1111/j.1469-8137.2012.04100.x**

345. Ruduś I., Sasiak M., Kępczyński J. 2012. Regulation of ethylene biosynthesis at the level of 1-aminocyclopropane-1-carboxylate oxidase (ACO) gene. *Acta Physiologiae Plantarum*, February 2013, Volume 35, Issue 2, pp 295-307, Doi: 10.1007/s11738-012-1096-6
346. Lin Y, Chen D, Paul M, Zu Y, Tang Z. 2012. Loss-of-function mutation of EIN2 in *Arabidopsis* exaggerates oxidative stress induced by salinity. *Acta Physiologiae Plantarum*, April 2013, Volume 35, Issue 4, pp 1319-1328 DOI 10.1007/s11738-012-1172-y.
347. Schaffer R.J., Ireland H.S., Ross J.J., Ling T.J., David K.M. 2013. SEPALLATA1/2-suppressed mature apples have low ethylene, high auxin and reduced transcription of ripening-related genes. *AoB PLANTS* (2013) 5 : pls047doi: 10.1093/aobpla/pls047First published online: December 13, 2012

348. Bethke, Paul. 2013. "Ethylene Update." Ethylene Update ,USDA ARS Vegetable Crops Research Unit and UW Department of Horticulture
349. Zheng Q., Zheng Y., Perry S.E. 2013, AGAMOUS-Like15 Promotes Somatic Embryogenesis in *Arabidopsis thaliana* and *Glycine max* in Part by Control of Ethylene Biosynthesis and Response. *Plant Physiology*, Published on March 1, 2013, as DOI:10.1104/pp.113.216275
350. Voesenek L. A. C. J., Sasidharan R. 2013. Ethylene – and oxygen signalling – drive plant survival during flooding. Article first published online: 10 APR 2013. DOI: 10.1111/plb.12014, *Plant Biology* Volume 15, Issue 3, pages 426–435, May 2013
351. Guggisberg A., Lai Z., Huang J., Rieseberg L.H. 2013. Transcriptome divergence between introduced and native populations of Canada thistle, *Cirsium arvense*. *New Phytologist*, Article first published online: 16 APR 2013, DOI: 10.1111/nph.12258
352. Chang KN, Zhong S, Weirauch MT, Hon G, Pelizzola M, Li H, Huang SC, Schmitz RJ, Urich MA, Kuo D, Nery JR, Qiao H, Yang A, Jamali A, Chen H, Ideker T, Ren B, Bar-Joseph Z, Hughes TR, Ecker JR. 2013. Temporal transcriptional response to ethylene gas drives growth hormone cross-regulation in *Arabidopsis*. *eLife* 2013;2:e00675. DOI: <http://dx.doi.org/10.7554/eLife.00675>
353. Markakis MN, Boron AK, Van Loock B, Saini K, Cirera S, Verbelen J-P, Vissenberg K. 2013. Characterization of a Small Auxin-Up RNA (SAUR)-Like Gene Involved in *Arabidopsis thaliana* Development. *PLOS ONE*. November 2013 | Volume 8 | Issue 11 | e82596.
354. Steffens B, Sauter M. 2014. Role of Ethylene and Other Plant Hormones in Orchestrating the Responses to Low Oxygen Conditions. *Low-Oxygen Stress in Plants*. *Plant Cell Monographs* Volume 21, pp 117-132
355. Poel B, Bulens I, Hertog M. L., Nicolai BM, Geeraerd AH.. 2014. A transcriptomics-based kinetic model for ethylene biosynthesis in tomato (*Solanum lycopersicum*) fruit: development, validation and exploration of novel regulatory mechanisms. *New Phytologist*. DOI: 10.1111/nph.12685
356. Lacey RF, Binder BM. 2014. How Plants Sense Ethylene Gas – The Ethylene Receptors. *Journal of Inorganic Biochemistry*. DOI: <http://dx.doi.org/10.1016/j.jinorgbio.2014.01.006>
357. Jourda C, Cardi C, Mbéguié-A-Mbéguié D, Bocs S, Garsmeur O, D'Hont A, Yahiaoui N. 2014. Expansion of banana (*Musa acuminata*) gene families involved in ethylene biosynthesis and signalling after lineage-specific whole-genome duplications. *New Phytologist*. DOI: 10.1111/nph.12710
358. Martin L, Decourteix M, Badel E, Huguet S, Moulia B, Julien J-L, Leblanc-Fournier N. 2014. The zinc finger protein PtaZFP2 negatively controls stem growth and gene expression responsiveness to external mechanical loads in poplar. *New Phytologist*. 2014 Jul;203(1):168-81
359. Gómez-Cadenas A, Carlos de Ollas, Matías Manzi, Vicent Arbona. 2014. Phytohormonal Crosstalk Under Abiotic Stress. *Phytohormones: A Window to Metabolism, Signaling and Biotechnological Applications*, 2014, pp 289-321
360. Ma B, Chen H, Chen S-Y, Zhang J-S. 2014. Roles of Ethylene in Plant Growth and Responses to Stresses. *Phytohormones: A Window to Metabolism, Signaling and Biotechnological Applications* 2014, pp 81-118.
361. Galluzzi L, Vitale I, Michels J, Brenner C et al. 2014. Systems biology of cisplatin resistance: past, present and future. *Cell Death Dis*. 5:e1257. doi: 10.1038/cddis.2013.428.
362. Péret B, Desnos T, Jost R, Kanno S, Berkowitz O et al. 2014. Root architecture responses: in search of phosphate. *Plant Physiol*, 166 (4), 1713-1723.
363. Zhang L, Zhang C, Wu P, Chen Y, Li M, Jiang H et al. 2014. Global analysis of gene expression profiles in physic nut (*Jatropha curcas* L.) seedlings exposed to salt stress. *PLoS One*, <https://doi.org/10.1371/journal.pone.0097878>
364. Boron AK, issenbergK V. 2014. The *Arabidopsis thaliana* hypocotyl, a model to identify and study control mechanisms of cellular expansion. *Plant Cell Reports*, 33(5), 697–706
365. Wen CK, 2015. Ethylene in Plants. DOI:10.1007/978-94-017-9484-8, Springer

366. Rodrigues MA, Bianchetti RE, Freschi L. 2014. Shedding light on ethylene metabolism in higher plants. *Frontiers in plant science*, 5:665. doi: 10.3389/fpls.2014.00665.
367. Rodrigues MA, Freschi L, Purgatto E et al. 2014. Ethylene Modulates the Developmental Plasticity and the Growth Balance Between Shoot and Root Systems in the In Vitro Grown Epiphytic Orchid *Catasetum fimbriatum*. *Journal of plant growth regulation*, 33, 513–525.
368. Bethke PC. 2014. Ethylene in the atmosphere of commercial potato (*Solanum tuberosum*) storage bins and potential effects on tuber respiration rate and fried chip color. *American Journal of Potato Research*, 91, 688–695.
369. Castro Rodríguez M. 2014. PhD Thesis: Modificaciones metabólicas y estructurales de la pared celular asociadas a la habituación incipiente de suspensiones celulares de maíz a diclobenil. Universidad de León (in Spanish).
370. Heilmann, I. 2014. Information Processing and Survival Strategies, in *Ecological Biochemistry: Environmental and Interspecies Interactions* (eds G.-J. Krauss and D. H. Nies), Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany. doi: 10.1002/9783527686063.ch7
371. Arraes, FBM, 2014, Thesis: Biossíntese e sinalização mediada por etileno em soja: uso de abordagens in silico e implicações na resposta à seca. Universidade Federal do Rio Grande do Sul Brasil. Centro de Biotecnologia do Estado do Rio Grande do Sul. Programa de Pós-Graduação em Biologia Celular e Molecular (in Portuguese).
372. Merchante C, Brumos J, Yun J, Hu Q, Spencer Kristina R, Enríquez P, Binder Brad M, Heber S, Stepanova Anna N, Alonso Jose M: Gene-Specific Translation Regulation Mediated by the Hormone-Signaling Molecule EIN2. *Cell* 2015, 163(3):684-697.
373. Tao J-J, Chen H-W, Ma B, Zhang W-K, Chen S-Y, Zhang J-S: The Role of Ethylene in Plants Under Salinity Stress. *Frontiers in Plant Science* 2015, 6(1059).
374. Arraes, F. B. M., Beneventi, M. A., Lisei de Sa, M. E., Paixao, J. F. R., Albuquerque, E. V. S., Marin, S. R. R., Purgatto, E., Nepomuceno, A. L., Grossi-de-Sa, M. F. (2015). Implications of ethylene biosynthesis and signaling in soybean drought stress tolerance. *BMC Plant Biology*, 15, 213. <http://doi.org/10.1186/s12870-015-0597->
375. Cui M, Y Lin, Y Zu, T Efferth, D Li, Z Tang 2015. Ethylene increases accumulation of compatible solutes and decreases oxidative stress to improve plant tolerance to water stress in Arabidopsis. *Journal of Plant Biology*, 58, 193–201
376. Weller JL, Foo EM, Hecht V, Ridge S, Vander Schoor JK, Reid JB: Ethylene Signaling Influences Light-Regulated Development in Pea. *Plant Physiol* 2015, 169(1):115-124.
377. Li J, Xu H-H, Liu W-C, Zhang X-W, Lu Y-T: Ethylene Inhibits Root Elongation during Alkaline Stress through AUXIN1 and Associated Changes in Auxin Accumulation. *Plant Physiol* 2015, 168(4):1777-1791
378. Tao J-J, Cao Y-R, Chen H-W, Wei W, Li Q-T, Ma B, Zhang W-K, Chen S-Y, Zhang J-S: Tobacco Translationally Controlled Tumor Protein Interacts with Ethylene Receptor Tobacco Histidine Kinase1 and Enhances Plant Growth through Promotion of Cell Proliferation. *Plant Physiol* 2015, 169(1):96-114
379. Schellingen K, Van Der Straeten D, Remans T, Vangronsveld J, Keunen E, Cuypers A: Ethylene signalling is mediating the early cadmium-induced oxidative challenge in Arabidopsis thaliana. *Plant Science* 2015, 239(Supplement C):137-146
380. Nguyen Ba T, Triki M, Desbrosses G, Vicet A: Quartz-enhanced photoacoustic spectroscopy sensor for ethylene detection with a 3.32 μm distributed feedback laser diode. *Review of Scientific Instruments* 2015, 86(2):023111
381. Schellingen K, Van Der Straeten D, Remans T, Loix C, Vangronsveld J, Cuypers A: Ethylene biosynthesis is involved in the early oxidative challenge induced by moderate Cd exposure in Arabidopsis thaliana. *Environmental and Experimental Botany* 2015, 117(Supplement C):1-11.
382. Booker MA, DeLong A: Producing the Ethylene Signal: Regulation and Diversification of Ethylene Biosynthetic Enzymes. *Plant Physiol* 2015, 169(1):42-50
383. Tsygankova VA. Genetic Control and Phytohormonal Regulation of Plant Embryogenesis, *Int J Med Biotechnol Genetics*, 03, 1, 9-20, doi: dx.doi.org/10.19070/2379-1020-150003

384. Van de Poel B, Cooper ED, Delwiche CF, Chang C. 2015. An Evolutionary Perspective on the Plant Hormone Ethylene, Ethylene in Plants, 109-134
385. Pires, Marinês Ferreira, Castro, Evaristo Mauro de, Magalhães, Paulo César, Neta, Izabel Costa Silva, & Monteiro, Aline Gomes Dias Pinto. (2015). Etileno e peróxido de hidrogênio na formação de aerênquima em milho tolerante a alagamento intermitente. *Pesquisa Agropecuária Brasileira*, 50(9), 779-787. <https://dx.doi.org/10.1590/S0100-204X2015000900006>
386. Cai Kunjin, 2015, PhD Thesis: Investigation of molecular and metabolic events in response to anoxia-reoxygenation in Arabidopsis. Institute of Plant Science, Taiwan University (in Chinese).
387. Keunen E, Schellingen K, Vangronsveld J, Cuypers A: Ethylene and Metal Stress: Small Molecule, Big Impact. *Frontiers in Plant Science* 2016, 7(23)
388. Poupin MJ, Greve M, Carmona V, Pinedo I: A Complex Molecular Interplay of Auxin and Ethylene Signaling Pathways Is Involved in Arabidopsis Growth Promotion by Burkholderia phytofirmans PsJN. *Frontiers in Plant Science* 2016, 7(492).
389. Zheng Q, Zheng Y, Ji H, Burnie W, Perry SE: Gene Regulation by the AGL15 Transcription Factor Reveals Hormone Interactions in Somatic Embryogenesis. *Plant Physiol* 2016, 172(4):2374-2387
390. Qian M, Baoju W, Xiangpeng L, Xin S, Lingfei S, Haifeng J, Jinggui F. 2016, Comparison and verification of the genes involved in ethylene biosynthesis and signaling in apple, grape, peach, pear and strawberry. *Acta Physiologiae Plantarum*, 38(2):44.
391. Tsai K-J, Lin C-Y, Ting C-Y, Shih M-C, 2016 Ethylene-Regulated Glutamate Dehydrogenase Fine-Tunes Metabolism during Anoxia-Reoxygenation. *Plant Physiol*, 172(3):1548-1562.
392. Mignolli F, GB Rojas, ML Vidoz, 2016. Dosis supraóptimas de etileno actúan antagónicamente con giberelinas exógenas durante el crecimiento del hipocótilo de *Solanum lycopersicum* (*Solanaceae*). *Boletín de la Sociedad Argentina de Botánica*, 51(2) (in Spanish).
393. Parvaiz Ahmad, Flooding stress and O<sub>2</sub> -shortage in plants. An overview R. Iglesias-Fernández, A. J. Matilla, in *Water Stress and Crop Plants*. John Wiley & Sons, Ltd, pp. 711-731, 2016
394. Iglesias-Fernández R, Matilla AJ, 2016. Flooding stress and O<sub>2</sub> -shortage in plants. In: *Water Stress and Crop Plants*. John Wiley & Sons, Ltd; pp 711-731.
395. Royer M, Cohen D, Aubry N, Vendramin V, Scalabrin S, Cattonaro F, Bogeat-Triboulot M-B, Hummel I, 2016. The build-up of osmotic stress responses within the growing root apex using kinematics and RNA-sequencing. *Journal of Experimental Botany*, 67(21):5961-5973
396. Pons Puig C, 2016, PhD Thesis: Análisis transcriptómico del daño por frío en fruto de melocotón. Departament de Bioquímica i Biologia Molecular, Universitat De Valencia (in Spanish).
397. Hussain S, Zhang J, Zhong C, Zhu L, Cao X, Yu S, James AB, Hu J, Jin Q. 2017. Effects of salt stress on rice growth and development characteristics and the regulating ways: A review. *Journal of Integrative Agriculture* 2017, 16: 60345-7.
398. Tsygankova VA, Andrushevich YaV, Shtompel OI, Romaniuk OV, Yaikova MYu, et al. 2017 Application of Synthetic Low Molecular Weight Heterocyclic Compounds Derivatives of Pyrimidine, Pyrazole and Oxazole in Agricultural Biotechnology as a New Plant Growth Regulating Substances. *Int J Med Biotechnol Genetics* S2:002, 10-32. doi: [dx.doi.org/10.19070/2379-1020-SI02002](https://dx.doi.org/10.19070/2379-1020-SI02002)
399. Mishra S, Khurana JP, 2017. Emerging Roles and New Paradigms in Signaling Mechanisms of Plant Cryptochromes. *Critical Reviews in Plant Sciences*, 36(2):89-115
400. Pawłowski TA, Staszak AM, Karolewski P, Giertych MJ, 2017. Plant development reprogramming by cynipid gall wasp: proteomic analysis. *Acta Physiologiae Plantarum*, 39(5):114
401. Espinosa MEÁ, Moreira RO, Lima AA, Ságio SA, Barreto HG, Luiz SLP, Abreu CEA, Yanes-Paz E, Ruíz YC, González-Olmedo JL *et al.* 2017, Early histological, hormonal, and



- molecular changes during pineapple (*Ananas comosus* (L.) Merrill) artificial flowering induction. *Journal of Plant Physiology*, 209 (Supplement C):11-19
402. Jeuris E. 2017. Thesis: Ethylene as a master regulator of acute and long-term responses to cadmium exposure in *Arabidopsis thaliana*. Universiteit Hasselt.
403. Muñoz D. Benjumeda, 2017. Thesis: Bacterias promotoras del crecimiento vegetal: Mecanismos y aplicaciones. Universidad de Sevilla Facultad de Farmacia (in Spanish).
404. Loix C, Huybrechts M, Vangronsveld J, Gielen M, Keunen E, Cuypers A. 2017. Reciprocal Interactions between Cadmium-Induced Cell Wall Responses and Oxidative Stress in Plants. *Frontiers in Plant Sci*, doi: 10.3389/fpls.2017.01867
405. Saiz-Fernández I, De Diego N, Brzobohatý B, Muñoz-Rueda A, Lacuesta M. 2017. The imbalance between C and N metabolism during high nitrate supply inhibits photosynthesis and overall growth in maize (*Zea mays* L.). *Plant Physiology and Biochemistry* 120. DOI: 10.1016/j.plaphy.2017.10.006

**Vaseva I., Akiscan Y., Simova-Stoilova L., Kostadinova A., Nenkova R., Anders I., Feller U., Demirevska K. 2012. Antioxidant response to drought in red and white clover. *Acta Physiologiae Plantarum* 34, Issue 5, 1689-1699**

406. Wu G.Q., Zhang L.N., Wang Y.Y. 2012. Response of growth and antioxidant enzymes to osmotic stress in two different wheat (*Triticum aestivum* L.) cultivars seedlings. *Plant Soil Environ*, 58(12): 534–539
407. Rong, Z.-Y. , Zhang, X.-H. , Yang, S.-L. 2012. Involvement of antioxidant defense system in enhancement of drought resistance in tobacco (*Nicotiana tabacum* L.) plants through circular drought-hardening. *Zhiwu Shengli Xuebao/Plant Physiology Journal* 48 (7) , pp. 705-715
408. Fayez, K. A., & Bazaid, S. A. (2014). Improving drought and salinity tolerance in barley by application of salicylic acid and potassium nitrate. *Journal of the Saudi Society of Agricultural Sciences*. Volume 13, Issue 1, Pages 45-55
409. Filippou P., Bouchagier P. , Skotti E. , Fotopoulos V. . 2014. Proline and reactive oxygen/nitrogen species metabolism is involved in the tolerant response of the invasive plant species *Ailanthus altissima* to drought and salinity. *Environmental and Experimental Botany*, Volume 97, Pages 1–10
410. Sen A., Alikamanoglu S. 2014. Characterization of drought-tolerant sugar beet mutants induced with gamma radiation using biochemical analysis and isozyme variations. *Journal of the Science of Food and Agriculture*, Volume 94, Issue 2, pages 367–372, 30 January 2014
411. Ez-zohra IF, Said Q, Mohamed F, Koussa T. 2014. Biochemical Changes in Grapevines Roots in Responses to Osmotic Stress. *International Journal of Scientific and Research Publications*, 4(7), 1-5
412. Pan M, Lee S, Pengdan D, Peng Y. 2014 Effects of seed soaking with spermidine on seed germination and starch metabolism of white clover under osmotic stress. *Plant Physiology* 4 (in Chinese)
413. Babar MM , Najam-us-Sahar Sadaf, Zaidi Mohamed, Mahgoub Azooz, and Alvina Gul Kazi. 2015. Biotechnology approaches to overcome biotic and abiotic stress constraints in legumes. In: *Legumes under Environmental Stress: Yield, Improvement and Adaptations*, Parvaiz Ahmad (Editor), ISBN: 978-1-118-91708-4, John Wiley & Sonspp. 247-264
414. Kong L, Huo H, Mao P: Antioxidant response and related gene expression in aged oat seed. *Frontiers in Plant Science* 2015, 6(158)
415. D Molazem, A Bashirzadeh. 2015. Impact of Salinity Stress on Proline Reaction, Peroxide Activity, and Antioxidant Enzymes in Maize (*Zea mays* L.). *Polish Journal of Environmental Studies*. 24, 597-603
416. Zhang Y, Li Z, Peng Y, Wang X, Peng D, Li Y, He X, Zhang X, Ma X, Huang L *et al*: Clones of FeSOD, MDHAR, DHAR Genes from White Clover and Gene Expression Analysis of ROS-Scavenging Enzymes during Abiotic Stress and Hormone Treatments. *Molecules* 2015, 20(11):19741

417. Sayyad-Amin P, Borzouei A, Jahansooz M-R: Biochemical responses of sorghum cultivars under salinity at vegetative and reproductive stages. *Indian Journal of Plant Physiology* 2015, 20(4):324-332
418. Setiawan R; Soedradjad R; Siswoyo TA, 2015. THE INFLUENCE OF DROUGHT ON COTTON GROWTH AND CHARACTERISTICS, Universitas Jember, Indonesia, (In Indonesian).
419. Стойчев, ВА. Белтъчни промени при заблатьяване на бяла (*Trifolium repens* L.) и червена (*Trifolium pratense* L.) детелина, Дисертация, София
420. Boughalleb, F., Abdellaoui, R., Ben Brahim, N. et al. 2016. Growth, photosynthesis, water use efficiency, and osmoregulation of the wild species *Astragalus gombiformis* Pomel. Under water deficit. *Braz. J. Bot* 39: 147. <https://doi.org/10.1007/s40415-015-0230-2>
421. Todorova D, Neveen BT, Katerova Z et al. 2016. Polyamines and brassinosteroids in drought stress responses and tolerance in plants. *Water Stress and Crop Plants: A Sustainable Approach*, First Edition. Edited by Parvaiz Ahmad. © 2016 John Wiley & Sons, Ltd. Published 2016 by John Wiley & Sons, Ltd.
422. Sayyad-Amin P, Borzouei A, Jahansooz M-R, Parsaeiyan M: Root biochemical responses of grain and sweet-forage sorghum cultivars under saline conditions at vegetative and reproductive phases. *Brazilian Journal of Botany* 2016, 39(1):115-122
423. Molazem D, Azimi J. 2016. MORPHO-PHYSIOLOGICAL RESPONSES OF MAIZE (*ZEA MAYS* L.) TO EXOGENOUS SALICYLIC ACID APPLICATION UNDER SALINITY STRESS. *Bangladesh J. Bot.* 45(3): 499-507
424. Yang Shu-yi, 2016 PhD Thesis: Progress in responses of antioxidant enzyme systems in plant to environmental stresses, State Key Laboratory of Conservation and Utilization of Biotic Resources for Subtropical Agriculture, China, (in Chinese)
425. Sayyad-Amin P, Borzouei A, Jahansooz M-R, Ajili F: The response of wildtype and mutant cultivars of soybean to salt stress - comparing vegetative and reproductive phases on the basis of leaf biochemical contents, RWC, and stomatal conductance. *Archives of Agronomy and Soil Science* 2017:1-12
426. Di Fenza M, Hogg B, Grant J, Barth S. 2017. Transcriptomic response of maize primary roots to low temperatures at seedling emergence. *PeerJ* 5: e2839 <https://doi.org/10.7717/peerj.2839>
427. Maghsoodi M, Razmjoo J, Gheysari M. 2017. Application of biochemical markers for the assessment of drought tolerance in alfalfa (*Medicago sativa* L.) cultivars. *Grassland Science*, 63 (1), 3-14.
428. Li Z, Zhang Y, Peng D, Zhang X, Huang L, Zhang Y, Peng Y, Ma X, Yan Y. 2017. The inhibition of polyamine biosynthesis weakens the drought tolerance in white clover (*Trifolium repens*) associated with the alteration of extensive proteins. *Protoplasma*, DOI:10.1007/s00709-017-1186-9

**Grigorova B., Vassileva V., Klimchuk D., Vaseva I., Demirevska K., Feller U. 2012. Drought, high temperature and their combination affect wheat (*Triticum aestivum* L.) chloroplasts and mitochondria ultrastructure. *Journal of Plant Interactions*, 7 (3): 204-213**

429. Li X, Yang Y, Sun X, Lin H, Chen J, et al. (2014) Comparative Physiological and Proteomic Analyses of Poplar (*Populus yunnanensis*) Plantlets Exposed to High Temperature and Drought. *PLOS ONE* 9(9): e107605. <https://doi.org/10.1371/journal.pone.0107605>
430. Jäger K, Fábíán A, Eitel G, Szabó L, Deák C, Barnabás B, Papp I: A morpho-physiological approach differentiates bread wheat cultivars of contrasting tolerance under cyclic water stress. *Journal of Plant Physiology* 2014, 171(14):1256-1266
431. Zhang J, Jiang XD, Li TL, Cao XJ: Photosynthesis and ultrastructure of photosynthetic apparatus in tomato leaves under elevated temperature. *Photosynthetica* 2014, 52(3):430-436
432. Liu M, Zhang Z, Gao H, Yang C, Fan X, Cheng D: Effect of leaf dehydration duration and dehydration degree on PSII photochemical activity of papaya leaves. *Plant Physiology and Biochemistry* 2014, 82(Supplement C):85-88
433. Zhigacheva I, Mil E, Binukov V, Generozova I., Shugaev A, Fatkullina L. 2014. Combined effect of insufficient watering, moderate cooling, and organophosphorous plant growth

- regulator on the morphology and functional properties of pea seedling mitochondria *Annu. Re. Rev. Biol.* 4(19), 3007-3025
434. Li X, Yang Y, Sun X, Lin H, Chen J, et al. (2014) Comparative Physiological and Proteomic Analyses of Poplar (*Populus yunnanensis*) Plantlets Exposed to High Temperature and Drought. *PLOS ONE* 9(9): e107605. <https://doi.org/10.1371/journal.pone.0107605>
435. Pandey P, Ramegowda V, Senthil-Kumar M: Shared and unique responses of plants to multiple individual stresses and stress combinations: physiological and molecular mechanisms. *Frontiers in Plant Science* 2015, 6(723)
436. Sun Y, Wang H, Sheng H, Liu X, Yao Y, Gong C: Variations in internal water distribution and leaf anatomical structure in maize under persistently reduced soil water content and growth recovery after re-watering. *Acta Physiologiae Plantarum* 2015, 37(12):263
437. Ahmed IM, UA Nadira, N Bibi, G Zhang, 2015. Tolerance to Combined Stress of Drought and Salinity in Barley. In: Combined Stresses in Plants: Physiological, Molecular, and Biochemical Aspects, Editors: Ramamurthy Mahalingam, Springer
438. Guo H, Hong C, Chen X, Xu Y, Liu Y, et al. (2016) Different Growth and Physiological Responses to Cadmium of the Three *Miscanthus* Species. *PLOS ONE* 11(4): e0153475. <https://doi.org/10.1371/journal.pone.0153475>
439. Farhat N, Zorrig W, Salhi T, Abdelly C, Smaoui A, Rabhi M. 2016. Do medium- and long-term magnesium deficiencies affect potassium and calcium nutrition in *Sulla carnosa*?, *Agrochimica* 60(3), 235-248
440. Koutalianou M, Orfanidis S, Katsaros C: Effects of high temperature on the ultrastructure and microtubule organization of interphase and dividing cells of the seagrass *Cymodocea nodosa*. *Protoplasma* 2016, 253(2):299-310
441. Li SL, Xia YZ, Sun ZQ. 2016 Effects of cold-shock on the growth and flower bud differentiation of tomato seedlings under high temperature stress *Chinese Journal of Applied Ecology Ying Yong Sheng Tai Xue Bao.* 27(2):477-483 in Chinese).
442. Kelsey RG, Westlind DJ: Physiological Stress and Ethanol Accumulation in Tree Stems and Woody Tissues at Sublethal Temperatures from Fire. *BioScience* 2017, 67(5):443-451
443. Xu, F., Jiang, M., & Meng, F. (2017). Short-term effect of elevated CO<sub>2</sub> concentration (0.5%) on mitochondria in diploid and tetraploid black locust (*Robinia pseudoacacia* L.). *Ecology and Evolution*, 7(13), 4651–4660. <http://doi.org/10.1002/ece3.3046>
444. Cui Qing-qing; Dong Yan-hong; Li Man; Zhang Wen-dong; Liu Bin-bin; Ai Xi-zhen; Bi Huan-juan; Li Qing-ming. 2017. CO<sub>2</sub> Effects of Coupling of Water and Nitrogen on Photosynthesis and Ultrastructure of Cucumber Leaves. *Yingyong Shengtai Xuebao* . Apr2017, Vol. 28 Issue 4, p1237-1245. 9p. (in Chinese).
445. Zhao Xiuxia Houguan Jun Jing Lu Wenxuan , 2017, Effects of Sulfonamides on Physiological Growth and Cell Ultrastructure of *Vallisneria natans* (Lour.) Hara. *Database of Chinese Science and Technology : Plant Protection No. 2.* (in Chinese).
446. Awasthi R., Gaur P., Turner N.C., Vadez V., Siddique K.H.M., Nayyar. H. 2017. Effects of individual and combined heat and drought stress during seed filling on the oxidative metabolism and yield of chickpea (*Cicer arietinum*) genotypes differing in heat and drought tolerance. *Crop and Pasture Science* - <https://doi.org/10.1071/CP17028>

**Stoychev V, Vaseva I, Simova-Stoilova L, Demirevska K. 2013. Waterlogging stress in white (*Trifolium repens* L.) and red (*Trifolium pratense* L.) clover and the role of proteolysis. *Genet Plant Physiol* 3, 204-218.**

447. Jazwa M, Heise W, Klimek B. 2016. Substrate Factors Determine Roadside Vegetation Structure and Species Richness: A Case Study Along a Meridional Gradient in Fennoscandia. *Bulletin of Environmental Contamination and Toxicology*, Volume 97, Issue 4, pp 554–560

**Stoychev V., Simova-Stoilova L., Vaseva I., Kostadinova A., Nenkova R., Feller U., Demirevska K. 2013. Protein changes and proteolytic degradation in red and white clover plants subjected to waterlogging. *Acta Physiologiae Plantarum.* 35: 1925-1932, DOI 10.1007/s11738-013-1231-z**

448. Chen Y, Chen X, Wang H, Bao Y, Zhang W: Examination of the leaf proteome during flooding stress and the induction of programmed cell death in maize. *Proteome Science* 2014, 12(1):33

449. Величко ОІ, 2014. Вплив умов нафтозабрудненого ґрунту на спектральний склад білків рослин конюшини лучної. Науковий вісник НЛТУ України, 24.9, 115-118 (in Ukrainian).
450. Komatsu S, Tougou M, Nanjo Y, 2015. Proteomic techniques and management of flooding tolerance in soybean. *Journal of proteome research*, 14(9):3768-78
451. Zong J, Gao Y, Chen J, Guo H et al. 2015. Growth and enzymatic activity of four warm-season turfgrass species exposed to waterlogging. *Journal of the American Society for Horticultural Science ( JASHS)*, 140, 151-162
452. MyeongWon OH. 2015. Functional Analysis of Flooding and Drought Responsive Mechanism in Soybean using Gel-Free Proteomic Technique. A Dissertation Submitted to the Graduate School of Life and Environmental Sciences, the University of Tsukuba in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy in Biotechnology, 127p
453. Gierus, M., Loesche, M., Salama, H., Herrmann, A., & Taube, F. (2016). Protein degradation rate as affected by plant proteases among fresh samples of perennial ryegrass cultivars (*Lolium perenne* L.)/Einfluss pflanzlicher proteasen auf den proteinabbau bei unterschiedlichen englischen raigrass sorten (*Lolium perenne* L.). *Die Bodenkultur: Journal of Land Management, Food and Environment*, 67(2), 61-68.

**Vaseva I., Feller U. 2013. Natural antisense transcripts of *Trifolium repens* dehydrins. *Plant Signaling & Behaviour*. e27674, DOI: 10.4161/psb.27674**

454. Kalembe EM, Litkowiec M: Functional characterization of a dehydrin protein from *Fagus sylvatica* seeds using experimental and in silico approaches. *Plant Physiology and Biochemistry* 2015, 97(Supplement C):246-254
455. Jian Jie, Zheng - Shao Yi. 2016. The role of long - chain non - coding RNA in myocardial protection *Chinese Journal of Scientific and Technical Periodical , Clinical Medicine, Cardiovascular Diseases*, 4.
456. Cao Y, Xiang X, Geng M, You Q, Huang X: Effect of HbDHN1 and HbDHN2 Genes on Abiotic Stress Responses in *Arabidopsis*. *Frontiers in Plant Science* 2017, 8(470)

**Vaseva I., Anders I., Feller U. 2014. Identification of dehydrin subclasses involved in drought response of *Trifolium repens*. *Journal of Plant Physiology*, 171, 213-224 DOI: 10.1016/j.jplph.2013.07.013 .**

457. Amara I, Zaidi I, Masmoudi K, Ludevid MD, Pagès M, Goday A, Brini F. 2014. Insights into late embryogenesis abundant (LEA) proteins in plants: from structure to the functions. *American Journal of Plant Science*, 5(22), DOI: 10.4236/ajps.2014.522360
458. Radwan, A., Hara, M., Kleinwächter, M. and Selmar, D. (2014), Dehydrin expression in seeds and maturation drying: a paradigm change. *Plant Biol J*, 16: 853–855. doi:10.1111/plb.12228
459. Kleinwächter, M., Radwan, A., Hara, M., & Selmar, D. (2014). Dehydrin expression in seeds: an issue of maturation drying. *Frontiers in Plant Science*, 5, 402. <http://doi.org/10.3389/fpls.2014.00402>
460. Hanana M, Daldoul S, Fouquet R, Deluc L, Leon C. 2014. Identification and characterization of a seed-specific grapevine dehydrin involved in abiotic stress response within tolerant varieties. *Turkish Journal of Botany*, 38(6), 1157 – 1168
461. Hamla C, Brini F, Malika A, Masmoudi K, Abdelhamid D, Ykhlef N. 2014, Drought stress response in two Algerian durum wheat genotypes: physiological and molecular analysis of two stress responsive genes. *International Journal of Advanced Research* 2(10):330-338, 2014
462. Sahebi M, Hanafi MM, Azizi P, Hakim A, Ashkani S, Abiri R. 2015. Suppression Subtractive Hybridization Versus Next-Generation Sequencing in Plant Genetic Engineering: Challenges and Perspectives. *Molecular Biotechnology*, 57(10):880-903
463. Bertrand, A., Bipfubusa, M., Castonguay, Y., Rocher, S., Szopinska-Morawska, A., Papadopoulos, Y., & Renaut, J. (2016). A proteome analysis of freezing tolerance in red clover (*Trifolium pratense* L.). *BMC Plant Biology*, 16, 65. <http://doi.org/10.1186/s12870-016-0751-2>
464. Azzeme AM, Abdullah SNA, Aziz MA, Wahab PEM: Oil palm leaves and roots differ in physiological response, antioxidant enzyme activities and expression of stress-responsive genes upon exposure to drought stress. *Acta Physiologiae Plantarum* 2016, 38(2):52

465. Cheng L, Wang Y, He Q, Li H, Zhang X, Zhang F: Comparative proteomics illustrates the complexity of drought resistance mechanisms in two wheat (*Triticum aestivum* L.) cultivars under dehydration and rehydration. *BMC Plant Biology* 2016, 16(1):188
466. Kovi MR, Ergon Å, Rognli OA, 2016. Freezing tolerance revisited—effects of variable temperatures on gene regulation in temperate grasses and legumes. *Current Opinion in Plant Biology*, 33(Supplement C):140-146
467. Jardak-Jamoussi R, Zarrouk O, Ben Salem A, Zoghlami N, Mejri S, Gandoura S, Khiari B, Mliki A, Chaves M, Ghorbel A et al. 2016, Overexpressing *Vitis vinifera* YSK2 dehydrin in tobacco improves plant performance. *Agricultural Water Management*, 164 (Part 1):176-189
468. Jogaiah S. 2016, Grapes. *Abiotic Stress Physiology of Horticultural Crops*, Springer
469. Zhan L. 2016. Cloning and Study of Tobacco Dehydrate Gene NtDEH1 "Chinese Science and Technology Journal Database" - Botany, No. 1 (in Chinese)
470. Fan Lei Juan Zhang Yane Zhang Linsheng Zhu Weining Zhang Dapeng 2016. In silico cloning and bioinformatics analysis of TaWSI18 gene in wheat under water stress. "Chinese Science and Technology Periodicals Database" -Crops, 4 (in Chinese)
471. Dong C, Yang M, Wang H, Mi J. 2017. Identification and expression analyses of two lotus (*Nelumbo nucifera*) dehydrin genes in response to adverse temperatures, ABA and IAA treatments. *Biologia*, 72: 745-752.
472. Cao Y, Xiang X, Geng M, You Q, Huang X, 2017. Effect of HbDHN1 and HbDHN2 Genes on Abiotic Stress Responses in *Arabidopsis*. *Frontiers in Plant Science*, 8(470)

**Vaseva I., Anders I., Yuperlieva-Mateeva B., Nenkova R., Kostadinova A., Feller U. 2014. Dehydrin expression as a potential diagnostic tool for cold stress in white clover. *Plant Physiology and Biochemistry*, 78, 43-48.**

473. Hanana M, Daldoul S, Fouquet R, Deluc L, Leon C. 2014. Identification and characterization of a seed-specific grapevine dehydrin involved in abiotic stress response within tolerant varieties. *Turkish Journal of Botany*, 38(6), 1157 – 1168
474. Shen J, Wang Y, Chen C, Ding Z, Hu J, Zheng C, Li Y: Metabolite profiling of tea (*Camellia sinensis* L.) leaves in winter. *Scientia Horticulturae* 2015, 192(Supplement C):1-9
475. Liu Hao, Du Ya, et al. 2016. Cloning, expression and functional analysis of wheat WDHN1 gene. *Chinese Science & Technology Journal Database - Genetic Engineering* (in Chinese).
476. Dong C, Yang M, Wang H, Mi J. 2017. Identification and expression analyses of two lotus (*Nelumbo nucifera*) dehydrin genes in response to adverse temperatures, ABA and IAA treatments. *Biologia*, 72: 745-752.

**Feller U, Vaseva II. 2014. Extreme climatic events: impacts of drought and high temperature on physiological processes in agronomically important plants. *Frontiers in Environmental Science*, doi: 10.3389/fenvs.2014.00039**

477. Carvalho, D. R. A., Torre, S., Kraniotis, D., Almeida, D. P. F., Heuvelink, E., & Carvalho, S. M. P. (2015). Elevated air movement enhances stomatal sensitivity to abscisic acid in leaves developed at high relative air humidity. *Frontiers in Plant Science*, 6, 383. <http://doi.org/10.3389/fpls.2015.00383>
478. Wani SH, Kumar V, Shriram V, Sah SK: Phytohormones and their metabolic engineering for abiotic stress tolerance in crop plants. *The Crop Journal* 2016, 4(3):162-176
479. Nankishore A, Farrell AD: The response of contrasting tomato genotypes to combined heat and drought stress. *Journal of Plant Physiology* 2016, 202 (Supplement C):75-82
480. Weldearegay D, Yan F, Rasmussen S, Jacobsen S-E, Liu F. 2016. Physiological response cascade to soil warming and drought of spring wheat. *Crop and Pasture Science*, 67(5):480-488, DOI: 10.1071/CP15211
481. Simões NMLS, 2016. PhD Thesis: Eficiencia del uso del agua y persistencia de gramíneas perennes en condiciones de secano en el Mediterráneo. Universidad De Extremadura. (in Spanish).
482. Yavas I, Unay A. 2016. Effects of zinc and salicylic acid on wheat under drought stress. *The Journal of Animal & Plant Sciences*, 26(4), 1012-1018

483. Wu S, Ning F, Zhang Q, Wu X, Wang W: Enhancing Omics Research of Crop Responses to Drought under Field Conditions. *Frontiers in Plant Science* 2017, 8(174)
484. Gessese MK. 2017. PhD Thesis: Characterization of wheat landraces for resistance to biotic and abiotic stresses, University of Sidney.
485. Calanca P.P. (2017) Effects of Abiotic Stress in Crop Production. In: Ahmed M., Stockle C. (eds) Quantification of Climate Variability, Adaptation and Mitigation for Agricultural Sustainability. Springer, Cham
486. Boguszevska-Mankowska D, Pieczynski M, Wyrzykowska A, Kalaji HM, Sieczko L, Szweykowska-Kulinska Z, Zagdanska B. 2017. Divergent strategies displayed by potato (*Solanum tuberosum* L.) cultivars to cope with soil drought. *Journal of Agronomy and Crop Science*, DOI: 10.1111/jac.12245
487. Shrestha A. 2017. Thesis: Variability in Mesophyll Conductance to CO<sub>2</sub> in Grain Legumes. The University of Sydney, School of Life and Environmental Sciences Faculty of Science Centre for Carbon, Australia
488. Ochoa-Velasco CE, Avila-Sosa R, Navarro-Cruz AR, López-Malo A, Palou E. 2017. Chapter 9 – Biotic and Abiotic Factors to Increase Bioactive Compounds in Fruits and Vegetables. In: Food Bioconversion - A volume in Handbook of Food Bioengineering, Academic Press, pp 317–349, <https://doi.org/10.1016/B978-0-12-811413-1.00009-7>
489. Meira-Neto JAA, Alves da Silva MCN, Tolentino GS, Gastauer M, Buttschardt T, Ulm F, Máguas C. 2017. Shading, nitrogen and soil texture rule a sandy savanna: does facilitation rule its patchy physiognomy as well? *Flora*, DOI: <https://doi.org/10.1016/j.flora.2017.11.007>